

State Highway Log

Planning Report
2000

SR 2 to SR 971



Washington State Department of Transportation
Planning and Programming Service Center

INTRODUCTION

The Washington State Department of Transportation is responsible for the administration of over 7000 miles of State Highways. This involves large expenditures for planning, design, construction, and maintenance which necessitate having reliable geometric data for the entire State Highway System.

The Roadway Data Section of the Planning and Programming Service Center provides roadway geometrics in several reports. These include the STATE HIGHWAY LOG, the Road Life Report, the Horizontal and Vertical Alignment Report, and the Classification Log. Portions of these and other reports can be accessed on remote terminals through the TRIPS (TRansportation Information and Planning Support).

The STATE HIGHWAY LOG, which is published annually from TRIPS, contains roadway data and mileage statistics for all State Highways. It is designed to provide a record of current highway system information and a source for computing distances between major points. Detailed explanations of all fields are included starting on page "I-1", titled "State Highway Log Reference."

The Roadway Geometrics Office is responsible for updating and maintaining the roadway portion of the TRIPS system. The information TRIPS contains is provided by numerous WSDOT Regional, Headquarters and other sources. If you can provide us with updated information, find an error in the STATE HIGHWAY LOG or TRIPS, or have any questions regarding roadway data, please contact the Transportation Data Office at (360) 753-6597 or fax (360) 586-5855. We are continuously looking for sources to provide us with quality information.

Roadway data not available in this log may be found using the TRIPS system. Those using TRIPS for data retrieval are encouraged to follow the "TRIPS User's Guide." Anyone having questions relating to the TRIPS system or to schedule TRIPS training, contact TRIPS Maintenance and Coordination, (360) 753-5362 or fax (360) 586-5855.

JAMES P. TOOHEY
Assistant Secretary
Planning and Programming
Service Center

TABLE OF CONTENTS

PAGE

I - 1	STATE HIGHWAY LOG REFERENCE
II - 1	STATE ROUTE LIST
III - 1	STATE ROUTE EQUATION LIST
IV - 1	STATE ROUTE COINCIDENT LIST
V - 1	MILEAGE SUMMARIES BY: DISTRICT, FUNCTIONAL CLASS, RURAL - URBAN DISTRICT, FUNCTIONAL CLASS, SURFACE TYPE DISTRICT, LEVEL OF DEVELOPMENT, RURAL - URBAN FUNCTIONAL CLASS, LEVEL OF DEVELOPMENT, RURAL - URBAN MAINTENANCE AREA, SECTION, SURFACE TYPE
1	2000 STATE HIGHWAY LOG

STATE HIGHWAY LOG REFERENCE

Each State Route will be uniquely identified through the use of a related roadway type and qualifier. Related roadway types (RRT) are as follows: (Asterisk indicates RRT included in this publication)

*Mainline	*Spur	*Couplet
*Alternate Route	*Reversible Lane	Y-Connection
Collector-Distributor	Ramps	Proposed Route
Temporary Route	Transitional Turnback	Under Construction
Frontage Road	Ferry Ship (boat)	Ferry Terminal

Related roadway qualifiers (RRQ) describe related roadway types for a State Route. For example, Colfax (Spur), Kelso (couplet). For further information consult a TRIPS User Guide.

NOTE: The 1992 HIGHWAY LOG edition made reference to the Roadway Jurisdiction Transfer (RJT) TURNBACKS (effective 4/1/92). This 2000 HIGHWAY LOG edition does not make any reference to those RJT "Turn backs" (TB).

An example of a related roadway type and qualifier is shown on the SR 105 Spur in Westport:

*STATE ROUTE =105
 RELATED ROADWAY TYPE = SPUR
 RELATED ROADWAY QUALIFIER = WESTPT*

DOT-RNB160J		STATE OF WASHINGTON - DEPARTMENT OF TRANS T R I P S S Y S T E M STATE HIGHWAY LOG										
SR 105	SPUR WESTPT	STATE ROUTE - SRSH								COUNTY	GR	
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-BRIDGE-	-UXING-	-XROAD-	OW TC L	D I	-----WIDTH AN DECREAS/DIV		
				:DIRECTION TO INVENTORY			NBR	LFT	RHT			
				: :LEFT/RIGHT INDICATOR			LNS	SHD	RDY	SHD		
				: :			W/S	W/S	W/S			
30.28	0.00	BEG REQST BEG ROUTE		WESTPT SR 105 TO WESTPORT CONTROL SECTION 1438						1	1	
		BEG CTLSEC										
		INTRSECTN	L	SCHAFFER RD	CO					Y		
		INTRSECTN	R	SR 105	ST					Y		
30.29	0.01	INTRSECTN	R	SR 105 WYE CONN	ST					Y		
30.37	0.05	EQUATION		030.33 =030.37								
30.41	0.09									1	1	

State Route Milepost (SRMP) identifies reference points and should not be used for computing distance. Accumulated Route Mileage (ARM) represents the actual miles of a section of roadway or route.

SRMP	State Route Milepost - sequential number, in designated direction of travel, of 1/100 mile increments along a State Route.		
B	Indicates whether the milepost value is the 'back' duplicate of a milepost value 'ahead' on the route. Ahead values have an implied 'A' (blank).		
ARM	The route mile accumulated from the beginning of a State Route in the direction of the roadway.		
FEATURE	Following is a list of how some of the features are entered in the "feature" column:		
	Beg Bridge	Beg Eq	On Ramp
	End Bridge	Uxing	Off Ramp
	Enter Co	Intersectn	RR Xing
	Beg Street	Misc Featr	Border Sta
	End Street	Beg Ctlsec	Weigh Sta
	Beg Tunnel	Flyer Stop	Leave City
	End Tunnel	Prk & Ride	Toll Booth
	Enter Dist	Rest Area	Ferry Term

DIRECTION TO INVENTORY

- I = Increasing (mileposting increases when traveling the roadway in the increasing direction).
- D = Decreasing (mileposting decreases when traveling the roadway in the decreasing direction).
- B = Both directions of the roadway.

LEFT/RIGHT INDICATOR

Indicators show location of feature in relation to increasing direction of roadway.

- L = Left (represents features located outside of the decreasing traveled way).
- LC = Left Center (represents features located on the median side of the decreasing traveled way).
- RC = Right Center (represents features located on the median side of the increasing traveled way).
- R = Right (represents features located on the outside of the increasing traveled way).

Description - Description of Feature.

Bridge/UXing/XRoad - OW (Owner Code)

ST = State	CO = County	CT = City
FS = Forest Service	PK = Park Service	RS = Reservation
PV = Private	MY = Military	OT = Other
SO = State/County	SI = State/City	CC = County/City

Bridge/UXing/XRoad - TC (Traffic Control)

SS = Stop Sign	YS = Yield Sign
AF = Amber Flashing	RS = Railroad Signal
OT = Other Traffic Control	NO = No Traffic Control
SZ = School Zone	PC = Pedestrian Control
SG = Stop and Go	FS = Fire Signal
RF = Red Flashing	OF = Officer or Flagman

Bridge/UXing/XRoad - L (Illumination)	Y = Yes
	N = No

WIDTH AND SURFACE INFORMATION

Decreas/Div (Decreasing/Divided)

NBR LNS D = Number of lanes in decreasing direction of the roadway.

I = Number of lanes in increasing direction of the roadway.

LFT SHD W = Width of outside shoulder in decreasing direction of the roadway. No width will be shown when surface type = C or W.

S = Shoulder Surface Type

A = Asphalt	B = Bituminous	G = Gravel
S = Soil	C = Curb	W = Wall
P = Portland Cement Concrete		O = Other

RDY W = Width of roadway in decreasing direction of the roadway.

S = Roadway Surface Type

A = Asphalt	P = Portland Cement Concrete
B = Bituminous	G = Gravel
S = Soil	O = Other

RHT SHD W = Width of inside shoulder in decreasing direction of the roadway. No width will be entered when surface type = C or W.

S = Shoulder Surface Type (same as left shoulder surface types).

MEDIAN

WD Median Width

S Median Surface Type

S = Soil	G = Gravel
----------	------------

O = Other A = Asphalt
B = Bituminous P = Portland Cement Concrete

BR Median Barrier Type
DE = Depressed CU = Curb
FB = Flex Beam JE = Jersey Type Barrier
GP = Guide Post RG = Rock Wall * Gabion
UP = Unprotected IA = Impact Attenuator
WA = Wall FE = Fence
SS = Snow Shed BE = Bridge End Guard Rails
GR = Guard Rail CA = Cable

INCRES/UNDI (INCREASING/UNDIVIDED)

Will be used for divided multilane in the direction of inventory, and for the entire roadway for two lane or undivided highways.

LFT SHD W = Width of inside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

RDY W = Width of roadway in increasing direction of the roadway.

S = Roadway Surface Type

RHT SHD W = Width of outside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

SPC USE LNS WID - Width of Special Use Lane

Special Use Lane Types - (Appears in Description Field)

Auxiliary	Two Way Turn	High Occupancy Vehicle
Bicycle	Reversible	Slow Vehicle Turnout
Chain Up	Ramp Extension	Holding
Climbing	Transit	Truck Climbing Shoulder

TOT RDY WIDTH - Total roadway width includes decreasing roadway, increasing roadway and special use lane widths. This total does not include shoulder and median widths.

CLASSIFICATIONS

MTCE Maintenance

A = Maintenance Area Number
SE = Maintenance Section Number

CITY NBR City Number assigned to a city by the Census.

STFC State Functional Classification

R1 = Rural-Principal Arterial	U1 = Urban-Principal Arterial
R2 = Rural = Minor Arterial	U2 = Urban-Minor Arterial
R3 = Rural-Collector	U3 = Urban-Collector
R4 = Rural-Unclassified	U4 = Urban-Unclassified
R5 = Rural-Interstate	U5 = Urban-Interstate

Legal Speed

D - Official speed limit as designated for decreasing direction of the roadway.
IB - Official speed limit as designated for increasing or both directions of the roadway.

TR Terrain - The contour of the roadway as it relates to the frequency and steepness of hills and the effect on truck speed.

L = Level - Trucks maintain speed.
R = Rolling - Trucks slow down frequently.
M = Mountainous - Trucks slow to a crawl frequently.

PK Parking Zone - Type of parking that is permitted on a State Route (cities only).

B = Both sides parking permitted
L = Left side parking only permitted
P = Parking prohibited on both sides
R = Right side parking only permitted
X = Prohibited during peak hours

ST Street Name Alias - The local name of a street assigned to a State Route as the State Route passes through a city.

* = A street name alias is assigned to a State Route (The street name will appear in the description field).
\$ = When the street name alias ends.

INTERSECTION DETAIL

SRMP State Route Milepost at intersection.

B "Back" milepost indicator.

ARM Accumulated route mile at intersection.

TURN LANES

Entering an intersection would be “near approach.”
Leaving an intersection would be “far approach.”

LGT WD	Length and width will appear in each category of turn and acceleration lanes.
L NEAR	Left turn lane in near approach of intersection.
R NEAR	Right turn lane in near approach of intersection.
L FAR	Left turn lane in far approach of intersection.
R FAR	Right turn lane in far approach of intersection.

ACCELERATION LANES

LEFT	Left acceleration lane in near approach of intersection.
L CNTR	Acceleration lane in near approach of intersection.
R CNTR	Acceleration lane in far approach of intersection.
RIGHT	Right acceleration lane in far approach of intersection.

If you have any questions regarding the State Highway Log or the roadway data, or you can provide us with updated information, please contact the Roadway Data Office at (360) 753-6597 or fax (360) 586-5855. We are continuously looking for sources to provide us with quality information.

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
002		0.00		56.76		56.71	1
002		56.76		118.90		62.14	2
002		118.92		207.78		80.74	2
002		207.78		283.22		75.43	6
002		286.87		334.51		47.61	6
002	COBROWNE	287.45		288.08		0.63	6
002	CODIVISN	289.19		290.72		1.53	6
002	COEVRETT	0.77		1.64		0.87	1
002	CONEWPRT	334.38		334.87		0.49	6
003		0.00		60.02		59.81	3
004		0.00		62.28		62.27	4
004	COKELSO	61.72		61.92		0.20	4
005		0.00		85.51		85.58	4
005		85.51		139.50		53.98	3
005		139.50		276.56		137.06	1
005	HD15463	0.00		0.57		0.57	1
005	HD15602	0.00		0.39		0.39	1
005	HI15420	0.00		0.57		0.57	1
005	RL005EXP	165.29		172.43		7.14	1
006		0.00		51.37		51.37	4
007		0.00		16.82		16.82	4
007		16.82		57.45		40.61	3
007		57.78		58.60		0.82	3
008		0.00		20.67		20.67	3
009		0.00		55.89		55.77	1
009		57.17		79.41		22.20	1
009		84.01		98.17		14.16	1
009	SPSUMAS	98.00		98.24		0.24	1
010		88.29		104.45		16.16	5
011		0.00		21.28		21.28	1
012		0.00		20.99		20.99	3
012		21.30		46.62		25.32	3
012		66.54		165.98		99.38	4
012		165.98		202.75		36.82	5
012		291.67		434.19		142.00	5
012	COABERDN	0.33		0.68		0.35	3
014		0.00		101.02		100.93	4
014		101.44		152.24		50.80	4
014		152.24		180.77		28.53	5
014	SPMARYHL	100.66		101.05		0.39	4
016		0.00		29.19		27.01	3
016	SPGORST	28.74		29.13		0.39	3
017		7.43		21.80		14.31	5
017		21.80		96.57		74.75	2
017		98.30		144.29		45.99	2

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
018		2.20	B	27.91		28.41	1
019		0.00		14.16		14.16	3
020		0.00		12.56		12.56	3
020		12.88		148.12		135.04	1
020		148.12		233.31		85.08	2
020		261.95		297.23		35.27	2
020		297.23		342.08		44.82	6
020		354.33		436.91		82.52	6
020	SPANACRT	47.89		55.67		7.78	1
021		0.00		55.83		55.83	6
021		55.90		91.78		35.88	6
021		92.43		106.65		14.22	6
021		106.66		160.10		53.44	6
021		162.66		191.34		28.68	6
022		0.70		36.52		35.84	5
023		0.00		66.01		66.00	6
024		0.00		43.98		43.70	5
024		43.98		79.64		35.53	2
025		0.00		121.23		121.17	6
026		0.00		60.80		60.80	2
026		60.80		133.53		72.81	6
026	SPCOLFAX	133.44		133.51		0.07	6
027		0.00	B	2.27	B	2.27	6
027		0.00		87.70		87.60	6
028		0.00	B	79.02		83.16	2
028		79.02		131.18		52.16	6
028	COWENTCH	4.25		4.58		0.33	2
031		0.00		26.79		26.79	6
041		0.00		0.41		0.41	6
082		0.00		132.60		132.57	5
090		1.94		33.29		31.68	1
090		33.29		137.67		104.28	5
090		137.67		191.89		54.22	2
090		191.89		299.82		107.34	6
090	RL090EXP	1.99		9.44		7.45	1
092		0.00		8.26		8.25	1
096		0.00		6.75		6.75	1
097		0.00	B	33.52		33.47	4
097		33.52		76.36		42.71	5
097		133.90		149.69		15.92	5
097		149.69		185.02		35.33	2
097		213.00		336.48		123.46	2
097	AR	199.83		239.64		39.95	2
097	COMARYHL	2.59		2.68		0.09	4
097	SPORONDO	213.36		213.62		0.26	2

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
099		0.00		6.15		2.50	3
099		6.15		22.97	B	16.82	1
099		22.97		26.42		3.45	1
099		26.55		55.41		28.88	1
099	COVIADCT	31.72		33.56		1.84	1
100		0.00		4.68		4.68	4
100	SPCANBY	2.95		3.56		0.61	4
101		0.00		67.18		66.91	4
101		67.18		361.40		292.75	3
101		361.52		367.41		5.89	3
101	AR	9.41		10.04		0.63	4
101	COABERDN	87.49		91.66		4.17	3
101	COHERON	83.75		83.88		0.13	3
101	COPRTANG	249.65		251.32		1.67	3
102		0.00		2.86		2.86	3
103		0.00		19.95		19.97	4
104		0.20		24.53	B	24.40	3
104		24.45		32.28		7.34	1
104	COKNGSTN	24.53		24.86		0.33	3
105		0.00		25.72		25.59	4
105		25.72		48.76		22.97	3
105	SPBOONE	48.66		48.81		0.15	3
105	SPWESTPT	30.28		34.34		4.04	3
106		0.00		20.09		20.04	3
107		0.00		7.97		7.93	3
108		0.00		11.96		11.96	3
109		0.00		40.46		40.50	3
109	COHQIAM	0.14		0.29		0.15	3
109	SPLONNGR	1.79		3.61		1.82	3
110		0.00		11.10		11.10	3
110	SPMORA	7.80		10.47		2.67	3
112		0.00		61.08		61.34	3
113		0.00		9.98		9.98	3
115		0.00		2.28		2.28	3
116		0.00		9.83		9.83	3
117		0.00		1.40		1.40	3
119		0.00		10.93		10.93	3
121		0.00		7.67		7.67	3
122		0.00		7.88		7.88	4
123		0.00	B	7.50		7.52	4
123		7.50		16.34		8.84	1
124		0.00		44.98		44.68	5
125		0.00		23.67		23.65	5
125	SP125SP	6.09		6.76		0.67	5
127		0.03		10.00		10.00	5

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
127		10.00		27.05		17.05	6
128		0.00		2.24		2.24	5
129		0.00		42.55		42.55	5
129	SP6THST	42.17		42.42		0.25	5
131		0.00		2.07		2.07	4
141		0.00		29.30		29.30	4
141	SPUNDRWD	4.69		6.85		2.16	4
142		0.00		35.29		35.24	4
150		0.30		8.25		7.95	2
150		9.08		12.06		2.98	2
153		0.00		30.74		30.78	2
155		0.00		26.23		26.23	2
155		28.04		80.47		52.11	2
155	SPOMAK	80.15		80.52		0.37	2
160		0.00		7.47		7.47	3
161		0.00		25.85		25.83	3
161		28.73		32.55		3.85	3
161		32.55		35.00		2.45	1
162		0.00		19.78		17.40	3
163		0.00		3.37		3.37	3
164		0.31		15.13		14.82	1
165		0.00		21.24		21.23	3
166		0.02		4.95		4.98	3
166	COORCHRD	3.94		4.02		0.08	3
167		0.00		11.17		12.45	3
167		11.17		27.28		16.15	1
167	COPUYALP	5.72		6.26		0.54	3
169		0.00		25.26		25.26	1
170		0.00		3.68		3.66	2
171		0.00		3.82		3.82	2
172		0.00		35.08		35.01	2
173		0.00		11.99		11.86	2
174		0.00		23.38		23.38	2
174		23.38		40.66		17.28	6
174	SPCRWNPT	19.55		20.92		1.37	2
181		5.32		11.37		6.05	1
182		0.00		15.19		15.19	5
193		0.51		3.09		2.58	5
194		0.00		21.01		21.01	6
195		0.00	B	95.99		93.37	6
195	SPGNESSE	0.06		0.60		0.54	6
197		0.00		3.18		3.18	4
202		0.00		30.60		30.55	1
202	COREDMND	7.34		7.66		0.32	1
203		0.00		24.17		24.26	1

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
204		0.00	B	2.35		2.38	1
205		26.59		37.16		10.57	4
206		0.00		15.39		15.30	6
207		0.00		4.38		4.38	2
211		0.00		15.19		15.18	6
215		0.00		6.24		6.24	2
221		0.00		26.07		25.95	5
223		0.00		3.81		3.80	5
224		0.00	B	9.90		10.15	5
225		0.00		11.32		11.32	5
231		0.00		28.11		28.01	6
231		31.08		75.16		44.08	6
240		0.00		34.87		33.10	5
240		36.05		43.17		7.12	5
241		0.00		25.21		25.20	5
243		0.00		28.26		28.23	2
260		0.00		24.73		23.21	5
260		24.73		39.49		14.77	6
261		0.00		15.20		15.18	5
261		15.20		29.39		14.17	6
261		35.83		62.83		26.92	6
262		0.00		24.22		24.22	2
263		0.00		9.24		9.24	6
270		0.00		9.89		9.89	6
270	COPULLMN	2.67		2.90		0.23	6
271		0.00		8.48		8.48	6
272		0.00		16.52		16.52	6
272		16.78		19.23		2.45	6
274		0.00		1.92		1.92	6
278		0.00		5.50		5.50	6
281		0.00		10.55		10.55	2
281	SPBURKE	2.65		4.34		1.69	2
282		0.00		4.92		4.92	2
283		0.00		14.86		14.86	2
285		0.00		5.04		5.04	2
285	COWENTCH	2.86		4.64		1.78	2
290		0.00	B	0.10	B	0.10	6
290		0.00		18.38		18.38	6
290	SPHAMLTN	0.74		1.41		0.67	6
291		0.00		33.09		33.09	6
292		0.00		5.91		5.91	6
300		0.00		3.35		3.35	3
302		0.00		16.87		16.87	3
302	SPPURDY	15.85		17.13		1.28	3
303		0.00	B	9.16		9.32	3

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BEGIN	BACK IND	SRMP END	BACK IND	ARM	REGION
304		0.00		3.51		3.24	3
305		0.02		13.52		13.50	3
307		0.00		5.25		5.25	3
308		0.00		3.42		3.42	3
310		0.00		1.84		1.84	3
395		13.05		20.59		7.54	5
395		22.72		61.24		38.32	5
395		61.24		96.13		34.89	6
395		164.50		270.26		105.76	6
397		0.00		11.23		11.23	5
401		0.00		12.13		12.13	4
405		0.00		30.32		30.30	1
409		0.00		3.84		3.84	4
410		8.84		21.99		13.15	3
410		21.99		69.21		47.17	1
410		69.21		116.37		47.12	5
411		0.00		13.48		13.48	4
411	SPKELSO	1.67		1.93		0.26	4
432		0.00		7.62		7.62	4
432		7.64		10.33		2.69	4
433		0.00		0.94		0.94	4
500		0.00		20.37		20.35	4
501		0.00		12.72		12.20	4
501		16.91		19.88		2.97	4
502		0.00	B	7.56		7.58	4
503		0.00		54.38		54.11	4
503	SPCOUGAR	31.31		39.73		8.42	4
504		0.00		51.81		51.76	4
505		0.00		19.29		19.29	4
506		0.00		11.53		11.53	4
507		0.00		5.44		5.40	4
507		5.44		43.57		38.12	3
507	COPEARL	2.26		3.49		1.23	4
508		0.00		32.84		32.84	4
509		0.00		5.70		8.89	3
509		5.70		14.29		8.59	1
509		19.62		24.34	B	4.72	1
509		24.35	B	29.92		7.07	1
510		0.00		15.67		13.08	3
512		0.00		12.06		12.06	3
513		0.00		3.35		3.35	1
515		0.00		7.82		7.86	1
516		0.00		16.22		16.49	1
518		0.00		3.81		3.42	1
519		0.00		1.14		1.14	1

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE	RRT/RRQ	SRMP	BACK	SRMP	BACK	ARM	REGION
ROUTE	IDENTIFIER	BEGIN	IND	END	IND		
520		0.00		12.83		12.82	1
522		0.00		24.68		24.68	1
523		0.00		2.45		2.45	1
524		0.00	B	14.56		14.68	1
524	SPCEDRWY	4.64		5.14		0.50	1
524	SP3RDAVE	0.00		0.70		0.70	1
525		0.00		2.72		2.72	1
525		2.77		8.47		5.70	1
525		8.48		30.52		22.03	1
526		0.00		4.52		4.52	1
527		0.00		11.92		11.92	1
528		0.00		3.46		3.46	1
529		0.00		4.92	B	4.92	1
529		3.74		6.69		2.95	1
529	SPEVERET	0.38		0.58		0.20	1
530		16.95		20.79		3.84	1
530		20.90		67.71		46.57	1
531		0.00		9.88		9.88	1
532		0.00		10.09		10.09	1
534		0.00		5.08		5.08	1
536		0.00		5.38		5.38	1
538		0.00		3.67		3.66	1
539		0.00		15.16		15.16	1
542		0.00		57.26		57.23	1
542	COMTBAKR	54.60		54.97		0.37	1
543		0.00		1.09		1.09	1
544		0.00		9.01		8.94	1
546		0.00		8.02		8.02	1
547		0.00		10.79		10.79	1
548		0.00		13.85		13.85	1
599		0.00		1.75		1.75	1
702		0.00		9.32		9.32	3
705		0.00		1.50		1.50	3
706		0.00		13.64		13.64	3
730		0.00		6.08		6.08	5
730	SPWALULA	5.82		6.12		0.30	5
821		0.00		25.21		25.21	5
823		0.00	B	4.74		5.62	5
900		5.93		11.55		5.62	1
900		12.50		21.64		9.68	1
900	CO2NDST	10.71		11.40		0.69	1
902		0.00		12.36		12.36	6
903		0.00		10.06		10.06	5
903	SPCLEELM	0.19		0.52		0.33	5
904		0.00		16.96		16.96	6

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
TRIPS SYSTEM
MILEAGE SUMMARY DETAIL REPORT**

STATE ROUTE	RRT/RRQ IDENTIFIER	SRMP BACK BEGIN	IND	SRMP BACK END	IND	ARM	REGION
906		0.00		2.65		2.65	5
906	SPHYAK	2.55		2.98		0.43	5
908		3.52		6.66		3.14	1
908	COREDMND	6.66		6.94		0.28	1
970		0.00		10.31		10.31	5
971		0.00		15.02		15.02	2

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
2		9.34		9.29	009.29 =009.34
2		60.48	B	60.43	BEGIN BACK
2		60.48		60.46	060.51B=060.48
2		64.21	B	64.19	BEGIN BACK
2		64.21		64.22	064.24B=064.21
2		69.35		69.32	069.31 =069.35
2		78.57		78.52	078.55 =078.57
2		118.92		118.86	118.91 =118.92
2		119.68	B	119.62	BEGIN BACK
2		119.68		119.77	119.83B=119.68
2		127.83		120.86	120.77 =127.83
2		139.46		132.39	139.36 =139.46
2		172.26		164.1	171.17 =172.26
2		188.54		180.32	188.48 =188.54
2		190.81	B	182.59	BEGIN BACK
2		190.81		182.6	190.82B=190.81
2		207.78	B	199.57	BEGIN BACK
2		207.78		199.6	207.81B=207.78
2		221.00		212.81	220.99 =221.00
2		286.87		278.62	286.81 =286.87
2		289.19	B	280.94	BEGIN BACK
2		289.19		280.98	289.23B=289.19
2		321.66		313.38	321.59 =321.66
3		22.99		22.96	022.96 =022.99
3		36.79		36.74	036.77 =036.79
3		53.88		53.67	053.72 =053.88
4		15.06		15.05	015.05 =015.06
5		40.37	B	40.37	BEGIN BACK
5		40.37		40.44	040.44B=040.37
5		117.37		117.43	117.36 =117.37
5		202.28		202.33	202.27 =202.28
5		219.46	B	219.51	BEGIN BACK
5		219.46		219.52	219.47B=219.46
5		221.90		221.95	221.89 =221.90
5		226.39	B	226.44	BEGIN BACK
5		226.39		226.45	226.40B=226.39
7		23.34		23.33	023.33 =023.34
7		27.82		27.8	027.81 =027.82
7		57.78		57.44	057.46 =057.78
9		30.16		30.07	030.07 =030.16
9		47.68		47.56	047.65 =047.68
9		57.17		57.04	057.16 =057.17
9		63.51		63.36	063.49 =063.51
9		68.01		67.84	067.99 =068.01
9		72.38	B	72.21	BEGIN BACK

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
9		72.38		72.22	072.39B=072.38
9		74.10		73.93	074.09 =074.10
9		84.01		83.83	084.00 =084.01
12		21.30		21	021.00 =021.30
12		85.36	B	85.06	BEGIN BACK
12		85.36		85.07	085.37B=085.36
12		135.86	B	135.57	BEGIN BACK
12		135.86		135.6	135.89B=135.86
12		138.85		138.49	138.75 =138.85
12		176.61		176.23	176.59 =176.61
12		185.49	B	185.11	BEGIN BACK
12		185.49		185.16	185.54B=185.49
12		192.80		192.46	192.79 =192.80
12		197.95	B	197.61	BEGIN BACK
12		197.95		197.64	197.98B=197.95
12		291.67		288.81	289.12 =291.67
12		294.16	B	291.3	BEGIN BACK
12		294.16		291.34	294.20B=294.16
12		341.65		338.37	341.19 =341.65
12		345.00		341.7	344.98 =345.00
12		376.36		373.02	376.32 =376.36
12		390.84	B	387.5	BEGIN BACK
12		390.84		387.52	390.86B=390.84
12		421.84		418.45	421.77 =421.84
12		432.61	B	429.22	BEGIN BACK
12		432.61		429.23	432.62B=432.61
14		0.52	B	0.52	BEGIN BACK
14		0.52		0.53	000.53B=000.52
14		19.63		19.38	019.37 =019.63
14		40.62	B	40.37	BEGIN BACK
14		40.62		40.55	040.80B=040.62
14		63.60		63.51	063.58 =063.60
16		7.28		5.05	005.05 =007.28
16		27.00	B	24.77	BEGIN BACK
16		27.00		24.82	027.05B=027.00
17		9.35		1.86	009.29 =009.35
17		51.84		44.33	051.82 =051.84
17		98.30		90.68	098.19 =098.30
18		2.20	B	0	BEGIN BACK
18		0.00		0.53	002.73B=000.00
18		16.29		16.79	016.26 =016.29
20		15.06		15.04	015.04 =015.06
20		16.41		16.33	016.35 =016.41
20		21.83		21.74	021.82 =021.83
20		25.81		25.71	025.80 =025.81

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
20		34.68		34.57	034.67 =034.68
20		46.18		46.04	046.15 =046.18
20		84.76		84.58	084.72 =084.76
20		106.58	B	106.4	BEGIN BACK
20		106.58		106.41	106.59B=106.58
20		117.43		117.23	117.40 =117.43
20		192.46		192.15	192.35 =192.46
20		288.49		288.17	288.48 =288.49
20		305.24		304.89	305.21 =305.24
20		357.30		356.92	357.27 =357.30
20		421.42		421.01	421.39 =421.42
22		2.57	B	1.87	BEGIN BACK
22		2.57		1.88	002.58B=002.57
22		4.21	B	3.52	BEGIN BACK
22		4.21		3.53	004.22B=004.21
23		27.72	B	27.72	BEGIN BACK
23		27.72		27.76	027.76B=027.72
23		44.29		44.28	044.24 =044.29
24		5.37		5.32	005.32 =005.37
24		38.71		38.43	038.48 =038.71
24		44.25	B	43.97	BEGIN BACK
24		44.25		44.02	044.30B=044.25
24		79.17		78.76	078.99 =079.17
25		83.36		83.34	083.34 =083.36
25		89.68		89.62	089.64 =089.68
26		61.78	B	61.78	BEGIN BACK
26		61.78		61.86	061.86B=061.78
27		0.00	B	0	BEGIN BACK
27		0.00		2.4	002.40B=000.00
27		8.86		11.2	008.80 =008.86
27		14.81		17.1	014.76 =014.81
27		23.99	B	26.28	BEGIN BACK
27		23.99		26.33	024.04B=023.99
27		34.28		36.6	034.26 =034.28
27		47.06	B	49.38	BEGIN BACK
27		47.06		49.42	047.10B=047.06
27		48.05		50.37	048.01 =048.05
27		48.25		50.55	048.23 =048.25
28		0.00	B	0	BEGIN BACK
28		0.31		4.45	004.45B=000.31
28	COWENTCH	0.00	B	0	BEGIN BACK
82		26.59		26.56	026.56 =026.59
90		14.32	B	12.38	BEGIN BACK
90		14.32		12.39	014.33B=014.32
90		31.57	B	29.64	BEGIN BACK

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
90		31.57		29.96	031.89B=031.57
90		47.71		46.09	047.70 =047.71
90		52.14		50.48	052.10 =052.14
90		56.80		55.13	056.79 =056.80
90		71.25		69.54	071.21 =071.25
90		218.60		216.32	218.03 =218.60
90		282.59		280.3	282.58 =282.59
90		289.62		287.32	289.61 =289.62
92		7.67		7.66	007.66 =007.67
97		0.00	B	0	BEGIN BACK
97		0.00		0.49	000.49B=000.00
97		14.22		14.17	013.68 =014.22
97		36.15		36.09	036.14 =036.15
97		51.91		51.79	051.85 =051.91
97		56.73		56.59	056.71 =056.73
97		74.57		74.37	074.51 =074.57
97		74.72	B	74.52	BEGIN BACK
97		74.72		74.54	074.74B=074.72
97		133.90		118.8	118.98 =133.90
97		137.10	B	122	BEGIN BACK
97		137.10		122.13	137.23B=137.10
97		172.49		157.49	172.46 =172.49
97		179.80	B	164.8	BEGIN BACK
97		179.80		164.83	179.83B=179.80
97		199.83	B	184.86	BEGIN BACK
97		199.83		185.01	199.98B=199.83
97		213.00		198.16	212.98 =213.00
97		253.59		238.74	253.58 =253.59
97		298.61		283.75	298.60 =298.61
97AR		233.08		33.23	233.06 =233.08
97AR		234.20	B	34.35	BEGIN BACK
97AR		234.20		34.46	234.31B=234.20
97AR		236.07		36.28	236.02 =236.07
97AR		236.61	B	36.82	BEGIN BACK
97AR		236.61		36.92	236.71B=236.61
99		5.27		1.62	001.62 =005.27
99		22.97	B	19.32	BEGIN BACK
99		22.97		19.33	022.98B=022.97
99		26.55		22.79	026.43 =026.55
99		27.17	B	23.41	BEGIN BACK
99		27.17		23.45	027.21B=027.17
99		43.48		39.75	043.47 =043.48
99		53.53	B	49.8	BEGIN BACK
99		53.53		49.81	053.54B=053.53
99		55.31		51.57	055.29 =055.31

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
101		59.66		59.39	059.39 =059.66
101		80.81		80.46	080.73 =080.81
101		83.68	B	83.33	BEGIN BACK
101		83.68		83.43	083.78B=083.68
101		87.66		87.26	087.51 =087.66
101		91.92		91.5	091.90 =091.92
101		126.58	B	126.16	BEGIN BACK
101		126.58		126.17	126.59B=126.58
101		130.83		130.41	130.82 =130.83
101		152.62		152.12	152.54 =152.62
101		164.92		164.36	164.86 =164.92
101		171.65		171.04	171.60 =171.65
101		174.26		173.63	174.24 =174.26
101		176.57	B	175.94	BEGIN BACK
101		176.57		175.98	176.61B=176.57
101		185.82	B	185.23	BEGIN BACK
101		185.82		185.24	185.83B=185.82
101		228.27		227.55	228.13 =228.27
101		247.56	B	246.84	BEGIN BACK
101		247.56		246.9	247.62B=247.56
101		252.91		252.16	252.82 =252.91
101		253.88	B	253.13	BEGIN BACK
101		253.88		253.14	253.89B=253.88
101		258.12		257.36	258.10 =258.12
101		266.91		265.95	266.71 =266.91
101		314.63		313.66	314.62 =314.63
101		350.12		348.36	349.33 =350.12
101		356.92	B	355.16	BEGIN BACK
101		356.92		355.18	356.94B=356.92
101		361.52		359.67	361.41 =361.52
103		4.41	B	4.41	BEGIN BACK
103		4.41		4.43	004.43B=004.41
104		20.63	B	20.43	BEGIN BACK
104		20.63		20.5	020.70B=020.63
104		24.45	B	24.32	BEGIN BACK
104		24.45		24.41	024.54B=024.45
104		25.90		25.78	025.82 =025.90
104		28.69		28.16	028.28 =028.69
105		22.08		21.95	021.95 =022.08
105		30.29	B	30.16	BEGIN BACK
105		30.29		30.21	030.34B=030.29
105		41.09		40.89	040.97 =041.09
105	SPWESTPT	30.37		0.05	030.33 =030.37
105	SPWESTPT	34.22	B	3.9	BEGIN BACK
105	SPWESTPT	34.22		3.92	034.24B=034.22

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
106		16.02		16	016.00 =016.02
106		20.02		19.97	019.99 =020.02
107		0.09		0.06	000.06 =000.09
107		7.86		7.82	007.85 =007.86
109		0.14	B	0.14	BEGIN BACK
109		0.14		0.18	000.18B=000.14
112		9.99		9.97	009.97 =009.99
112		32.87	B	32.85	BEGIN BACK
112		32.87		32.89	032.91B=032.87
112		36.63	B	36.65	BEGIN BACK
112		36.63		36.98	036.96B=036.63
112		50.46		50.72	050.37 =050.46
123		0.00	B	0	BEGIN BACK
123		0.00		0.02	000.02B=000.00
124		30.88		30.63	030.63 =030.88
124		44.50		44.2	044.45 =044.50
125		4.50		4.49	004.49 =004.50
125		6.17		6.15	006.16 =006.17
127		1.67	B	1.64	BEGIN BACK
127		1.67		1.67	001.70B=001.67
142		18.99		18.96	018.96 =018.99
142		25.92		25.87	025.90 =025.92
153		3.65	B	3.65	BEGIN BACK
153		3.65		3.69	003.69B=003.65
155		28.04		26.24	026.24 =028.04
155		42.51		40.7	042.50 =042.51
155		53.42		51.59	053.40 =053.42
155		57.68		55.82	057.65 =057.68
155		79.63		77.51	079.37 =079.63
161		2.71		2.69	002.69 =002.71
161		28.69	B	28.67	BEGIN BACK
161		28.73		29.87	029.89B=028.73
161		32.55	B	33.69	BEGIN BACK
161		32.55		33.72	032.58B=032.55
162		3.21		0.83	000.83 =003.21
165		19.04		19.03	019.03 =019.04
166		3.94	B	3.92	BEGIN BACK
166		3.94		3.97	003.99B=003.94
167		5.26	B	5.26	BEGIN BACK
167		5.26		6.54	006.54B=005.26
167		14.35	B	15.63	BEGIN BACK
167		14.35		15.67	014.39B=014.35
170		0.89		0.88	000.88 =000.89
170		3.13		3.11	003.12 =003.13
172		14.63		14.53	014.53 =014.63

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
172		23.07	B	22.97	BEGIN BACK
172		23.07		23	023.10B=023.07
173		10.62		10.49	010.49 =010.62
195		0.00	B	0	BEGIN BACK
195		0.00		0.31	000.31B=000.00
195		19.77		20.07	019.76 =019.77
195		20.15	B	20.45	BEGIN BACK
195		20.15		20.51	020.21B=020.15
195		25.81		23.96	023.60 =025.81
195		37.20		35.34	037.19 =037.20
195		70.43		68.34	070.20 =070.43
195		80.96		78.37	080.46 =080.96
195		89.80		87.18	089.77 =089.80
202		8.22		8.2	008.20 =008.22
202		21.99		21.94	021.96 =021.99
203		0.09	B	0.09	BEGIN BACK
203		0.09		0.11	000.11B=000.09
203		5.20	B	5.22	BEGIN BACK
203		5.20		5.23	005.21B=005.20
203		9.03	B	9.06	BEGIN BACK
203		9.03		9.07	009.04B=009.03
203		12.03	B	12.07	BEGIN BACK
203		12.03		12.08	012.04B=012.03
203		14.26	B	14.31	BEGIN BACK
203		14.26		14.33	014.28B=014.26
203		16.50	B	16.57	BEGIN BACK
203		16.50		16.58	016.51B=016.50
203		20.88	B	20.96	BEGIN BACK
203		20.88		20.97	020.89B=020.88
204		0.00	B	0	BEGIN BACK
204		0.00		0.03	000.03B=000.00
206		0.87		0.81	000.81 =000.87
206		11.09		11	011.06 =011.09
211		0.99		0.98	000.98 =000.99
221		2.63		2.51	002.51 =002.63
223		2.10		2.09	002.09 =002.10
224		0.00	B	0	BEGIN BACK
224		0.00		0.25	000.25B=000.00
224		4.00		4.23	003.98 =004.00
224		9.87	B	10.1	BEGIN BACK
224		9.87		10.12	009.89B=009.87
231		0.32		0.27	000.27 =000.32
231		4.99		4.93	004.98 =004.99
231		9.27		9.2	009.26 =009.27
231		12.11		12.03	012.10 =012.11

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
231		15.76		15.66	015.74 =015.76
231		31.08		30.89	030.99 =031.08
240		30.63		28.86	028.86 =030.63
240		36.05		34.22	035.99 =036.05
241		20.64		20.63	020.63 =020.64
243		18.98		18.95	018.95 =018.98
260		13.71		12.19	012.19 =013.71
260		35.01	B	33.49	BEGIN BACK
260		35.01		33.5	035.02B=035.01
261		8.09		8.07	008.07 =008.09
261		20.68		20.64	020.66 =020.68
261		48.53		48.41	048.45 =048.53
272		16.78		16.77	016.77 =016.78
290		0.00	B	0	BEGIN BACK
290		0.00		0.18	000.18B=000.00
303		0.00	B	0	BEGIN BACK
303		0.00		0.16	000.16B=000.00
304		0.19	B	0.19	BEGIN BACK
304		0.19		0.24	000.24B=000.19
304		3.34		3.07	003.02 =003.34
395		13.05	B	13.05	BEGIN BACK
395		13.05		19.81	019.81B=013.05
395		54.79		61.35	054.59 =054.79
395		156.74		163.24	156.68 =156.74
395		159.06	B	165.56	BEGIN BACK
395		159.06		165.6	159.10B=159.06
395		164.50		169.27	162.73 =164.50
395		169.30	B	174.07	BEGIN BACK
395		169.30		174.09	169.32B=169.30
395		215.63		220.4	215.61 =215.63
405		4.04		4.01	004.01 =004.04
405		12.38	B	12.35	BEGIN BACK
405		12.38		12.37	012.40B=012.38
405		23.78		23.76	023.77 =023.78
410		38.50		29.62	038.46 =038.50
410		42.49		33.6	042.48 =042.49
410		88.44		79.51	088.40 =088.44
432		7.64		7.63	007.63 =007.64
500		20.24		20.22	020.22 =020.24
501		0.23		0.18	000.18 =000.23
501		0.88		0.47	000.52 =000.88
501		5.65		5.13	005.54 =005.65
501		16.91		12.21	012.73 =016.91
502		0.00	B	0	BEGIN BACK
502		0.00		0.02	000.02B=000.00

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
SRMP EQUATIONS LISTINGS
ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
503		6.08		5.86	005.86 =006.08
503		26.56		26.29	026.51 =026.56
504		5.22		5.19	005.19 =005.22
504		19.14		19.09	019.12 =019.14
507		4.80		4.76	004.76 =004.80
507		36.50		36.45	036.49 =036.50
509		3.20	B	3.2	BEGIN BACK
509		3.20		6.39	006.39B=003.20
509		19.62	B	22.81	BEGIN BACK
509		19.62		23.37	020.18B=019.62
509		23.60	B	27.35	BEGIN BACK
509		23.60		28.4	024.65B=023.60
509		29.48	B	34.28	BEGIN BACK
509		29.48		34.73	029.93B=029.48
510		2.62		0.5	000.50 =002.62
510		4.28		1.7	003.82 =004.28
510		13.65		11.06	013.64 =013.65
515		2.33		2.3	002.30 =002.33
515		7.43	B	7.4	BEGIN BACK
515		7.43		7.47	007.50B=007.43
516		2.03		2.02	002.02 =002.03
516		4.52	B	4.51	BEGIN BACK
516		4.52		4.79	004.80B=004.52
518		2.05		1.66	001.66 =002.05
520		6.95		6.94	006.94 =006.95
522		9.61		9.6	009.60 =009.61
522		12.09	B	12.08	BEGIN BACK
522		12.09		12.09	012.10B=012.09
524		0.00	B	0	BEGIN BACK
524		0.00		0.12	000.12B=000.00
525		2.77	B	2.77	BEGIN BACK
525		2.77		3.01	003.01B=002.77
525		26.41		26.64	026.40 =026.41
529		3.74	B	3.74	BEGIN BACK
529		3.74		4.93	004.93B=003.74
530		21.30		4.15	021.10 =021.30
530		28.70		11.53	028.68 =028.70
530		29.39		12.2	029.37 =029.39
538		3.10		3.09	003.09 =003.10
542		23.96		23.93	023.93 =023.96
544		5.20		5.16	005.16 =005.20
544		6.15		6.08	006.12 =006.15
823		0.00	B	0	BEGIN BACK
823		0.00		0.88	000.88B=000.00
900		12.50		6.52	012.45 =012.50

**STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
 SRMP EQUATIONS LISTINGS
 ALL HIGHWAYS**

SR	RRT/RRQ IDENTIFIER	SRMP	BACK IND	ARM	EQUATION
900		12.56	B	6.58	BEGIN BACK
900		12.56		7.12	013.10B=012.56

STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
COINCIDENT ROADWAY LISTINGS
ALL HIGHWAYS

SR	RRT/RRQ IDENTIFIER	SRMP	ARM	RRT/RRQ IDENTIFIER	MAJOR MINOR MA/MI	BEG COINCIDENT END STATE ROUTE	RRT/RRQ IDENTIFIER	COINCIDENT SRMP	COINCIDENT DISCRIPPTION
2		104.72	104.67		MA	BEG 97		185.02	1ST COINCIDENT RT
2		139.85	132.78		MA	END 97		213.00	1ST COINCIDENT RT
2		187.40	179.24		MA	BEG 17		98.30	1ST COINCIDENT RT
2		189.08	180.86		MA	END 17		96.57	1ST COINCIDENT RT
2		220.88	212.70		MA	BEG 21		92.43	1ST COINCIDENT RT
2		221.54	213.35		MA	END 21		91.78	1ST COINCIDENT RT
2		261.09	252.90		MA	BEG 231		28.11	1ST COINCIDENT RT
2		263.97	255.78		MA	END 231		31.08	1ST COINCIDENT RT
2		283.22	275.03		MI	BEG 90		277.73	1ST COINCIDENT RT
2		286.87	278.62		MI	END 90		281.32	1ST COINCIDENT RT
2		286.88	278.63		MA	BEG 395		156.75	1ST COINCIDENT RT
2		287.32	279.07		MA	BEG 290		0.10B	2ND COINCIDENT RT
2		287.40	279.15		MA	END 290		0.00	2ND COINCIDENT RT
2		292.86	284.65		MA	END 395		164.50	1ST COINCIDENT RT
5		68.41	68.48		MA	BEG 12		66.54	1ST COINCIDENT RT
5		88.33	88.40		MA	END 12		46.62	1ST COINCIDENT RT
9		29.46	29.46		MA	BEG 530		20.79	1ST COINCIDENT RT
9		29.57	29.57		MA	END 530		20.90	1ST COINCIDENT RT
9		55.89	55.77		MI	BEG 20		64.81	1ST COINCIDENT RT
9		57.17	57.04		MI	END 20		66.08	1ST COINCIDENT RT
9		79.41	79.24		MI	BEG 542		14.57	1ST COINCIDENT RT
9		84.01	83.83		MI	END 542		9.98	1ST COINCIDENT RT
12		46.62	46.32		MI	BEG 5		88.33	1ST COINCIDENT RT
12		66.54	66.24		MI	END 5		68.41	1ST COINCIDENT RT
12		202.75	202.44		MI	BEG 82		31.38	1ST COINCIDENT RT
12		273.93	273.62		MI	END 82		102.56	1ST COINCIDENT RT
12		273.93	273.62		MI	BEG 182		0.00	2ND COINCIDENT RT
12		291.67	288.81		MI	END 182		15.19	1ST COINCIDENT RT
14		101.02	100.93		MI	BEG 97		2.31	1ST COINCIDENT RT
14		101.44	101.35		MI	END 97		1.89	1ST COINCIDENT RT
17		96.57	89.06		MI	BEG 2		189.08	1ST COINCIDENT RT
17		98.30	90.68		MI	END 2		187.40	1ST COINCIDENT RT
20		64.81	64.67		MA	BEG 9		55.89	1ST COINCIDENT RT
20		66.08	65.94		MA	END 9		57.17	1ST COINCIDENT RT
20		233.31	233.00		MI	BEG 97		286.18	1ST COINCIDENT RT
20		261.95	261.64		MI	END 97		314.83	1ST COINCIDENT RT
20		302.65	302.33		MA	BEG 21		160.10	1ST COINCIDENT RT
20		305.24	304.89		MA	END 21		162.66	1ST COINCIDENT RT
20		342.08	341.73		MI	BEG 395		241.89	1ST COINCIDENT RT
20		354.33	353.98		MI	END 395		229.64	1ST COINCIDENT RT
21		55.83	55.83		MI	BEG 28		93.72	1ST COINCIDENT RT
21		55.90	55.90		MI	END 28		93.79	1ST COINCIDENT RT
21		91.78	91.78		MI	BEG 2		221.54	1ST COINCIDENT RT
21		92.43	92.43		MI	END 2		220.88	1ST COINCIDENT RT
21		160.10	160.10		MI	BEG 20		302.65	1ST COINCIDENT RT
21		162.66	162.66		MI	END 20		305.24	1ST COINCIDENT RT
27		2.27B	2.27		MI	BEG 270		2.40	1ST COINCIDENT RT
27		0.00	2.40		MI	END 270		2.27	1ST COINCIDENT RT
27		15.08	17.37		MA	BEG 272		16.78	1ST COINCIDENT RT

STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
COINCIDENT ROADWAY LISTINGS
ALL HIGHWAYS

SR	RRT/RRQ		ARM	MAJOR		BEG	RRT/RRQ	COINCIDENT	COINCIDENT
	IDENTIFIER	SRMP		IDENTIFIER	MINOR	END STATE			
27		15.33	17.62		MA	END 272		16.52	1ST COINCIDENT RT
28		93.72	97.86		MA	BEG 21		55.83	1ST COINCIDENT RT
28		93.79	97.93		MA	END 21		55.90	1ST COINCIDENT RT
82		0.00	0.00		MA	BEG 97		114.17	1ST COINCIDENT RT
82		31.38	31.35		MA	BEG 12		202.75	2ND COINCIDENT RT
82		37.84	37.81		MA	END 97		76.36	1ST COINCIDENT RT
82		102.56	102.53		MA	END 12		273.93	1ST COINCIDENT RT
82		112.79	112.76		MA	BEG 395		13.05	1ST COINCIDENT RT
82		132.60	132.57		MA	END 395		0.00	1ST COINCIDENT RT
90		106.06	104.35		MA	BEG 97		133.90	1ST COINCIDENT RT
90		110.87	109.16		MA	END 97		114.17	1ST COINCIDENT RT
90		220.77	218.49		MA	BEG 395		96.13	1ST COINCIDENT RT
90		277.73	275.45		MA	BEG 2		283.22	2ND COINCIDENT RT
90		281.32	279.04		MA	END 395		156.74	1ST COINCIDENT RT
90		281.32	279.04		MA	END 2		286.87	2ND COINCIDENT RT
97		1.89	2.38		MA	BEG 14		101.44	1ST COINCIDENT RT
97		2.31	2.80		MA	END 14		101.02	1ST COINCIDENT RT
97		76.36	76.18		MI	BEG 82		37.84	1ST COINCIDENT RT
97		114.17	113.99		MI	END 82		0.00	1ST COINCIDENT RT
97		114.17	113.99		MI	BEG 90		110.87	2ND COINCIDENT RT
97		133.90	118.80		MI	END 90		106.06	1ST COINCIDENT RT
97		185.02	170.05		MI	BEG 2		104.72	1ST COINCIDENT RT
97		213.00	198.16		MI	END 2		139.85	1ST COINCIDENT RT
97		286.18	271.33		MA	BEG 20		233.31	1ST COINCIDENT RT
97		314.83	299.97		MA	END 20		261.95	1ST COINCIDENT RT
97AR		234.20	34.46		MA	BEG 150		8.25	1ST COINCIDENT RT
97AR		235.03	35.29		MA	END 150		9.08	1ST COINCIDENT RT
99		11.39	7.74		MA	BEG 509		14.29	1ST COINCIDENT RT
99		15.49	11.84		MA	END 509		18.39	1ST COINCIDENT RT
99		50.56	46.83		MA	BEG 525		2.72	1ST COINCIDENT RT
99		50.85	47.12		MA	END 525		2.77	1ST COINCIDENT RT
150		8.25	7.95		MI	BEG 097 AR		234.20	1ST COINCIDENT RT
150		9.08	8.78		MI	END 097 AR		235.03	1ST COINCIDENT RT
161		25.85	25.83		MI	BEG 512		8.74	1ST COINCIDENT RT
161		29.17B	29.15		MI	END 512		12.06	1ST COINCIDENT RT
161		29.17B	29.15		MI	BEG 167		5.98	2ND COINCIDENT RT
161		29.43B	29.41		MI	END 167		5.72	1ST COINCIDENT RT
161		29.43B	29.41		MI	BEG 167	COPUYALP	5.72	2ND COINCIDENT RT
161		28.73	29.87		MI	END 167	COPUYALP	6.18	1ST COINCIDENT RT
167		5.72	7.00		MA	BEG 161		29.43B	1ST COINCIDENT RT
167		5.98	7.26		MA	END 161		29.17B	1ST COINCIDENT RT
167	COPUYALP	5.72	0.00		MA	BEG 161		29.43B	1ST COINCIDENT RT
167	COPUYALP	6.18	0.46		MA	END 161		28.73	1ST COINCIDENT RT
182		0.00	0.00		MA	BEG 12		273.93	1ST COINCIDENT RT
182		3.83	3.83		MA	BEG 240		34.87	2ND COINCIDENT RT
182		4.95	4.95		MA	END 240		36.05	2ND COINCIDENT RT
182		12.24	12.24		MA	BEG 395		20.59	2ND COINCIDENT RT
182		14.37	14.37		MA	END 395		22.72	2ND COINCIDENT RT
182		15.19	15.19		MA	END 12		291.67	1ST COINCIDENT RT

STATE OF WASHINGTON DEPARTMENT OF TRANSPORTATION
 COINCIDENT ROADWAY LISTINGS
 ALL HIGHWAYS

SR	RRT/RRQ IDENTIFIER	SRMP	ARM	RRT/RRQ IDENTIFIER	MAJOR MINOR MA/MI	BEG COINCIDENT END STATE ROUTE	RRT/RRQ IDENTIFIER	COINCIDENT SRMP	COINCIDENT DISCRIPPTION
231		28.11	28.01		MI	BEG 2		261.09	1ST COINCIDENT RT
231		31.08	30.89		MI	END 2		263.97	1ST COINCIDENT RT
240		34.87	33.10		MI	BEG 182		3.83	1ST COINCIDENT RT
240		36.05	34.22		MI	END 182		4.95	1ST COINCIDENT RT
260		33.06	31.54		MA	BEG 261		29.39	1ST COINCIDENT RT
260		39.49	37.98		MA	END 261		35.83	1ST COINCIDENT RT
261		29.39	29.35		MI	BEG 260		33.06	1ST COINCIDENT RT
261		35.83	35.79		MI	END 260		39.49	1ST COINCIDENT RT
270		2.27	2.27		MA	BEG 27		0.00	1ST COINCIDENT RT
270		2.40	2.40		MA	END 27		2.27B	1ST COINCIDENT RT
272		16.52	16.52		MI	BEG 27		15.33	1ST COINCIDENT RT
272		16.78	16.77		MI	END 27		15.08	1ST COINCIDENT RT
290		0.10B	0.10		MI	BEG 2		287.32	1ST COINCIDENT RT
290		0.00	0.18		MI	END 2		287.40	1ST COINCIDENT RT
395		0.00	0.00		MI	BEG 82		132.60	1ST COINCIDENT RT
395		13.05	19.81		MI	END 82		112.79	1ST COINCIDENT RT
395		20.59	27.35		MI	BEG 182		12.24	1ST COINCIDENT RT
395		22.72	29.48		MI	END 182		14.37	1ST COINCIDENT RT
395		96.13	102.69		MI	BEG 90		220.77	1ST COINCIDENT RT
395		156.74	163.24		MI	END 90		281.32	1ST COINCIDENT RT
395		156.75	163.25		MI	BEG 2		286.88	1ST COINCIDENT RT
395		164.50	169.27		MI	END 2		292.86	1ST COINCIDENT RT
395		229.64	234.41		MA	BEG 20		354.33	1ST COINCIDENT RT
395		241.89	246.66		MA	END 20		342.08	1ST COINCIDENT RT
405		4.50	4.47		MA	BEG 900		11.55	1ST COINCIDENT RT
405		5.40	5.37		MA	END 900		12.50	1ST COINCIDENT RT
509		14.29	17.48		MI	BEG 99		11.39	1ST COINCIDENT RT
509		18.39	21.58		MI	END 99		15.49	1ST COINCIDENT RT
509		18.39	21.58		MI	BEG 516		1.79	2ND COINCIDENT RT
509		19.62	23.37		MI	END 516		0.00	1ST COINCIDENT RT
512		8.74	8.74		MA	BEG 161		25.85	1ST COINCIDENT RT
512		12.06	12.06		MA	END 161		29.17B	1ST COINCIDENT RT
516		0.00	0.00		MA	BEG 509		19.62	1ST COINCIDENT RT
516		1.79	1.79		MA	END 509		18.39	1ST COINCIDENT RT
525		2.72	2.72		MI	BEG 99		50.56	1ST COINCIDENT RT
525		2.77	3.01		MI	END 99		50.85	1ST COINCIDENT RT
530		20.79	3.84		MI	BEG 9		29.46	1ST COINCIDENT RT
530		20.90	3.95		MI	END 9		29.57	1ST COINCIDENT RT
542		9.98	9.98		MA	BEG 9		84.01	1ST COINCIDENT RT
542		14.57	14.57		MA	END 9		79.41	1ST COINCIDENT RT
900		11.55	5.62		MI	BEG 405		4.50	1ST COINCIDENT RT
900		12.50	6.52		MI	END 405		5.40	1ST COINCIDENT RT

T R I P S S Y S T E M

STATE MAINLINE HIGHWAY AND LANE MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	PRIN ARTERIAL	167.71	363.44	16.72	48.45	227.73	889.68	244.45	938.13	412.16	1,301.57
1	MINR ARTERIAL	299.78	600.50	11.72	24.02	75.58	189.13	87.30	213.15	387.08	813.65
1	COLLECTOR	178.07	356.52	4.73	11.98			4.73	11.98	182.80	368.50
1	UNCLASSIFIED										
1	INTERSTATE	66.46	344.32	9.97	39.88	137.20	901.10	147.17	940.98	213.63	1,285.30
DISTRICT SUBTOTAL		712.02	1,664.78	43.14	124.33	440.51	1,979.91	483.65	2,104.24	1,195.67	3,769.02
2	PRIN ARTERIAL	433.60	919.48	26.73	79.59			26.73	79.59	460.33	999.07
2	MINR ARTERIAL	463.64	938.46	11.40	27.58			11.40	27.58	475.04	966.04
2	COLLECTOR	143.87	289.33							143.87	289.33
2	UNCLASSIFIED										
2	INTERSTATE	49.15	196.60	5.07	20.28			5.07	20.28	54.22	216.88
DISTRICT SUBTOTAL		1,090.26	2,343.87	43.20	127.45			43.20	127.45	1,133.46	2,471.32
3	PRIN ARTERIAL	427.04	988.28	43.11	112.26	107.56	422.22	150.67	534.48	577.71	1,522.76
3	MINR ARTERIAL	200.94	402.21	9.62	21.13	38.72	108.70	48.34	129.83	249.28	532.04
3	COLLECTOR	212.82	425.67			7.87	16.08	7.87	16.08	220.69	441.75
3	UNCLASSIFIED										
3	INTERSTATE	20.10	93.30			35.38	242.53	35.38	242.53	55.48	335.83
DISTRICT SUBTOTAL		860.90	1,909.46	52.73	133.39	189.53	789.53	242.26	922.92	1,103.16	2,832.38
4	PRIN ARTERIAL	360.74	736.31	7.75	19.47	41.27	154.31	49.02	173.78	409.76	910.09
4	MINR ARTERIAL	153.43	307.79	1.91	3.82	9.38	20.29	11.29	24.11	164.72	331.90
4	COLLECTOR	302.31	604.62	9.21	18.73	4.10	8.20	13.31	26.93	315.62	631.55
4	UNCLASSIFIED										
4	INTERSTATE	52.56	281.89	13.20	52.80	30.39	163.82	43.59	216.62	96.15	498.51
DISTRICT SUBTOTAL		869.04	1,930.61	32.07	94.82	85.14	346.62	117.21	441.44	986.25	2,372.05
5	PRIN ARTERIAL	278.67	651.15	16.99	51.78	38.53	146.08	55.52	197.86	334.19	849.01
5	MINR ARTERIAL	206.64	438.76	10.00	23.36	15.09	36.05	25.09	59.41	231.73	498.17
5	COLLECTOR	251.34	502.95			5.58	11.16	5.58	11.16	256.92	514.11
5	UNCLASSIFIED										
5	INTERSTATE	224.60	952.75	4.98	19.92	22.46	102.59	27.44	122.51	252.04	1,075.26
DISTRICT SUBTOTAL		961.25	2,545.61	31.97	95.06	81.66	295.88	113.63	390.94	1,074.88	2,936.55
6	PRIN ARTERIAL	428.72	994.55	6.86	18.06	48.26	196.96	55.12	215.02	483.84	1,209.57
6	MINR ARTERIAL	360.58	721.16	4.65	11.94	5.90	14.48	10.55	26.42	371.13	747.58
6	COLLECTOR	605.42	1,210.84							605.42	1,210.84
6	UNCLASSIFIED										
6	INTERSTATE	85.91	343.64			21.43	101.88	21.43	101.88	107.34	445.52
DISTRICT SUBTOTAL		1,480.63	3,270.19	11.51	30.00	75.59	313.32	87.10	343.32	1,567.73	3,613.51

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M

STATE MAINLINE HIGHWAY AND LANE MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
STATE	PRIN ARTERIAL	2,096.48	4,653.21	118.16	329.61	463.35	1,809.25	581.51	2,138.86	2,677.99	6,792.07
STATE	MINR ARTERIAL	1,685.01	3,408.88	49.30	111.85	144.67	368.65	193.97	480.50	1,878.98	3,889.38
STATE	COLLECTOR	1,693.83	3,389.93	13.94	30.71	17.55	35.44	31.49	66.15	1,725.32	3,456.08
STATE	UNCLASSIFIED										
STATE	INTERSTATE	498.78	2,212.50	33.22	132.88	246.86	1,511.92	280.08	1,644.80	778.86	3,857.30
STATE	TOTAL	5,974.10	13,664.52	214.62	605.05	872.43	3,725.26	1,087.05	4,330.31	7,061.15	17,994.83

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	R1							165.01	355.14	2.70	8.30	167.71	363.44
1	R2	.10	.20			27.41	54.82	262.75	526.44	9.52	19.04	299.78	600.50
1	R3					25.32	50.64	149.95	300.28	2.80	5.60	178.07	356.52
1	R4												
1	R5							36.91	145.67	29.55	198.65	66.46	344.32
1	U1	.07	.28					225.39	865.77	18.99	72.08	244.45	938.13
1	U2					.92	1.84	85.25	208.63	1.13	2.68	87.30	213.15
1	U3							4.73	11.98			4.73	11.98
1	U4												
1	U5							58.44	386.19	88.73	554.79	147.17	940.98
DIST RURAL SUBTOTAL		.10	.20			52.73	105.46	614.62	1,327.53	44.57	231.59	712.02	1,664.78
DIST URBAN SUBTOTAL		.07	.28			.92	1.84	373.81	1,472.57	108.85	629.55	483.65	2,104.24
DISTRICT TOTAL		.17	.48			53.65	107.30	988.43	2,800.10	153.42	861.14	1,195.67	3,769.02

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
2	R1					220.61	441.22	212.02	476.25	.97	2.01	433.60	919.48
2	R2					363.29	727.93	99.50	208.83	.85	1.70	463.64	938.46
2	R3					124.30	248.60	19.11	39.81	.46	.92	143.87	289.33
2	R4												
2	R5							49.09	196.36	.06	.24	49.15	196.60
2	U1							26.68	79.39	.05	.20	26.73	79.59
2	U2					.85	1.70	10.55	25.88			11.40	27.58
2	U3												
2	U4												
2	U5							5.07	20.28			5.07	20.28
DIST RURAL SUBTOTAL						708.20	1,417.75	379.72	921.25	2.34	4.87	1,090.26	2,343.87
DIST URBAN SUBTOTAL						.85	1.70	42.30	125.55	.05	.20	43.20	127.45
DISTRICT TOTAL						709.05	1,419.45	422.02	1,046.80	2.39	5.07	1,133.46	2,471.32

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
3	R1					41.19	83.78	382.21	894.10	3.64	10.40	427.04	988.28
3	R2					37.88	75.76	161.13	322.64	1.93	3.81	200.94	402.21
3	R3			7.59	15.18	52.58	105.16	150.65	301.33	2.00	4.00	212.82	425.67
3	R4												
3	R5							18.62	78.39	1.48	14.91	20.10	93.30
3	U1	.10	.20					143.03	508.60	7.54	25.68	150.67	534.48
3	U2					.07	.14	47.53	127.99	.74	1.70	48.34	129.83
3	U3							7.87	16.08			7.87	16.08
3	U4												
3	U5							18.69	126.78	16.69	115.75	35.38	242.53
DIST RURAL SUBTOTAL				7.59	15.18	131.65	264.70	712.61	1,596.46	9.05	33.12	860.90	1,909.46
DIST URBAN SUBTOTAL		.10	.20			.07	.14	217.12	779.45	24.97	143.13	242.26	922.92
DISTRICT TOTAL		.10	.20	7.59	15.18	131.72	264.84	929.73	2,375.91	34.02	176.25	1,103.16	2,832.38

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
4	R1					8.22	16.44	349.01	712.69	3.51	7.18	360.74	736.31
4	R2					79.18	158.90	73.75	147.89	.50	1.00	153.43	307.79
4	R3					124.35	248.70	174.59	349.18	3.37	6.74	302.31	604.62
4	R4												
4	R5							44.55	216.44	8.01	65.45	52.56	281.89
4	U1					.48	.96	44.63	156.13	3.91	16.69	49.02	173.78
4	U2					1.60	3.20	7.78	17.09	1.91	3.82	11.29	24.11
4	U3					.59	1.18	12.62	25.55	.10	.20	13.31	26.93
4	U4												
4	U5							31.34	144.14	12.25	72.48	43.59	216.62
DIST RURAL SUBTOTAL						211.75	424.04	641.90	1,426.20	15.39	80.37	869.04	1,930.61
DIST URBAN SUBTOTAL						2.67	5.34	96.37	342.91	18.17	93.19	117.21	441.44
DISTRICT TOTAL						214.42	429.38	738.27	1,769.11	33.56	173.56	986.25	2,372.05

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
5	R1					120.99	254.20	120.20	320.32	37.48	76.63	278.67	651.15
5	R2					111.62	223.24	94.49	214.40	.53	1.12	206.64	438.76
5	R3					216.04	432.08	34.07	68.41	1.23	2.46	251.34	502.95
5	R4												
5	R5					.10	.20	62.31	253.45	162.19	699.10	224.60	952.75
5	U1					.63	1.26	51.62	187.40	3.27	9.20	55.52	197.86
5	U2					14.92	29.92	9.48	27.72	.69	1.77	25.09	59.41
5	U3							5.53	11.06	.05	.10	5.58	11.16
5	U4												
5	U5							13.25	53.30	14.19	69.21	27.44	122.51
DIST RURAL SUBTOTAL						448.75	909.72	311.07	856.58	201.43	779.31	961.25	2,545.61
DIST URBAN SUBTOTAL						15.55	31.18	79.88	279.48	18.20	80.28	113.63	390.94
DISTRICT TOTAL						464.30	940.90	390.95	1,136.06	219.63	859.59	1,074.88	2,936.55

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	R1					69.98	139.96	300.44	723.54	58.30	131.05	428.72	994.55
6	R2					241.69	483.38	118.46	236.92	.43	.86	360.58	721.16
6	R3					516.68	1,033.36	87.52	175.04	1.22	2.44	605.42	1,210.84
6	R4												
6	R5							85.74	343.08	.17	.56	85.91	343.64
6	U1							49.69	191.58	5.43	23.44	55.12	215.02
6	U2					.80	1.60	9.64	24.56	.11	.26	10.55	26.42
6	U3												
6	U4												
6	U5							12.33	51.11	9.10	50.77	21.43	101.88
DIST RURAL SUBTOTAL						828.35	1,656.70	592.16	1,478.58	60.12	134.91	1,480.63	3,270.19
DIST URBAN SUBTOTAL						.80	1.60	71.66	267.25	14.64	74.47	87.10	343.32
DISTRICT TOTAL						829.15	1,658.30	663.82	1,745.83	74.76	209.38	1,567.73	3,613.51

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND LANE MILES OF MAINLINE ROADS
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
ALL	R1					460.99	935.60	1,528.89	3,482.04	106.60	235.57	2,096.48	4,653.21
ALL	R2	.10	.20			861.07	1,724.03	810.08	1,657.12	13.76	27.53	1,685.01	3,408.88
ALL	R3			7.59	15.18	1,059.27	2,118.54	615.89	1,234.05	11.08	22.16	1,693.83	3,389.93
ALL	R4												
ALL	R5					.10	.20	297.22	1,233.39	201.46	978.91	498.78	2,212.50
ALL	U1	.17	.48			1.11	2.22	541.04	1,988.87	39.19	147.29	581.51	2,138.86
ALL	U2					19.16	38.40	170.23	431.87	4.58	10.23	193.97	480.50
ALL	U3					.59	1.18	30.75	64.67	.15	.30	31.49	66.15
ALL	U4												
ALL	U5							139.12	781.80	140.96	863.00	280.08	1,644.80
STATE RURAL SUBTOTAL		.10	.20	7.59	15.18	2,381.43	4,778.37	3,252.08	7,606.60	332.90	1,264.17	5,974.10	13,664.52
STATE URBAN SUBTOTAL		.17	.48			20.86	41.80	881.14	3,267.21	184.88	1,020.82	1,087.05	4,330.31
STATE TOTAL		.27	.68	7.59	15.18	2,402.29	4,820.17	4,133.22	10,873.81	517.78	2,284.99	7,061.15	17,994.83

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE MAINLINE HIGHWAY AND LANE MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	DS	129.73	489.30	24.57	80.80	243.40	1,299.91	267.97	1,380.71	397.70	1,870.01
1	3R	342.18	694.50	11.73	27.09	140.46	486.27	152.19	513.36	494.37	1,207.86
1	MO	240.11	480.98	6.84	16.44	56.65	193.73	63.49	210.17	303.60	691.15
DISTRICT SUBTOTAL		712.02	1,664.78	43.14	124.33	440.51	1,979.91	483.65	2,104.24	1,195.67	3,769.02
2	DS	231.65	585.78	14.69	47.70			14.69	47.70	246.34	633.48
2	3R	745.55	1,530.38	17.87	43.35			17.87	43.35	763.42	1,573.73
2	MO	113.06	227.71	10.64	36.40			10.64	36.40	123.70	264.11
DISTRICT SUBTOTAL		1,090.26	2,343.87	43.20	127.45			43.20	127.45	1,133.46	2,471.32
3	DS	154.25	495.53	30.14	84.57	114.41	560.34	144.55	644.91	298.80	1,140.44
3	3R	509.33	1,019.26	22.51	48.60	64.19	206.76	86.70	255.36	596.03	1,274.62
3	MO	197.32	394.67	.08	.22	10.93	22.43	11.01	22.65	208.33	417.32
DISTRICT SUBTOTAL		860.90	1,909.46	52.73	133.39	189.53	789.53	242.26	922.92	1,103.16	2,832.38
4	DS	97.70	382.10	20.95	72.27	77.17	327.57	98.12	399.84	195.82	781.94
4	3R	495.84	997.12	1.91	3.82	6.29	15.69	8.20	19.51	504.04	1,016.63
4	MO	275.50	551.39	9.21	18.73	1.68	3.36	10.89	22.09	286.39	573.48
DISTRICT SUBTOTAL		869.04	1,930.61	32.07	94.82	85.14	346.62	117.21	441.44	986.25	2,372.05
5	DS	347.19	1,290.03	11.85	41.20	55.74	226.34	67.59	267.54	414.78	1,557.57
5	3R	349.48	726.15	15.90	45.42	22.34	58.40	38.24	103.82	387.72	829.97
5	MO	264.58	529.43	4.22	8.44	3.58	11.14	7.80	19.58	272.38	549.01
DISTRICT SUBTOTAL		961.25	2,545.61	31.97	95.06	81.66	295.88	113.63	390.94	1,074.88	2,936.55
6	DS	323.76	955.94	5.12	13.19	52.44	230.55	57.56	243.74	381.32	1,199.68
6	3R	562.19	1,124.89			13.31	50.60	13.31	50.60	575.50	1,175.49
6	MO	594.68	1,189.36	6.39	16.81	9.84	32.17	16.23	48.98	610.91	1,238.34
DISTRICT SUBTOTAL		1,480.63	3,270.19	11.51	30.00	75.59	313.32	87.10	343.32	1,567.73	3,613.51
STATE	DS	1,284.28	4,198.68	107.32	339.73	543.16	2,644.71	650.48	2,984.44	1,934.76	7,183.12
STATE	3R	3,004.57	6,092.30	69.92	168.28	246.59	817.72	316.51	986.00	3,321.08	7,078.30
STATE	MO	1,685.25	3,373.54	37.38	97.04	82.68	262.83	120.06	359.87	1,805.31	3,733.41
STATE TOTAL		5,974.10	13,664.52	214.62	605.05	872.43	3,725.26	1,087.05	4,330.31	7,061.15	17,994.83

DISTRICT 1 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	51.24	120.92	11.68	34.91	94.32	371.81	106.00	406.72	157.24	527.64
PRIN ARTERIAL	3R	101.27	212.06	5.04	13.54	93.44	364.25	98.48	377.79	199.75	589.85
PRIN ARTERIAL	MO	15.20	30.46			39.97	153.62	39.97	153.62	55.17	184.08
PRIN ARTERL SUBTOTAL		167.71	363.44	16.72	48.45	227.73	889.68	244.45	938.13	412.16	1,301.57
MINOR ARTERIAL	DS	12.03	24.06	2.92	6.01	11.88	27.00	14.80	33.01	26.83	57.07
MINOR ARTERIAL	3R	237.01	474.64	6.69	13.55	47.02	122.02	53.71	135.57	290.72	610.21
MINOR ARTERIAL	MO	50.74	101.80	2.11	4.46	16.68	40.11	18.79	44.57	69.53	146.37
MINOR ARTERL SBTOTAL		299.78	600.50	11.72	24.02	75.58	189.13	87.30	213.15	387.08	813.65
COLLECTOR	DS										
COLLECTOR	3R	3.90	7.80							3.90	7.80
COLLECTOR	MO	174.17	348.72	4.73	11.98			4.73	11.98	178.90	360.70
COLLECTOR SUBTOTAL		178.07	356.52	4.73	11.98			4.73	11.98	182.80	368.50
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	66.46	344.32	9.97	39.88	137.20	901.10	147.17	940.98	213.63	1,285.30
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		66.46	344.32	9.97	39.88	137.20	901.10	147.17	940.98	213.63	1,285.30
DISTRICT	DS	129.73	489.30	24.57	80.80	243.40	1,299.91	267.97	1,380.71	397.70	1,870.01
DISTRICT	3R	342.18	694.50	11.73	27.09	140.46	486.27	152.19	513.36	494.37	1,207.86
DISTRICT	MO	240.11	480.98	6.84	16.44	56.65	193.73	63.49	210.17	303.60	691.15
DISTRICT TOTAL		712.02	1,664.78	43.14	124.33	440.51	1,979.91	483.65	2,104.24	1,195.67	3,769.02

T R I P S S Y S T E M

DISTRICT 2 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	182.50	389.18	9.62	27.42			9.62	27.42	192.12	416.60
PRIN ARTERIAL	3R	251.10	530.30	7.27	17.37			7.27	17.37	258.37	547.67
PRIN ARTERIAL	MO			9.84	34.80			9.84	34.80	9.84	34.80
PRIN ARTERL SUBTOTAL		433.60	919.48	26.73	79.59			26.73	79.59	460.33	999.07
MINOR ARTERIAL	DS										
MINOR ARTERIAL	3R	457.03	925.24	10.60	25.98			10.60	25.98	467.63	951.22
MINOR ARTERIAL	MO	6.61	13.22	.80	1.60			.80	1.60	7.41	14.82
MINOR ARTERL SBTOTAL		463.64	938.46	11.40	27.58			11.40	27.58	475.04	966.04
COLLECTOR	DS										
COLLECTOR	3R	37.42	74.84							37.42	74.84
COLLECTOR	MO	106.45	214.49							106.45	214.49
COLLECTOR SUBTOTAL		143.87	289.33							143.87	289.33
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	49.15	196.60	5.07	20.28			5.07	20.28	54.22	216.88
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		49.15	196.60	5.07	20.28			5.07	20.28	54.22	216.88
DISTRICT	DS	231.65	585.78	14.69	47.70			14.69	47.70	246.34	633.48
DISTRICT	3R	745.55	1,530.38	17.87	43.35			17.87	43.35	763.42	1,573.73
DISTRICT	MO	113.06	227.71	10.64	36.40			10.64	36.40	123.70	264.11
DISTRICT TOTAL		1,090.26	2,343.87	43.20	127.45			43.20	127.45	1,133.46	2,471.32

T R I P S S Y S T E M

DISTRICT 3 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVELOPMENT	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	134.15	402.23	27.05	76.34	67.81	271.54	94.86	347.88	229.01	750.11
PRIN ARTERIAL	3R	292.89	586.05	15.98	35.70	39.19	149.33	55.17	185.03	348.06	771.08
PRIN ARTERIAL	MO			.08	.22	.56	1.35	.64	1.57	.64	1.57
PRIN ARTERL SUBTOTAL		427.04	988.28	43.11	112.26	107.56	422.22	150.67	534.48	577.71	1,522.76
MINOR ARTERIAL	DS			3.09	8.23	11.22	46.27	14.31	54.50	14.31	54.50
MINOR ARTERIAL	3R	200.86	402.05	6.53	12.90	25.00	57.43	31.53	70.33	232.39	472.38
MINOR ARTERIAL	MO	.08	.16			2.50	5.00	2.50	5.00	2.58	5.16
MINOR ARTERL SBTOTAL		200.94	402.21	9.62	21.13	38.72	108.70	48.34	129.83	249.28	532.04
COLLECTOR	DS										
COLLECTOR	3R	15.58	31.16							15.58	31.16
COLLECTOR	MO	197.24	394.51			7.87	16.08	7.87	16.08	205.11	410.59
COLLECTOR SUBTOTAL		212.82	425.67			7.87	16.08	7.87	16.08	220.69	441.75
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	20.10	93.30			35.38	242.53	35.38	242.53	55.48	335.83
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		20.10	93.30			35.38	242.53	35.38	242.53	55.48	335.83
DISTRICT	DS	154.25	495.53	30.14	84.57	114.41	560.34	144.55	644.91	298.80	1,140.44
DISTRICT	3R	509.33	1,019.26	22.51	48.60	64.19	206.76	86.70	255.36	596.03	1,274.62
DISTRICT	MO	197.32	394.67	.08	.22	10.93	22.43	11.01	22.65	208.33	417.32
DISTRICT TOTAL		860.90	1,909.46	52.73	133.39	189.53	789.53	242.26	922.92	1,103.16	2,832.38

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 4 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION
 SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	45.14	100.21	7.75	19.47	37.62	143.90	45.37	163.37	90.51	263.58
PRIN ARTERIAL	3R	315.36	635.62			3.65	10.41	3.65	10.41	319.01	646.03
PRIN ARTERIAL	MO	.24	.48							.24	.48
PRIN ARTERL SBTOTAL		360.74	736.31	7.75	19.47	41.27	154.31	49.02	173.78	409.76	910.09
MINOR ARTERIAL	DS					6.36	14.25	6.36	14.25	6.36	14.25
MINOR ARTERIAL	3R	95.68	191.90	1.91	3.82	1.34	2.68	3.25	6.50	98.93	198.40
MINOR ARTERIAL	MO	57.75	115.89			1.68	3.36	1.68	3.36	59.43	119.25
MINOR ARTERL SBTOTAL		153.43	307.79	1.91	3.82	9.38	20.29	11.29	24.11	164.72	331.90
COLLECTOR	DS					2.80	5.60	2.80	5.60	2.80	5.60
COLLECTOR	3R	84.80	169.60			1.30	2.60	1.30	2.60	86.10	172.20
COLLECTOR	MO	217.51	435.02	9.21	18.73			9.21	18.73	226.72	453.75
COLLECTOR SBTOTAL		302.31	604.62	9.21	18.73	4.10	8.20	13.31	26.93	315.62	631.55
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	52.56	281.89	13.20	52.80	30.39	163.82	43.59	216.62	96.15	498.51
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SBTOTAL		52.56	281.89	13.20	52.80	30.39	163.82	43.59	216.62	96.15	498.51
DISTRICT	DS	97.70	382.10	20.95	72.27	77.17	327.57	98.12	399.84	195.82	781.94
DISTRICT	3R	495.84	997.12	1.91	3.82	6.29	15.69	8.20	19.51	504.04	1,016.63
DISTRICT	MO	275.50	551.39	9.21	18.73	1.68	3.36	10.89	22.09	286.39	573.48
DISTRICT TOTAL		869.04	1,930.61	32.07	94.82	85.14	346.62	117.21	441.44	986.25	2,372.05

DISTRICT 5 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	118.38	328.86	6.65	20.84	28.11	108.60	34.76	129.44	153.14	458.30
PRIN ARTERIAL	3R	160.29	322.29	9.67	29.60	8.60	30.42	18.27	60.02	178.56	382.31
PRIN ARTERIAL	MO			.67	1.34	1.82	7.06	2.49	8.40	2.49	8.40
PRIN ARTERL SUBTOTAL		278.67	651.15	16.99	51.78	38.53	146.08	55.52	197.86	334.19	849.01
MINOR ARTERIAL	DS	4.21	8.42	.22	.44	5.17	15.15	5.39	15.59	9.60	24.01
MINOR ARTERIAL	3R	165.71	356.90	6.23	15.82	8.16	16.82	14.39	32.64	180.10	389.54
MINOR ARTERIAL	MO	36.72	73.44	3.55	7.10	1.76	4.08	5.31	11.18	42.03	84.62
MINOR ARTERL SBTOTAL		206.64	438.76	10.00	23.36	15.09	36.05	25.09	59.41	231.73	498.17
COLLECTOR	DS										
COLLECTOR	3R	23.48	46.96			5.58	11.16	5.58	11.16	29.06	58.12
COLLECTOR	MO	227.86	455.99							227.86	455.99
COLLECTOR SUBTOTAL		251.34	502.95			5.58	11.16	5.58	11.16	256.92	514.11
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	224.60	952.75	4.98	19.92	22.46	102.59	27.44	122.51	252.04	1,075.26
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		224.60	952.75	4.98	19.92	22.46	102.59	27.44	122.51	252.04	1,075.26
DISTRICT	DS	347.19	1,290.03	11.85	41.20	55.74	226.34	67.59	267.54	414.78	1,557.57
DISTRICT	3R	349.48	726.15	15.90	45.42	22.34	58.40	38.24	103.82	387.72	829.97
DISTRICT	MO	264.58	529.43	4.22	8.44	3.58	11.14	7.80	19.58	272.38	549.01
DISTRICT TOTAL		961.25	2,545.61	31.97	95.06	81.66	295.88	113.63	390.94	1,074.88	2,936.55

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 6 STATE MAINLINE HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	237.85	612.30	5.12	13.19	29.73	123.55	34.85	136.74	272.70	749.04
PRIN ARTERIAL	3R	190.87	382.25			12.31	48.60	12.31	48.60	203.18	430.85
PRIN ARTERIAL	MO			1.74	4.87	6.22	24.81	7.96	29.68	7.96	29.68
PRIN ARTERL SUBTOTAL		428.72	994.55	6.86	18.06	48.26	196.96	55.12	215.02	483.84	1,209.57
MINOR ARTERIAL	DS					1.28	5.12	1.28	5.12	1.28	5.12
MINOR ARTERIAL	3R	254.76	509.52			1.00	2.00	1.00	2.00	255.76	511.52
MINOR ARTERIAL	MO	105.82	211.64	4.65	11.94	3.62	7.36	8.27	19.30	114.09	230.94
MINOR ARTERL SBTOTAL		360.58	721.16	4.65	11.94	5.90	14.48	10.55	26.42	371.13	747.58
COLLECTOR	DS										
COLLECTOR	3R	116.56	233.12							116.56	233.12
COLLECTOR	MO	488.86	977.72							488.86	977.72
COLLECTOR SUBTOTAL		605.42	1,210.84							605.42	1,210.84
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	85.91	343.64			21.43	101.88	21.43	101.88	107.34	445.52
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		85.91	343.64			21.43	101.88	21.43	101.88	107.34	445.52
DISTRICT	DS	323.76	955.94	5.12	13.19	52.44	230.55	57.56	243.74	381.32	1,199.68
DISTRICT	3R	562.19	1,124.89			13.31	50.60	13.31	50.60	575.50	1,175.49
DISTRICT	MO	594.68	1,189.36	6.39	16.81	9.84	32.17	16.23	48.98	610.91	1,238.34
DISTRICT TOTAL		1,480.63	3,270.19	11.51	30.00	75.59	313.32	87.10	343.32	1,567.73	3,613.51

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE TOTAL HIGHWAY AND LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	413.03	1,012.54	56.10	158.14	199.75	787.25	255.85	945.39	668.88	1,957.93
PRIN ARTERIAL	3R	960.62	1,964.03	28.29	66.61	136.28	523.99	164.57	590.60	1,125.19	2,554.63
PRIN ARTERIAL	MO	15.44	30.94	9.92	35.02	40.53	154.97	50.45	189.99	65.89	220.93
PRIN ARTERL SUBTOTAL		1,389.09	3,007.51	94.31	259.77	376.56	1,466.21	470.87	1,725.98	1,859.96	4,733.49
MINOR ARTERIAL	DS	12.03	24.06	6.01	14.24	29.46	87.52	35.47	101.76	47.50	125.82
MINOR ARTERIAL	3R	990.58	1,993.83	25.73	56.25	73.36	182.13	99.09	238.38	1,089.67	2,232.21
MINOR ARTERIAL	MO	115.18	231.07	2.91	6.06	20.86	48.47	23.77	54.53	138.95	285.60
MINOR ARTERL SBTOTAL		1,117.79	2,248.96	34.65	76.55	123.68	318.12	158.33	394.67	1,276.12	2,643.63
COLLECTOR	DS					2.80	5.60	2.80	5.60	2.80	5.60
COLLECTOR	3R	141.70	283.40			1.30	2.60	1.30	2.60	143.00	286.00
COLLECTOR	MO	695.37	1,392.74	13.94	30.71	7.87	16.08	21.81	46.79	717.18	1,439.53
COLLECTOR SUBTOTAL		837.07	1,676.14	13.94	30.71	11.97	24.28	25.91	54.99	862.98	1,731.13
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	188.27	916.11	28.24	112.96	202.97	1,307.45	231.21	1,420.41	419.48	2,336.52
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		188.27	916.11	28.24	112.96	202.97	1,307.45	231.21	1,420.41	419.48	2,336.52
STATE	DS	613.33	1,952.71	90.35	285.34	434.98	2,187.82	525.33	2,473.16	1,138.66	4,425.87
STATE	3R	2,092.90	4,241.26	54.02	122.86	210.94	708.72	264.96	831.58	2,357.86	5,072.84
STATE	MO	825.99	1,654.75	26.77	71.79	69.26	219.52	96.03	291.31	922.02	1,946.06
STATE TOTAL		3,532.22	7,848.72	171.14	479.99	715.18	3,116.06	886.32	3,596.05	4,418.54	11,444.77

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 1 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					5.85	11.70	53.26	134.92	22.42	106.86	81.53	253.48
1	02					7.48	14.96	118.41	240.55	1.53	3.14	127.42	258.65
AREA SUBTOTAL						13.33	26.66	171.67	375.47	23.95	110.00	208.95	512.13
2	01							192.63	423.94	2.03	7.34	194.66	431.28
2	02	.10	.20			23.96	47.92	81.73	191.57	10.94	66.14	116.73	305.83
AREA SUBTOTAL		.10	.20			23.96	47.92	274.36	615.51	12.97	73.48	311.39	737.11
3	01					.92	1.84	101.79	389.35	5.55	26.76	108.26	417.95
3	02					.45	.90	110.39	232.26	1.13	2.32	111.97	235.48
AREA SUBTOTAL						1.37	2.74	212.18	621.61	6.68	29.08	220.23	653.43
4	01					14.99	29.98	122.20	340.75	15.55	56.59	152.74	427.32
4	02							67.39	261.72	15.58	123.86	82.97	385.58
AREA SUBTOTAL						14.99	29.98	189.59	602.47	31.13	180.45	235.71	812.90
5	01							81.46	310.20	35.91	193.91	117.37	504.11
5	02	.07	.28					59.17	274.84	42.78	274.22	102.02	549.34
AREA SUBTOTAL		.07	.28					140.63	585.04	78.69	468.13	219.39	1,053.45
-DISTRICT TOTAL		.17	.48			53.65	107.30	988.43	2,800.10	153.42	861.14	1,195.67	3,769.02

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 2 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					61.12	122.24	123.27	293.60	.48	1.06	184.87	416.90
1	02					4.70	9.40	82.85	190.07	.18	.43	87.73	199.90
AREA SUBTOTAL						65.82	131.64	206.12	483.67	.66	1.49	272.60	616.80
2	01					73.98	149.31	62.48	170.56	.16	.36	136.62	320.23
2	02					144.65	289.30	83.50	252.67	.31	.70	228.46	542.67
AREA SUBTOTAL						218.63	438.61	145.98	423.23	.47	1.06	365.08	862.90
3	01					303.26	606.52	32.23	64.52	.53	1.06	336.02	672.10
3	02					121.34	242.68	37.69	75.38	.73	1.46	159.76	319.52
AREA SUBTOTAL						424.60	849.20	69.92	139.90	1.26	2.52	495.78	991.62
-DISTRICT TOTAL						709.05	1,419.45	422.02	1,046.80	2.39	5.07	1,133.46	2,471.32

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 3 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01			7.59	15.18	8.84	17.68	104.51	381.86	18.66	116.58	139.60	531.30
1	02					7.09	14.18	147.94	391.47	8.07	40.93	163.10	446.58
1	03							1.14	4.56			1.14	4.56
AREA SUBTOTAL				7.59	15.18	15.93	31.86	253.59	777.89	26.73	157.51	303.84	982.44
2	01					1.26	2.52	158.04	430.48	1.49	3.60	160.79	436.60
2	02					15.22	30.44	83.21	188.05	.53	1.22	98.96	219.71
2	03									1.49	2.98	1.49	2.98
2	04							1.36	2.72	.46	.92	1.82	3.64
AREA SUBTOTAL						16.48	32.96	242.61	621.25	3.97	8.72	263.06	662.93
3	01					7.97	15.94	140.79	301.87	.59	2.40	149.35	320.21
3	02					12.91	25.82	118.59	237.18	.58	1.16	132.08	264.16
AREA SUBTOTAL						20.88	41.76	259.38	539.05	1.17	3.56	281.43	584.37
4	01					29.26	59.92	97.11	252.19	1.09	3.16	127.46	315.27
4	02	.10	.20			49.17	98.34	77.04	185.53	1.06	3.30	127.37	287.37
AREA SUBTOTAL		.10	.20			78.43	158.26	174.15	437.72	2.15	6.46	254.83	602.64
-DISTRICT TOTAL		.10	.20	7.59	15.18	131.72	264.84	929.73	2,375.91	34.02	176.25	1,103.16	2,832.38

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 4 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					43.54	87.08	108.62	355.80	16.24	112.58	168.40	555.46
1	02					.36	.72	104.77	287.35	11.89	49.84	117.02	337.91
AREA SUBTOTAL						43.90	87.80	213.39	643.15	28.13	162.42	285.42	893.37
2	01					32.10	64.20	75.88	223.05	.92	2.12	108.90	289.37
2	02					9.27	18.54	97.12	195.58	.81	1.62	107.20	215.74
2	03					4.51	9.02	37.49	75.11	.29	.58	42.29	84.71
AREA SUBTOTAL						45.88	91.76	210.49	493.74	2.02	4.32	258.39	589.82
3	01					34.46	68.92	58.14	119.84	.77	1.54	93.37	190.30
3	02					9.52	19.04	109.57	219.14	2.04	4.08	121.13	242.26
AREA SUBTOTAL						43.98	87.96	167.71	338.98	2.81	5.62	214.50	432.56
4	01					53.43	106.86	64.52	128.92	.14	.28	118.09	236.06
4	02					27.23	55.00	82.16	164.32	.46	.92	109.85	220.24
AREA SUBTOTAL						80.66	161.86	146.68	293.24	.60	1.20	227.94	456.30
-DISTRICT TOTAL						214.42	429.38	738.27	1,769.11	33.56	173.56	986.25	2,372.05

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 5 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					27.92	55.84	37.87	150.15	21.55	86.76	87.34	292.75
1	02							9.63	36.49	31.21	176.11	40.84	212.60
1	03					20.38	40.76	16.47	33.38	22.40	89.14	59.25	163.28
AREA SUBTOTAL						48.30	96.60	63.97	220.02	75.16	352.01	187.43	668.63
2	01					22.35	44.78	57.97	153.87	9.82	37.22	90.14	235.87
2	02					29.49	58.98	40.22	113.77	31.06	123.03	100.77	295.78
2	03					59.75	119.50	19.86	55.64	.29	.58	79.90	175.72
AREA SUBTOTAL						111.59	223.26	118.05	323.28	41.17	160.83	270.81	707.37
3	01					75.44	163.10	89.19	330.29	88.13	289.23	252.76	782.62
3	02					80.61	161.22	24.67	49.74	13.33	52.94	118.61	263.90
AREA SUBTOTAL						156.05	324.32	113.86	380.03	101.46	342.17	371.37	1,046.52
4	01					73.57	147.14	72.28	166.15	1.12	3.14	146.97	316.43
4	02					74.79	149.58	22.79	46.58	.72	1.44	98.30	197.60
AREA SUBTOTAL						148.36	296.72	95.07	212.73	1.84	4.58	245.27	514.03
-DISTRICT TOTAL						464.30	940.90	390.95	1,136.06	219.63	859.59	1,074.88	2,936.55

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 6 STATE MAINLINE HIGHWAY AND LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: ENTIRE HIGHWAY SYSTEM
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					33.46	66.92	75.16	250.92	19.05	94.33	127.67	412.17
1	02					55.83	111.66	153.01	447.69	.90	4.01	209.74	563.36
AREA SUBTOTAL						89.29	178.58	228.17	698.61	19.95	98.34	337.41	975.53
2	01					166.71	333.42	115.44	239.26	1.40	3.86	283.55	576.54
2	02					93.90	187.80	28.76	57.52	17.94	35.88	140.60	281.20
AREA SUBTOTAL						260.61	521.22	144.20	296.78	19.34	39.74	424.15	857.74
3	01					141.06	282.12	91.03	182.06	.27	.54	232.36	464.72
3	02					46.26	92.52	50.45	263.62	34.52	69.40	131.23	425.54
AREA SUBTOTAL						187.32	374.64	141.48	445.68	34.79	69.94	363.59	890.26
4	01					100.80	201.60	55.18	110.36	.06	.12	156.04	312.08
4	02					191.13	382.26	94.79	194.40	.62	1.24	286.54	577.90
AREA SUBTOTAL						291.93	583.86	149.97	304.76	.68	1.36	442.58	889.98
-DISTRICT TOTAL						829.15	1,658.30	663.82	1,745.83	74.76	209.38	1,567.73	3,613.51

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SNOHOMISH

DOT DISTRICT 1

		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																	
		: LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT			LEGAL		T		P		S								
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	FC	D	IB	R	K	T	
1.16	1.16							2	2	C	30A	C	500		W	25A	C	55	3	01		U1		55	L				
1.69	1.69							2	2	C	30A	C	500		W	25A	W	55	3	01		U1		55	L				
1.97	1.97	MISC FEATR	LC	GORE (R100203)																									
2.00	2.00	MISC FEATR	RC	GORE (Q100209)																									
2.01	2.01	MP MARKER	R	2																									
2.03	2.03	OFF RAMP	LC	EBEY ISLAND	ST		Y																						
2.06	2.06	END BRIDGE	D	EBEY ISLAND VIADUCT																									
		BEG BRIDGE	D	EBEY SLOUGH	ST																								
2.08	2.08	END BRIDGE	I	EBEY ISLAND VIADUCT																									
		BEG BRIDGE	I	EBEY SLOUGH	ST																								
				BRDG NUM 002/007N																									
				BRDG NUM 002/007S																									
2.09	2.09	OFF RAMP	RC	SR 204-HEWITT AVE	ST	Y	2	2	C	30A	C	500		W	65P	W	95	3	01		U1		55	L					
2.21	2.21	ON RAMP	L	SR 204-HEWITT AVE	ST		Y																						
2.22	2.22	MISC FEATR	RC	GORE (P100209)				2	2	C	30A	C	500		W	38P	W	68	3	01		U1		55	L				
2.31	2.31							1	2	20A	14A	4A	500		W	38P	W	52	3	01		U1		55	L				
2.32	2.32	MISC FEATR	L	GORE (S100221)																									
2.34	2.34							1	2	20A	14A	4A	750		W	38P	W	52	3	01		U1		55	L				
2.40	2.40	UXING	D	SR 2 E BND TO SR 204	ST																								
				BRDG NUM 002/007E-E																									
2.41	2.41	UXING	D	SR 2 E BND TO HEWITT AVE	ST																								
				BRDG NUM 002/008E-E																									
2.44	2.44							1	2	20A	14A	4A	1000		W	38P	W	52	3	01		U1		55	L				
2.45	2.45	END BRIDGE	D	EBEY SLOUGH				1	2	20A	14A	4A	100S		W	38P	W	52	3	01		U1		55	L				
2.48	2.48	END BRIDGE	I	EBEY SLOUGH				1	2	20A	14A	4A	138S		4A	24A	10A	38	3	01		U1		55	L				
2.51	2.51	MISC FEATR	RC	GORE (Q100262)																									
2.62	2.62	ON RAMP	RC	SR 204-SR 2 EB	ST		Y																						
2.63	2.63	MISC FEATR	I	EQU AFTER CONST. = 0.05G																									
2.64	2.64	MISC FEATR	LC	GORE (R100275)				2	2	10A	24A	10A	138S		4A	24A	10A	48	3	01		U1		55	L				
2.75	2.75	OFF RAMP	LC	SR 204-HEWITT AVE	ST		Y																						
2.76	2.76							2	2	10A	24A	10A	134S		10A	24A	10A	48	3	01		U1		55	L				
2.98	2.98	MP MARKER	R	3																									
3.42	3.42							2	2	10A	24A	10A	90S		4A	24A	10A	48	3	01		U1		55	L				
3.54	3.54	EXIT TO	R	OLD SR 2	CO		Y																						
3.66	3.66							2	2	8A	24A	6A	90S DE		4A	24A	8A	48	3	01		U1		55	R				
3.83	3.83							1	2	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$		8A	36A	8A	36	3	01		U1		55	R			
3.85	3.85	INTRSECTN	R	OLD SR 2	CO		Y																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
---	---	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.85	3.85							.02	14

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							CO	Y	1	2	3	4	5	6	7	8	9	10	11	12	MTCE	CITY	ST	LEGAL	T	P	S			
						:DIRECTION TO INVENTORY	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC																				
						:LEFT/RIGHT INDICATOR	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																
						:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
						:	OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S						
3.86	3.86		INTRSECTN	R		OLD SR 2 WYE CONN	CO	Y	1	2				8A	36A	8A		36	3	01		U1		55	R					
3.98	3.98		MP MARKER	R		4																								
4.37	4.37		BEG BRIDGE	B		87TH AVE	ST		1	2				\$\$W	52P	\$\$W		52	3	01		U1		55	R					
						BRDG NUM 002/009																								
4.40	4.40		END BRIDGE	B		87TH AVE			1	2				8A	36A	8A		36	3	01		U1		55	R					
4.67	4.67									22				6A	48A	6A		48	3	01		U1		55	R					
4.75	4.75		ON RAMP	L		SR 9	ST		Y																					
4.80	4.80		OFF RAMP	R		SR 9	ST		Y																					
4.89	4.89		MISC FEATR	L		GORE (S100475)																								
4.90	4.90		MISC FEATR	R		GORE (P100480)																								
4.97	4.97		MP MARKER	R		5				22				6A	36A	6A		36	3	01		U1		55	R					
5.02	5.02									2	1			6A	36A	8A		36	3	01		U1		55	R					
5.04	5.04		UXING	B		SR 9	ST			2	1			6A	36A	8A		36	3	02		U1		55	R					
						BRDG NUM 009/124.7																								
5.18	5.18		MISC FEATR	L		GORE (R100528)																								
5.19	5.19		MISC FEATR	R		GORE (Q100535)																								
5.28	5.28		OFF RAMP	L		SR 9	ST		Y																					
5.35	5.35		ON RAMP	R		SR 9	ST		Y																					
5.84	5.84									11				8A	24A	8A		24	3	02		U1		55	R					
5.99	5.99		MP MARKER	R		6																								
6.37	6.37		RR XING	B		NUM 0000000 STRUCTURE				11				\$\$W	38A	\$\$W		38	3	02		U1		55	R					
			BEG BRIDGE	B		PILCHUCK RIVER	ST																							
						BRDG NUM 002/010																								
6.45	6.45									11				W	38A	W		38	3	02		R1		55	R					
6.53	6.53		END BRIDGE	B		PILCHUCK RIVER				11				8A	24A	8A		24	3	02		R1		55	R					
6.99	6.99		MP MARKER	R		7																								
7.11	7.11		UXING	B		THREE LAKES RD	ST																							
						BRDG NUM 002/011																								
7.90	7.90		ON RAMP	L		CAMPBELL RD	ST		Y																					
7.99	7.99		MP MARKER	R		8																								
8.18	8.18		OFF RAMP	R		CAMPBELL RD	ST		Y																					
			MISC FEATR	L		GORE (S100790)																								
8.30	8.30		MISC FEATR	R		GORE (P100818)																								
8.51	8.51		UXING	B		CAMPBELL RD	ST																							
						BRDG NUM 002/012																								
8.67	8.67		MISC FEATR	R		GORE (Q100879)																								
8.71	8.71		MISC FEATR	L		GORE (R100880)																								
8.79	8.79		ON RAMP	R		CAMPBELL RD	ST		Y																					
8.80	8.80		OFF RAMP	L		CAMPBELL RD	ST		Y																					
9.34	9.29		EQUATION			009.29 =009.34																								
10.00	9.95		MP MARKER	R		10																								
10.08	10.03		INTRSECTN	L		100TH ST SE	CO		Y																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	L	R	L	R
			NEAR	NEAR	FAR	FAR	LEFT	LEFT	LEFT	LEFT	LEFT	LEFT
			WD	WD	WD	WD	WD	WD	WD	WD	WD	WD
10.08	10.03		.04	12							.02	12

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S														
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T		
40.72		40.67	ENTER CO BEG CTLSEC MISC FEATR			KING CONTROL SECTION 1720 SGN ENT SNOHOMISH COUNTY				11				4A	22A	4A				22	3	02			R1		60	R				
40.73		40.68	BEG BRIDGE	B		SLOUGH BRDG NUM 002/101	ST			11				\$\$W	41A	\$\$W				41	3	02			R1		60	R				
40.74		40.69	END BRIDGE	B		SLOUGH				11				4A	24A	4A				24	3	02			R1		60	R				
40.99		40.94	BEG BRIDGE	B		STREAM BRDG NUM 002/102	ST			11				\$\$W	41A	\$\$W				41	3	02			R1		60	R				
41.00		40.95	END BRIDGE	B		STREAM				11				4A	24A	4A				24	3	02			R1		60	R				
41.02		40.97	MP MARKER	R		41 SGN ENT BARING																										
41.03		40.98	INTRSECTN	R		634TH PL NE	CO		N																							
41.17		41.12	INTRSECTN	L		635TH PL NE	CO		Y																							
41.18		41.13	INTRSECTN	R		635TH PL NE	CO		Y																							
41.37		41.32	BEG ST	I		NE STEVENS PASS HWY				11				4A	24A	4A				24	3	02			R1		60	R	*			
41.41		41.36	INTRSECTN	R		NE 194TH PL	CO		N																							
41.42		41.37	BEG BRIDGE	B		STREAM BRDG NUM 002/103	ST			11				\$\$W	41A	\$\$W				41	3	02			R1		60	R	*			
41.42		41.37	END BRIDGE	B		STREAM				11				4A	24A	4A				24	3	02			R1		60	R	*			
41.62		41.57	INTRSECTN	R		NE 191ST ST	CO		N	11				4A	24A	18A				24	3	02			R1		60	R	*			
41.77		41.72	INTRSECTN	R		NE INDEX CREEK RD	CO		N	11				4A	24A	4A				24	3	02			R1		60	R	*			
41.95		41.90	INTRSECTN	R		CO RD	CO		N																							
42.00		41.95	MP MARKER	R		42																										
42.16		42.11	INTRSECTN	R		NE 182ND ST	CO		N																							
42.50		42.45	MISC FEATR	L		SGN ENT BARING																										
42.71		42.66	BEG BRIDGE	B		BEAVER CREEK BRDG NUM 002/104	ST			11				\$\$W	41A	\$\$W				41	3	02			R1		60	R	*			
42.72		42.67	END BRIDGE	B		BEAVER CREEK				11				8A	24A	8A				24	3	02			R1		60	R	*			
43.03		42.98	MP MARKER	R		43																										
43.04		42.99	RR XING	B		NUM 84522E STRUCTURE				11				\$\$W	40P	\$\$W				40	3	02			R1		60	R	*			
43.11		43.06	BEG BRIDGE	B		BN RR BRDG NUM 002/105	ST																									
43.11		43.06	END BRIDGE	B		BN RR				11				8A	24A	8A				24	3	02			R1		60	R	*			
43.32		43.27	INTRSECTN	L		FS RD #6028	FS		N																							
43.43		43.38								11				3A	22A	3A				22	3	02			R1		60	R	*			
43.60		43.55	BEG SU LN	R		SLOW VEHICLE	15A			11				3A	22A	\$\$\$	15			37	3	02			R1		60	R	*			
43.82		43.77	END SU LN	R		SLOW VEHICLE	15A			11				8A	22A	8A	\$\$\$			22	3	02			R1		60	R	*			
43.87		43.82	BEG BRIDGE	B		STREAM BRDG NUM 002/106	ST			11				\$\$W	41A	\$\$W				41	3	02			R1		60	R	*			
43.88		43.83	END BRIDGE	B		STREAM				11				8A	22A	8A				22	3	02			R1		60	R	*			
43.96		43.91								11				3A	22A	8A				22	3	02			R1		60	R	*			
44.00		43.95	MP MARKER	R		44																										
44.06		44.01								11				3A	22A	3A				22	3	02			R1		60	R	*			

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC	TOT		MTCE	CITY	ST	LEGAL	T	P	S													
:DIRECTION TO INVENTORY							-XROAD-	NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
: :LEFT/RIGHT INDICATOR							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID															
81.75			81.70																																	
81.89			81.84			REST AREA	L																													
81.93			81.88			INTRSECTN	R																													
						ENT/EXIT	L																													
81.97			81.92			MP MARKER	R																													
82.14			82.09			INTRSECTN	L																													
82.15			82.10			BEG SU LN	L																													
82.69			82.64			END SU LN	L																													
83.00			82.95			MP MARKER	R																													
84.00			83.95			MP MARKER	R																													
84.51			84.46			MISC FEATR	R																													
84.74			84.69			INTRSECTN	L																													
84.75			84.70			INTRSECTN	R																													
						INTRSECTN	L																													
84.76			84.71			INTRSECTN	L																													
84.96			84.91			MISC FEATR	L																													
85.00			84.95			MP MARKER	R																													
85.17			85.12																																	
85.24			85.19																																	
85.39			85.34			BEG SU LN	R																													
85.90			85.85			END SU LN	R																													
86.00			85.95			MP MARKER	R																													
86.64			86.59			INTRSECTN	R																													
86.99			86.94			UXING	B																													
						RR XING	B																													
87.00			86.95			MP MARKER	R																													
87.92			87.87																																	
88.00			87.95			BEG SU LN	L																													
						MP MARKER	R																													
88.78			88.73			END SU LN	L																													
89.13			89.08																																	
89.43			89.38																																	
89.61			89.56			INTRSECTN	R																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
81.93		81.88	.03	13	.03	13				
84.75		84.70	.03	12	.03	12				
84.76		84.71				.07	12			
86.64		86.59			.03	12			.03	12

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S			
							-XROAD-	NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
							OW TC L	LNS	W/S	W/S	WD/S BR	W/S	W/S	W/S	LNS	WID	WID											
96.45	96.40											4A	24A	15A		24	1	02				R1		50	R			
96.50	96.45											4A	24A	4A		24	1	02				R1		50	R			
96.71	96.66											18A	24A	4A		24	1	02				R1		50	R			
96.78	96.73											4A	24A	4A		24	1	02				R1		50	R			
96.95	96.90	MP MARKER		R		97																						
97.12	97.07											15A	24A	4A		24	1	02				R1		50	R			
97.17	97.12											4A	24A	4A		24	1	02				R1		50	R			
98.00	97.95	MP MARKER		R		98																						
98.00	98.95	MP MARKER		R		99						4A	24A	4A		24	1	02				R1		30	R			
99.05	99.00	BEG SU LN		R		BICYCLE		05A							\$\$C	38A	\$\$C	10	48	1	02		R1		30	R		
		BEG SU LN		L		BICYCLE		05A																				
		INTRSECTN		R		ICICLE RD			CO		Y																	
99.06	99.01	MISC FEATR		R		SGN ENT LEAVENWORTH																						
99.09	99.04	BEG SU LN		C		TWO WAY TURN		12A					C	26A	C	22	48	1	02			R1		30	R			
99.20	99.15	ENTER CITY				LEAVENWORTH							C	26A	C	22	48	1	02	0680		R1		30	R	P		
99.26	99.21	INTRSECTN		B		MILL ST			CT		Y																	
99.48	99.43	END SU LN		C		TWO WAY TURN		12A					C	38A	C	10	48	1	02	0680		R1		30	R	P		
99.51	99.46	INTRSECTN		L		SKIHILL DR			CT		Y																	
		INTRSECTN		R		THIRD ST			CT		Y																	
99.56	99.51	BEG SU LN		C		TWO WAY TURN		12A					C	26A	C	22	48	1	02	0680		R1		30	R	P		
99.65	99.60	END SU LN		R		BICYCLE		05A					C	32A	C	17	49	1	02	0680		R1		30	R			
		INTRSECTN		R		FRONT ST			CT		Y																	
99.68	99.63	ENT/EXIT		L		CITY PARK			CT		Y																	
99.84	99.79	END SU LN		C		TWO WAY TURN		12A					C	44A	C	5	49	1	02	0680		R1		30	R			
99.89	99.84	BEG SU LN		R		BICYCLE		05A					C	36A	C	10	46	1	02	0680		R1		30	R			
		INTRSECTN		R		NINTH ST			CT		SG Y																	
		INTRSECTN		L		EVANS ST			CT		SG Y																	
99.93	99.88	BEG SU LN		C		TWO WAY TURN		12A					C	24A	C	22	46	1	02	0680		R1		30	R			
100.03	99.98	ENT FROM		L		PARK AND RIDE LOT			ST		Y																	
100.04	99.99	MP MARKER		R		100																						
100.06	100.01	EXIT TO		L		PARK AND RIDE LOT			ST		Y																	
100.11	100.06	ENT FROM		L		PARK AND RIDE LOT			ST		Y																	
100.14	100.09	INTRSECTN		R		12TH ST			CT		Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGW	WD	LGW	WD	LGW	WD	LGW	WD
99.05	99.00				.02	12				
99.26	99.21					.03	12			
99.51	99.46		.02	12		.03	12			
99.65	99.60			.02	12					
99.89	99.84		.03	12		.03	12			

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE- -UXING- -XROAD- OW TC L	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																			
								:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR :		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T	P	S											
								NBR	LFT	RHT	W/S	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T					
104.78		104.73	BEG BRIDGE	D		PESHASTIN CREEK BRDG NUM 002/224N	ST	2	C	27A		15A	UP	C	25A	C		52	1	01				R1			50	R									
104.83		104.78	END BRIDGE	I		PESHASTIN CREEK		2	10A	24A		15A	UP	C	24A	10A		48	1	01				R1			60	R									
104.87		104.82	TRAF RCDR	B		R047 3																															
104.98		104.93	ENT FROM	L		WEIGH STATION	ST	Y																													
105.00		104.95	MP MARKER	B		105																															
105.01		104.96	WEIGH STA	L		NUMBER 92																															
105.08		105.03	EXIT TO	L		WEIGH STATION	ST	Y																													
105.16		105.11	INTRSECTN	R		DEADMAN HILL RD	CO	Y	2	10A	24A		15A	UP	\$	24A	10A		48	1	01				R1		60	R									
			INTRSECTN	L		SAUNDERS RD	CO	Y																													
			INTRSECTN	C		MEDIAN XROAD	ST	Y																													
105.34		105.29							2	10A	25A		15A	JE		25A	10A		50	1	01				R1		60	R									
105.53		105.48	INTRSECTN	L		MOTEL RD	CO	N																													
105.54		105.49	INTRSECTN	R		DRYDEN TRANSFER STATION	CO	N																													
105.78		105.73	BEG BRIDGE	I		WENATCHEE RIVER BRDG NUM 002/226S	ST	2	\$\$C	24A	C	140	\$\$	C	30A	\$\$C		54	1	01				R1		60	R										
			BEG BRIDGE	D		WENATCHEE RIVER BRDG NUM 002/226N	ST																														
105.85		105.80	END BRIDGE	I		WENATCHEE RIVER		2	10A	25A	\$	13A	UP	\$	25A	10A		50	1	01				R1		60	R										
106.00		105.95	MP MARKER	B		106																															
106.07		106.02	INTRSECTN	B		ALICE AVE	CO	Y																													
			INTRSECTN	C		MEDIAN XROAD	ST	Y																													
106.17		106.12	BEG BRIDGE	I		WENATCHEE RIVER BRDG NUM 002/227S	ST	2	\$\$C	28A	C	130	\$\$	C	30A	\$\$C		58	1	01				R1		60	R										
			BEG BRIDGE	D		WENATCHEE RIVER BRDG NUM 002/227N	ST																														
106.24		106.19	END BRIDGE	I		WENATCHEE RIVER		2	10A	24A	C	15A	UP	C	30A	C		54	1	01				R1		60	R										
			END BRIDGE	D		WENATCHEE RIVER																															
106.36		106.31	INTRSECTN	L		FRONTAGE RD	CO	Y																													
106.49		106.44	INTRSECTN	L		DRYDEN AVE	CO	Y																													
			INTRSECTN	R		JOHNSON RD	CO	Y																													
			INTRSECTN	C		MEDIAN XROAD	ST	Y																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
105.16		105.11	.03	15	.03	15				
105.54		105.49		.07	11					
106.07		106.02	.03	13	.03	13				
106.49		106.44	.04	15	.03	15				

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	USE		TOT	MTCE		CITY	ST	LEGAL		T	P	S		
							-UXING-	NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	RHT	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
106.58	106.53		MP MARKER	R		107		2	10A	24A	C	15A	UP	C	30A	C	54	1	01		R1				60	R		
106.98	106.93		BEG BRIDGE	I		WENATCHEE RIVER	ST	2	10A	24A	C	15A	GR	C	30A	C	54	1	01		R1				60	R		
107.00	106.95		BEG BRIDGE	D		WENATCHEE RIVER	ST	2	10A	24A	C	150	\$\$	C	31A	C	62	1	01		R1				60	R		
107.11	107.06		END BRIDGE	I		WENATCHEE RIVER		2	10A	24A	\$	15A	GR	\$	24A	10A	48	1	01		R1				60	R		
107.33	107.28		UXING	B		BN RR	ST																					
107.43	107.38		RR XING	B		NUM 84472D STRUCTURE		2	10A	24A		15A	UP		24A	10A	48	1	01		R1				60	R		
107.62	107.57		INTRSECTN	B		PVT ORCHARD RD	PV																					
108.00	107.95		INTRSECTN	C		MEDIAN XROAD	ST																					
108.85	108.80		INTRSECTN	R		PINNACLE VIEW RD	CO																					
108.93	108.88		INTRSECTN	L		N DRYDEN RD	CO																					
109.00	108.95		INTRSECTN	R		GOODWIN RD	CO																					
109.94	109.89		INTRSECTN	L		HAY CANYON RD	CO																					
110.00	109.95		INTRSECTN	R		GOODWIN RD	CO																					
110.13	110.08		INTRSECTN	C		MEDIAN XROAD	ST																					
111.00	110.95		INTRSECTN	B		111		2	10A	24A		15A	UP		24A	10A	48	1	01		R1				60	R		
111.07	111.02		INTRSECTN	R		APLETS WAY WYE CONN	CO																					
111.09	111.04		INTRSECTN	R		APLETS WAY	CO																					
111.79	111.74		INTRSECTN	L		NAHAHUM CANYON RD	CO																					
111.96	111.91		INTRSECTN	C		MEDIAN XROAD	ST																					
111.07	111.02		INTRSECTN	R		BIG ROCK PL	CO																					
111.09	111.04		INTRSECTN	R		COTLETS WAY WYE CONN	CO																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
107.62	107.57		.01	14		.01	14			
108.85	108.80		.03	15		.03	15			
110.13	110.08		.03	13		.03	13			
111.07	111.02		.04		.08	12				
111.09	111.04		.03	15		.03	15			

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----						
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
:DIRECTION TO INVENTORY						-XROAD-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
:LEFT/RIGHT INDICATOR						OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	SE	FC	D	IB	R	K	T
:						TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	SE	FC	D	IB	R	K	T
111.97		111.92	INTRSECTN	R		COTLETS WAY	CO	SG	Y	2	10A	24A	15A	UP	24A	10A	48	1	01		R1		60	R
111.98		111.93	INTRSECTN	L		NAHAHUM CANYON RD	CO	SG	Y															
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y															
111.99		111.94	INTRSECTN	R		COTLETS WAY WYE CONN	CO	Y	2	10A	24A	15A	UP	24A	4A	48	1	01		R1		60	R	
112.00		111.95	MP MARKER	R		112																		
			INTRSECTN	L		NAHAHUM CANYON WYE CONN	CO	Y																
112.17		112.12	INTRSECTN	R		OLD MONITOR RD WYE CONN	CO	N	2	10A	24A	15A	UP	24A	10A	48	1	01		R1		60	R	
112.57		112.52	INTRSECTN	R		OLD MONITOR RD	CO	N																
112.59		112.54	INTRSECTN	R		OLD MONITOR RD	CO	N																
			INTRSECTN	C		MEDIAN XROAD	ST	N																
113.00		112.95	MP MARKER	B		113																		
113.10		113.05	TRAF RCDR	B		P01 0																		
113.21		113.16	INTRSECTN	L		RED APPLE RD	CO	Y																
			INTRSECTN	R		OLD MONITOR RD	CO	Y																
			INTRSECTN	C		MEDIAN XROAD	ST	Y																
113.83		113.78	INTRSECTN	R		STOFFEL RD	CO	N																
113.93		113.88	INTRSECTN	L		RED APPLE RD	CO	Y	2	9A	24A	15A	UP	24A	9A	48	1	01		R1		60	R	
			INTRSECTN	C		MEDIAN XROAD	ST	Y																
113.97		113.92	INTRSECTN	L		RED APPLE RD WYE CONN	CO	N																
114.00		113.95	MP MARKER	B		114																		
114.25		114.20								2	9A	24A	15A	JE	24A	9A	48	1	01		R1		60	R
114.53		114.48								2	10A	24A	8A	JE	24A	9A	48	1	01		R1		60	R
114.98		114.93	MISC FEATR	R		SGN ENT MONITOR																		
114.99		114.94	MP MARKER	B		115																		
115.03		114.98								2	10A	24A	15A	JE	24A	10A	48	1	01		R1		60	R
115.07		115.02								2	10A	24A	15A	UP	24A	10A	48	1	01		R1		60	R
115.10		115.05	INTRSECTN	R		MAIN ST WYE CONN	CO	Y																
115.14		115.09	INTRSECTN	R		MAIN ST	CO	SG	Y															
			INTRSECTN	L		EASY ST	CO	SG	Y															
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y															
115.17		115.12	INTRSECTN	L		EASY ST WYE CONN	CO	Y																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
			---	---	---	---	---	---	---	---	---	---	---	---
111.98		111.93	.03	15			.05	15						
111.99		111.94									.19	12		
113.21		113.16	.03	15			.03	15						
113.93		113.88	.02	15										
115.10		115.05				.06	12							
115.14		115.09	.04	16			.03	16						
115.17		115.12									.07	12		

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	ST	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
								-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID								
115.18	115.13		UXING	B		PED XING BRDG NUM 002/236	ST	2	10A	24A		15A	UP		24A	10A			48	1	01		R1		60	R
115.21	115.16							2	10A	24A		15A	JE		24A	10A			48	1	01		R1		60	R
115.36	115.31		MISC FEATR	L		SGN ENT MONITOR																				
115.57	115.52							2	10A	24A		15A	UP		24A	10A			48	1	01		R1		60	R
115.58	115.53		EXIT TO ENT/EXIT	R C		PVT RD MEDIAN XROAD	PV ST	Y Y																		
115.65	115.60							2	10A	24A		15A	JE		24A	10A			48	1	01		R1		60	R
115.99	115.94		MP MARKER	B		116																				
116.79	116.74							2	10A	24A		15A	JE		24A	10A			48	1	01		U1		60	R
116.99	116.94		MP MARKER	B		117																				
117.00	116.95							2	10A	24A		15A	UP		24A	10A			48	1	01		U1		60	R
117.28	117.23		INTRSECTN	L		LOWER SUNNYSLOPE RD WYE	CO	Y																		
			INTRSECTN	C		MEDIAN XROAD	ST	Y																		
117.31	117.26		INTRSECTN	L		LOWER SUNNYSLOPE RD	CO	Y																		
117.33	117.28		INTRSECTN	R		LOWER SUNNYSLOPE RD	CO	Y																		
			INTRSECTN	C		MEDIAN XROAD	ST	Y																		
117.59	117.54							2	10A	24A		15A	JE		24A	10A			48	1	01		U1		60	R
118.03	117.98		MP MARKER	B		118																				
118.18	118.13							2	10A	24A		15A	UP		24A	10A			48	1	01		U1		60	R
118.46	118.41		INTRSECTN	B		SCHOOL ST	CO	Y	2	10A	24A	15A	UP	24A	10A			48	1	01		U1		45	R	
			INTRSECTN	C		MEDIAN XROAD	ST	Y																		
118.48	118.43		ON RAMP	L		SR 2 WB	ST	Y																		
118.61	118.56							2	10A	24A		15A	JE		24A	10A			48	1	01		U1		45	R
118.71	118.66		MISC FEATR	L		GORE (R111912)																				
118.76	118.71		OFF RAMP	R		SR 2 EB	ST	Y																		
118.87	118.82		BEG BRIDGE	B		SR 2/SR 97 BRDG NUM 002/238	ST	Y	2	\$\$W	34A	16A	JE	46A	\$\$W			80	1	01		U1		45	R	
118.90	118.85		END BRIDGE	B		SR 2/SR 97			\$	\$	\$ \$\$\$	\$\$\$	\$\$	\$	\$\$\$	\$ \$\$\$			\$\$\$	\$ \$\$\$		\$\$		\$\$	\$	
			END CTLSEC			CONTROL SECTION 0401																				
			BEG PH GP			BEGIN PHYSICAL GAP																				
			MISC FEATR	I		SR 285 AHEAD																				
118.92	118.86		EQUATION			118.91 =118.92			11					8A	26A	8A			26	1	01		U1		45	R
			BEG CTLSEC			CONTROL SECTION 0401																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
115.58	115.53			.07 12	.04 15					
117.28	117.23		.02 14							
117.33	117.28				.03 14					
118.46	118.41		.05 14		.03 14					

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY DOUGLAS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
							D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
119.92	120.01		ENTER CO BEG CTLSEC			DOUGLAS CONTROL SECTION 0907		2	W	32A		6A	JE		32A	W	64	1	01		U1		50	R							
120.00	120.09		MP MARKER		C	120																									
120.04	120.13		END BRIDGE		B	COLUMBIA RIVER		2	12A	24A		10A	JE		24A	8A	48	1	01		U1		50	R							
120.05	120.14		MISC FEATR		L	SGN ENT CHELAN COUNTY																									
120.13	120.22							2	10A	24A		10A	UP		24A	8A	48	1	01		U1		50	R							
120.18	120.27		BEG BRIDGE		B	DRY WASH BRDG NUM 002/300		2	\$\$\$	34A		10A	UP		30A	\$\$W	64	1	01		U1		50	R							
120.23	120.32		END BRIDGE		B	DRY WASH		2	10A	24A		10A	UP		24A	10A	48	1	01		U1		50	R							
120.32	120.41		BEG BRIDGE		B	DRY WASH BRDG NUM 002/301		2	\$\$\$	34A		4A	UP		34A	\$\$W	68	1	01		U1		50	R							
120.35	120.44		END BRIDGE		B	DRY WASH		2	10A	24A		4A	UP		24A	10A	48	1	01		U1		50	R							
120.62	120.71		INTRSECTN		B	CASCADE AVE	CO	Y																							
			INTRSECTN		C	MEDIAN XROAD	ST	Y																							
120.74	120.83		INTRSECTN		L	SR 2 WYE CONN	ST	Y																							
127.83	120.86		EQUATION			120.77 =127.83		11	\$\$\$	\$\$\$		\$\$\$	\$\$		4A	24A	4A	24	1	01		U1		40	R						
			INTRSECTN		R	SR 28	ST	SG	Y																						
127.86	120.89		INTRSECTN		L	SR 2 WYE CONN	ST	Y																							
128.00	121.03		MP MARKER		R	128																									
128.09	121.12		INTRSECTN		L	38TH ST NW	CO	N	11					4A	24A	4A	24	1	01		U1		55	R							
			INTRSECTN		R	BLUE GRADE ST	CO	N																							
128.37	121.40							11						4A	24A	4A	24	1	01		R1		55	R							
128.43	121.46		INTRSECTN		R	BLUE ROCK DR NE	CO	N																							
129.00	122.03		MP MARKER		R	129																									
130.00	123.03		MP MARKER		R	130																									
130.12	123.15		INTRSECTN		R	NW CASCADE AVE WYE CONN	CO	Y																							
130.14	123.17		INTRSECTN		B	NW CASCADE AVE	CO	Y																							
130.51	123.54		ENT/EXIT		L	FRUIT STAND	PV	N																							
130.84	123.87		INTRSECTN		R	ENTERPRISE DR WYE CONN	CO	Y																							
130.86	123.89		INTRSECTN		R	ENTERPRISE DR	CO	Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
120.62	120.71		.03	12	.08	12	.03	12		
127.86	120.89								.06	12
128.03	121.06				.02	12				
130.12	123.15				.06	12				
130.14	123.17		.03	12			.03	12		
130.51	123.54								.02	12
130.84	123.87				.08	12				
130.86	123.89						.04	11		

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY DOUGLAS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	NBR	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID											
170.29		163.22																										
170.90		163.83	MP MARKER	R		172										8B	24B	8B				24	3	01		R1	65	M
171.10		164.03	BEG SU LN	R		CLIMBING										8B	24B	8B	12			36	3	01		R1	65	M
172.26		164.10	EQUATION			171.17 =172.26										6B	24B	6B	12			36	3	01		R1	65	M
			INTRSECTN	L		JAMESON LAKE RD	CO		N																			
172.57		164.41														6B	24B	3B	12			36	3	01		R1	65	M
173.00		164.84	MP MARKER	R		173																						
173.17		165.01	END SU LN	R		CLIMBING										6B	24B	6B	\$\$\$			24	3	01		R1	65	M
174.00		165.84	MP MARKER	R		174																						
174.10		165.94														7B	23B	7B				23	3	01		R1	65	M
174.34		166.18														7A	23A	7A				23	3	01		R1	65	M
174.95		166.79	INTRSECTN	R		F SE*WHITEHALL RD	CO		N																			
174.99		166.83	MP MARKER	R		175																						
175.10		166.94														7B	23B	7B				23	3	01		R1	65	M
175.66		167.50														7B	23B	7B				23	3	01		R1	65	R
175.95		167.79	INTRSECTN	B		G SE	CO		N																			
176.00		167.84	MP MARKER	R		176																						
176.96		168.80	INTRSECTN	B		H SE	CO		N																			
177.00		168.84	MP MARKER	R		177																						
178.00		169.84	MP MARKER	R		178																						
178.99		170.83	MP MARKER	R		179																						
179.00		170.84	INTRSECTN	B		J SE	CO		N																			
179.10		170.94	TRAF RCDR	B		S200 0																						
180.00		171.84	MP MARKER	R		180																						
180.96		172.80	MP MARKER	R		181																						
181.22		173.06	INTRSECTN	B		L SE	CO		N																			
181.77		173.61	INTRSECTN	B		BASELINE RD	CO		N																			
			MISC FEATR D			SPEED SITE #40																						
182.00		173.84	MP MARKER	R		182																						
182.35		174.19	INTRSECTN	B		M SE	CO		N																			
182.63		174.47	INTRSECTN	L		CO RD	CO		N																			
183.00		174.84	MP MARKER	R		183																						
183.40		175.24	INTRSECTN	R		J NE	CO		N																			
184.00		175.84	MP MARKER	R		184																						
184.16		176.00																										
184.39		176.23	INTRSECTN	R		O NE	CO		N							6B	23B	6B				23	3	01		R1	65	R
			INTRSECTN	L		ST ANDREWS RD	CO		N							8B	24B	8B				24	3	01		R1	65	R
185.00		176.84	MP MARKER	R		185																						
185.40		177.24	INTRSECTN	L		P SE	CO		N																			
185.57		177.41																										
186.00		177.84	MP MARKER	R		186										7B	24B	6B				24	3	01		R1	65	R
187.00		178.84	MP MARKER	R		187																						
187.40		179.24	INTRSECTN	L		SR 17	ST		N							7B	24B	7B				24	3	01		R1	65	R

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY LINCOLN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
257.60	249.41		INTRSECTN	R		GRAVELLE RD	CO	N	II																
258.00	249.81		MP MARKER	R		258																			
259.00	250.81		MP MARKER	R		259																			
260.00	251.81		MP MARKER	R		260																			
260.53	252.34		INTRSECTN	R		CO RD	CO	N																	
261.01	252.82		MP MARKER	R		261																			
261.09	252.90		INTRSECTN	L		CO RD	CO	Y																	
			INTRSECTN	R		SR 231	ST	Y																	
261.92	253.73		ENT/EXIT	L		WEIGH STATION	ST	Y																	
261.98	253.79		WEIGH STA	L		NUMBER 60																			
262.03	253.84		ENT/EXIT	L		WEIGH STATION	ST	Y																	
262.04	253.85		MP MARKER	R		262																			
262.13	253.94		INTRSECTN	B		CO RD	CO	N																	
262.91	254.72		INTRSECTN	R		PLASTER RD	CO	N																	
			INTRSECTN	L		RIFFE RD	CO	N																	
263.00	254.81		MP MARKER	R		263																			
263.44	255.25		ENTER CITY	R		REARDAN			II																
			MISC FEATR	R		SGN ENT REARDAN																			
263.45	255.26								II																
263.72	255.53		BEG ST	I		BROADWAY AVE			II																
			INTRSECTN	B		MAPLE ST	CT	Y																	
263.77	255.58		INTRSECTN	B		OAK ST	CT	Y	II																
263.83	255.64		INTRSECTN	B		LAKE ST	CT	Y																	
263.90	255.71		INTRSECTN	B		LAUREL ST	CT	Y																	
263.97	255.78		INTRSECTN	R		ASPEN ST	CT	Y																	
			INTRSECTN	L		SR 231	ST	Y																	
264.03	255.84		INTRSECTN	B		BIRCH ST	CT	Y																	
264.10	255.91		INTRSECTN	B		CEDAR ST	CT	Y	II																
264.18	255.99		INTRSECTN	B		CENTRAL ST	CT	Y	II																
264.25	256.06		INTRSECTN	B		ELM ST	CT	Y	II																
264.33	256.14		INTRSECTN	R		FERN ST	CT	Y																	
264.39	256.20		END ST	I		BROADWAY AVE			II																
			INTRSECTN	R		GREEN ST	CT	Y																	
			MISC FEATR	L		SGN ENT REARDAN																			
264.42	256.23		LEAVE CITY			REARDAN			II																

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
261.09	252.90			.04	12										
261.92	253.73			.03	12			.10	12						
262.03	253.84									.05	12				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	WID	WID									
				:	:		OW TC L	D I	W/S	W/S	W/S	W/S	W/S	W/S											
273.19	265.00		END SU LN	R		CLIMBING		11						8A	24A	4A	11	35	1	01		R1	55	R	
273.39	265.20		MP MARKER	R		274		11						8A	24A	8A	\$\$\$	24	1	01		R1	55	R	
274.00	265.81		INTRSECTN	L		CHRISTENSEN RD	CO	Y	11					8A	24A	8A		24	1	01		R1	55	L	
274.20	266.01		INTRSECTN	R		GRAHAM RD	CO	Y	11																
275.00	266.81		MP MARKER	R		275		11						8A	24A	4A		24	1	01		R1	55	L	
275.10	266.91		UXING	B		BN RR	ST																		
				B		BRDG NUM 002/608																			
				B		NUM 58639U STRUCTURE																			
275.21	267.02		INTRSECTN	L		DOVER RD	CO	Y	11	8A	12A	30A	UP	\$\$\$	12A	8A		24	1	01		R1	55	L	
275.31	267.12									1	2	8A	12A	30A	UP	24A	8A		36	1	01		R1	55	L
275.33	267.14		INTRSECTN	R		FAIRCHILD AIR FORCE BASE	MY	SG	Y	1	2	8A	12A	9A	UP	24A	8A		36	1	01		R1	55	L
275.35	267.16		INTRSECTN	R		FAIRCHILD AFB WYE CONN	MY	Y																	
275.70	267.51								2	9A	24A	21A	UP	24A	9A			48	1	01		R1	55	L	
275.97	267.78		MP MARKER	B		276																			
276.22	268.03		INTRSECTN	B		RAMBO RD	CO	Y																	
276.61	268.42		INTRSECTN	B		FAIRVIEW HEIGHTS RD	CO	N																	
277.00	268.81		MP MARKER	B		277																			
277.22	269.03		ENTER CITY	C		AIRWAY HEIGHTS			2	\$\$\$	\$\$\$	\$\$\$	\$\$\$	C	56A	\$\$C	14	70	1	01	0010	R1	40	L	B
			BEG SU LN	C		TWO WAY TURN	14A																		
			INTRSECTN	B		CRAIG RD	CT	Y																	
277.23	269.04		MISC FEATR	R		SGN ENT AIRWAY HEIGHTS																			
277.35	269.16		INTRSECTN	L		LOFFLER ST	CT	Y																	
277.47	269.28		INTRSECTN	L		WEST ST	CT	Y																	
			INTRSECTN	R		ALBERT ST	CT	Y																	
277.60	269.41		INTRSECTN	L		ZIEGLER ST	CT	Y																	
277.73	269.54		INTRSECTN	B		LUNDSTROM ST	CT	Y																	
277.85	269.66		INTRSECTN	B		KING ST	CT	Y																	
277.92	269.73		END SU LN	C		TWO WAY TURN	14A		2					C	70A	C	\$\$\$	70	1	01	0010	R1	40	L	B
277.98	269.79		INTRSECTN	B		LAWSON ST	CT	SG	Y																
278.01	269.82		MP MARKER	R		278																			
278.03	269.84		BEG SU LN	C		TWO WAY TURN	14A		2					C	56A	C	14	70	1	01	0010	R1	40	L	B

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
274.20	266.01		.04	15			.04	15						
275.33	267.14						.37	24						
275.35	267.16										.14	12		
276.22	268.03		.03	11							.02	11		
277.22	269.03					.02	12							
277.98	269.79		.03	14			.03	14						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID							
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
288.28	280.03		INTRSECTN	B		AUGUSTA AVE	CT	Y	4																	
288.36	280.11		INTRSECTN	B		NORA AVE	CT	Y																		
288.44	280.19		INTRSECTN	B		INDIANA AVE	CT	SG	Y																	
288.51	280.26		INTRSECTN	B		BALDWIN AVE	CT	Y																		
288.59	280.34		INTRSECTN	B		ERMINA AVE	CT	Y																		
288.66	280.41		INTRSECTN	B		MONTGOMERY AVE	CT	SG	Y																	
288.74	280.49		INTRSECTN	L		CARLISLE AVE	CT	Y																		
288.84	280.59		INTRSECTN	B		JACKSON AVE	CT	Y																		
288.92	280.67								3																	
288.97	280.72		INTRSECTN	B		NORTH FOOTHILLS DR	CT	SG	Y																	
289.12	280.87		INTRSECTN	R		CLEVELAND AVE	CT	Y																		
289.16	280.91								3																	
289.19B	280.94		BEG EQ			BEGIN BACK																				
289.19	280.98		END ST	I		RUBY ST			3	C	34A	11P	CU	\$	34A	C	68	1	02	1220	U1		30	R	P	*
			EQUATION			289.23B=289.19																				
			BEG ST	I		DIVISION ST																				
			INTRSECTN	B		EUCLID AVE	CT	Y																		
			INTRSECTN	L		SR 2 CODIVISN (COUplet)	ST	Y																		
			MISC FEATR	D		COUplet - CODIVISN																				
289.25	281.04		INTRSECTN	R		DALTON AVE	CT	Y																		
289.29	281.08		INTRSECTN	R		LIBERTY AVE	CT	Y																		
289.32	281.11		INTRSECTN	L		GRAY CT	CT	Y																		
289.34	281.13		INTRSECTN	R		BRIDGEPORT AVE	CT	SG	Y																	
289.40	281.19		INTRSECTN	L		COURTLAND AVE	CT	Y																		
289.41	281.20		INTRSECTN	R		COURTLAND AVE	CT	Y																		
289.43	281.22		INTRSECTN	L		GLASS AVE	CT	Y																		
289.44	281.23		INTRSECTN	R		GLASS AVE	CT	Y																		
289.50	281.29		INTRSECTN	B		GORDON AVE	CT	Y																		
289.55	281.34		INTRSECTN	R		KIERNAN AVE	CT	Y																		

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
288.97	280.72				.05	14				
289.19	280.98		.04	11						
289.29	281.08		.04	11						
289.32	281.11		.02	11						
289.34	281.13				.03	11				
289.43	281.22		.02	11						
289.44	281.23				.02	11				
289.50	281.29		.02	11						
289.55	281.34				.03	11				

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----											
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T				
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S			
290.94		282.73							3	C	34A				68	1	02	1220	U1					35	R	P	*	
291.06		282.85	INTRSECTN	B		DALKE AVE	CT	Y																				
291.12		282.91							3	C	34A				68	1	02	1220	U1					35	R	P	*	
291.15		282.94							3	C	34P				68	1	02	1220	U1					35	R	P	*	
291.18		282.97	INTRSECTN	R		FRANCIS AVE	CT	SG	Y																			
			INTRSECTN	L		SR 291	ST	SG	Y																			
291.21		283.00							3	C	34P				68	1	02	1220	U1					35	R	P	*	
291.25		283.04							3	\$	\$\$\$				C	80A	C	80	1	02	1220	U1		35	R	P	*	
291.27		283.06	BEG SU LN	C		TWO WAY TURN			3						C	65A	C	15	80	1	02	1220	U1		35	R	P	*
291.30		283.09	END SU LN	C		TWO WAY TURN			3						C	80A	C	\$\$\$	80	1	02	1220	U1		35	R	P	*
291.31		283.10	INTRSECTN	L		HOUSTON AVE	CT	Y	3						C	85A	C		85	1	02	1220	U1		35	R	P	*
291.33		283.12	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.39		283.18	END SU LN	C		TWO WAY TURN			3						C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
291.43		283.22	INTRSECTN	B		LYONS AVE	CT	SG	Y																			
291.47		283.26	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.51		283.30	END SU LN	C		TWO WAY TURN			3						C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
291.53		283.32	INTRSECTN	R		WEDGEWOOD AVE	CT	Y																				
291.55		283.34	INTRSECTN	L		WEDGEWOOD AVE	CT	Y																				
291.60		283.39	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.67		283.46	END SU LN	C		TWO WAY TURN			3						C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
291.69		283.48	INTRSECTN	L		RHODES AVE	CT	Y																				
			INTRSECTN	R		WEILE AVE	CT	Y																				
291.74		283.53	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		35	R	P	*
291.82		283.61	END SU LN	C		TWO WAY TURN			3						C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*
291.86		283.65	INTRSECTN	B		COZZA DR	CT	SG	Y	3					C	85A	C		85	1	02	1220	U1		45	R	P	*
291.94		283.73	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		45	R	P	*
292.12		283.91	END SU LN	C		TWO WAY TURN			3						C	85A	C	\$\$\$	85	1	02	1220	U1		45	R	P	*
292.17		283.96	INTRSECTN	R		LINCOLN RD	CT	SG	Y																			
			INTRSECTN	L		CASCADE WAY	CT	SG	Y																			
292.24		284.03	BEG SU LN	C		TWO WAY TURN			3						C	70A	C	15	85	1	02	1220	U1		45	R	P	*

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
291.06		282.85		.06	11			.04	11			.02	12		
291.18		282.97		.06	11	.03	12	.06	11			.06	12		
291.31		283.10		.02	11										
291.43		283.22		.02	11			.04	11						
291.53		283.32		.02	11			.02	11						
291.69		283.48						.04	11						
291.86		283.65		.04	11			.04	11						
292.17		283.96		.04	11			.04	11						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
				D	LR		DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
							LN	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
297.18		288.97																										
297.25		289.04	INTRSECTN	R	SR 206	ST	SG	Y																				
			INTRSECTN	L	CO RD	CO	SG	Y																				
297.36		289.15	BEG SU LN	C	TWO WAY TURN	15A																						
297.58		289.37	INTRSECTN	R	WALKER AVE	CO		Y																				
297.73		289.52																										
297.75		289.54	INTRSECTN	B	LANE PARK RD	CO		Y																				
298.01		289.80	MP MARKER	R	298																							
			INTRSECTN	L	MOODY RD	CO		Y																				
298.05		289.84																										
298.23		290.02	END SU LN	C	TWO WAY TURN	15A																						
298.28		290.07	INTRSECTN	B	DAY-MT SPOKANE RD	CO	SG	Y																				
298.32		290.11	BEG SU LN	C	TWO WAY TURN	15A																						
298.42		290.21																										
298.55		290.34	END SU LN	C	TWO WAY TURN	15A																						
298.62		290.41																										
298.79		290.58	INTRSECTN	R	GREENBLUFF RD	CO		N																				
			INTRSECTN	C	MEDIAN XROAD	ST		N																				
298.90		290.69																										
298.95		290.74																										
299.00		290.79	MP MARKER	R	299																							
299.05		290.84	INTRSECTN	C	MEDIAN XROAD	ST		N																				
			INTRSECTN	B	CARNEY RD	CO		N																				
299.86		291.65	INTRSECTN	C	MEDIAN XROAD	ST		Y																				
			INTRSECTN	B	COLBERT RD	CO		Y																				
300.02		291.81	MP MARKER	R	300																							
300.13		291.92	UXING	B	BN RR	ST																						
			RR XING	B	BRDG NUM 002/655 NUM 59080M STRUCTURE																							
300.90		292.69	INTRSECTN	B	WOOLARD RD	CO		Y																				
			INTRSECTN	C	MEDIAN XROAD	ST		Y																				
301.00		292.79	MP MARKER	R	301																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
297.25		289.04	.05	12	.02	12	.05	24	.08	12			.18	12
298.28		290.07	.04	15			.03	15						
298.79		290.58			.11	12	.05	12						
299.05		290.84	.05	12			.04	12						
299.86		291.65	.09	12	.10	12	.05	12						
300.90		292.69	.05	12			.04	12						

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---													
				D	LR		DESCRIPTION	NBR	DECREAS/DIV	MEDIAN		INCRS/UNDI		SPC	CITY		ST	LEGAL	T	P	S					
							LNS	SHD	RDY	SHD	WD/S	BR	SHD	RDY	SHD	LNS	RDY	MTCE	NBR	FC	D	IB	R	K	T	
312.07		303.86												7A	24A	3A	12	36	1	02			R1		60	R
312.67		304.46	INTRSECTN	L		CO	Y																			
313.00		304.79	MP MARKER	R																						
313.42		305.21	INTRSECTN	B		CO	Y																			
313.80		305.59	END SU LN	R		12A								7A	24A	7A	\$\$\$	24	1	02			R1		60	R
314.00		305.79	MP MARKER	R																						
314.42		306.21	INTRSECTN	B		CO	N																			
314.92		306.71												8A	26A	8A		26	1	02			R1		60	R
315.00		306.79	MP MARKER	R																						
315.04		306.83						1	2	8A	17A	3A	18S	DE	4A	24A	10A						R1		60	R
315.25		307.04						2	10A	24A	4A	77S	DE	4A	24A	10A							R1		60	R
315.47		307.26	END CTLSEC LEAVE CO																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
312.67		304.46								.07 12
313.42		305.21			.02 12					.02 12

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY PEND OREILLE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		MTCE		CITY		LEGAL								
:DIRECTION TO INVENTORY							-XING-	NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	TOT	A	SE	NBR	FC	D	IB	T	P	S		
:LEFT/RIGHT INDICATOR							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	
:							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID		
315.47		307.26	ENTER CO BEG CTLSEC			PEND OREILLE CONTROL SECTION 2601			2	10A	24A	4A	78S	DE	4A	24A	10A			48	1	02		R1		60	R		
315.71		307.50	INTRSECTN	R		ALLEN RD	CO	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
316.00		307.79	MP MARKER	R		316																							
316.45		308.24	INTRSECTN	L		ALLEN RD	CO	Y																					
			INTRSECTN	R		KIRKPATRICK RD	CO	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
316.76		308.55							2	10A	24A	4A	180S	DE	4A	24A	10A			48	1	02		R1		60	R		
316.97		308.76	MP MARKER	R		317																							
317.00		308.79	MED KING	C		OFFICIAL																							
317.38		309.17							2	10A	24A	4A	42S	DE	4A	24A	10A			48	1	02		R1		60	R		
317.66		309.45	INTRSECTN	L		FERTILE VALLEY RD	CO	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
317.99		309.78	MP MARKER	R		318																							
318.19		309.98	ENT/EXIT	L		PEND OREILLE COUNTY PARK	CO	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
319.00		310.79	MP MARKER	R		319																							
319.79		311.58							2	10A	24A	4A	160S	DE	4A	24A	10A			48	1	02		R1		60	R		
319.91		311.70	INTRSECTN	L		CO RD	CO	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
319.97		311.76	MP MARKER	R		320																							
320.03		311.82							2	10A	24A	4A	42S	DE	4A	24A	10A			48	1	02		R1		60	R		
320.96		312.75	MP MARKER	R		321																							
321.03		312.82	INTRSECTN	L		DIAMAZ-CARLTON RD	CO	N																					
			INTRSECTN	C		MEDIAN XROAD	ST	N																					
321.24		313.03	INTRSECTN	L		SR 211 WYE CONN	ST	Y																					
321.27		313.06							2	1	10A	24A	4A	42S	DE	4A	14A	10A			38	1	02		R1		60	R	
321.29		313.08	INTRSECTN	L		SR 211	ST	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	Y																					
321.47		313.26							11	10A	14A	4A	42S	DE	4A	14A	10A			28	1	02		R1		60	R		
321.66		313.38	EQUATION			321.59 =321.66			11	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$	10A	28A	10A			28	1	02		R1		60	R		
321.76		313.48							11						5A	22A	5A			22	1	02		R1		60	R		
321.78		313.50							11						8A	24A	8A			24	1	02		R1		60	R		
321.99		313.71	MP MARKER	R		322																							
322.67		314.39	INTRSECTN	L		NORTH SHORE RD	CO	Y																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
321.24		313.03						.16	14						
321.29		313.08		.02	10							.03	13		

SR 002 COUPLET
DIVISN

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---										
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				NBR		LFT	RHT	LFT	RHT	USE	TOT					LEGAL														
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
290.72	1.53		INTRSECTN END CTLSEC END SECTN	L		SR 2 N BND CONTROL SECTION 3208 DIVISN	ST	Y	3								C	44A	C	44	1	02	1220	U1	30	L	P	*		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	LGT	WD	LGT	WD	LGT	WD	LGT	WD
290.72	1.53	.04	11						

SR 003 MAINLINE

STATE ROUTE - SRSH

COUNTY MASON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL																
							NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	A	SE	NBR	FC	SPEED	T	P	S					
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	WID	MTCE	CITY	ST	D	IB	R	K	T						
3.58	3.58		LEAVE CITY			SHELTON											3A	23A	7A				23	2	01	\$\$\$\$	R1	50	R	\$							
3.65	3.65																3A	23A	3A				23	2	01		R1	50	R								
4.00	4.00		MP MARKER	R		4																															
4.45	4.45																																				
5.00	5.00		MP MARKER	R		5																															
5.20	5.20																																				
6.00	6.00		MP MARKER	R		6																															
6.40	6.40																																				
6.52	6.52		INTRSECTN	R		PVT RD	PV		N																												
6.57	6.57		INTRSECTN	L		JOHNS PRAIRIE RD	CO		N																												
6.59	6.59		BEG BRIDGE	B		JOHNS CREEK	ST										\$\$C	36P	\$\$C																		
						BRDG NUM 003/008																															
6.61	6.61		END BRIDGE	B		JOHNS CREEK											3A	23A	3A				23	2	01		R1	40	R								
6.85	6.85																3A	23A	3A				23	2	01		R1	50	R								
7.00	7.00		MP MARKER	R		7																															
7.24	7.24		INTRSECTN	L		MASON LAKE RD	CO		Y																												
7.64	7.64																8A	23A	8A				23	2	01		R1	50	R								
7.75	7.75		INTRSECTN	L		PVT RD	PV		N																												
8.00	8.00		MP MARKER	R		8																															
8.07	8.07		INTRSECTN	R		ECLER RD	CO		N	11							3A	23A	3A				23	2	01		R1	50	R								
8.33	8.33									11							3A	23A	3A				23	2	01		R1	40	R								
8.36	8.36		INTRSECTN	L		NASON RD	CO		N																												
8.56	8.56		BEG BRIDGE	B		CRANBERRY CREEK	ST										\$\$C	28A	\$\$C																		
						BRDG NUM 003/010																															
8.58	8.58		END BRIDGE	B		CRANBERRY CREEK				11							3A	23A	3A				23	2	01		R1	40	R								
8.76	8.76		INTRSECTN	L		E CRANBERRY CREEK RD	CO		Y	11							3A	24A	3A				24	2	01		R1	40	R								
8.89	8.89		INTRSECTN	L		DEER CREEK RD	CO		N																												
8.92	8.92		BEG BRIDGE	B		DEER CREEK	ST			11							\$\$C	28A	\$\$C																		
						BRDG NUM 003/011																															
8.93	8.93		END BRIDGE	B		DEER CREEK				11							8A	24A	8A				24	2	01		R1	40	R								
8.96	8.96		INTRSECTN	R		AGATE RD WYE CONN	CO		N																												
8.99	8.99		INTRSECTN	R		AGATE RD	CO		Y																												
9.01	9.01		MP MARKER	R		9																															
9.03	9.03		BEG SU LN	R		TRUCK CLIMBING SHOULD08A				11							8A	24A	\$\$\$	8			32	2	01		R1	40	R								
9.20	9.20									11							8A	24A		8			32	2	01		R1	55	R								
9.60	9.60		END SU LN	R		TRUCK CLIMBING SHOULD08A				11							8A	24A	8A	\$\$\$			24	2	01		R1	55	R								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
7.24	7.24		.03	11						.02	11
8.99	8.99				.03	12					

SR 003 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																	
							-BRIDGE-	DECREAS-	DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
39.15			MISC FEATR	L		GORE (S103896)				2	10A	24A	4A			40S	DE	4A	24A	10A		48	2	01	0115	U1			60	R	P				
39.17			MISC FEATR	R		GORE (P103909)																													
39.32			UXING	B		AUSTIN DR BRDG NUM 003/120																													
39.43			MISC FEATR	L		GORE (R103953)																													
39.45			MISC FEATR	R		GORE (Q103975)																													
39.53			OFF RAMP	L		AUSTIN DR																													
39.75			ON RAMP	R		AUSTIN DR																													
40.00			MP MARKER	B		40																													
40.43			LEAVE CITY			BREMERTON				2	10A	24A	4A			40S	DE	4A	24A	10A		48	2	01	\$\$\$\$	U1		60	R	\$					
40.44			BEG BRIDGE	I		ERLAND PT RD BRDG NUM 003/123E				2	\$\$C	30P	\$\$C			400	\$\$	\$\$C	30P	\$\$C		60	2	01		U1		60	R						
			BEG BRIDGE	D		ERLAND PT RD BRDG NUM 003/123W																													
40.47			END BRIDGE	I		ERLAND PT RD				2	10A	24A	4A			40S	DE	4A	24A	10A		48	2	01		U1		60	R						
			END BRIDGE	D		ERLAND PT RD																													
40.73			ON RAMP	L		CHICO WAY																													
40.85			OFF RAMP	R		CHICO WAY																													
40.94			MISC FEATR	R		GORE (P104085)																													
40.96			MISC FEATR	L		GORE (S104073)																													
41.00			MP MARKER	B		41																													
41.09			BEG BRIDGE	I		CHICO WAY BRDG NUM 003/124E				2	\$\$C	38A	\$\$C			400	\$\$	\$\$C	38A	\$\$C		76	2	01		U1		60	R						
			BEG BRIDGE	D		CHICO WAY BRDG NUM 003/124W																													
41.13			END BRIDGE	I		CHICO WAY				2	10A	24A	4A			40S	DE	4A	24A	10A		48	2	01		U1		60	R						
			END BRIDGE	D		CHICO WAY																													
41.26			MISC FEATR	L		GORE (R104137)																													
41.27										2	10A	24A	4A			50S	DE	4A	24A	10A		48	2	01		U1		60	R						
41.37			OFF RAMP	L		CHICO WAY																													
41.43			MISC FEATR	R		GORE (Q104171)																													
41.71			ON RAMP	R		CHICO WAY																													
42.00			MP MARKER	B		42																													
42.01			UXING	B		ELDORADO HILL RD BRDG NUM 003/126																													
42.93			ON RAMP	L		NEWBERRY HILL RD																													
43.00			MP MARKER	B		43																													
43.20			OFF RAMP	R		NEWBERRY HILL RD																													
43.32			MISC FEATR	L		GORE (S104293)																													
			MISC FEATR	R		GORE (P104320)																													
43.48			BEG BRIDGE	D		NEWBERRY HILL RD BRDG NUM 003/128W				2	\$\$C	38P	\$\$C			50S	DE	4A	24A	10A		62	2	01		U1		60	R						
43.49			BEG BRIDGE	I		NEWBERRY HILL RD				2	C	38P	C			500	\$\$	\$\$C	38P	\$\$C		76	2	01		U1		60	R						

SR 004 MAINLINE

STATE ROUTE - SRSH

COUNTY WAHIAKUM

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S				
							NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
17.11		17.10																								
17.16		17.15	INTRSECTN	R		LOOP RD	CO	Y						6A	22A	8A			22	3	02		R1		55	R
17.20		17.19												3A	22A	8A			22	3	02		R1		55	R
17.34		17.33	MISC FEATR	L		SGN ENT GRAYS RIVER																				
17.36		17.35	BEG BRIDGE	B		HULL CREEK BRDG NUM 004/108	ST							\$\$\$	26A	\$\$\$			26	3	02		R1		55	R
17.37		17.36	END BRIDGE	B		HULL CREEK								3A	22A	3A			22	3	02		R1		55	R
18.00		17.99	MP MARKER	R		18																				
18.33		18.32	INTRSECTN	R		FAIRVIEW RD	CO	Y						6A	22A	6A			22	3	02		R1		55	R
18.59		18.58	INTRSECTN	R		LOOP RD	CO	Y						3A	22A	3A			22	3	02		R1		55	R
19.00		18.99																								
19.07		19.06	MP MARKER	R		19																				
19.16		19.15	INTRSECTN	L		SHANNON RD	CO	N																		
19.30		19.29	BEG BRIDGE	B		GRAYS RIVER BRDG NUM 004/110	ST							\$\$\$	24P	\$\$\$			24	3	02		R1		55	R
19.37		19.36	END BRIDGE	B		GRAYS RIVER								2A	21A	7A			21	3	02		R1		55	R
19.39		19.38	BEG BRIDGE	B		BRIDGE BRDG NUM 004/111	ST							\$\$\$	24P	\$\$\$			24	3	02		R1		55	R
19.42		19.41	END BRIDGE	B		BRIDGE								2A	21A	7A			21	3	02		R1		55	R
19.43		19.42	INTRSECTN	L		SATTERLAND RD	CO	Y																		
19.45		19.44	BEG BRIDGE	B		NO NAME BRIDGE BRDG NUM 004/112	ST							\$\$\$	24P	\$\$\$			24	3	02		R1		55	R
19.48		19.47	END BRIDGE	B		NO NAME BRIDGE								4A	22A	10A			22	3	02		R1		55	R
19.49		19.48	INTRSECTN	B		SATTERLAND RD	CO	Y																		
19.52		19.51	BEG BRIDGE	B		SLOUGH BRDG NUM 004/113	ST							\$\$\$	24P	\$\$\$			24	3	02		R1		55	R
19.56		19.55	END BRIDGE	B		SLOUGH								7A	24A	7A			24	3	02		R1		55	R
19.75		19.74	INTRSECTN	L		FOSSIL CREEK RD	CO	N																		
20.00		19.99	MP MARKER	R		20																				
20.94		20.93	BEG SU LN	R		CLIMBING	12A							7A	24A	6A	12		36	3	02		R1		55	R
21.00		20.99	MP MARKER	R		21																				
21.57		21.56	END SU LN	R		CLIMBING	12A							7A	24A	6A	\$\$\$		24	3	02		R1		55	R
21.70		21.69												8A	22A	8A			22	3	02		R1		55	R
22.00		21.99	MP MARKER	R		22																				
22.15		22.14												4A	22A	4A			22	3	02		R1		55	R
22.22		22.21	INTRSECTN	R		LOGGING RD	PV	N																		
22.92		22.91												3A	22A	8A			22	3	02		R1		55	R
23.00		22.99	MP MARKER	R		23																				
23.04		23.03	BEG SU LN	L		CLIMBING	11A							3A	22A	8A	11		33	3	02		R1		55	R
23.52		23.51	END SU LN	L		CLIMBING	11A							3A	22A	8A	\$\$\$		22	3	02		R1		55	R
23.72		23.71												4A	22A	4A			22	3	02		R1		55	R
24.00		23.99	MP MARKER	R		24																				
24.26		24.25												3A	24A	5A			24	3	02		R1		55	R

SR 004 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---							
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC										
			: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT								
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	LNS	SHD W/S	RDY W/S	SHD W/S	MEDIAN- WD/S BR	SHD W/S	RDY W/S	SHD W/S	LNS	RDY WID	MTCE	CITY	ST	LEGAL	T	P	S	
59.28	59.27	BEG SU LN	C	TWO WAY TURN		14A								C 50A	C 14	64	1	02	0695	U1	35	L	P
59.40	59.39	END SU LN	C	TWO WAY TURN		14A								C 64A	C \$\$\$	64	1	02	0695	U1	35	L	P
59.43	59.42	INTRSECTN	L	PACIFIC WAY					CT	SG	Y												
59.44	59.43	BEG SU LN	C	TWO WAY TURN		14A								C 50A	C 14	64	1	02	0695	U1	35	L	P
59.54	59.53	END SU LN	C	TWO WAY TURN		14A								C 64A	C \$\$\$	64	1	02	0695	U1	35	L	P
		INTRSECTN	R	NE NICHOLS BLVD					CT	SG	Y												
59.61	59.60	BEG SU LN	C	TWO WAY TURN		14A								C 50A	C 14	64	1	02	0695	U1	35	L	P
59.69	59.68	END SU LN	C	TWO WAY TURN		14A								C 64A	C \$\$\$	64	1	02	0695	U1	35	L	P
59.70	59.69	INTRSECTN	R	OLYMPIA WAY					CT	SG	Y			C 66A	C	66	1	02	0695	U1	35	L	P
		INTRSECTN	R	KESSLER BLVD					CT	SG	Y												
59.75	59.74	BEG SU LN	C	TWO WAY TURN		14A								C 52A	C 14	66	1	02	0695	U1	35	L	P
59.91	59.90	END SU LN	C	TWO WAY TURN		14A								C 66A	C \$\$\$	66	1	02	0695	U1	35	L	P
59.92	59.91	INTRSECTN	R	OCEAN BEACH PL					CT		Y												
59.94	59.93	BEG SU LN	C	TWO WAY TURN		14A								C 52A	C 14	66	1	02	0695	U1	35	L	P
59.97	59.96	END SU LN	C	TWO WAY TURN		14A								C 66A	C \$\$\$	66	1	02	0695	U1	35	L	P
59.98	59.97	INTRSECTN	R	OCEAN BEACH PL					CT		Y												
59.99	59.98													C 52A	C	52	1	02	0695	U1	35	L	P
60.00	59.99	BEG SU LN	C	TWO WAY TURN		14A								C 52A	C 14	66	1	02	0695	U1	35	L	P
		MP MARKER	R	60																			
60.03	60.02	END SU LN	C	TWO WAY TURN		14A								C 66A	C \$\$\$	66	1	02	0695	U1	35	L	P
60.04	60.03	INTRSECTN	R	19TH AVE					CT		Y												
60.06	60.05	BEG SU LN	C	TWO WAY TURN		14A								C 52A	C 14	66	1	02	0695	U1	35	L	P
60.16	60.15	END SU LN	C	TWO WAY TURN		14A								C 66A	C \$\$\$	66	1	02	0695	U1	35	L	P
60.17	60.16	INTRSECTN	R	17TH AVE					CT		Y												
60.19	60.18	BEG SU LN	C	TWO WAY TURN		14A								C 52A	C 14	66	1	02	0695	U1	35	L	P
60.22	60.21	END SU LN	C	TWO WAY TURN		14A								C 66A	C \$\$\$	66	1	02	0695	U1	35	L	P
60.24	60.23	INTRSECTN	R	16TH AVE					CT		Y												
60.31	60.30	INTRSECTN	R	15TH AVE					CT	SG	Y			C 64A	C	64	1	02	0695	U1	35	L	P
		INTRSECTN	L	CASCADE WAY					CT	SG	Y												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
59.43	59.42	.03	14						
59.54	59.53			.03	14				
59.70	59.69			.03	14				
59.92	59.91			.02	14				
59.98	59.97			.02	14				
60.04	60.03			.02	14				
60.17	60.16			.02	14				
60.24	60.23			.02	14				
60.31	60.30	.03	14	.03	13	.03	14		

SR 004 MAINLINE STATE ROUTE - SRSH COUNTY COWLITZ DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC	LFT		RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
61.08	61.07					BRDG NUM 004/230			22	C	26P	4A	CU	26P	C	52	1	02	0605	U1	35	L	P	*		
61.40	61.39	END BRIDGE	B			SR 411-COWLITZ RIVER			22	C	22A	12A	CU	22A	C	44	1	02	0605	U1	35	L	P	*		
61.44	61.43	INTRSECTN	L			PACIFIC AVE (OLD SR 431)	CT	SG	Y	22	C	22A	12A	CU	22A	C	44	1	02	0605	U1	25	L	P	*	
		INTRSECTN	R			PACIFIC AVE	CT	SG	Y																	
61.47	61.46								22	\$	\$\$\$	\$	\$\$\$	\$	C	57A	C	57	1	02	0605	U1	25	L	P	*
61.49	61.48	INTRSECTN	B			3RD AVE N	CT		Y																	
61.52	61.51	INTRSECTN	R			SR 4 WYE CONN	ST		Y																	
61.53	61.52	END ST	I			COWLITZ WAY				\$	3			C	46A	C	46	1	02	0605	U1	25	L	R	*	
		BEG ST	I			4TH AVE S																				
		INTRSECTN	L			4TH AVE N	CT	SG	Y																	
		INTRSECTN	L			SR 4 COKELSO (COUPLET)	ST	SG	Y																	
		MISC FEATR	D			COUPLET - COKELSO			SG	Y																
61.54	61.53	INTRSECTN	R			SR 4 WYE CONN	ST		Y																	
61.59	61.58	INTRSECTN	L			CHURCH ST	CT		Y																	
61.63	61.62	INTRSECTN	B			ACADEMY ST	CT		Y																	
61.68	61.67	END ST	I			4TH AVE S				1	2			C	44A	C	44	1	02	0605	U1	25	L	P	*	
		BEG ST	I			ALLEN ST																				
		INTRSECTN	R			4TH AVE S	CT	SG	Y																	
		INTRSECTN	R			ALLEN ST	CT	SG	Y																	
61.72	61.71	INTRSECTN	R			5TH AVE S	CT	SG	Y	22				C	47A	C	47	1	02	0605	U1	35	L	P	*	
		INTRSECTN	L			SR 4 COKELSO (COUPLET)	ST	SG	Y																	
		MISC FEATR	D			COUPLET - COKELSO			SG	Y																
61.73	61.72	INTRSECTN	L			SR 4 COUPLET WYE CONN	ST		Y																	
61.77	61.76	INTRSECTN	L			6TH AVE N	CT		Y	22				C	58A	C	58	1	02	0605	U1	35	L	R	*	
61.82	61.81	MISC FEATR	B			PED XING																				
61.88	61.87								22					C	52A	C	52	1	02	0605	U1	35	L	P	*	
61.90	61.89	INTRSECTN	R			8TH AVE S	CT		Y	22				C	61A	C	61	1	02	0605	U1	35	L	P	*	
61.93	61.92	INTRSECTN	L			ALLEN DR	CT		Y																	
61.94	61.93	BEG SU LN	C			TWO WAY TURN	13A		22					C	52A	C	13	65	1	02	0605	U1	35	L	P	*
62.00	61.99	MP MARKER	R			62																				
62.07	62.06	END SU LN	C			TWO WAY TURN	13A		22					C	82A	C	\$\$\$	82	1	02	0605	U1	35	L	P	*
62.10	62.09	INTRSECTN	L			PVT RD	PV	SG	Y	22				C	70A	C	70	1	02	0605	U1	35	L	P	*	
		INTRSECTN	R			THREE RIVERS DR	CT	SG	Y																	
62.18	62.17	INTRSECTN	L			HOLLY ST	CT		Y	22				C	64A	C	64	1	02	0605	U1	35	L	P	*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
61.44	61.43		.03	12		.03	12			
61.53	61.52		.02	12						
61.90	61.89				.02	12				
62.10	62.09		.02	12	.02	12	.03	26		
62.18	62.17		.02	14						

SR 004 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
				:	:	:	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
				:	:	:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
				:	:	:	OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
62.21	62.20		INTRSECTN	R		OFF RAMP WYE CONN	ST	Y	2																				
62.23	62.22		OFF RAMP	R		SR 5	ST	SG	Y																				
			ON RAMP	L		SR 5	ST	SG	Y																				
62.26	62.25		UXING	B		SR 5 SB	ST																						
						BRDG NUM 005/123W																							
62.28	62.27		END ST	I		ALLEN ST																							
			UXING	B		SR 5 NB	ST																						
						BRDG NUM 005/123E																							
			END CTLSEC			CONTROL SECTION 0804																							
			END ROUTE																										

INTERSECTION DETAIL

-----TURN LANES-----		-----ACCELERATION LANES-----					
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
62.23	62.22			.01	13		

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY COWLITZ

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---															
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT																			
:				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
35.80	35.80	BEG	BRIDGE	D		OWL CREEK BRDG NUM 005/117W	ST		33	C	52P	C	320		C	52P	C		104	1	02	0605	U5		70	R	P				
35.82	35.82	END	BRIDGE	I		OWL CREEK			33	10A	36A	6A	32S	DE	6A	36A	10A		72	1	02	0605	U5		70	R	P				
36.00	36.00	MP	MARKER	R		36																									
36.29	36.29	MISC	FEATR	R		SGN ENT KELSO																									
36.30	36.30	OFF	RAMP	R		SR 432	ST		Y																						
36.40	36.40	MED	XING	C		OFFICIAL																									
36.42	36.42	ON	RAMP	L		SBCD LANE	ST		Y																						
36.43	36.43								33	10A	36A	\$\$\$	16A	JE	\$\$\$	36A	10A		72	1	02	0605	U5		70	R	P				
36.67	36.67	MISC	FEATR	R		GORE (P103630)																									
36.68	36.68	MISC	FEATR	L		GORE (CD03748)																									
36.97	36.97	UXING		B		SR 432	ST																								
36.99	36.99	MP	MARKER	R		BRDG NUM 432/012																									
37.19	37.19	MP	MARKER	R		37																									
37.19	37.19	MISC	FEATR	R		GORE (Q503744)																									
37.36	37.36	MISC	FEATR	L		GORE (CD03748)																									
37.44	37.44	ON	RAMP	R		SR 432	ST		Y																						
37.45	37.45								33	10A	36A	5A	48S	DE	5A	36A	10A		72	1	02	0605	U5		70	R	P				
37.48	37.48	OFF	RAMP	L		SBCD LANE	ST		Y																						
37.90	37.90	MED	XING	C		OFFICIAL																									
38.06	38.06	MP	MARKER	R		38																									
38.34	38.34	BEG	BRIDGE	D		COWEEMAN RIVER BRDG NUM 005/118W	ST		33	\$\$W	52P	\$\$W	48S	DE	\$\$S	36A	10A		88	1	02	0605	U5		70	R	P				
38.36	38.36	BEG	BRIDGE	I		COWEEMAN RIVER BRDG NUM 005/118E	ST		33	W	52P	W	480	\$\$	W	52P	\$\$W		104	1	02	0605	U5		70	R	P				
38.43	38.43	END	BRIDGE	D		COWEEMAN RIVER			33	10A	36A	6A	48S	DE	W	52P	W		88	1	02	0605	U5		70	R	P				
38.45	38.45	END	BRIDGE	I		COWEEMAN RIVER			33	10A	36A	6A	48S	DE	6A	36A	10A		72	1	02	0605	U5		70	R	P				
38.94	38.94	MISC	FEATR	B		DIKE ACCESS OXING																									
38.99	38.99	BEG	BRIDGE	I		COWEEMAN RIVER BRDG NUM 005/120E	ST		33	10A	36A	6A	48S	DE	\$\$W	52P	\$\$W		88	1	02	0605	U5		70	R	P				
39.00	39.00	BEG	BRIDGE	D		COWEEMAN RIVER BRDG NUM 005/120W	ST		33	\$\$W	52P	\$\$W	480	\$\$	W	52P	W		104	1	02	0605	U5		70	R	P				
39.05	39.05	END	BRIDGE	I		COWEEMAN RIVER			33	W	52P	W	48S	DE	5A	36A	10A		88	1	02	0605	U5		70	R	P				
39.06	39.06	END	BRIDGE	D		COWEEMAN RIVER			33	10A	36A	5A	48S	DE	5A	36A	10A		72	1	02	0605	U5		70	R	P				
39.07	39.07	MP	MARKER	R		39																									
39.13	39.13	UXING		B		GRADE ST	ST																								
39.34	39.34	BEG	BRIDGE	D		BRDG NUM 005/121 COWEEMAN RIVER	ST		33	\$\$W	52P	\$\$W	48S	DE	5A	36A	10A		88	1	02	0605	U5		70	R	P				
39.35	39.35	BEG	BRIDGE	I		BRDG NUM 005/122W COWEEMAN RIVER	ST		33	W	52P	W	480	\$\$	\$\$W	52P	\$\$W		104	1	02	0605	U5		70	R	P				
39.44	39.44	END	BRIDGE	D		BRDG NUM 005/122E COWEEMAN RIVER			33	10A	36A	5A	48S	DE	W	52P	W		88	1	02	0605	U5		70	R	P				

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																		
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S											
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	WID	WID																
39.44	39.44		ON RAMP	L		SR 4	ST	Y	33	10A	36A	5A	48S	DE	W	52P	W			88	1	02	0605	U5				70	R	P						
39.45	39.45		END BRIDGE I			COWEEMAN RIVER			33	10A	36A	5A	48S	DE	5A	36A	10A			72	1	02	0605	U5				70	R	P						
39.59	39.59		OFF RAMP	R		ALLEN ST	ST	Y																												
39.70	39.70		MISC FEATR	R		GORE (P103959)																														
39.73	39.73		MISC FEATR	L		GORE (S103944)																														
39.88	39.88		BEG BRIDGE I			SR 4	ST		33	\$\$W	52P	\$\$W	480	\$\$	\$\$W	52P	\$\$W			104	1	02	0605	U5				70	R	P						
			BEG BRIDGE D			SR 4	ST																													
						BRDG NUM 005/123E																														
39.90	39.90		END BRIDGE I			SR 4			33	10A	36A	5A	48S	DE	5A	36A	10A			72	1	02	0605	U5				70	R	P						
			END BRIDGE D			SR 4																														
40.06	40.06		MP MARKER	R		40																														
40.09	40.09		MISC FEATR	L		GORE (R104019)																														
			MISC FEATR	R		GORE (Q104019)																														
40.19	40.19		BEG SU LN	R		AUXILIARY		12A	33	10A	36A	5A	48S	DE	5A	36A	10A			24	96	1	02	0605	U5			70	R	P						
			BEG SU LN	L		AUXILIARY		12A																												
			OFF RAMP	L		SR 4	ST	Y																												
			ON RAMP	R		ALLEN ST	ST	Y																												
40.23	40.23								44	10A	48A	5A	48S	DE	5A	48A	10A			24	120	1	02	0605	U5			70	R	P						
40.34	40.34		ON RAMP	L		N KELSO AVE (OLD SR 431)	ST	Y																												
40.37B	40.37		BEG EQ			BEGIN BACK			44	10A	48A	5A	55S	DE	5A	48A	10A			24	120	1	02	0605	U5			70	R	P						
40.39B	40.39								3	4	10A	36A	5A	56S	DE	5A	48A	10A			24	108	1	02	0605	U5			70	R	P					
40.37	40.44		EQUATION			040.44B=040.37			3	4	10A	36A	5A	62S	DE	5A	48A	10A			24	108	1	02	0605	U5			70	R	P					
			UXING	B		BRYNION ST	ST																													
						BRDG NUM 005/125																														
40.39	40.46		END SU LN	L		AUXILIARY		12A	3	4	10A	36A	5A	62S	DE	5A	48A	10A		12	96	1	02	0605	U5			70	R	P						
40.45	40.52		MISC FEATR	L		GORE (S104034)																														
40.46	40.53		END SU LN	R		AUXILIARY		12A	3	10A	36A	5A	65S	DE	5A	36A	10A	\$\$\$		72	1	02	0605	U5				70	R	P						
			OFF RAMP	R		FRONTAGE RD	ST	Y																												
40.56	40.63		MISC FEATR	R		GORE (P104046)																														
40.69	40.76		BEG BRIDGE D			N KELSO AVE (OLD SR 431)	ST		3	\$\$W	52P	\$\$W	70S	DE	5A	36A	10A			88	1	02	0605	U5				70	R	P						
						BRDG NUM 005/126W																														
40.70	40.77		BEG BRIDGE I			N KELSO AVE (OLD SR 431)	ST		3	W	52P	W	700	\$\$	\$\$W	52P	\$\$W			104	1	02	0605	U5				70	R	P						
						BRDG NUM 005/126E																														
40.71	40.78		END BRIDGE D			N KELSO AVE (OLD SR 431)			3	10A	36A	5A	70S	DE	W	52P	W			88	1	02	0605	U5				70	R	P						
40.72	40.79		END BRIDGE I			N KELSO AVE (OLD SR 431)			3	10A	36A	5A	70S	DE	5A	36A	10A			72	1	02	0605	U5				70	R	P						
40.82	40.89		MISC FEATR	L		GORE (R104096)																														
40.84	40.91		MISC FEATR	R		GORE)Q104113)																														
40.96	41.03		OFF RAMP	L		N KELSO AVE (OLD SR 431)	ST	Y																												
40.99	41.06		MP MARKER	R		41																														
41.04	41.11								3	10A	36A	6A	90S	DE	6A	36A	10A			72	1	02	0605	U5				70	R	P						
41.13	41.20		ON RAMP	R		FRONTAGE RD	ST	Y																												
41.21	41.28		LEAVE CITY			KELSO			3	10A	36A	6A	90S	DE	6A	36A	10A			72	1	02	\$\$\$\$	U5				70	R	\$						

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---														
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV						INCRS/UNDI						SPC																
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																
:				-XROAD-		LNS		SHD		RDY		SHD		RDY		SHD		LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T		
148.99			MP MARKER	R		149						4	4	10A	48P	10A	77S	DE	3A	48P	10A	12	108	4	02	0615	U5		60	R	P			
149.07			MISC FEATR	R		GORE (Q514933)																												
149.09			MISC FEATR	L		GORE (S114892)																												
149.17			BEG BRIDGE	I		SR 516						4	4	\$\$\$	56P	\$\$C	770	\$\$	\$\$C	73P	\$\$W	12	141	4	02	0615	U5		60	R	P			
			BEG BRIDGE	D		SR 516																												
						BRDG NUM 005/511E																												
						BRDG NUM 005/511W																												
149.21			OFF RAMP	R		SR 516																												
149.22			END BRIDGE	I		SR 516						4	4	10A	48P	10A	77S	GR	3A	48P	10A	12	108	4	02	0615	U5		60	R	P			
			END BRIDGE	D		SR 516																												
149.33			ON RAMP	R		SR 516																												
149.34			MISC FEATR	L		GORE (R114983)																												
149.38			MISC FEATR	R		GORE (Q114968)																												
149.40												4	4	10A	48P	3A	38S	GR	3A	48P	10A	12	108	4	02	0615	U5		60	R	P			
149.48			BEG SU LN	LC		HIGH OCCUPANCY VEHICL12P						4	4	10A	48P	3A	38S	GR	3A	48P	10A	24	120	4	02	0615	U5		60	R	P			
149.53			LEAVE CITY			KENT						4	4	10A	48P	3A	38S	GR	3A	48P	10A	24	120	4	02	1139	U5		60	R	P			
			ENTER CITY			SEA TAC																												
149.68			ON RAMP	R		SR 516																												
149.83			OFF RAMP	L		SR 516																												
149.98			MP MARKER	R		150																												
150.09			MED XING	C		OFFICIAL																												
150.33			UXING	B		S 216TH ST																												
						BRDG NUM 005/513																												
150.90			OFF RAMP	R		MILITARY RD																												
150.93												4	4	10A	48P	3A	45S	GR	3A	48P	10A	24	120	4	02	1139	U5		60	R	P			
150.98			MISC FEATR	R		GORE (P115090)																												
151.00			MP MARKER	R		151																												
151.04			ON RAMP	L		MILITARY RD																												
151.07			MISC FEATR	R		GORE (Q515125)																												
151.17			CHG SU LN	RC		HIGH OCCUPANCY VEHICL12P						4	4	10A	48P	3A	45S	GR	3P	48P	10A	24	120	4	02	1139	U5		60	R	P			
151.18			UXING	B		MILITARY RD																												
						BRDG NUM 005/515																												
151.22			MISC FEATR	L		GORE (S515104)																												
151.25			ON RAMP	R		MILITARY RD																												
151.43			MISC FEATR	L		GORE (R115150)																												
151.48												4	4	10A	48P	3A	113S	GR	3P	48P	10A	24	120	4	02	1139	U5		60	R	P			
151.50			OFF RAMP	L		MILITARY RD																												
151.96			ON RAMP	L		S 188TH ST																												
151.98			MP MARKER	R		152																												
152.03			OFF RAMP	R		S 188TH ST																												
152.12			MISC FEATR	R		GORE (P115203)																												
152.15			MISC FEATR	L		GORE (S115196)																												
152.26			BEG BRIDGE	I		S 188TH ST						4	4	\$\$\$	64P	\$\$C	1130	\$\$	\$\$C	65P	\$\$C	24	153	4	02	1139	U5		60	R	P			

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
							-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC			TOTAL		CITY		LEGAL		T	P	S	
:DIRECTION TO INVENTORY							NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
:LEFT/RIGHT INDICATOR							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	D	IB	R	K	T				
:							OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	WID	FC	NBR	FC	D	IB	R	K	T			
152.26		152.32	BEG BRIDGE	D		BRDG NUM 005/516E S 188TH ST	ST		4	4	C	64P	C	1130		C	65P	C	24	153	4	02	1139	U5	60	R	P
152.29		152.35	END BRIDGE	I		BRDG NUM 005/516W S 188TH ST			4	4	10A	48P	3A	65S	GR	3P	48P	10A	24	120	4	02	1139	U5	60	R	P
152.39		152.45	LEAVE CITY	D		S 188TH ST			4	4	10A	48P	3A	65S	GR	3P	48P	10A	24	120	4	02	1320	U5	60	R	P
152.42		152.48	LEAVE CITY			SEA TAC			4	4	10A	48P	3A	65S	GR	3P	48P	10A	24	120	4	02	1320	U5	60	R	P
152.49		152.55	ENTER CITY	R		TUKWILA			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1320	U5	60	R	P
152.60		152.66	MISC FEATR	R		GORE (Q115260)			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1320	U5	60	R	P
152.61		152.67	ON RAMP	R		S 188TH ST	ST	Y	4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1139	U5	60	R	P
152.64		152.70	LEAVE CITY			TUKWILA			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1139	U5	60	R	P
152.72		152.78	ENTER CITY	R		SEA TAC			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1139	U5	60	R	P
152.99		153.05	MISC FEATR	L		GORE (R115272)			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	4	02	1320	U5	60	R	P
153.15		153.21	OFF RAMP	L		S 188TH ST	ST	Y	4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1139	U5	60	R	P
153.20		153.26	MP MARKER	R		153			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1139	U5	60	R	P
153.44		153.50	UXING	B		S 178TH ST	ST		4	4	10A	48P	3A	65S	DE	8P	48P	10A	24	120	5	02	1139	U5	60	R	P
153.45		153.51	BRDG NUM 005/518			BRDG NUM 005/518			4	4	10A	48P	3A	65S	DE	8P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.50		153.56	LEAVE CITY			SEA TAC			4	4	10A	48P	3A	65S	DE	8P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.65		153.71	ENTER CITY	B		TUKWILA			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.74		153.80	TRAF RCDR	B		D2 0			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.75		153.81	BEG BRIDGE	I		FILL OXING	ST		4	4	10A	48P	3A	65S	DE	\$\$\$C	65P	\$\$\$C	24	137	5	02	1320	U5	60	R	P
153.80		153.86	BRDG NUM 005/519E			BRDG NUM 005/519E			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.92		153.98	FILL OXING	B		S201 5			4	4	10A	48P	3A	65S	DE	3P	48P	10A	24	120	5	02	1320	U5	60	R	P
153.99		154.05	OFF RAMP	R		SOUTHCENTER PARKWAY	ST	Y	4	4	10A	48P	3A	65S	DE	10A	48P	10A	12	108	5	02	1320	U5	60	R	P
154.00		154.06	END SU LN	RC		HIGH OCCUPANCY VEHICL12P			4	4	10A	48P	3A	65S	DE	10A	48P	10A	12	108	5	02	1320	U5	60	R	P
154.06		154.12	ON RAMP	L		SR 518 EB	ST	Y	4	4	10A	48P	3A	113S	GR	10A	48P	10A	12	108	5	02	1320	U5	60	R	P
154.12		154.18	MP MARKER	R		154			4	4	10A	48P	3A	113S	GR	10A	48P	10A	12	108	5	02	1320	U5	60	R	P
154.13		154.19	MISC FEATR	R		GORE (P115375)			4	4	10A	48P	3A	113S	GR	10A	48P	10A	12	108	5	02	1320	U5	60	R	P
154.15		154.21	END SU LN	LC		HIGH OCCUPANCY VEHICL12P			4	4	10A	48P	3A	113S	GR	10A	48P	10A	96	5	02	1320	U5	60	R	P	
154.16		154.22	ON RAMP	LC		HOV SEPARATED (HD15463)	ST	Y	4	4	10A	48P	3A	113S	GR	10A	48P	10A	120	5	02	1320	U5	60	R	P	
154.18		154.24	BEG BRIDGE	D		KLICKITAT DR	ST		4	4	\$\$\$C	72P	\$\$\$C	113S	GR	10A	48P	10A		120	5	02	1320	U5	60	R	P
154.20		154.26	BRDG NUM 005/520W			KLICKITAT DR			4	4	10A	48P	3A	113S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.22		154.28	UXING	I		BRDG NUM 005/520E	ST		4	4	10A	48P	3A	113S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.23		154.29	OFF RAMP	R		SR 405*SR 518	ST	Y	4	4	10A	48P	3A	113S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.23		154.29	END BRIDGE	D		KLICKITAT DR			4	4	10A	48P	3A	113S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.23		154.29	MISC FEATR	L		GORE (S115392)			4	4	10A	48P	3A	293S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.23		154.29	OFF RAMP	RC		HOV SEPARATED (HI15420)	ST	Y	4	4	10A	48P	3A	293S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P
154.23		154.29	MISC FEATR	R		GORE (P115415)			4	4	10A	48P	3A	293S	GR	10A	48P	10A		96	5	02	1320	U5	60	R	P

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----											
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S		
							NBR	LFT	RHT	MEDIAN-	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S								
							LNS	SHD	RDY	SHD	WD/S BR	SHD	RDY	SHD	LNS	RDY	MTCE	A	SE	NBR	FC	D	IB	R	K	T			
							D	I	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
159.69		159.75																											
159.71		159.77	END BRIDGE I			MILITARY RD		4	4	C	66P	C	500		W	68P	W	23	157	5	02	1140	U5		60	R	P		
			END BRIDGE D			MILITARY RD		4	4	10A	48P	10A	100S	GR	10A	48P	10A	23	119	5	02	1140	U5		60	R	P		
159.99		160.05	MP MARKER	R		160																							
160.07		160.13	BEG BRIDGE D			FILL OXING	ST			4	4	\$\$C	66P	\$\$C	100S	GR	10A	48P	10A	23	137	5	02	1140	U5		60	R	P
						BRDG NUM 005/532W																							
160.10		160.16						4	4	C	66P	C	100S	DE	10A	48P	10A	23	137	5	02	1140	U5		60	R	P		
160.16		160.22	END BRIDGE D			FILL OXING		4	4	10A	48P	10A	100S	DE	10A	48P	10A	23	119	5	02	1140	U5		60	R	P		
160.30		160.36						4	4	10A	48P	10A	100S	GR	10A	48P	10A	23	119	5	02	1140	U5		60	R	P		
160.63		160.69	OFF RAMP	R		SWIFT AVE	ST		Y																				
160.71		160.77	MISC FEATR	R		GORE (P116063)		4	4	10A	48P	10A	100S	GR	10A	48P	9P	23	119	5	02	1140	U5		60	R	P		
160.75		160.81						4	4	10A	48P	10A	100S	GR	2P	48P	9P	23	119	5	02	1140	U5		60	R	P		
160.86		160.92	ON RAMP	L		ALBRO PL	ST		Y																				
161.00		161.06	MP MARKER	L		161																							
161.04		161.10	MISC FEATR	L		GORE (S116086)																							
161.05		161.11						4	4	10A	48P	10A	100S	UP	2P	48P	9P	23	119	5	02	1140	U5		60	R	P		
161.20		161.26						4	4	10A	48P	10A	100S	GR	2P	48P	9P	23	119	5	02	1140	U5		60	R	P		
161.21		161.27	UXING	B		ALBRO PL	ST																						
						BRDG NUM 005/532.5																							
161.23		161.29	OFF RAMP	RC		CORSON AVE	ST		Y																				
161.24		161.30	MISC FEATR	R		GORE (Q116139)																							
161.27		161.33						4	4	10A	48P	10A	30A	GR	2P	48P	9P	23	119	5	02	1140	U5		60	R	P		
161.30		161.36	MISC FEATR	RC		GORE (P116118)																							
161.31		161.37	UXING	B		E-N RAMP	ST																						
						BRDG NUM 005/533E-N																							
161.39		161.45	ON RAMP	R		SWIFT AVE	ST		Y																				
161.47		161.53	MISC FEATR	L		GORE (R116154)																							
161.50		161.56	MISC FEATR	R		GORE (Q116177)																							
161.54		161.60	OFF RAMP	L		ALBRO PL	ST		Y	4	4	\$\$C	60P	\$\$C	30A	GR	2P	48P	9P	23	131	5	02	1140	U5		60	R	P
			BEG BRIDGE D			N-W RAMP	ST																						
						BRDG NUM 005/533.5W																							
161.63		161.69	END BRIDGE D			N-W RAMP		4	4	10A	48P	10A	30A	GR	2P	48P	9P	23	119	5	02	1140	U5		60	R	P		
161.65		161.71	BEG BRIDGE I			S LUCILE ST	ST			4	4	\$\$C	66P	\$\$C	300	\$\$	\$\$W	78P	\$\$W	23	167	5	02	1140	U5		60	R	P
			BEG BRIDGE D			S LUCILE ST	ST																						
						BRDG NUM 005/534W																							
161.68		161.74	END BRIDGE I			S LUCILE ST		4	4	10A	48P	8P	30S	JE	10P	48P	9P	23	119	5	02	1140	U5		60	R	P		
			END BRIDGE D			S LUCILE ST																							
161.77		161.83	ON RAMP	R		S BAILEY ST	ST		Y																				
161.83		161.89						4	4	10A	48P	4P	60S	JE	10P	48P	9P	23	119	5	02	1140	U5		60	R	P		
161.89		161.95	MISC FEATR	L		GORE (R116215)																							
161.99		162.05	MP MARKER	R		162																							
162.19		162.25	BEG BRIDGE I			VIADUCT	ST			4	4	10A	48P	4P	60S	JE	\$\$W	60P	\$\$W	23	131	5	02	1140	U5		60	R	P

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				NBR		LFT	RHT		LFT	RHT		USE	TOT																		
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED		T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
177.76	177.82		END CTLSEC LEAVE CO			CONTROL SECTION 1727 KING				3	3	W	66P	W	160		W	68P	W	24	158	5	02		U5		60	R			

SR 005 MAINLINE INTERSTATE - ISSH COUNTY SNOHOMISH DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			TOT		MTCE		CITY		ST		LEGAL		T P S
:DIRECTION TO INVENTORY							-UXING-		NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
:LEFT/RIGHT INDICATOR							-XROAD-		LNS	SHD	RDY	SHD	SHD	RDY	RDY	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
:							OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
177.76		177.82	ENTER CO BEG CTLSEC			SNOHOMISH CONTROL SECTION 3120			3	3	W	66P	W	160		W	68P	W	24	158	5	02		U5	60	R		
177.78		177.84	END BRIDGE I END BRIDGE D ENTER CITY CHG SU LN CHG SU LN			SR 104 SR 104 MOUNTLAKE TERRACE HIGH OCCUPANCY VEHICL12A HIGH OCCUPANCY VEHICL12A			3	3	10A	36A	6\$	18A	JE	8\$	36A	10A	24	96	5	02	0815	U5	60	R	P	
177.95		178.01	OFF RAMP			R 236TH ST SW	ST	Y																				
178.00		178.06	MP MARKER			R 178																						
178.09		178.15	MISC FEATR			R GORE (P117795)																						
178.14		178.20							3	3	10A	36A	6	18A	JE	7	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.17		178.23							3	3	10A	36A	6A	46S	DE	7A	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.24		178.30	MED XING			C OFFICIAL																						
178.25		178.31							3	3	10A	36A	15A	60S	DE	7A	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.27		178.33	UXING			B 236TH ST BRDG NUM 005/602	ST																					
178.29		178.35	MISC FEATR MISC FEATR			R GORE (C117688) L GORE (R117843)																						
178.33		178.39							3	3	10A	36A	15A	60S	GR	7A	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.37		178.43							3	3	10A	36A	15A	100S	GR	7A	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.43		178.49	OFF RAMP			L SR 104	ST	Y																				
178.61		178.67	ON RAMP			R NBCD LANE	ST	Y																				
178.74		178.80	UXING			B 228TH ST BRDG NUM 005/603	ST																					
178.76		178.82							3	3	10A	36A	15A	100S	DE	7A	36A	10A	24	96	5	02	0815	U5	60	R	P	
178.83		178.89	ON RAMP			L 220TH ST SW	ST	Y																				
178.98		179.04	OFF RAMP			R 220TH ST SW	ST	Y																				
179.00		179.06	MP MARKER			R 179																						
179.10		179.16	MISC FEATR MISC FEATR			L GORE (S117883) R GORE (P117898)																						
179.29		179.35	UXING			B 220TH ST BRDG NUM 005/605	ST																					
179.45		179.51	MISC FEATR			L GORE (R117952)																						
179.49		179.55	MISC FEATR			R GORE (Q117965)																						
179.52		179.58	OFF RAMP			L 220TH ST SW	ST	Y																				
179.88		179.94	ON RAMP			R 220TH ST SW	ST	Y																				
179.89		179.95	MISC FEATR BEG BRIDGE D			L SGN ENT MOUNT LK TERRACE 212TH ST SW BRDG NUM 005/607W	ST		3	3	\$\$C	45A	\$\$C	100S	DE	7A	36A	10A	24	105	5	02	0815	U5	60	R	P	
179.91		179.97	CHG SU LN BEG BRIDGE I			RC HIGH OCCUPANCY VEHICL12P 212TH ST SW BRDG NUM 005/607E	ST		3	3	C	45A	C	1000	\$\$	\$\$C	68P	\$\$C	24	137	5	02	0815	U5	60	R	P	
179.93		179.99	LEAVE CITY			MOUNTLAKE TERRACE			3	3	C	45A	C	1000		C	68P	C	24	137	5	02	0715	U5	60	R	P	

SR 005 MAINLINE INTERSTATE - ISSH COUNTY SNOHOMISH DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----															
:DIRECTION TO INVENTORY				-BRIDGE		DECREASES/DIV			INCREASES/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT				LEGAL		T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
183.44	183.50		OFF RAMP	R		164TH ST SW	ST			Y	3	3	10A	36A	10A	100S	DE	7A	36A	10A	24	96	3	01		U5	60	R			
183.58	183.64										3	3	10A	36A	10A	100S	DE	7A	36A	12A	24	96	3	01		U5	60	R			
183.64	183.70		END SU LN ON RAMP	L		AUXILIARY 164TH ST SW	12A				3	3	10A	36A	10A	100S	DE	7A	36A	12A	12	84	3	01		U5	60	R			
183.68	183.74		MISC FEATR	R		GORE (P118344)																									
183.78	183.84		MISC FEATR	L		GORE (S118364)																									
183.85	183.91		END SU LN	LC		HIGH OCCUPANCY VEHICL12A					3	3	10A	36A	10A	100S	DE	7A	36A	12A	\$\$\$	72	3	01		U5	60	R			
183.90	183.96		UXING	B		164TH ST SW BRDG NUM 005/615	ST				3	3	10A	36A	7A	100S	DE	8A	36A	10A		72	3	01		U5	60	R			
184.00	184.06		MP MARKER	R		184																									
184.10	184.16		MISC FEATR	L		GORE (R118416)																									
184.12	184.18		MISC FEATR	R		GORE (Q118442)																									
184.16	184.22		OFF RAMP	L		164TH ST SW	ST			Y																					
184.42	184.48		ON RAMP	R		164TH ST SW	ST			Y																					
184.44	184.50		TRAF RCDR	D		P1 0																									
184.54	184.60		TRAF RCDR	I		P1 0																									
184.98	185.04		MP MARKER	R		185																									
185.97	186.03		MP MARKER	R		186																									
185.98	186.04		ON RAMP	L		128TH ST SW	ST			Y																					
186.18	186.24		OFF RAMP	R		SR 96	ST			Y																					
186.28	186.34		MISC FEATR	L		GORE (S118598)																									
186.30	186.36		MISC FEATR	R		GORE (P118618)																									
186.43	186.49		UXING	B		SR 96/128TH ST SW BRDG NUM 096/001	ST				3	3	10A	36A	7A	110S	DE	8A	36A	10A		72	3	01		U5	60	R			
186.44	186.50										3	3	10A	36A	7A	115S	DE	8A	36A	10A		72	3	01		U5	60	R			
186.45	186.51		MED XING	C		OFFICIAL																									
186.55	186.61		MISC FEATR	L		GORE (R118672)																									
186.58	186.64		MISC FEATR	R		GORE (Q118687)																									
186.72	186.78		OFF RAMP	L		128TH ST SW	ST			Y	4	3	10A	48A	7A	115S	DE	8A	36A	10A		84	3	01		U5	60	R			
186.85	186.91										4	3	10A	48A	7A	115S	GR	8A	36A	10A		84	3	01		U5	60	R			
186.87	186.93		ON RAMP	R		SR 96	ST			Y																					
186.99	187.05		MP MARKER	R		187																									
187.13	187.19		BEG SU LN	L		HIGH OCCUPANCY VEHICL12A					3	3	10A	36A	7A	115S	GR	8A	36A	10A	12	84	3	01		U5	60	R			
187.29	187.35		ENTER CITY			EVERETT					3	3	10A	36A	7A	300S	DE	8A	36A	10A	12	84	3	01	0420	U5	60	R	P		
187.51	187.57		END SU LN	L		HIGH OCCUPANCY VEHICL12A					4	3	10A	48A	7A	300S	DE	8A	36A	10A	\$\$\$	84	3	01	0420	U5	60	R	P		
187.65	187.71		ENT FROM	L		WEIGH STATION-REST AREA	ST			Y																					
187.69	187.75										4	3	10A	48A	7A	300S	GR	8A	36A	10A		84	3	01	0420	U5	60	R	P		
187.74	187.80		UXING	I		STOCKSHOW RD BRDG NUM 005/620E	ST				4	3	10A	48A	6A	300S	DE	8A	36A	10A		84	3	01	0420	U5	60	R	P		
			UXING	D		STOCKSHOW RD BRDG NUM 005/620W	ST																								
187.77	187.83		EXIT TO	R		WEIGH STATION	ST			Y																					
187.83	187.89		BEG SU LN	L		HIGH OCCUPANCY VEHICL12A					3	3	10A	36A	6A	300S	DE	8A	36A	10A	12	84	3	01	0420	U5	60	R	P		

SR 005 MAINLINE INTERSTATE - ISSH COUNTY SNOHOMISH DOT DISTRICT 1

			:DIRECTION TO INVENTORY	-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---											
			: :LEFT/RIGHT INDICATOR	-UXING-	NBR		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P					
SRMP	B	ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S	RDY W/S	SHD W/S	MEDIAN- WD/S BR	SHD W/S	RDY W/S	SHD W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P				
187.95	188.01		WEIGH STA	R	NUMBER 38			3	3	10A	36A	6A	300S	DE	8A	36A	10A	12	84	3	01	0420	U5	60	R	P
188.00	188.06		MP MARKER	R	188																					
188.09	188.15		REST AREA	L	SILVER LAKE																					
					CS 312091 D127 MAJOR																					
			WEIGH STA	L	NUMBER 39																					
188.14	188.20							3	3	10A	36A	8A	300S	DE	8A	36A	10A	12	84	3	01	0420	U5	60	R	P
188.26	188.32		MED XING	C	OFFICIAL																					
188.29	188.35		BEG SU LN	R	AUXILIARY			3	3	10A	36A	8A	300S	DE	8A	36A	10A	24	96	3	01	0420	U5	60	R	P
			ENT FROM	R	WEIGH STATION																					
					12A																					
188.44	188.50		END SU LN	L	HIGH OCCUPANCY VEHICL			4	3	10A	48A	8A	300S	DE	8A	36A	10A	12	96	3	01	0420	U5	60	R	P
188.47	188.53		CHG SU LN	R	AUXILIARY			4	3	10A	48A	8A	300S	DE	8A	36A	10A	24	108	3	01	0420	U5	60	R	P
188.51	188.57		BEG SU LN	L	AUXILIARY			4	3	10A	48A	8A	300S	DE	8A	36A	10A	36	120	3	01	0420	U5	60	R	P
			EXIT TO	L	WEIGH STATION-REST AREA																					
188.53	188.59		END SU LN	R	AUXILIARY			4	3	10A	48A	8A	300S	DE	8A	36A	10A	12	96	3	01	0420	U5	60	R	P
			OFF RAMP	R	SR 526*SR 527																					
188.68	188.74							4	3	10A	48A	8A	300S	DE	10A	36A	10A	12	96	3	01	0420	U5	60	R	P
188.69	188.75		END SU LN	L	AUXILIARY			3	3	10A	36A	8A	300S	DE	10A	36A	10A	72	3	01	0420	U5	60	R	P	
			ON RAMP	L	SBCD LANE																					
					12A																					
188.70	188.76		MISC FEATR	R	GORE (P118853)																					
188.84	188.90							3	3	10A	36A	8A	110S	DE	10A	36A	10A		72	3	01	0420	U5	60	R	P
188.86	188.92							3	3	10A	36A	8A	100S	GR	10A	36A	10A		72	3	01	0420	U5	60	R	P
188.97	189.03							4	3	10A	48A	8A	100S	GR	10A	36A	10A		84	3	01	0420	U5	60	R	P
189.00	189.06		MP MARKER	R	189																					
189.02	189.08		MISC FEATR	L	GORE (CD19019)																					
189.09	189.15		UXING	B	SR 99																					
					BRDG NUM 099/610																					
189.29	189.35							4	3	10A	48A	10A	100S	GR	10A	36A	10A		84	3	01	0420	U5	60	R	P
189.31	189.37		UXING	B	SR 527																					
					BRDG NUM 527/120																					
189.34	189.40		UXING	B	N-W RAMP																					
					BRDG NUM 005/622N-W																					
189.40	189.46		MISC FEATR	R	GORE (Q518957/Q118957)			4	4	10A	48A	10A	100S	GR	10A	48A	10A		96	3	01	0420	U5	60	R	P
189.51	189.57		UXING	B	E-N RAMP																					
					BRDG NUM 526/024E-N																					
189.57	189.63		ON RAMP	R	SR 99*SR 526*SR 527																					
189.66	189.72		MISC FEATR	R	GORE (Q118997)																					
189.70	189.76		MISC FEATR	L	GORE (CD19019)																					
189.97	190.03		ON RAMP	R	SR 526 EB																					
190.00	190.06		MP MARKER	R	190			4	4	10A	48A	10A	40A	GR	\$\$\$	48A	10A		96	3	01	0420	U5	60	R	P
190.19	190.25		OFF RAMP	L	SBCD LANE																					
190.21	190.27		UXING	B	JUNIPER DR			4	4	10A	48A	10A	40S	GR	10A	48A	10A		96	3	01	0420	U5	60	R	P
					BRDG NUM 005/624																					
190.37	190.43							4	4	10A	48A	10A	80S	DE	10A	48A	10A		96	3	01	0420	U5	60	R	P

SR 005 MAINLINE INTERSTATE - ISSH COUNTY SNOHOMISH DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----											
							-BRIDGE-	DECREAS/DIV			INCREAS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S					
								NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	WID	RDY	A	SE	NBR	FC	D	IB	R	K	T	
200.05		200.11	BEG BRIDGE	I		QUILCEDA CREEK BRDG NUM 005/653E	ST	3	3	C	52A	C	400	\$\$	\$\$C	52A	\$\$C		104	3	01		U5		70	L			
200.07		200.13	END BRIDGE	I		QUILCEDA CREEK		3	3	C	52A	C	40S	DE	6A	36A	10A		88	3	01		U5		70	L			
200.18		200.24	END BRIDGE	D		QUILCEDA CREEK		3	3	10A	36A	6A	40S	DE	6A	36A	10A		72	3	01		U5		70	L			
			ON RAMP	L		88TH ST NE	ST		Y																				
200.25		200.31	OFF RAMP	R		88TH ST NE	ST		Y																				
200.61		200.67	MISC FEATR	R		GORE (P120025)																							
200.62		200.68	MISC FEATR	L		GORE (S120018)																							
200.78		200.84	UXING	B		88TH ST NE	ST																						
						BRDG NUM 005/654																							
200.91		200.97	MISC FEATR	L		GORE (R120107)																							
			MISC FEATR	R		GORE (Q120119)																							
200.99		201.05	MP MARKER	R		201																							
201.07		201.13	OFF RAMP	L		88TH ST NE	ST		Y																				
201.19		201.25	ON RAMP	R		88TH ST NE	ST		Y																				
201.98		202.04	MP MARKER	R		202																							
202.06		202.12	ON RAMP	L		116TH ST NE	ST		Y																				
202.18		202.24	OFF RAMP	R		116TH ST NE	ST		Y																				
202.28		202.33	EQUATION			202.27 =202.28																							
202.29		202.34	UXING	B		TULALIP RR	ST																						
						BRDG NUM 005/655																							
			RR XING	B		NUM 96165N STRUCTURE																							
202.30		202.35	MISC FEATR	R		GORE (P120218)																							
202.35		202.40	MISC FEATR	L		GORE (S120206)																							
202.47		202.52	UXING	B		116TH ST NE	ST																						
						BRDG NUM 005/656																							
202.59		202.64	MISC FEATR	R		GORE (Q120287)																							
202.61		202.66	MISC FEATR	L		GORE (R120273)																							
202.73		202.78	OFF RAMP	L		116TH ST NE	ST		Y																				
202.87		202.92	ON RAMP	R		116TH ST NE	ST		Y																				
202.99		203.04	MP MARKER	R		203																							
203.73		203.78						3	3	10A	36A	6A	40S	DE	6A	36A	10A		72	3	01		R5		70	L			
203.74		203.79	UXING	B		STIMSON RD	ST																						
						BRDG NUM 005/657																							
203.99		204.04	MP MARKER	R		204																							
204.12		204.17	BEG BRIDGE	I		BN RR	ST	3	3	10A	36A	6A	40S	DE	\$\$C	52A	\$\$C		88	3	01		R5		70	L			
						BRDG NUM 005/658E																							
204.14		204.19	RR XING	I		NUM 84665C STRUCTURE		3	3	\$\$C	52A	\$\$C	400	\$\$	C	52A	C		104	3	01		R5		70	L			
			RR XING	D		NUM 84665C STRUCTURE																							
			BEG BRIDGE	D		BN RR	ST																						
						BRDG NUM 005/658W																							
204.20		204.25	END BRIDGE	I		BN RR		3	3	C	52A	C	40S	DE	6A	36A	10A		88	3	01		R5		70	L			
204.22		204.27	END BRIDGE	D		BN RR		3	3	10A	36A	6A	40S	DE	6A	36A	10A		72	3	01		R5		70	L			

SR 005 MAINLINE

INTERSTATE - ISSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
							-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
							OW	TC	L	NBR	LFT	RHT	WD/S	BR	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
223.76		223.81	MISC FEATR	R		GORE (P122368)				3	3	10A	36A	4A	54S	DE	6A	36A	10A			72	2	02		R5		70	L						
223.78		223.83	MISC FEATR	L		GORE (S122359)				2	3	10A	24A	4A	54S	DE	6A	36A	10A			60	2	02		R5		70	L						
223.80		223.85	MISC FEATR	B		MOUNT VERNON RD S	ST			2	3	10A	24A	4A	40S	DE	6A	36A	10A			60	2	02		R5		70	L						
223.95		224.00	UXING			BRDG NUM 005/704				2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R5		70	L						
224.00		224.05	MP MARKER	R		224				2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R5		70	L						
224.14		224.19								2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		U5		70	L						
224.50		224.55								2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		U5		60	L						
224.53		224.58	MISC FEATR	R		SGN ENT MT VERNON																													
224.69		224.74	ON RAMP	L		ANDERSON RD	ST		Y																										
224.86		224.91	OFF RAMP	R		ANDERSON RD	ST		Y																										
224.96		225.01	MISC FEATR	R		GORE (P122486)																													
224.98		225.03	MISC FEATR	L		GORE (S122469)																													
225.01		225.06	MP MARKER	R		225																													
225.14		225.19	UXING	B		ANDERSON RD	ST																												
						BRDG NUM 005/706																													
225.30		225.35	MISC FEATR	R		GORE (Q122560)																													
225.32		225.37	MISC FEATR	L		GORE (R122544)																													
225.44		225.49	OFF RAMP	L		ANDERSON RD	ST		Y	2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		U5		60	R						
225.48		225.53								2	2	10A	24A	\$\$\$	12A	JE	\$\$\$	24A	10A			48	2	02		U5		60	R						
225.60		225.65	ON RAMP	R		ANDERSON RD	ST		Y																										
225.64		225.69	ENTER CITY	B		MOUNT VERNON	ST			2	2	10A	24A		12A	JE		24A	10A			48	2	02	0820	U5		60	R	P					
			UXING			BLACKBURN ST																													
						BRDG NUM 005/707																													
225.79		225.84	MP MARKER	R		226																													
225.94		225.99	ON RAMP	L		SR 536	ST		Y																										
226.12		226.17	OFF RAMP	R		SR 536	ST		Y																										
226.25		226.30	MISC FEATR	L		GORE (S122594)				2	2	10A	24A		12A	JE		24A	10A			48	2	01	0820	U5		60	R	P					
			MISC FEATR	R		GORE (P122612)																													
226.39B		226.44	BEG EQ			BEGIN BACK																													
226.39		226.45	EQUATION	B		226.40B=226.39				2	2	\$\$W	34A		12A	JE		34A	\$\$W			68	2	01	0820	U5		60	R	P					
			BEG BRIDGE			SR 536	ST																												
						BRDG NUM 005/708																													
226.41		226.47	END BRIDGE	B		SR 536				2	2	10A	24A		12A	JE		24A	10A			48	2	01	0820	U5		60	R	P					
226.51		226.57	MISC FEATR	R		GORE (Q122670)																													
226.53		226.59	MISC FEATR	L		GORE (R122665)																													
226.65		226.71	OFF RAMP	L		SR 536	ST		Y																										
226.70		226.76	ON RAMP	R		SR 536	ST		Y																										
226.72		226.78	UXING	B		2ND ST	ST																												
						BRDG NUM 005/709																													
226.98		227.04	MP MARKER	B		227																													
226.99		227.05	RR XING	B		NUM 84752F STRUCTURE				2	2	\$\$W	34P		12P	JE		34P	\$\$W			68	2	01	0820	U5		60	R	P					

SR 006 MAINLINE

STATE ROUTE - SRSH

COUNTY PACIFIC

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S					
:DIRECTION TO INVENTORY						-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T
:						OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	FC	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE																				
						SR 101/RAYMOND TO SR 5																				
			ENTER CITY			RAYMOND																				
			BEG CTLSEC			CONTROL SECTION 2507																				
			INTRSECTN		B	SR 101																				
0.10	0.10																									
0.19	0.19																									
0.26	0.26																									
0.30	0.30																									
0.50	0.50		INTRSECTN		R	CHERRY ST																				
0.55	0.55																									
0.63	0.63		INTRSECTN		R	BLOOMHARDT RD																				
0.69	0.69																									
0.81	0.81		INTRSECTN		R	BIRD AVE																				
0.82	0.82		INTRSECTN		R	GERBER ST																				
1.00	1.00		MP MARKER		R	1																				
1.04	1.04		INTRSECTN		R	ELWOOD ST																				
1.13	1.13		INTRSECTN		R	OLIVE ST																				
1.17	1.17		INTRSECTN		L	CITY ST																				
1.20	1.20																									
1.25	1.25		BEG ST		I	HENKLE ST																				
			INTRSECTN		R	MUELLER ST																				
1.33	1.33																									
1.34	1.34		LEAVE CITY			RAYMOND																				
			END ST		I	HENKLE ST																				
			INTRSECTN		L	GARDEN ST																				
			MISC FEATR		L	SGN ENT RAYMOND																				
1.37	1.37		INTRSECTN		R	HARVARD ST																				
1.44	1.44																									
1.45	1.45		INTRSECTN		R	CROSSING ST																				
			INTRSECTN		L	WILLAPA RD																				
2.00	2.00		MP MARKER		R	2																				
2.04	2.04		INTRSECTN		L	ROMANE RD																				
2.08	2.08		INTRSECTN		R	OLDANI RD WYE CONN																				
2.09	2.09		INTRSECTN		B	OLDANI RD																				
2.13	2.13		INTRSECTN		R	CO RD																				
2.20	2.20		INTRSECTN		R	SIENKO RD																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00										
						.04	14				

SR 006 MAINLINE

STATE ROUTE - SRSH

COUNTY LEWIS

DOT DISTRICT 4

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																	
			:DIRECTION TO INVENTORY			-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC																			
			:LEFT/RIGHT INDICATOR			-UXING-		LFT		RHT		LFT		RHT		USE		TOT															
			:			-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		LEGAL		T P S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	T	P	S		
37.09		37.09																															
37.16		37.16	INTRSECTN	L		HATCHERY RD	CO		N									7B	24B	7B					24	2	01		R2		55	R	
37.27		37.27																	5B	24B	5B					24	2	01		R2		55	R
37.30		37.30																	5A	24A	5A					24	2	01		R2		55	R
37.44		37.44	INTRSECTN	L		RIVER RD	CO		N																								
38.00		38.00	MP MARKER	R		38																											
38.12		38.12																	2A	24A	2A					24	2	01		R2		55	R
38.48		38.48																	6A	24A	2A					24	2	01		R2		55	R
39.00		39.00	MP MARKER	R		39													6A	24A	4A					24	2	01		R2		55	R
39.53		39.53	INTRSECTN	L		RIVER RD	CO		N																								
39.84		39.84	BEG BRIDGE	B		CREEK	ST			1	1								\$C	24A	\$C					24	2	01		R2		55	L
						BRDG NUM 006/113																											
39.85		39.85	END BRIDGE	B		CREEK				1	1								5A	24A	5A					24	2	01		R2		55	L
39.99		39.99	MP MARKER	R		40																											
40.79		40.79	INTRSECTN	L		WHITE RD	CO		N																								
40.99		40.99	MP MARKER	R		41																											
41.84		41.84	INTRSECTN	R		PARKER RD	CO		N																								
41.99		41.99	MP MARKER	R		42																											
42.19		42.19	MISC FEATR	I		SPEED SITE #42																											
42.38		42.38	INTRSECTN	L		CERES HILL RD	CO		N																								
42.39		42.39								1	1								2A	24A	2A					24	2	01		R2		55	L
42.42		42.42	BEG SU LN	R		AUXILIARY		12A		1	1								2A	24A	2A	12			36	2	01		R2		55	L	
42.45		42.45	BEG SU LN	L		AUXILIARY		12A		1	1								2A	24A	2A	24			48	2	01		R2		55	L	
42.46		42.46	RR XING	B		NUM 848565L GRADE																											
42.48		42.48	END SU LN	R		AUXILIARY		12A		1	1								2A	24A	2A	12			36	2	01		R2		55	L	
42.50		42.50	END SU LN	L		AUXILIARY		12A		1	1								2A	24A	2A	\$\$\$			24	2	01		R2		55	L	
42.53		42.53	INTRSECTN	R		BOISTFORT RD	CO		N																								
42.62		42.62	BEG BRIDGE	B		S FK CHEHALIS RIVER	ST			1	1								\$C	20P	\$C					20	2	01		R2		55	L
						BRDG NUM 006/115																											
42.73		42.73	END BRIDGE	B		S FK CHEHALIS RIVER				1	1								6B	24B	3B					24	2	01		R2		55	R
42.99		42.99	MP MARKER	R		43																											
43.99		43.99	MP MARKER	R		44																											
44.60		44.60								1	1								8B	24B	8B					24	2	01		R2		55	R
44.91		44.91	INTRSECTN	B		SPOONER RD	CO		N										3B	24B	3B					24	2	01		R2		55	R
44.93		44.93								1	1																						
45.00		45.00	MP MARKER	R		45																											
45.64		45.64	INTRSECTN	L		CLINTON RD	CO		N																								
45.77		45.77	INTRSECTN	R		CURTIS HILL RD	CO		Y																								
45.95		45.95	INTRSECTN	R		PENNING RD	CO		N																								
46.00		46.00	MP MARKER	R		46																											
46.13		46.13	RR XING	B		NUM 848701J GRADE																											
46.23		46.23	MISC FEATR	R		SGN ENT ADNA																											
46.33		46.33								1	1								8B	24B	8B					24	2	01		R2		55	R

SR 007 MAINLINE

STATE ROUTE - SRSH

COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																			
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LNS	RDY	SHD	USE	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	USE	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
0.00	0.00		BEG ROUTE			MAIN ROUTE						1	1											24	2	02		R2		25	R					
			BEG CTLSEC			SR 12/MORTON TO SR 5/TAC																														
			INTRSECTN	B		CONTROL SECTION 2114																														
0.01	0.01		ENTER CITY			MORTON																		24	2	02	0800	R2		25	R P					
0.11	0.11		BEG ST	I		SECOND ST																		24	2	02	0800	R2		25	R B *					
			INTRSECTN	B		WESTLAKE AVE																														
0.29	0.29		INTRSECTN	B		ADAMS ST																														
0.36	0.36		INTRSECTN	B		DIVISION ST																														
0.45	0.45		INTRSECTN	L		SR 508																														
			INTRSECTN	R		MAIN AVE																														
0.49	0.49		INTRSECTN	L		LESTER RD																														
0.51	0.51																																			
0.55	0.55																																			
0.58	0.58		RR XING	B		NUM 397209T GRADE																														
			MISC FEATR	B		RR XING (VACATED)																														
0.59	0.59		INTRSECTN	R		FAIRHART WAY																														
0.60	0.60		RR XING	B		NUM 397209T GRADE																														
			MISC FEATR	B		RR XING (VACATED)																														
0.63	0.63		LEAVE CITY			MORTON																														
0.87	0.87		END ST	I		SECOND ST																														
			MISC FEATR	L		SGN ENT MORTON																														
0.92	0.92		INTRSECTN	R		LESTER RD																														
1.00	1.00		MP MARKER			1																														
1.21	1.21		INTRSECTN	R		KLASEY RD																														
1.30	1.30																																			
2.02	2.02		MP MARKER	R		2																														
2.47	2.47		RR XING	B		NUM 397205R STRUCTURE																														
			BEG BRIDGE	B		CW RR																														
						BRDG NUM 007/009																														
2.51	2.51		END BRIDGE	B		CW RR																														
2.64	2.64		BEG BRIDGE	B		COAL CREEK																														
						BRDG NUM 007/009.25																														
2.65	2.65		END BRIDGE	B		COAL CREEK																														
3.00	3.00		MP MARKER	R		3																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00									
0.11	0.11		.03	15						
0.59	0.59				.06	15				

SR 007 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS----									
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI						SPC													
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT		LFT RHT		LNS RDY		LNS RDY		LNS RDY		MTCE		CITY		LEGAL		T P S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
52.67	52.65		INTRSECTN	L	S	107TH ST	CO	Y	2	2						5A	44A	5A	12	56	1	01		U1	35	L	*
52.70	52.68															4A	46A	4A	12	58	1	01		U1	35	L	*
52.71	52.69		INTRSECTN	L		JUDSON ST	CO	Y																			
52.76	52.74		INTRSECTN	L		106TH ST S	CO	Y																			
52.87	52.85		INTRSECTN	L		104TH ST S	CO	N																			
53.01	52.99		MP MARKER	R		53																					
53.04	53.02		MISC FEATR	L		SGN ENT PARKLAND																					
53.13	53.11		INTRSECTN	B		100TH ST S	CO	N																			
53.17	53.15		INTRSECTN	R	S	99TH ST	CO	SG	Y																		
53.18	53.16		ENTER CITY			TACOMA				2	2					4A	46A	4A	12	58	1	01	1280	U1	35	L	P *
53.19	53.17		MISC FEATR	R		SGN ENT TACOMA																					
53.33	53.31		END SU LN	C		TWO WAY TURN	12A			2	2					4A	58A	4A	\$\$\$	58	1	01	1280	U1	35	L	P *
53.37	53.35		INTRSECTN	B	S	96TH ST		CT	SG	Y	2	2				\$\$\$	56A	\$\$\$		56	1	01	1280	U1	35	L	P *
53.43	53.41		BEG SU LN	C		TWO WAY TURN	10A			2	2					C	46A	C	10	56	1	01	1280	U1	35	L	P *
53.50	53.48		INTRSECTN	L	S	94TH ST		CT		Y																	
53.65	53.63		INTRSECTN	L	S	92ND ST		CT		Y																	
53.76	53.74		MISC FEATR	B		PED XING																					
53.87	53.85		INTRSECTN	L	S	88TH ST		CT		Y																	
54.00	53.98		INTRSECTN	L	S	86TH ST		CT		Y																	
54.09	54.07		END SU LN	C		TWO WAY TURN	10A			2	2					C	56A	C	\$\$\$	56	1	01	1280	U1	35	L	P *
54.12	54.10		INTRSECTN	B	S	84TH ST		CT	SG	Y	2	2				C	56A	C		56	1	01	1280	U1	35	L	L *
54.17	54.15		BEG SU LN	C		TWO WAY TURN	10A			2	2					C	46A	C	10	56	1	01	1280	U1	35	L	L *
54.26	54.24		INTRSECTN	B	S	82ND ST		CT		Y	2	2				C	46A	C	10	56	1	01	1280	U1	35	L	P *
54.38	54.36		INTRSECTN	L	S	80TH ST		CT		Y																	
54.43	54.41		INTRSECTN	L	S	79TH ST		CT		Y																	
54.48	54.46		INTRSECTN	L	S	78TH ST		CT		Y																	
54.63	54.61		INTRSECTN	B	S	76TH ST		CT	SG	Y																	
54.84	54.82		END SU LN	C		TWO WAY TURN	10A			2	2					C	56A	C	\$\$\$	56	1	01	1280	U1	35	L	P *
54.87	54.85		INTRSECTN	B	S	72ND ST		CT	SG	Y																	
54.93	54.91		BEG SU LN	C		TWO WAY TURN	10A			2	2					C	46A	C	10	56	1	01	1280	U1	35	L	P *
55.03	55.01		INTRSECTN	B	S	70TH ST		CT		Y																	
55.12	55.10		INTRSECTN	B	S	68TH ST		CT		Y																	
55.21	55.19		INTRSECTN	B	S	67TH ST		CT		Y																	
55.29	55.27		INTRSECTN	B	S	65TH ST		CT		Y																	
55.34	55.32		END SU LN	C		TWO WAY TURN	10A			2	2					C	56A	C	\$\$\$	56	1	01	1280	U1	35	L	P *

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----						
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-					
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
53.37	53.35		.03	11		.04	11							
54.12	54.10		.03	10		.03	10							
54.87	54.85		.03	10		.05	10							

SR 008 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---																			
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	-----		-----		LEGAL	T	P	S															
						:DIRECTION TO INVENTORY	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S														
						:LEFT/RIGHT INDICATOR	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
0.00	0.00		BEG ROUTE			MAIN ROUTE		2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	4	01	0385	R1		60	R	P										
			ENTER CITY			SR 12/ELMA TO SR 101/OLY																															
			BEG CTLSEC			ELMA																															
			MISC FEATR	B		CONTROL SECTION 1408																															
0.11	0.11		MISC FEATR	L		BEGIN AT BR 012/60N EPS																															
			MISC FEATR	R		GORE (R100016)																															
0.16	0.16		OFF RAMP	L		SR 12	ST		Y																												
0.29	0.29		ON RAMP	R		SR 12	ST		Y																												
0.48	0.48		LEAVE CITY			ELMA		2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	4	01	\$\$\$\$	R1		60	R	\$										
			MISC FEATR	L		SGN ENT ELMA																															
0.89	0.89		INTRSECTN	R		S UNION RD	CO		Y																												
			INTRSECTN	L		FAIRGROUNDS RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
1.00	1.00		MP MARKER	B		1																															
1.10	1.10		BEG BRIDGE	I		CLOQUALLAM CREEK	ST	2	2	\$\$C	30B	\$\$C	320	\$\$	\$\$C	30B	\$\$C		60	4	01		R1		60	R											
			BEG BRIDGE	D		CLOQUALLAM CREEK	ST																														
1.13	1.13		END BRIDGE	I		CLOQUALLAM CREEK		2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	4	01		R1		60	R											
			END BRIDGE	D		CLOQUALLAM CREEK																															
1.57	1.57		EXIT TO	R		REST AREA	ST		Y																												
1.73	1.73		REST AREA	R		ELMA VICINITY																															
						CS 140892 H335 MAJOR																															
2.00	2.00		MP MARKER	B		2																															
2.32	2.32		ENT FROM	R		REST AREA	ST		Y																												
2.42	2.42		INTRSECTN	B		HEISE RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
3.00	3.00		MP MARKER	B		3																															
4.01	4.01		MP MARKER	B		4																															
4.13	4.13		BEG BRIDGE	I		E FORK WILDCAT CREEK	ST	2	2	\$\$C	30P	\$\$C	320	\$\$	\$\$C	30P	\$\$C		60	4	01		R1		60	R											
			BEG BRIDGE	D		E FORK WILDCAT CREEK	ST																														
						BRDG NUM 008/010S																															
						E FORK WILDCAT CREEK																															
						BRDG NUM 008/010N																															
4.15	4.15		END BRIDGE	I		E FORK WILDCAT CREEK		2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	4	01		R1		60	R											
			END BRIDGE	D		E FORK WILDCAT CREEK																															
4.46	4.46		INTRSECTN	R		MCKNIGHT RD	CO		Y																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.42	2.42						.10	14			.13	12

SR 008 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S												
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
10.54	10.54		ENTER CO BEG CTLSEC			THURSTON CONTROL SECTION 3404				2	2	10A	24A	4A	50S	DE	4A	24A	10A					48	4	01			R1		60	R							
10.80	10.80		INTRSECTN	B		COOPER RD	CO		Y																														
			INTRSECTN	C		MEDIAN XROAD	ST		Y																														
11.00	11.00		MP MARKER	B		11																																	
11.07	11.07									2	2	10A	24A	4A	120S	DE	4A	24A	10A					48	4	01			R1		60	R							
12.00	12.00		MP MARKER	B		12																																	
13.00	13.00		MP MARKER	B		13																																	
13.41	13.41		INTRSECTN	L		SUMMIT LAKE RD	CO		Y																														
			INTRSECTN	C		MEDIAN XROAD	ST		Y																														
13.54	13.54									2	2	10A	24A	4A	40S	DE	4A	24A	10A					48	4	01			R1		60	R							
14.00	14.00		MP MARKER	B		14																																	
15.00	15.00		MP MARKER	B		15																																	
15.41	15.41		INTRSECTN	R		KENNEDY CR RD SW	CO		Y																														
			INTRSECTN	C		MEDIAN XROAD	ST		Y																														
15.42	15.42									2	2	10A	24B	4A	40S	DE	4A	24B	10A					48	4	01			R1		60	R							
16.00	16.00		MP MARKER	B		16																																	
16.06	16.06									2	2	10A	24B	4A	40S	DE	4A	24A	10A					48	4	01			R1		60	R							
16.09	16.09									2	2	10A	24A	4A	40S	DE	4A	24A	10A					48	4	01			R1		60	R							
16.12	16.12		INTRSECTN	L		SUMMIT LAKE RD	CO		Y																														
			INTRSECTN	R		ROCK CANDY MT RD	CO		Y																														
			INTRSECTN	C		MEDIAN XROAD	ST		Y																														
16.66	16.66									2	2	10A	24A	4A	120S	DE	4A	24A	10A					48	4	01			R1		60	R							
17.00	17.00		MP MARKER	B		17																																	
17.01	17.01									2	2	10A	24A	4A	40S	DE	4A	24A	10A					48	4	01			R1		60	R							
17.15	17.15		INTRSECTN	R		WINSLOW DR SW WYE CONN	CO		N																														
17.56	17.56		INTRSECTN	L		WILSON RD NW	CO		Y																														
			INTRSECTN	R		WINSLOW DR SW	CO		Y																														
			INTRSECTN	C		MEDIAN XROAD	ST		Y																														
17.79	17.79		INTRSECTN	L		WILSON RD NW WYE CONN	CO		N																														
18.00	18.00		MP MARKER	B		18																																	
18.61	18.61									2	2	10A	24A	4A	120S	DE	4A	24A	10A					48	4	01			R1		60	R							
19.01	19.01		MP MARKER	B		19																																	
19.73	19.73									2	2	10A	24A	4A	40S	DE	4A	24A	10A					48	4	01			R1		60	R							
19.91	19.91		INTRSECTN	L		OLD OLYMPIC HWY NW	CO		Y																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
13.41	13.41		.02	12						
15.41	15.41		.03	12						
16.12	16.12		.03	12					.02	12

SR 008 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---									
					-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	-----		LEGAL		T	P	S					
				:	-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	A SE		CITY	ST	SPEED	T	P	S			
				:	-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
				:	OW TC L		D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
19.91	19.91	INTRSECTN	R	OLD OLYMPIC HWY SW	CO	Y	2	2	10A	24A	4A	40S	DE	4A	24A	10A	48	4	01	R1	60	R			
		INTRSECTN	C	MEDIAN XROAD	ST	Y																			
20.00	20.00	MP MARKER	B	20																					
20.38	20.38	INTRSECTN	L	SHAKER CHURCH RD	CO	N																			
20.63	20.63	BEG BRIDGE	I	SR 101	ST		2	2	\$\$W	31P	\$\$W	320	\$\$	\$\$W	31P	\$\$W	62	4	01	R1	60	R			
		BEG BRIDGE	D	BRDG NUM 008/104S																					
				SR 101	ST																				
				BRDG NUM 008/104N																					
20.67	20.67	TRAF RCDR	B	R003 7																					
		END BRIDGE	I	SR 101																					
		END BRIDGE	D	SR 101																					
		END CTLSEC		CONTROL SECTION 3404																					
		END ROUTE																							

INTERSECTION DETAIL

SRMP B ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD		
19.91	19.91			.04	12				

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																		
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	MTCE		CITY	ST	LEGAL	T	P	S													
							-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
3.78		3.78							1	1				10A	34A	10A		34	3	02							R2					45	R		
3.80		3.80	BEG SU LN	C		TWO WAY TURN	12A		1	1				10A	24A	10A	12	36	3	02							R2					45	R		
3.92		3.92	BEG SU LN	L		CLIMBING	12A		1	1				10A	24A	6A	24	48	3	02							R2					45	R		
3.94		3.94	END SU LN	C		TWO WAY TURN	12A		1	1				10A	36A	6A	12	48	3	02							R2					45	R		
4.00		4.00	MP MARKER	R		4			1	1				\$\$C	48A	\$\$C	12	60	3	02							R2					55	R		
4.03		4.03	INTRSECTN	L		176TH ST SE		CO	SG	Y																									
4.04		4.04												C	54A	C	12	66	3	02							R2						55	R	
4.07		4.07	ENT FROM	L		SHOPPING CENTER		PV		Y	1	1		C	44A	10A	12	56	3	02							R2						55	R	
4.08		4.08	EXIT TO	L		SHOPPING CENTER		PV		Y																									
4.17		4.17									1	1		10A	24A	10A	12	36	3	02							R2							55	R
4.29		4.29	INTRSECTN	R		172ND ST SE		CO		N																									
4.32		4.32	CHG SU LN	L		CLIMBING	11A				1	1		10A	22A	6A	11	33	3	02							R2						55	R	
4.56		4.56	INTRSECTN	B		168TH ST SE		CO		N	1	1		10A	22A	10A	11	33	3	02							R2							55	R
4.70		4.70	BEG SU LN	C		TWO WAY TURN	12A				1	1		10A	22A	10A	23	45	3	02							R2							55	R
4.76		4.76	END SU LN	C		TWO WAY TURN	12A				1	1		10A	22A	10A	11	33	3	02							R2							55	R
4.83		4.83	INTRSECTN	B		164TH ST SE		CO		Y																									
4.87		4.87	BEG SU LN	C		TWO WAY TURN	12A				1	1		10A	22A	10A	23	45	3	02							R2							55	R
4.95		4.95	END SU LN	C		TWO WAY TURN	12A				1	1		10A	22A	10A	11	33	3	02							R2							55	R
5.00		5.00	MP MARKER	R		5																													
5.09		5.09	INTRSECTN	R		160TH ST SE		CO		N																									
5.36		5.36	INTRSECTN	B		156TH ST SE		CO		Y																									
5.59		5.59									1	1		4A	22A	10A	11	33	3	02							R2							55	R
5.66		5.66	INTRSECTN	B		152ND ST SE		CO		N																									
5.67		5.67	INTRSECTN	R		152ND ST SE WYE CONN		CO		N																									
6.00		6.00	MP MARKER	R		6																													
6.05		6.05	INTRSECTN	L		148TH ST SE		CO		Y																									
6.32		6.32	INTRSECTN	L		CO RD		CO		N																									
6.60		6.60	INTRSECTN	L		136TH ST SE		PV		N																									
6.78		6.78	INTRSECTN	R		MONTESSORI RD		CO		Y																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.03		4.03	.06	12						
4.08		4.08	.02	12						
4.29		4.29			.01	12				
4.56		4.56			.01	12				.01 12
4.83		4.83	.03	13	.01	12	.04	13	.01	12
5.09		5.09			.01	12				
5.36		5.36			.01	12				
5.66		5.66			.01	12				
6.05		6.05	.03	14						.04 14

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																				
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR			LFT			RHT		USE		TOT																					
: :				-XROAD-		LNS			SHD			RDY		SHD		LNS		RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	MTCE	A	SE	CITY	ST	LEGAL	SPEED	T	P	S				
															WD/S	BR	W/S	W/S	W/S								NBR	FC	D	IB	R	K	T				
6.82	6.82																																				
6.96	6.96		INTRSECTN	R		BROADWAY AVE WYE CONN	CO		Y																		R2										
6.97	6.97		END SU LN	L		CLIMBING	11A																				R2										
			INTRSECTN	R		BROADWAY AVE	CO		SG	Y																											
			INTRSECTN	L		SR 96-LOWELL LARIMER RD	ST		SG	Y																											
7.00	7.00		MP MARKER	R		7																															
7.12	7.12																																				
7.28	7.28																																				
7.50	7.50																																				
8.00	8.00		MP MARKER	R		8																															
8.42	8.42		INTRSECTN	B		MARSH RD	CO		SG	Y																											
8.43	8.43																																				
8.66	8.66																																				
8.84	8.84																																				
8.88	8.88		BEG BRIDGE	B		SNOHOMISH RIV OFLW	ST																														
						BRDG NUM 009/117																															
8.95	8.95		END BRIDGE	B		SNOHOMISH RIV OFLW																															
9.01	9.01		MP MARKER	R		9																															
9.02	9.02																																				
9.17	9.17		RR XING	B		NUM 84579F STRUCTURE																															
			BEG BRIDGE	B		SNOHOMISH RIV OFLW	ST																														
						BRDG NUM 009/118																															
9.30	9.30		ENTER CITY			SNOHOMISH																															
9.38	9.38		END BRIDGE	B		SNOHOMISH RIV OFLW																															
9.41	9.41		ON RAMP	L		SECOND ST	ST		Y																												
			OFF RAMP	R		SECOND ST	ST		Y																												
9.48	9.48		MISC FEATR	R		GORE (P100941)																															
9.52	9.52		MISC FEATR	L		GORE (S100941)																															
9.56	9.56		BEG BRIDGE	B		SECOND ST	ST																														
						BRDG NUM 009/119																															
9.60	9.60		END BRIDGE	B		SECOND ST																															
9.69	9.69		MISC FEATR	R		GORE (Q100982)																															
9.75	9.75		LEAVE CITY			SNOHOMISH																															
9.80	9.80		MISC FEATR	L		GORE (R100986)																															
9.82	9.82		ON RAMP	R		SECOND ST	ST		Y																												
9.86	9.86		OFF RAMP	L		SECOND ST	ST		Y																												

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.97	6.97			.03	13	.03	13				
8.42	8.42			.03	12	.07	12	.03	12	.06	12

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
				D	LR	DESCRIPTION	ST	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
				: :LEFT/RIGHT INDICATOR		-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC																
				: : :		-XROAD-	LNS	LFT	RHT	LFT	RHT	LNS	RDY	SHD	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
				: : :		OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
10.00	10.00	MP	MARKER	R	10		1	1					8A	22A	8A		22	3	02		U2		55	R		
10.69	10.69	BEG	BRIDGE	B	72ND ST SE	ST	1	1					\$\$\$	30A	\$\$\$		30	3	02		U2		55	R		
10.74	10.74	END	BRIDGE	B	72ND ST SE		1	1					8A	22A	8A		22	3	02		U2		55	R		
10.75	10.75	ENTER	CITY		SNOHOMISH		1	1					8A	22A	8A		22	3	02	1180	U2		55	R	B	
10.87	10.87	LEAVE	CITY		SNOHOMISH		1	1					8A	22A	8A		22	3	02	\$\$\$\$	U2		55	R	\$	
			UXING	B	OLD SR 2	ST																				
10.96	10.96	INTRSECTN		B	BRDG NUM 009/122	CO																				
			INTRSECTN	B	OLD HWY 2	CO	Y																			
11.00	11.00	MP	MARKER	R	11																					
11.79	11.79	INTRSECTN		B	56TH ST SE	CO	Y																			
11.87	11.87	MP	MARKER	R	12																					
11.88	11.88	BEG	BRIDGE	B	WATER MAIN	ST	1	1					\$\$\$	36A	\$\$\$		36	3	02		U2		55	R		
			BRDG	NUM	009/124.25																					
11.89	11.89	END	BRIDGE	B	WATER MAIN		1	1					10A	24A	10A		24	3	02		U2		55	R		
12.14	12.14	ON	RAMP	L	SR 2	ST	Y																			
			OFF	RAMP	R	ST	Y																			
12.21	12.21	BEG	BRIDGE	B	SR 2	ST	1	1					\$\$W	60P	\$\$W		60	3	02		U2		55	R		
			BRDG	NUM	009/124.7																					
12.25	12.25	END	BRIDGE	B	SR 2		1	1					10A	24A	10A		24	3	02		U2		55	R		
12.30	12.30	ON	RAMP	R	SR 2	ST	Y																			
			OFF	RAMP	L	ST	Y																			
12.36	12.36	INTRSECTN		R	NEW BUNK FOSS RD	CO	Y																			
12.57	12.57						1	1					8A	22A	8A		22	3	02		U2		55	R		
12.96	12.96	MP	MARKER	R	13																					
13.30	13.30	INTRSECTN		B	32ND ST SE	CO	Y																			
13.78	13.78	INTRSECTN		L	23RD ST SE WYE CONN	CO	Y																			
13.79	13.79	INTRSECTN		B	23RD ST SE	CO	Y																			
13.80	13.80	INTRSECTN		R	23RD ST SE WYE CONN	CO	Y																			
13.96	13.96	MP	MARKER	R	14																					
13.99	13.99	BEG	BRIDGE	B	WATER MAIN	ST	1	1					\$\$\$	22A	\$\$\$		22	3	02		U2		55	R		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.96	10.96		.03	12	.01	13	.05	12	.02	13						
11.79	11.79		.03	12	.02	14	.03	12	.02	14						
12.14	12.14				.03	12										
12.30	12.30		.07	14												
12.36	12.36				.03	12										
13.30	13.30		.03	12	.01	12	.03	12	.01	12						
13.79	13.79		.03	12	.05	13	.07	13			.07	12				

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																								
: :LEFT/RIGHT INDICATOR				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	WD/S	BR	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
13.99	13.99		END BRIDGE	B		BRDG NUM 009/125				1	1																											
14.00	14.00		WATER MAIN							1	1																											
14.03	14.03		INTRSECTN	B		HEWITT AVE-20TH ST SE	CO	SG	Y																													
14.08	14.08									1	1																											
15.00	15.00		MP MARKER	R		15																																
15.05	15.05		INTRSECTN	B		4TH ST SE	CO		Y																													
15.28	15.28									1	1																											
15.40	15.40									1	1																											
15.42	15.42		INTRSECTN	B		MARKET PL	CO	SG	Y																													
15.51	15.51									2	1																											
15.54	15.54									2	1																											
15.57	15.57		INTRSECTN	R		FRONTAGE RD CONNECTION	ST		Y	2	2																											
15.72	15.72									2	2																											
15.75	15.75		INTRSECTN	L		SR 204 WYE CONN	ST		Y																													
15.76	15.76		INTRSECTN	L		SR 204	ST	SG	Y																													
			INTRSECTN	R		VERNON RD	CO	SG	Y																													
15.77	15.77		INTRSECTN	L		SR 204 WYE CONN	ST		Y																													
15.96	15.96									2	2																											
15.98	15.98		MP MARKER	R		16																																
15.99	15.99		INTRSECTN	L		VERNON RD	CO		Y																													
16.06	16.06									2	2																											
16.40	16.40									2	2																											
16.48	16.48		BEG SU LN	R		TRANSIT				11A																												
			INTRSECTN	B		LUNDEEN PARKWAY	CO	SG	Y																													
16.51	16.51		END SU LN	R		TRANSIT				11A																												
16.55	16.55									2	2																											
16.65	16.65									1	1																											
17.00	17.00		MP MARKER	R		17																																
17.04	17.04		INTRSECTN	L		SOPER HILL RD WYE CONN	CO		Y																													
17.05	17.05		INTRSECTN	B		SOPER HILL RD	CO	SG	Y																													

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.03	14.03			.03	12	.03	12	.01	12		
15.05	15.05			.03	12	.01	12	.03	12		
15.42	15.42			.04	12			.09	12		
15.76	15.76			.04	12	.04	12	.07	12		
15.77	15.77							.09	12		
16.48	16.48			.03	12	.03	12				
17.04	17.04							.07	12		
17.05	17.05			.04	12			.03	12	.07	12

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	WID										
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S									
52.95	52.83								1	1				5A	24A	5A		24	2	01		R3	25	R	*
52.97	52.85		END ST	I		FRONT ST			1	1				5A	24A	5A		24	2	01		R3	25	R	\$
			INTRSECTN		R	W FRONT ST	CO	Y																	
			INTRSECTN		R	LAKE AVE	CO	Y																	
52.99	52.87								1	1				2A	22A	2A		22	2	01		R3	25	R	
53.00	52.88		MP MARKER		R	53																			
53.26	53.14		INTRSECTN		L	FRANCIS RD	CO	Y																	
			INTRSECTN		R	OLD DAY CRK RD	CO	Y																	
53.32	53.20		MISC FEATR		L	SGN ENT CLEARLAKE																			
53.35	53.23								1	1				2A	22A	2A		22	2	01		R3	50	R	
53.74	53.62								1	1				4A	24A	4A		24	2	01		R3	50	R	
53.99	53.87		MP MARKER		R	54																			
54.07	53.95		INTRSECTN		L	S SKAGIT HWY	CO	Y	1	1				10A	24A	10A		24	2	01		R3	50	R	
54.38	54.26		BEG BRIDGE	B		SKAGIT RIVER	ST		1	1				\$\$\$	28P	\$\$\$		28	2	01		R3	50	R	
						BRDG NUM 009/215																			
54.56	54.44		END BRIDGE	B		SKAGIT RIVER			1	1				8A	24A	8A		24	2	01		R3	50	R	
54.71	54.59		BEG BRIDGE	B		HARTS SLOUGH	ST		1	1				\$\$W	31P	\$\$W		31	2	01		R3	50	R	
						BRDG NUM 009/216																			
54.75	54.63		END BRIDGE	B		HARTS SLOUGH			1	1				8A	24A	8A		24	2	01		R3	50	R	
54.97	54.85		MP MARKER		R	55																			
55.31	55.19		BEG BRIDGE	B		BATEY SLOUGH	ST		1	1				\$\$W	31P	\$\$W		31	2	01		R3	50	R	
						BRDG NUM 009/217																			
55.34	55.22		END BRIDGE	B		BATEY SLOUGH			1	1				8A	24A	8A		24	2	01		R3	50	R	
55.45	55.33		ENTER CITY			SEDRO WOOLLEY			1	1				8A	24A	8A		24	2	01	1150	U3	50	R	P
55.57	55.45		INTRSECTN		R	W NELSON ST	CT	Y																	
			INTRSECTN		L	RHODES RD	CT	Y																	
55.67	55.55								1	1				8A	24A	8A		24	2	01	1150	U3	40	R	P
55.75	55.63		INTRSECTN		B	W STATE ST	CT	SG	Y																
55.87	55.75		RR XING		B	NUM 85007H GRADE																			
55.89	55.77		LEAVE CITY			SEDRO WOOLLEY			\$	\$				\$\$\$	\$\$\$	\$\$\$		\$\$\$	\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$
			BEG COINCI			SR 020																			
			END CTLSEC			CONTROL SECTION 2938																			
			INTRSECTN		B	SR 20	ST	SG	Y																
57.17	57.04		ENTER CITY			SEDRO WOOLLEY			1	1				C	48A	C		48	2	01	1150	U3	35	R	P
			EQUATION			057.16 =057.17																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
54.07	53.95		.03	12						.08	12
55.75	55.63		.03	12		.03	12				
55.89	55.77		.03	13							

SR 009 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			

SR 010 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----											
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
				:	:	:	-XROAD-	NBR	LFT	RHT	W/S	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
88.29	0.00		BEG ROUTE			MAIN ROUTE		1	1			10B	24B	10B			24	1	03		R3			55	R				
			BEG CTLSEC			SR 970/TEANAWAY TO SR 97																							
			INTRSECTN	B		CONTROL SECTION 1923		ST	SS	Y																			
88.37	0.08					SR 970						5B	21B	4B			21	1	03		R3			55	R				
88.99	0.70		MP MARKER	R		89																							
89.34	1.05		BEG BRIDGE	B		TENAWAY RIVER		ST				\$5C	24B	\$5C			24	1	03		R3			55	R				
						BRDG NUM 010/142																							
89.37	1.08		END BRIDGE	B		TENAWAY RIVER						5B	21B	4B			21	1	03		R3			55	R				
90.00	1.71		MP MARKER	R		90																							
90.06	1.77		INTRSECTN	L		TAYLOR RD		CO		N																			
90.11	1.82		BEG BRIDGE	B		BRISTOL FILL		ST				\$5W	24B	\$5C			24	1	03		R3			55	R				
						BRDG NUM 010/143																							
90.20	1.91		END BRIDGE	B		BRISTOL FILL						2B	20B	4B			20	1	03		R3			55	R				
90.21	1.92		INTRSECTN	L		TAYLOR RD		CO		N																			
90.99	2.70		MP MARKER	R		91																							
91.34	3.05											5B	21B	5B			21	1	03		R3			55	R				
91.99	3.70		MP MARKER	R		92																							
92.56	4.27											4B	20B	4B			20	1	03		R3			55	R				
92.98	4.69		MP MARKER	R		93																							
93.97	5.68		MP MARKER	R		94																							
94.68	6.39		BEG SU LN	L		CLIMBING		10B				4B	20B	4B	10	30	1	03		R3			55	R					
94.97	6.68		MP MARKER	R		95																							
95.31	7.02		END SU LN	L		CLIMBING		10B				4B	20B	4B	\$55	20	1	03		R3			55	R					
95.39	7.10		BEG BRIDGE	B		SWAUK CREEK		ST				\$5C	27B	\$5C			27	1	03		R3			55	R				
						BRDG NUM 010/145																							
95.42	7.13		END BRIDGE	B		SWAUK CREEK						4B	20B	4B			20	1	03		R3			55	R				
95.47	7.18		RR XING	B		NUM 0000000 STRUCTURE						\$5C	28B	\$5C			28	1	03		R3			55	R				
			BEG BRIDGE	B		BN RR		ST																					
						BRDG NUM 010/146																							
95.51	7.22		END BRIDGE	B		BN RR						4B	20B	4B			20	1	03		R3			55	R				
95.99	7.70		MP MARKER	R		96																							
96.14	7.85		BEG SU LN	R		CLIMBING		10B				2B	20B	2B	10	30	1	03		R3			55	R					
96.84	8.55		END SU LN	R		CLIMBING		10B				4B	20B	4B	\$55	20	1	03		R3			55	R					
96.99	8.70		MP MARKER	R		97																							
97.27	8.98		INTRSECTN	R		THORP HWY		CO		N																			
			INTRSECTN	L		HAYWARD RD		CO		N																			
97.64	9.35		BEG SU LN	L		CLIMBING		10B				4B	20B	4B	10	30	1	03		R3			55	R					
97.98	9.69		MP MARKER	R		98																							
98.00	9.71		END SU LN	L		CLIMBING		10B				4B	20B	4B	\$55	20	1	03		R3			55	R					
98.65	10.36		BEG BRIDGE	B		CREEK		ST				\$5C	27B	\$5C			27	1	03		R3			55	R				
						BRDG NUM 010/148.25																							
98.66	10.37		END BRIDGE	B		CREEK						12B	20B	12B			20	1	03		R3			55	R				

SR 011 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID	W/S	W/S	W/S	WID	WID
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S								
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	1					W	32P	W		32	1	01		R3	55	L
			BEG CTLSEC			SR 5/BURLINGTON TO SR 5																		
			BEG BRIDGE B			CONTROL SECTION 2905																		
						SR 5																		
						BRDG NUM 011/001																		
0.05	0.05		END BRIDGE B			SR 5		1	1					10A	24A	10A		24	1	01		R3	55	L
0.08	0.08		INTRSECTN	L		ON RAMP WYE CONN	ST		Y															
0.09	0.09		ON/OFF RMP	L		SR 5	ST		Y															
0.10	0.10		INTRSECTN	L		OFF RAMP WYE CONN	ST		Y															
0.11	0.11		INTRSECTN	L		JOSH WILSON RD	CO		N															
0.18	0.18		ENT/EXIT	R		WASHINGTON STATE PATROL	ST		N															
0.22	0.22							1	1					5B	24B	5B		24	1	01		R3	55	L
0.76	0.76		BEG BRIDGE B			DRAINAGE DITCH	ST	1	1					\$\$C	26B	\$\$C		26	1	01		R3	55	L
						BRDG NUM 011/002																		
0.77	0.77		END BRIDGE B			DRAINAGE DITCH		1	1					5B	24B	5B		24	1	01		R3	55	L
0.85	0.85		INTRSECTN	R		PACKARD LN	CO		N															
1.00	1.00		MP MARKER	R		1																		
1.40	1.40		INTRSECTN	B		PULVER RD	CO		N															
2.00	2.00		MP MARKER	R		2																		
2.18	2.18		INTRSECTN	B		COOK RD	CO	N	1	1				5A	23A	5A		23	1	01		R3	55	L
2.60	2.60							1	1					5A	23A	5A		23	1	01		R3	45	L
2.84	2.84		INTRSECTN	L		ALLEN WEST RD	CO		N															
			INTRSECTN	R		SAM BELL RD	CO		N															
2.92	2.92		INTRSECTN	L		AVON ALLEN RD	CO		N															
2.93	2.93		BEG BRIDGE B			SAMISH RIVER	ST	1	1					\$\$C	22A	\$\$C		22	1	01		R3	45	L
						BRDG NUM 011/004																		
2.95	2.95		END BRIDGE B			SAMISH RIVER		1	1					5A	23A	5A		23	1	01		R3	45	L
2.96	2.96		INTRSECTN	R		ERSHIG RD	CO		N															
3.00	3.00		MP MARKER	R		3																		
3.06	3.06							1	1					5A	23A	5A		23	1	01		R3	55	L
4.00	4.00		MP MARKER	R		4																		
4.05	4.05		INTRSECTN	B		FIELD RD	CO	N	1	1				3A	22A	3A		22	1	01		R3	55	L
4.36	4.36							1	1					3A	22B	3A		22	1	01		R3	55	L
5.02	5.02		MP MARKER	R		5																		
5.22	5.22							1	1					3A	22A	3A		22	1	01		R3	55	L
5.25	5.25		INTRSECTN	B		SUNSET RD	CO		N															
5.73	5.73		INTRSECTN	L		THOMAS RD	CO		N															
6.00	6.00		MP MARKER	R		6																		
6.88	6.88		INTRSECTN	L		W BOW HILL (OLD SR 237)	CO	N	1	1				5A	20A	5A		20	1	01		R3	55	L
			INTRSECTN	R		BOW HILL RD	CO		N															
7.00	7.00		MP MARKER	R		7																		
7.17	7.17		INTRSECTN	R		ESTES RD	CO		N															
7.42	7.42							1	1					5A	20P	5A		20	1	01		R3	55	L

SR 011 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:	:	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	A	SE	NBR	FC	D	IB	R	K	T			
				:	:	:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
				:	:	:	OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
21.09	21.09		INTRSECTN	B		30TH ST	CT	Y	1	1			C	37A	C	5	42	1	01	0080	U2	35	L	B	*	
21.13	21.13		BEG SU LN	C		TWO WAY TURN	12A		1	1			C	25A	C	17	42	1	01	0080	U2	35	L	B	*	
21.17	21.17		END SU LN	C		TWO WAY TURN	12A		1	1			C	37A	C	5	42	1	01	0080	U2	35	L	B	*	
21.21	21.21		INTRSECTN	L		32ND ST	CT	Y																		
21.23	21.23		BEG SU LN	L		BICYCLE	05A		1	1			C	32A	C	10	42	1	01	0080	U2	35	L	B	*	
			ON RAMP	L		SR 5	ST	Y																		
			OFF RAMP	R		SR 5	ST	Y																		
21.26	21.26		UXING	B		SR 5 SB	ST																			
						BRDG NUM 005/806W																				
21.28	21.28		END ST	I		OLD FAIRHAVEN PARKWAY			1	1			C	32A	C	\$\$\$	32	1	01	0080	U2	35	L	B	*	
			END SU LN	R		BICYCLE	05A																			
			END SU LN	L		BICYCLE	05A																			
			UXING	B		SR 5 NB	ST																			
						BRDG NUM 005/806E																				
			END CTLSEC			CONTROL SECTION 3704																				
			END ROUTE																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
21.09	21.09		.03	12			.02	12						
21.21	21.21		.02	12										
21.23	21.23						.03	12						

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S														
							OW	TC	L	NBR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
3.55		3.55								2	2	6A	22A		6A	JE		22A	6A		44	4	02			U1							50	R				
3.85		3.85	ENT FROM	R		MAINT AREA 4 HDQT	ST		N																													
4.00		4.00	MP MARKER	R		4																																
4.31		4.31								2	2	6A	22A		6A	UP		22A	6A		44	4	02			U1												
4.39		4.39	INTRSECTN	R		LINKSHIRE DR	CO		Y																													
			INTRSECTN	L		LINKSHIRE TER	CO		Y																													
4.41		4.41								2	2	6A	22A		6A	GP		22A	6A		44	4	02			U1												
4.45		4.45	INTRSECTN	L		BONNIE VIEW DR	CO		N	2	2	6A	22A		6A	JE		22A	6A		44	4	02			U1												
4.52		4.52	INTRSECTN	L		YORK DR	CO		N																													
4.54		4.54	INTRSECTN	L		SCHADER LN	CO		N																													
4.64		4.64	MISC FEATR	R		SGN ENT CENTRAL PARK																																
4.71		4.71								2	2	6A	22A		6A	UP		22A	6A		44	4	02			U1												
4.80		4.80	INTRSECTN	R		KARJALA RD	CO		Y																													
4.85		4.85								2	2	6A	22A		6A	JE		22A	6A		44	4	02			U1												
4.93		4.93								2	2	6A	22A		6A	GP		22A	6A		44	4	02			U1												
4.98		4.98								2	2	6A	24A		6A	GP		24A	6A		48	4	02			U1												
4.99		4.99								2	2	6A	24A		6A	UP		24A	6A		48	4	02			U1												
5.00		5.00	MP MARKER	R		5																																
5.01		5.01	INTRSECTN	R		SOLKI RD	CO		Y																													
5.03		5.03								2	2	6A	24A		6A	GP		24A	6A		48	4	02			U1												
5.06		5.06								2	2	6A	24A		6A	JE		24A	6A		48	4	02			U1												
5.42		5.42								2	2	6A	24A		6A	UP		24A	6A		48	4	02			U1												
5.50		5.50	INTRSECTN	R		PIONEER RD	CO	AF	Y																													
5.60		5.60	INTRSECTN	L		REYNVAAN DR	CO		Y																													
5.72		5.72	INTRSECTN	L		HIRSCHBECK HEIGHTS RD	CO		Y																													
5.74		5.74								2	2	6A	24A		6A	GP		24A	6A		48	4	02			U1												
5.79		5.79								2	2	6A	24A		6A	JE		24A	6A		48	4	02			U1												
5.98		5.98								2	2	6A	24A		13A	UP		24A	6A		48	4	02			U1												
6.00		6.00	MP MARKER	R		6																																
6.07		6.07	INTRSECTN	R		HILL RD	CO	AF	Y																													
6.13		6.13	INTRSECTN	L		N BANK RD	CO		Y																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L--CNTR	R--CNTR	RIGHT--
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.80	4.80			.04	11			.02	11
5.01	5.01			.03	12			.02	12
5.50	5.50			.03	12			.02	12
5.60	5.60	.03	12					.02	12
5.72	5.72	.03	12					.02	12
6.07	6.07		.08	12	.03	12		.02	12
6.13	6.13	.02	12					.02	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----							
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
6.20	6.20								2	2	8A	24A	13A	JE	24A	8A	48	4	02	U1	50	R			
6.29	6.29								2	2	8A	24A	13A	UP	24A	8A	48	4	02	U1	50	R			
6.37	6.37	MISC FEATR	L			SGN ENT CENTRAL PARK																			
6.38	6.38	INTRSECTN	R			DEER PARK DR	CO	Y	2	2	8A	24A	10A	UP	24A	8A	48	4	02	U1	50	R			
6.44	6.44								2	2	8A	24A	10A	JE	24A	8A	48	4	02	U1	50	R			
6.47	6.47								2	2	8A	24A	10A	JE	24A	8A	48	4	02	U1	55	R			
6.57	6.57								2	2	8A	24A	10A	UP	24A	8A	48	4	02	U1	55	R			
6.67	6.67	INTRSECTN	R			BRYRWOOD DR	CO	Y																	
6.74	6.74								2	2	8A	24A	10A	JE	24A	8A	48	4	02	U1	55	R			
6.98	6.98								2	2	8A	24A	10A	UP	24A	8A	48	4	02	U1	55	R			
7.00	7.00	MP MARKER	B			7																			
7.04	7.04	INTRSECTN	R			ALDERBROOK DR	CO	Y																	
7.05	7.05								2	2	8A	24A	10A	UP	24A	8A	48	4	02	R1	55	R			
7.11	7.11								2	2	8A	24A	10A	JE	24A	8A	48	4	02	R1	55	R			
7.74	7.74								2	2	8A	24A	10A	UP	24A	8A	48	4	02	R1	55	R			
7.81	7.81	INTRSECTN	B			CLEMONS RD	CO	Y	2	2	8A	24A	12A	UP	24A	8A	48	4	02	R1	55	R			
8.00	8.00	MP MARKER	B			8																			
8.07	8.07								2	2	6A	24A	12A	UP	24A	6A	48	4	02	R1	55	R			
8.12	8.12								2	2	4A	24A	12A	UP	24A	4A	48	4	02	R1	55	R			
8.16	8.16	INTRSECTN	L			W WYNOOCHEE RD	CO	Y	2	2	\$\$\$	\$\$\$	\$\$\$\$	\$\$\$	4A	48A	4A	48	4	02	R1	55	R		
		INTRSECTN	R			ALDER GROVE DR	CO	Y																	
8.33	8.33	BEG BRIDGE	B			WYNOOCHEE RIVER	ST		2	2				\$\$C	44A	\$\$C	44	4	02	R1	55	R			
						BRDG NUM 012/025																			
8.39	8.39	END BRIDGE	B			WYNOOCHEE RIVER			2	2				8A	44A	8A	44	4	02	R1	55	R			
8.42	8.42								2	2				8A	44A	8A	44	4	02	R1	60	R			
8.93	8.93	ON RAMP	L			DEVONSHIRE RD	ST	Y	2	2				8A	44A	11A	44	4	02	R1	60	R			
9.00	9.00								2	2				6A	48A	6A	48	4	02	R1	60	R			
9.12	9.12								2	2				6A	48A	10A	48	4	02	R1	60	R			
9.13	9.13	OFF RAMP	R			DEVONSHIRE RD	ST	Y	2	2	10A	24A	4A	38S	DE	3A	24A	10A	48	4	02	R1	60	R	
9.24	9.24	MISC FEATR	R			GORE (P100913)																			
9.25	9.25	MISC FEATR	L			GORE (S100893)																			
9.37	9.37	MISC FEATR	R			GORE (Q500961)																			
9.39	9.39	MISC FEATR	L			GORE (R100952)																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.38	6.38				.03	12			.02	12
6.67	6.67				.03	12			.02	12
7.04	7.04				.02	12			.02	12
7.81	7.81		.04	12	.08	12			.07	12
8.16	8.16		.03	12						

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	LFT		RHT		USE	TOT	MTCE		CITY	ST	LEGAL	T	P	S				
							-UXING-	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							-XROAD-	D	I	W/S	W/S	WD/S	BR	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
9.41	9.41	UXING	B			DEVONSHIRE RD BRDG NUM 012/028	ST	2	2	10A	24A	4A	38S	DE	3A	24A	10A			48	4	02		R1			60	R				
9.52	9.52	OFF RAMP	L			DEVONSHIRE RD	ST	Y																								
9.60	9.60	MISC FEATR	R			SGN ENT MONTESANO																										
9.61	9.61	ON RAMP	R			DEVONSHIRE RD	ST	Y																								
9.65	9.65	BEG BRIDGE	I			SYLVIA CREEK/NP BRDG NUM 012/031S	ST	2	2	\$\$\$	33P	\$\$\$	400	\$\$	\$\$\$	33P	\$\$\$			66	4	02		R1			60	R				
		RR XING	B			NUM 96676Y STRUCTURE																										
		BEG BRIDGE	D			SYLVIA CREEK/NP RR BRDG NUM 012/031N	ST																									
9.86	9.86	END BRIDGE	I			SYLVIA CREEK/NP		2	2	10A	24A	4A	40S	DE	3A	24A	10A			48	4	02		R1			60	R				
		END BRIDGE	D			SYLVIA CREEK/NP RR																										
9.88	9.88	ON RAMP	L			SR 107	ST	Y																								
10.00	10.00	MP MARKER	B			10																										
10.05	10.05	ENTER CITY	R			MONTESANO		2	2	10A	24A	4A	40S	DE	3A	24A	10A			48	4	02	0795	R1			60	R	P			
		OFF RAMP	R			SR 107	ST	Y																								
10.10	10.10	MISC FEATR	R			GORE (P101005)																										
10.15	10.15	MISC FEATR	L			GORE (S100988)																										
10.24	10.24	BEG BRIDGE	I			SR 107/CMSTP&P BRDG NUM 012/034S	ST	2	2	\$\$\$	33P	\$\$\$	400	\$\$	\$\$\$	33P	\$\$\$			66	4	02	0795	R1			60	R	P			
		RR XING	B			NUM 0000000 STRUCTURE																										
		BEG BRIDGE	D			SR 107/CMSTP&P RR BRDG NUM 012/034N	ST																									
10.62	10.62	END BRIDGE	I			SR 107/CMSTP&P		2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	4	02	0795	R1			60	L	P			
		END BRIDGE	D			SR 107/CMSTP&P RR																										
10.68	10.68	MISC FEATR	R			GORE (Q101085)																										
10.71	10.71	MISC FEATR	L			GORE (R101077)																										
10.77	10.77	OFF RAMP	L			SR 107	ST	Y																								
10.85	10.85	ON RAMP	R			SR 107	ST	Y																								
11.00	11.00	MP MARKER	B			11																										
11.20	11.20	MISC FEATR	L			SGN ENT MONTESANO																										
11.21	11.21	LEAVE CITY	R			MONTESANO		2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	4	02	\$\$\$\$	R1			60	L	\$			
11.50	11.50	MISC FEATR	B			FARM ACCESS ROAD OXING																										
11.99	11.99	MP MARKER	B			12																										
12.30	12.30	TRAF RCDR	I			P00 0																										
		TRAF RCDR	B			B02 0																										
12.46	12.46	INTRSECTN	R			MONTE BRADY RD WYE CONN	CO	Y																								
12.51	12.51	INTRSECTN	B			MONTE BRADY RD	CO	Y																								
		INTRSECTN	C			MEDIAN XROAD	ST	Y																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
12.51	12.51		.03	12	.03	12		.11	12	.11	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----																		
							-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC		TOT		MTCE		CITY	ST	LEGAL		T P S														
							NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	A	SE	NBR	FC	D	IB	R	K	T		
12.55			12.55																																				
12.57			12.57			INTRSECTN	L																																
12.86			12.86			ENT FROM	L																																
12.89			12.89			EXIT TO	R																																
13.00			13.00			MP MARKER	B																																
13.05			13.05			WEIGH STA	R																																
13.16			13.16																																				
13.20			13.20			WEIGH STA	L																																
13.32			13.32			MED XING	C																																
13.37			13.37			EXIT TO	L																																
13.38			13.38			ENT FROM	R																																
13.42			13.42																																				
13.99			13.99			MP MARKER	B																																
14.76			14.76			INTRSECTN	B																																
						INTRSECTN	C																																
14.95			14.95																																				
15.01			15.01			MP MARKER	B																																
15.37			15.37			BEG BRIDGE I																																	
						BEG BRIDGE D																																	
15.41			15.41			END BRIDGE I																																	
						END BRIDGE D																																	
15.55			15.55																																				
15.57			15.57			BEG BRIDGE I																																	
						BEG BRIDGE D																																	
15.61			15.61			END BRIDGE I																																	
						END BRIDGE D																																	
15.63			15.63																																				
15.68			15.68			BEG BRIDGE I																																	
						BEG BRIDGE D																																	
15.71			15.71			END BRIDGE I																																	
						END BRIDGE D																																	

INTERSECTION DETAIL

SRMP		B ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	R	L	R	L	R	L	R	L	R	L	R
NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR
LG	WD	LG	WD	LG	WD	LG	WD	LG	WD	LG	WD
14.76	14.76	.07	12			.03	12			.13	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S										
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
15.79	15.79	BEG	BRIDGE	I		SATSOP RIVER BRDG NUM 012/051S	ST			2	2	\$\$C	30P	\$\$C	400	\$\$	\$\$C	30P	\$\$C			60	4	01			R1			60	L					
		BEG	BRIDGE	D		SATSOP RIVER BRDG NUM 012/051N	ST																													
15.87	15.87	END	BRIDGE	I		SATSOP RIVER				2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	4	01			R1			60	L					
		END	BRIDGE	D		SATSOP RIVER																														
15.96	15.96	INTRSECTN		R		KEYS RD	CO			N																										
16.02	16.02	MP MARKER		B		16																														
16.38	16.38	INTRSECTN		L		FOURTH ST	CO			Y																										
		INTRSECTN		R		KEYS RD	CO			Y																										
		INTRSECTN		C		MEDIAN XROAD	ST			Y																										
16.87	16.87	BEG	BRIDGE	I		NEWMAN CREEK BRDG NUM 012/053S	ST			2	2	\$\$C	36A	\$\$C	400	\$\$	\$\$C	36A	\$\$C			72	4	01			R1			60	L					
		BEG	BRIDGE	D		NEWMAN CREEK BRDG NUM 012/053N	ST																													
16.88	16.88	END	BRIDGE	I		NEWMAN CREEK				2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	4	01			R1			60	L					
		END	BRIDGE	D		NEWMAN CREEK																														
17.01	17.01	MP MARKER		B		17																														
18.01	18.01	MP MARKER		B		18																														
18.11	18.11	INTRSECTN		B		SCHOUWEILER RD	CO			Y																										
		INTRSECTN		C		MEDIAN XROAD	ST			Y																										
18.14	18.14	INTRSECTN		L		SCHOUWEILER RD WYE CONN	CO			Y																										
19.00	19.00	MP MARKER		B		19																														
19.93	19.93	ENTER CITY				ELMA				2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	4	01	0385	R1			60	R	P					
19.94	19.94	ON RAMP		L		3RD ST	ST			Y																										
19.98	19.98	MISC FEATR		R		SGN ENT ELMA																														
20.00	20.00	MP MARKER		B		20																														
20.06	20.06	OFF RAMP		R		3RD ST	ST			Y																										
20.14	20.14	MISC FEATR		R		GORE (P102006)																														
20.19	20.19	UXING		B		3RD ST	ST																													
						BRDG NUM 012/057																														
20.23	20.23	MISC FEATR		L		GORE (S501994)																														
20.29	20.29	MISC FEATR		R		GORE (Q102049)																														
20.34	20.34	MISC FEATR		L		GORE (R102046)																														
20.46	20.46	OFF RAMP		L		3RD ST																														
20.55	20.55	ON RAMP		R		3RD ST	ST			Y																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
16.38	16.38		.06	12		.05	12		.03	12
18.11	18.11		.03	12		.03	12		.13	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			MTCE		CITY		LEGAL		T P S								
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
27.24	26.94		INTRSECTN	R		PORTER CRK RD W	CO	Y	1	1					6A	22A	7A					22	4	01			R1		55	L				
27.30	27.00														5A	22A	7A					22	4	01			R1		55	L				
27.35	27.05		BEG BRIDGE	B		PORTER CREEK BRDG NUM 012/066	ST		1	1				\$\$C	24A	\$\$C					24	4	01			R1		55	L					
27.37	27.07		END BRIDGE	B		PORTER CREEK			1	1				5A	22A	7A					22	4	01			R1		55	L					
27.42	27.12		MISC FEATR	L		SGN ENT PORTER																												
27.46	27.16		INTRSECTN	L		BUTLER MILL RD	CO		N																									
28.00	27.70		MP MARKER	R		28																												
28.04	27.74								1	1					7A	22A	7A					22	4	01			R1		55	L				
29.00	28.70		MP MARKER	R		29																												
29.30	29.00								1	1					7A	23A	7A					23	4	01			R1		55	L				
29.93	29.63		BEG BRIDGE	B		GIBSON CREEK BRDG NUM 012/068	ST		1	1				\$\$C	24A	\$\$C					24	4	01			R1		55	L					
29.97	29.67		END BRIDGE	B		GIBSON CREEK			1	1				4A	24A	4A					24	4	01			R1		55	L					
30.00	29.70		MP MARKER	R		30																												
30.14	29.84		INTRSECTN	R		ELMA GATE RD W	CO		N																									
			INTRSECTN	L		GIBSON CRK RD	CO		N																									
31.00	30.70		MP MARKER	R		31																												
31.60	31.30								1	1					4A	24B	4A					24	4	01			R1		55	L				
31.73	31.43		INTRSECTN	L		CEDAR CREEK RD	CO		N																									
31.80	31.50		BEG BRIDGE	B		CEDAR CREEK BRDG NUM 012/070	ST		1	1				\$\$C	24B	\$\$C					24	4	01			R1		55	L					
31.82	31.52		END BRIDGE	B		CEDAR CREEK			1	1				4A	24A	4A					24	4	01			R1		55	L					
32.00	31.70		MP MARKER	R		32																												
32.01	31.71		INTRSECTN	R		SHELTON RD	CO		N																									
			INTRSECTN	L		DOWNNEY LN	PV		N																									
32.65	32.35		INTRSECTN	L		RD TO CAPITOL FOREST	CO		N																									
33.00	32.70		MP MARKER	R		33																												
33.35	33.05								1	1					4A	24A	4A					24	4	01			R1		50	L				
33.41	33.11		INTRSECTN	L		ROY LONBORG RD	CO		N																									
33.57	33.27								1	1					4A	24B	4A					24	4	01			R1		50	L				
33.62	33.32		INTRSECTN	L		ROSS RD	CO		N																									
33.82	33.52		INTRSECTN	L		ALFREDSON RD	CO		N																									
34.00	33.70		MP MARKER	R		34																												
34.25	33.95		RR XING	B		NUM 92589G STRUCTURE			1	1				\$\$C	24B	\$\$C					24	4	01			R1		50	L					
			BEG BRIDGE	B		BN RR BRDG NUM 012/073	ST																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
27.24	26.94		.03	11	.04	11				.04	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	L			R			TOT	MTCE	CITY	ST	LEGAL	T	P	S								
:DIRECTION TO INVENTORY							-XROAD-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	LNS	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
:LEFT/RIGHT INDICATOR							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S						
34.28	33.98		END BRIDGE	B		BN RR						4A	24B	4A		24	4	01						R1		50	L							
34.50	34.20											4A	24A	4A		24	4	01						R1		50	L							
34.53	34.23		INTRSECTN	R		ELMA GATE RD W	CO	N																										
34.62	34.32		INTRSECTN	L		CEDAR ST	CO	N																										
34.73	34.43		MISC FEATR	R		SGN ENT OAKVILLE																												
34.75	34.45											4A	24A	4A		24	4	01						R1		30	L							
34.90	34.60		INTRSECTN	R		SCHOOL ST	CO	N																										
34.92	34.62		ENTER CITY			OAKVILLE						4A	24A	4A		24	4	01	0900	R1					30	L	P							
34.97	34.67		INTRSECTN	R		PINE ST	CT	Y	1	1																								
34.98	34.68		INTRSECTN	B		PARK ST	CT	Y	1	1		\$\$C	40A	12A		40	4	01	0900	R1					30	L	B							
34.99	34.69		MP MARKER	R		35																												
35.03	34.73											C	52A	\$\$C		52	4	01	0900	R1					30	L	B							
35.07	34.77		INTRSECTN	B		SECOND ST	CT	Y																										
35.14	34.84		INTRSECTN	B		FIRST ST	CT	Y	1	1		C	55A	C		55	4	01	0900	R1					30	L	B							
35.19	34.89		INTRSECTN	B		NEWTON ST	CT	Y	1	1		C	49A	C		49	4	01	0900	R1					30	L	B							
35.24	34.94		INTRSECTN	B		STATE ST	CT	Y																										
35.30	35.00		INTRSECTN	B		CENTER ST	CT	Y	1	1		10A	25A	13A		25	4	01	0900	R1					30	L	B							
35.36	35.06		INTRSECTN	R		ALLEN ST	CT	Y	1	1		10A	24A	4A		24	4	01	0900	R1					30	L	P							
35.43	35.13		INTRSECTN	L		MURRAY ST	CT	Y	1	1		4A	24A	4A		24	4	01	0900	R1					30	L	P							
35.50	35.20		LEAVE CITY			OAKVILLE						4A	24A	4A		24	4	01	\$\$\$\$	R1					30	L	\$							
35.54	35.24											4A	24A	4A		24	4	01								55	L							
35.57	35.27		MISC FEATR	L		SGN ENT OAKVILLE						4A	24B	4A		24	4	01								55	L							
35.79	35.49		INTRSECTN	L		MERRY RD	CO	N																										
36.00	35.70		MP MARKER	R		36																												
36.35	36.05		INTRSECTN	R		BLOCKHOUSE RD	CO	N																										
36.36	36.06		INTRSECTN	L		BLOCKHOUSE RD	CO	N																										
36.72	36.42											4A	24A	4A		24	4	01								55	L							
37.00	36.70		MP MARKER	R		37																												
37.44	37.14		INTRSECTN	R		ELMA GATE RD E	CO	Y																										
37.58	37.28		INTRSECTN	L		ELMA GATE RD E	CO	N																										
37.59	37.29		BEG BRIDGE	B		BLACK RIVER BRDG NUM 012/076	ST		1	1		\$\$C	24A	\$\$C		24	4	01								55	L							
37.62	37.32		END BRIDGE	B		BLACK RIVER			1	1		4A	24A	4A		24	4	01								55	L							
37.66	37.36		ENT/EXIT	R		PUBLIC FISHING	CO	N																										
37.82	37.52		INTRSECTN	R		PEARSON RD	CO	N																										
38.00	37.70		MP MARKER	R		38																												
38.25	37.95		INTRSECTN	L		SICKMAN FORD RD	CO	N																										

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
37.44		37.14				.03	12				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----														
							:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR		-BRIDGE-		DECREAS/DIV		INCREAS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S							
							NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
38.84	38.54		ENTER CO BEG CTLSEC			THURSTON CONTROL SECTION 3403		1	1					4A	24A	4A										R1					55	L
39.01	38.71		INTRSECTN	B	R	ANDERSON RD SW	CO	Y																								
39.19	38.89		MP MARKER BEG BRIDGE	B		OVERFLOW CHANNEL BRDG NUM 012/102	ST	1	1					\$\$\$	38A	\$\$\$										R1					55	L
39.22	38.92		END BRIDGE	B		OVERFLOW CHANNEL		1	1					4A	24A	4A										R1					55	L
39.85	39.55		INTRSECTN	B		MOON RD	CO	Y																								
39.86	39.56		BEG BRIDGE	B		SLOUGH BRDG NUM 012/104	ST	1	1					\$\$\$	36A	\$\$\$										R1					55	L
39.87	39.57		END BRIDGE	B		SLOUGH		1	1					4A	24A	4A										R1					55	L
40.00	39.70		MP MARKER	R		40																										
40.30	40.00		BEG BRIDGE	B		SLOUGH BRDG NUM 012/106	ST	1	1					\$\$\$	36A	\$\$\$										R1					55	L
40.31	40.01		END BRIDGE	B		SLOUGH		1	1					4A	24A	4A										R1					55	L
40.60	40.30		MISC FEATR	I		SPEED SITE #4																										
40.86	40.56		INTRSECTN	B		FORSTROM RD SW	CO	N																								
41.00	40.70		MP MARKER	R		41																										
41.40	41.10		BEG BRIDGE	B		SLOUGH BRDG NUM 012/108	ST	1	1					\$\$\$	36A	\$\$\$										R1					55	L
41.41	41.11		END BRIDGE	B		SLOUGH		1	1					4A	24A	4A										R1					55	L
41.63	41.33							1	1					4A	24A	4A										R1					30	L
41.73	41.43		BEG SU LN	C		TWO WAY TURN	12A		1	1				4A	24A	4A	12	36	4	01					R1					30	L	
41.74	41.44		ENT/EXIT	R		RED APPLE MARKET	PV	N																								
41.82	41.52		END SU LN	C		TWO WAY TURN	12A		1	1				4A	36A	4A	\$\$\$	36	4	01					R1					30	L	
41.88	41.58		INTRSECTN	L		ALBANY ST (OLD SR 121)	CO	SG	Y	1	1			\$\$\$	70A	\$\$\$										R1					30	L
			INTRSECTN	R		ALBANY ST SW	CO	SG	Y																							
41.93	41.63		BEG SU LN	C		TWO WAY TURN	12A		1	1				C	58A	C	12	70	4	01					R1					30	L	
41.95	41.65		INTRSECTN	B		BEND ST SW	CO	Y	1	1				10A	24A	10A	12	36	4	01					R1					30	L	
41.96	41.66		END SU LN	C		TWO WAY TURN	12A		1	1				10A	24A	10A	\$\$\$	24	4	01					R1					30	L	
42.01	41.71		INTRSECTN	L		CORVALLIS ST SW	CO	Y	1	1				4A	24A	12A									R1					30	L	
42.02	41.72		MP MARKER	R		42																										
42.07	41.77		INTRSECTN	B		DALLAS ST SW	CO	Y																								
42.19	41.89		INTRSECTN	R		FOSTER ST SW	CO	Y	1	1				4A	24A	10A										R1					30	L
42.25	41.95		INTRSECTN	B		GRESHAM ST SW	CO	Y																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
38.84	38.54		.02	12	.08	12				
39.85	39.55		.03	12						
41.88	41.58		.03	12						

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY THURSTON

DOT DISTRICT 3

			-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																	
			:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC																				
			:LEFT/RIGHT INDICATOR		-UXING-		NBR		LFT		RHT		USE		TOT																
			:		-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W	D	I	W	S	W	S	W	S	W	A	SE	NBR	FC	D	IB	R	K	T			
42.26		41.96								1	1																				
42.33		42.03								1	1																				
42.34		42.04								1	1																				
42.40		42.10	INTRSECTN	R		PAULSON ST SW	CO		N																						
42.53		42.23	ENT/EXIT	R		BUSINESS	PV		Y	1	1																				
42.85		42.55	INTRSECTN	L		183RD AVE SW	CO		Y																						
42.89		42.59	INTRSECTN	R		ROSEBURG ST SW	CO		N																						
42.98		42.68								1	1																				
43.00		42.70	MP MARKER	R		43																									
43.20		42.90	INTRSECTN	R		HILT ST	CO		N																						
43.37		43.07	BEG BRIDGE	B		SCATTER CREEK	ST			1	1																				
						BRDG NUM 012/111																									
43.38		43.08	END BRIDGE	B		SCATTER CREEK				1	1																				
43.49		43.19	INTRSECTN	R		DENMARK ST SW	CO		N																						
43.96		43.66	INTRSECTN	R		HUNTINGTON ST	CO		N																						
44.00		43.70	MP MARKER	R		44																									
			INTRSECTN	L		191ST AVE SW	CO		N																						
44.42		44.12	INTRSECTN	R		PVT RD	PV		Y																						
44.44		44.14	INTRSECTN	L		JOSELYN ST SW	CO		Y																						
44.54		44.24								1	1																				
44.66		44.36	INTRSECTN	R		OLD HWY 9 SW	CO		Y																						
44.92		44.62	RR XING	B		NUM 92568N STRUCTURE				1	1																				
			BEG BRIDGE	B		BN RR	ST																								
						BRDG NUM 012/114				1	1																				
44.97		44.67	END BRIDGE	B		BN RR																									
44.98		44.68	MP MARKER	R		45																									
45.20		44.90	INTRSECTN	B		PECAN ST SW	CO		N																						
45.98		45.68	MP MARKER	R		46																									
46.12		45.82								1	1																				
46.37		46.07	INTRSECTN	L		ELDERBERRY ST	CO		SG	Y	1	1																			
			INTRSECTN	R		OLD HWY 99 SW	CO		SG	Y																					
46.52		46.22	RR XING	B		NUM 396762Y STRUCTURE				1	1																				
			BEG BRIDGE	B		CW RR	ST																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
42.53	42.23			.03	12				
42.85	42.55	.05	12					.03	12
44.42	44.12								
44.66	44.36			.06	12			.03	15
46.37	46.07	.03	12					.04	12

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				:	:		-UXING-	LNS	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
				:	:		-XROAD-	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	WID	WID								
				:	:		OW TC L	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
73.73			73.43																						
74.00			73.70	R																					
74.17			73.87	R			CO	Y																	
				L			CO	Y																	
75.00			74.70	R																					
75.16			74.86	R			CO	N																	
76.00			75.70	R																					
76.96			76.66	R			CO	N																	
77.00			76.70	R																					
77.14			76.84	L			CO	N																	
77.52			77.22																						
77.59			77.29	L			12A																		
77.78			77.48	B																					
				L			ST	N																	
78.00			77.70	R																					
78.08			77.78	L			12A																		
78.42			78.12	R			CO	Y																	
				L			CO	Y																	
				R																					
78.65			78.35	L			CO	N																	
				R			CO	N																	
78.88			78.58	L			CO	N																	
				R			CO	N																	
78.94			78.64	L			CO	N																	
78.99			78.69	R																					
				B			ST																		
79.02			78.72	B																					
79.18			78.88																						
79.33			79.03	R			12A																		
79.84			79.54	R			CO	N																	
80.00			79.70	R																					
80.04			79.74	R																					
80.14			79.84																						
80.28			79.98	L			ST	Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
74.17		73.87	.04	12	.03	12	.05	12	.06	12
78.42		78.12	.03	12			.03	12		
80.28		79.98	.03	12						

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T	P	S		
:DIRECTION TO INVENTORY							NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
:LEFT/RIGHT INDICATOR							OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
80.35		80.05																							
80.36		80.06	END SU LN	R		CLIMBING																			
80.61		80.31	INTRSECTN	B		GERSHICK RD	12A																		
80.90		80.60	MISC FEATR	L		SGN ENT SILVER CREEK	CO	N																	
81.00		80.70	MP MARKER	R		81																			
81.07		80.77	INTRSECTN	L		FILBERT RD	CO	N																	
82.00		81.70	MP MARKER	R		82																			
			BEG BRIDGE	B		MAYFIELD LAKE	ST																		
						BRDG NUM 012/234																			
82.20		81.90	END BRIDGE	B		MAYFIELD LAKE																			
82.72		82.42	INTRSECTN	L		BAKER DR	CO	N																	
			INTRSECTN	R		WINSTON CREEK RD	CO	N																	
83.00		82.70	MP MARKER	R		83																			
83.19		82.89	INTRSECTN	L		VILLAGE RD	CO	N																	
83.66		83.36	INTRSECTN	L		BEACH RD	CO	N																	
83.72		83.42																							
84.01		83.71	MP MARKER	R		84																			
84.24		83.94	BEG BRIDGE	B		KLICKITAT CREEK	ST																		
						BRDG NUM 012/236																			
84.25		83.95	END BRIDGE	B		KLICKITAT CREEK																			
84.62		84.32	INTRSECTN	B		WILSON RD	CO	N																	
85.01		84.71	MP MARKER	R		85																			
85.25		84.95																							
85.36B		85.06	BEG EQ			BEGIN BACK																			
85.36		85.07	EQUATION			085.37B=085.36																			
			INTRSECTN	B		BIRLEY RD	CO	Y																	
85.46		85.17																							
85.66		85.37																							
85.75		85.46	MISC FEATR	B		BOX CULVERT																			
85.87		85.58	MISC FEATR	R		OLD ALIGN. OF ALDRICH RD																			
85.89		85.60																							
86.00		85.71																							
86.01		85.72	MP MARKER	R		86																			
86.20		85.91																							
86.26		85.97																							
86.63		86.34	ENTER CITY			MOSSYROCK																			
			MISC FEATR	R		SGN ENT MOSSYROCK																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
85.36		85.07	.03	12	.03	12				

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
T R I P S S Y S T E M
STATE HIGHWAY LOG

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY LEWIS

DOT DISTRICT 4

			-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----									
SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		TOT	MTCE	CITY	ST	LEGAL					
			:LEFT/RIGHT INDICATOR	:	NBR	LFT	RHT	LFT	RDY	RHT	USE	LNS	RDY	LNS					RDY	WID	WID	FC	NBR	FC
:	:	:	D	LR	DESCRIPTION	OW	TC	L	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	FC	IB	R	K	T		
86.64	86.35								1	1			8A	24A	8A		24	2	02	0810	R1	55	R	B
86.88	86.59	INTRSECTN	L		SR 122-HARMONY RD	ST																		
		INTRSECTN	R		WILLIAMS ST	CT																		
86.95	86.66	LEAVE CITY			MOSSYROCK				1	1			8A	24A	8A		24	2	02	\$\$\$\$	R1	55	R	\$
87.00	86.71	MP MARKER	R		87																			
		MISC FEATR	L		SGN ENT MOSSYROCK																			
87.37	87.08	INTRSECTN	L		DAMRON RD	CO																		
87.60	87.31	REST AREA	L		COWLITZ RIVER BR																			
			L		CS 210691 L463 MAJOR																			
87.72	87.43	BEG BRIDGE	B		COWLITZ RIVER	ST			1	1			\$\$C	28A	\$\$C		28	2	02		R1	55	R	
					BRDG NUM 012/238																			
87.94	87.65	END BRIDGE	B		COWLITZ RIVER				1	1			8A	24A	8A		24	2	02		R1	55	R	
88.00	87.71	MP MARKER	R		88																			
88.23	87.94	INTRSECTN	L		LARSON RD	CO																		
89.00	88.71	MP MARKER	R		89																			
89.24	88.95	BEG BRIDGE	B		CORN CREEK	ST			1	1			\$\$C	28A	\$\$C		28	2	02		R1	55	R	
					BRDG NUM 012/240																			
89.32	89.03	END BRIDGE	B		CORN CREEK				1	1			8A	24A	8A		24	2	02		R1	55	R	
89.48	89.19	BEG BRIDGE	B		TWIN CANYON	ST			1	1			\$\$C	28A	\$\$C		28	2	02		R1	55	R	
					BRDG NUM 012/241																			
89.56	89.27	END BRIDGE	B		TWIN CANYON				1	1			8A	24A	8A		24	2	02		R1	55	R	
90.00	89.71								1	1			7A	24A	7A		24	2	02		R1	55	R	
90.05	89.76	MP MARKER	R		90																			
91.00	90.71	MP MARKER	R		91																			
92.00	91.71	MP MARKER	R		92																			
92.99	92.70	MP MARKER	R		93																			
93.57	93.28	BEG SU LN	L		CLIMBING			12A	1	1			5A	24A	7A	12	36	2	02		R1	55	R	
93.96	93.67	INTRSECTN	R		HIGHLAND VALLEY RD	CO			N	1	1		4A	24A	7A	12	36	2	02		R1	55	R	
		INTRSECTN	L		SHORT RD	CO																		
94.00	93.71	MP MARKER	R		94																			
95.03	94.74	MP MARKER	R		95																			
95.08	94.79	END SU LN	L		CLIMBING			12A	1	1			8A	23A	8A	\$\$\$	23	2	02		R1	55	R	
95.46	95.17								1	1			7A	24A	7A		24	2	02		R1	55	R	
96.00	95.71	MP MARKER	R		96																			
96.31	96.02	INTRSECTN	L		CRUMB RD	CO																		
		INTRSECTN	R		HIGHLAND VALLEY RD	CO																		
96.88	96.59	BEG BRIDGE	B		LAKE CREEK	ST			1	1			\$\$C	36P	\$\$C		36	2	02		R1	55	R	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
86.88	86.59	.04	13	.03	13				

SR 012 MAINLINE U.S. ROUTE - USSH COUNTY LEWIS DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----					
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
:DIRECTION TO INVENTORY							-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
:LEFT/RIGHT INDICATOR							-UXING-	LNS	SHD	RDY	SHD	LFT	RHT	USE	RDY	A	SE	D	IB	R	K	T
:							-XROAD-	D	I	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	FC	FC	R	K	T
:							OW	TC	L	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	R	K	T
96.88			96.59			BRDG NUM 012/245			1	1												
96.91			96.62	B		LAKE CREEK			1	1												
96.99			96.70	R		MP MARKER 97																
97.30			97.01			ENTER CITY MORTON			1	1												
97.31			97.02	L		INTRSECTN 7TH ST	CT	N														
97.34			97.05			LEAVE CITY MORTON			1	1												
97.40			97.11			ENTER CITY MORTON			1	1												
97.50			97.21			LEAVE CITY MORTON			1	1												
97.69			97.40	L		INTRSECTN SR 7	ST	Y														
97.82			97.53	L		MISC FEATR L SGN ENT MORTON																
98.00			97.71	R		MP MARKER 98			1	1												
				B		BEG BRIDGE LAKE CREEK	ST															
						BRDG NUM 012/249																
98.02			97.73	B		END BRIDGE LAKE CREEK			1	1												
98.48			98.19	L		INTRSECTN TEMPLE RD	CO	N														
99.00			98.71	R		MP MARKER 99																
99.05			98.76	L		INTRSECTN GUN CLUB RD	CO	N														
99.76			99.47	L		ENT/EXIT WEIGH STATION	ST	N														
99.81			99.52	L		WEIGH STA NUMBER 76																
99.87			99.58	L		ENT/EXIT WEIGH STATION	ST	N														
100.00			99.71	R		MP MARKER 100																
100.55			100.26	L		INTRSECTN PRIEST RD	CO	N														
101.00			100.71	R		MP MARKER 101																
101.62			101.33	L		INTRSECTN DAVIS LAKE RD	CO	N														
102.01			101.72	R		MP MARKER 102																
102.67			102.38	B		LOGGING RD BRDG NUM 012/251	ST															
102.97			102.68	R		INTRSECTN KOSMOS RD	CO	N														
103.00			102.71	R		MP MARKER 103																
103.43			103.14	R		INTRSECTN FISHER RD	CO	N														
104.00			103.71	R		MP MARKER 104																
104.02			103.73	R		INTRSECTN UDEN RD	CO	N														
104.58			104.29	R		MISC FEATR L SGN ENT GLENOMA			1	1												
104.80			104.51	R		INTRSECTN GLENOMA RD	CO	Y														
				L		INTRSECTN FROST CREEK RD	CO	Y														
105.00			104.71	R		MP MARKER 105																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
97.69		97.40	.04	12			.08	11		.08	12
104.80		104.51	.05	12		.06	12				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----													
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S									
:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :							-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	TOT	A	SE	NBR	FC	D	IB	R	K	T
: : : :							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID
111.01	110.72	INTRSECTN	R			SAVIO RD	CO	N	1	1								7A	24A	7A		24	2	02		R1		55	R	
111.78	111.49																	5A	24A	5A		24	2	02		R1		55	R	
111.83	111.54																	7A	24A	5A		24	2	02		R1		55	R	
111.94	111.65																	7A	24A	7A		24	2	02		R1		55	R	
112.01	111.72	MP MARKER	R			112																								
112.09	111.80																	7A	24A	6A		24	2	02		R1		55	R	
112.52	112.23	INTRSECTN	R			SAVIO RD	CO	N																						
112.53	112.24																	7A	24A	7A		24	2	02		R1		55	R	
112.94	112.65																	7A	24A	5A		24	2	02		R1		55	R	
113.00	112.71	INTRSECTN	R			GARBAGE DUMP RD	CO	N	1	1							7A	24A	7A		24	2	02		R1		55	R		
113.01	112.72	MP MARKER	R			113																								
113.48	113.19	INTRSECTN	L			PETERS CREEK RD	CO	N																						
113.67	113.38	INTRSECTN	L			LEROY RD	CO	N																						
113.68	113.39																	6A	24A	7A		24	2	02		R1		55	R	
113.74	113.45																	7A	24A	7A		24	2	02		R1		55	R	
113.84	113.55																	8A	24A	8A		24	2	02		R1		55	R	
114.00	113.71	MP MARKER	R			114																								
114.03	113.74	INTRSECTN	R			PETERS RD	CO	N																						
114.13	113.84																	8A	24A	8A		24	2	02		R1		55	L	
114.42	114.13	INTRSECTN	L			SILVERBROOK RD	CO	N	1	1							7A	24A	7A		24	2	02		R1		55	L		
114.78	114.49	MISC FEATR	R			SGN ENT RANDLE																								
114.83	114.54																	7A	24A	7A		24	2	02		R1		35	L	
114.91	114.62	INTRSECTN	B			MCKAY RD	CO	Y	1	1							\$\$C	37A	\$\$C		37	2	02		R1		35	L		
114.95	114.66																	C	54A	C		54	2	02		R1		35	L	
115.00	114.71	MP MARKER	R			115																								
115.01	114.72	INTRSECTN	L			CHILCOAT AVE	CO	Y																						
		INTRSECTN	R			SR 131-CISPUS RIVER RD	ST	Y																						
115.05	114.76																	4A	32A	4A		32	2	02		R1		35	L	
115.09	114.80	INTRSECTN	L			CO RD	CO	N	1	1							4A	32A	7A		32	2	02		R1		35	L		
115.14	114.85																	7A	24A	7A		24	2	02		R1		35	L	
115.19	114.90	INTRSECTN	L			CO RD	CO	N																						
115.24	114.95																	9A	24A	10A		24	2	02		R1		35	L	
115.25	114.96																	9A	24A	10A		24	2	02		R1		55	L	
115.28	114.99	INTRSECTN	L			SILVERBROOK RD CONN	CO	Y																						
115.89	115.60	INTRSECTN	L			SLAGLE RD	CO	N																						
116.00	115.71	MP MARKER	R			116																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
114.03	113.74			.03	.03	.12				
115.01	114.72		.04	.12	.06	.12				.05

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
							:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		LEGAL		T		P		S	
							:LEFT/RIGHT INDICATOR		NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	USE	TOT	LNS	RDY	MTCE	CITY	ST
									WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
116.04	115.75																									
116.13	115.84		INTRSECTN	B		KEHOE RD	CO	Y	1	1				9A	24A	10A			24	2	02		R1	55	L	
116.48	116.19		INTRSECTN	L		KINDLE RD	CO	Y						8A	23A	12A			23	2	02		R1	55	L	
116.63	116.34		INTRSECTN	R		KEHOE RD	CO	Y																		
116.66	116.37		BEG BRIDGE	B		SILVER CREEK BRDG NUM 012/261	ST		1	1				\$\$\$	36P	\$\$\$			36	2	02		R1	55	L	
116.69	116.40		END BRIDGE	B		SILVER CREEK			1	1				10A	23A	10A			23	2	02		R1	55	L	
116.86	116.57		MISC FEATR	L		SGN ENT RANDLE																				
116.87	116.58		INTRSECTN	L		GHARET RD	CO	N																		
117.00	116.71		MP MARKER	R		117																				
117.37	117.08		INTRSECTN	L		YOUNG RD	CO	N																		
			INTRSECTN	R		JOERK RD	CO	N																		
117.52	117.23		BEG BRIDGE	B		SURREY CREEK BRDG NUM 012/262	ST		1	1				\$\$\$	36P	\$\$\$			36	2	02		R1	55	L	
117.55	117.26		END BRIDGE	B		SURREY CREEK			1	1				10A	24A	10A			24	2	02		R1	55	L	
118.00	117.71		MP MARKER	R		118																				
118.72	118.43								1	1				10A	23A	11A			23	2	02		R1	55	L	
119.00	118.71		MP MARKER	R		119																				
119.14	118.85		INTRSECTN	L		CHAPMAN RD	CO	N	1	1				11A	24A	10A			24	2	02		R1	55	L	
119.75	119.46								1	1				11A	23A	11A			23	2	02		R1	55	L	
119.99	119.70		MP MARKER	R		120																				
120.45	120.16		INTRSECTN	L		SILVERBROOK RD	CO	N																		
120.53	120.24		BEG BRIDGE	B		HOPKINS CREEK BRDG NUM 012/263	ST		1	1				\$\$\$	36A	\$\$\$			36	2	02		R1	55	L	
120.54	120.25		END BRIDGE	B		HOPKINS CREEK			1	1				11A	23A	11A			23	2	02		R1	55	L	
120.93	120.64		INTRSECTN	L		DAVIS CREEK RD	CO	N																		
121.00	120.71		MP MARKER	R		121																				
121.80	121.51		BEG BRIDGE	B		DAVIS CREEK BRDG NUM 012/264	ST		1	1				\$\$\$	36A	\$\$\$			36	2	02		R1	55	L	
121.82	121.53		END BRIDGE	B		DAVIS CREEK			1	1				11A	23A	11A			23	2	02		R1	55	L	
121.99	121.70		MP MARKER	R		122																				
122.48	122.19		INTRSECTN	L		DAVIS CREEK RD	CO	N																		
122.66	122.37		INTRSECTN	L		CARR RD	CO	N																		
122.76	122.47		BEG BRIDGE	B		COWLITZ RIVER BRDG NUM 012/265	ST		1	1				\$\$\$	26P	\$\$\$			26	2	02		R1	55	L	
122.86	122.57		END BRIDGE	B		COWLITZ RIVER			1	1				9A	23A	9A			23	2	02		R1	55	L	
123.00	122.71		MP MARKER	R		123																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	LEFT--	L--CNTR	R--CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
116.13	115.84		.03	12			.03	12				

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

			:DIRECTION TO INVENTORY	-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
			: :LEFT/RIGHT INDICATOR	-UXING-	NBR	DECREAS/DIV		INCRS/UNDI			SPC																						
			:	-XROAD-	LNS	LFT	RHT	LFT	RHT	USE	TOT																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	WID	MTCE	CITY	ST	LEGAL	T	P	S				
165.98	165.62															4G	22B	4G				22	2	03		R1				50	M		
166.00	165.64		MP MARKER	R		166																				R1				55	M		
166.08	165.72															4G	22B	4G				22	2	03		R1				55	M		
166.09	165.73		BEG SU LN	R		SLOW VEHICLE					12B					2B	22B	2B	12			34	2	03		R1				55	M		
166.13	165.77		BEG SU LN	L		CHAIN UP					12B					2B	22B	2B	24			46	2	03		R1				55	M		
166.17	165.81		INTRSECTN	L		WILDCAT RD				CO	N																						
166.27	165.91		END SU LN	L		CHAIN UP					12B					4G	22B	2B	12			34	2	03		R1				55	M		
166.33	165.97		END SU LN	R		SLOW VEHICLE					12B					4G	22B	4G	\$\$\$			22	2	03		R1				55	M		
167.00	166.64		MP MARKER	R		167																											
167.47	167.11															3B	22B	2B				22	2	03		R1				55	M		
167.89	167.53		INTRSECTN	L		SOUP CREEK RD				CO	N																						
167.91	167.55		INTRSECTN	R		TIETON RD				CO	N																						
167.98	167.62															4G	22B	4G				22	2	03		R1				55	M		
168.00	167.64		MP MARKER	R		168																											
168.03	167.67		BEG BRIDGE B			SOUP CREEK				ST																							
						BRDG NUM 012/310C																											
168.04	167.68		END BRIDGE B			SOUP CREEK																											
168.31	167.95		INTRSECTN	L		BETHEL RIDGE RD				CO	N																						
168.34	167.98		INTRSECTN	L		FS RD				FS	N																						
168.41	168.05		INTRSECTN	L		FS RANGER STATION				FS	N																						
168.46	168.10		INTRSECTN	L		FS RANGER STATION				FS	N																						
168.50	168.14		INTRSECTN	R		HAUSE CREEK CAMPGROUND				FS	N																						
168.53	168.17		INTRSECTN	L		FS RD				FS	N																						
168.66	168.30		ENT/EXIT	R		RIVER BEND CAMPGROUND				FS	N																						
169.00	168.64		MP MARKER	R		169																											
169.77	169.41		BEG SU LN	R		SLOW VEHICLE					12B					4G	22B	\$\$\$	12			34	2	03		R1				55	M		
169.81	169.45		ENT/EXIT	R		WILD ROSE CAMPGROUND				FS	N																						
169.86	169.50		ENT/EXIT	R		WILD ROSE CAMPGROUND				FS	N																						
170.00	169.64		END SU LN	R		SLOW VEHICLE					12B					5G	22B	8G	\$\$\$			22	2	03		R1				55	M		
			MP MARKER	R		170																											
170.33	169.97		ENT/EXIT	R		WILLOWS CAMPGROUND				FS	N																						
170.72	170.36		INTRSECTN	L		FS RD #2923				FS	N																						
171.00	170.64		MP MARKER	R		171																											
171.99	171.63		MP MARKER	R		172																											
172.52	172.16															5G	22B	8G				22	2	03		R1				45	M		
172.64	172.28		MISC FEATR	R		SGN ENT RIMROCK RETREAT																											
172.68	172.32															4G	22B	10G				22	2	03		R1				45	M		
172.99	172.63		MISC FEATR	L		SGN ENT RIMROCK RETREAT																											
173.03	172.67															4G	22B	4G				22	2	03		R1				45	M		
173.04	172.68		MP MARKER	R		173																											
173.14	172.78															4G	22B	4G				22	2	03		R1				60	M		
173.99	173.63		MP MARKER	R		174																											
174.95	174.59		BEG SU LN	R		SLOW VEHICLE					13B					4G	22B	1B	13			35	2	03		R1				60	M		

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S											
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T						
185.34	184.96	END BRIDGE	B			NACHES RIVER				1	1			8A	24A	8A				24	2	03			R1		60	R								
185.44	185.06	INTRSECTN	R			SR 12 WYE CONN	ST	Y																												
185.45	185.07	INTRSECTN	L			SR 410 WYE CONN	ST	Y																												
185.46	185.08	INTRSECTN	L			SR 410	ST	RF	Y	1	1			8A	24A	8A				24	2	03			R1		\$\$	R								
		INTRSECTN	L			OLD NACHES HWY	CO	RF	Y																											
185.47	185.09									1	1			8A	24A	8A				24	2	03			R1		55	R								
185.48	185.10	INTRSECTN	R			SR 12 WYE CONN	ST	Y																												
185.49B	185.11	BEG EQ				BEGIN BACK																														
185.49	185.16	EQUATION				185.54B=185.49				1	1			8A	24A	8A				24	2	03			R1		60	R								
185.62	185.29	TRAF RCDR	B			S818 3				1	1			2A	24A	3A				24	2	03			R1		60	R								
185.65	185.32									1	1																									
186.00	185.67	MP MARKER	R			186																														
187.00	186.67	MP MARKER	R			187																														
188.00	187.67	MP MARKER	R			188																														
188.22	187.89	INTRSECTN	R			CO RD	CO		N																											
188.65	188.32	INTRSECTN	L			W NACHES RD	CO		N																											
188.99	188.66	UXING	B			MILL PIPE TRUSS	ST																													
						BRDG NUM 012/322																														
189.00	188.67	MP MARKER	R			189																														
189.36	189.03									1	1			2A	24A	3A				24	2	03			R1		40	R								
189.38	189.05									1	1			4A	22A	4A				22	2	03			R1		40	R								
189.42	189.09	MISC FEATR	R			SGN ENT NACHES																														
189.46	189.13	BEG SU LN	C			TWO WAY TURN	15A			1	1			4A	22A	4A	15			37	2	03			R1		40	R								
189.59	189.26	ENTER CITY				NACHES				1	1			4A	22A	4A	15			37	2	03	0835		R1		40	R	B							
189.80	189.47	END SU LN	C			TWO WAY TURN	15A			1	1			8A	37A	8A	\$\$\$			37	2	03	0835		R1		40	R	B							
189.87	189.54	INTRSECTN	L			CANAL AVE				CT	SG	Y																								
		INTRSECTN	R			S NACHES RD				CT	SG	Y																								
189.95	189.62	BEG SU LN	C			TWO WAY TURN	15A			1	1			8A	22A	8A	15			37	2	03	0835		R1		40	R	B							
190.00	189.67	MP MARKER	R			190																														
190.14	189.81	INTRSECTN	L			SHAFER AVE				CT	Y																									
190.19	189.86	END SU LN	C			TWO WAY TURN	15A			1	1			8A	22A	8A	\$\$\$			22	2	03	0835		R1		40	R	B							
190.42	190.09	MISC FEATR	L			SGN ENT NACHES				1	1			8A	22A	4A				22	2	03	0835		R1		40	R	P							
190.46	190.13	LEAVE CITY				NACHES				1	1			8A	22A	4A				22	2	03	\$\$\$\$		R1		60	L	\$							
190.65	190.32									1	1	4A	14A	4A	82S	DE				4A	14A	10A			28	2	03		R1		60	L				

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
185.44	185.06			.04	12					
185.46	185.08				.04	12				
185.48	185.10								.11	12
189.87	189.54		.05	15		.05	15			

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		MTCE		CITY		LEGAL		T	P	S									
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T				
190.77	190.44		MP MARKER	B		191				2	2	4A	24A	3A	82S	DE	4A	24A	10A			48	2	03			R1		60	L						
190.99	190.66		MP MARKER	B		191																														
191.11	190.78		INTRSECTN	B		ALLAN RD	CO		N																											
			INTRSECTN	C		MEDIAN XROAD	ST		N																											
191.99	191.66		MP MARKER	B		192																														
192.01	191.68		INTRSECTN	L		LOCUST LN	CO		N																											
			INTRSECTN	C		MEDIAN XROAD	ST		N																											
192.49	192.16		ENT/EXIT	R		PUBLIC FISHING	ST		N																											
			INTRSECTN	C		MEDIAN XROAD	ST		N																											
192.80	192.46		EQUATION			192.79 =192.80																														
192.97	192.63									2	2	4A	24A	3A	84S	DE	4A	24A	10A			48	2	03			R1		60	L						
192.99	192.65		MP MARKER	B		193																														
193.02	192.68									2	2	4A	25A	3A	84S	DE	4A	24A	10A			49	2	03			R1		60	L						
193.04	192.70		BEG BRIDGE	I		PACIFIC POWER SPILLWAY	ST			2	2	\$\$\$	30A	\$\$\$	840	\$\$	\$\$\$	38A	\$\$\$			68	2	03			R1		60	L						
			BEG BRIDGE	D		PACIFIC POWER SPILLWAY	ST																													
						BRDG NUM 012/323N																														
193.06	192.72		END BRIDGE	I		PACIFIC POWER SPILLWAY				2	2	10A	25A	4A	84S	DE	4A	25A	10A			50	2	03			R1		60	L						
			END BRIDGE	D		PACIFIC POWER SPILLWAY																														
193.67	193.33		INTRSECTN	B		LOW RD	CO		N	2	2	10A	25A	4A	60S	DE	4A	25A	10A			50	2	03			R1		60	L						
			INTRSECTN	C		MEDIAN XROAD	ST		N																											
194.00	193.66		MP MARKER	B		194																														
194.38	194.04									2	2	4A	24A	4A	60S	DE	4A	25A	10A			49	2	03			R1		60	L						
194.68	194.34		INTRSECTN	C		MEDIAN XROAD	ST		N																											
			INTRSECTN	B		KERSHAW DR	CO		N																											
195.00	194.66		MP MARKER	B		195																														
195.29	194.95		INTRSECTN	L		ESCHBACH RD	CO		N																											
			INTRSECTN	C		MEDIAN XROAD	ST		N																											
195.83	195.49									2	2	10A	25A	4A	60S	DE	4A	25A	10A			50	2	03			R1		60	L						
195.99	195.65		MP MARKER	B		196																														
196.14	195.80		INTRSECTN	C		MEDIAN XROAD	ST		Y																											
			INTRSECTN	L		MAPLEWAY RD	CO		Y																											
			INTRSECTN	R		MCLAUGHLIN RD	CO		Y																											
196.67	196.33		INTRSECTN	B		MCCORMICK RD	CO		Y																											
			INTRSECTN	C		MEDIAN XROAD	ST		Y																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
195.29	194.95		.04	12						
196.14	195.80		.04	12		.04	12			
196.67	196.33		.03	12		.03	12			

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
							-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
199.65	199.34	MISC FEATR	L			GORE (S119937)		2	2	10A	25A	4A	54S	DE	4A	25A	10A	50	2	01	1485	U1	60	L	P							
199.92	199.61	BEG BRIDGE	D			W-W RAMP/BN RR	ST	2	2	\$\$C	38A	\$\$C	54S	DE	4A	25A	10A	63	2	01	1485	U1	60	L	P							
199.95	199.64	BEG BRIDGE	I			BRDG NUM 012/331N																										
199.95	199.64	BEG BRIDGE	I			W-W RAMP/BN RR	ST	2	2	C	38A	C	540	\$\$	\$\$C	38A	\$\$C	76	2	01	1485	U1	60	L	P							
199.95	199.64	BEG BRIDGE	I			BRDG NUM 012/331S																										
200.01	199.70	END BRIDGE	D			W-W RAMP/BN RR		2	2	10A	25A	4A	60S	DE	C	38A	C	63	2	01	1485	U1	60	L	P							
200.03	199.72	END BRIDGE	I			W-W RAMP/BN RR		2	2	10A	25A	4A	60S	DE	4A	25A	10A	50	2	01	1485	U1	60	L	P							
200.04	199.73	MP MARKER	B			200																										
200.13	199.82	BEG BRIDGE	I			W-E RAMP	ST	2	2	\$\$C	38P	\$\$C	600	\$\$	\$\$C	38P	\$\$C	76	2	01	1485	U1	60	L	P							
200.13	199.82	BEG BRIDGE	D			BRDG NUM 012/342S																										
200.13	199.82	BEG BRIDGE	D			W-E RAMP	ST																									
200.13	199.82	BEG BRIDGE	D			BRDG NUM 012/342N																										
200.16	199.85	END BRIDGE	I			W-E RAMP		2	2	10A	25A	4A	60S	DE	4A	25A	10A	50	2	01	1485	U1	60	L	P							
200.16	199.85	END BRIDGE	D			W-E RAMP																										
200.27	199.96	MISC FEATR	R			GORE (Q120055)																										
200.41	200.10	MISC FEATR	L			GORE (R120055)																										
200.55	200.24	OFF RAMP	L			FRUITVALE BLVD	ST																									
200.55	200.24	ON RAMP	R			FRUITVALE BLVD	ST																									
200.83	200.52	MED XING	C			OFFICIAL																										
200.99	200.68	MP MARKER	B			201																										
201.03	200.72	ON RAMP	L			16TH AVE	ST																									
201.21	200.90	OFF RAMP	R			16TH AVE	ST																									
201.32	201.01	MISC FEATR	R			GORE (P120121)																										
201.34	201.03	MISC FEATR	L			GORE (S120103)																										
201.56	201.25	UXING	B			16TH AVE	ST																									
201.56	201.25	UXING	B			BRDG NUM 012/344																										
201.75	201.44	MISC FEATR	L			GORE (R120187)																										
201.77	201.46	MISC FEATR	R			GORE (Q120204)																										
201.87	201.56	OFF RAMP	L			16TH AVE	ST																									
201.99	201.68	MP MARKER	B			202																										
202.04	201.73	ON RAMP	R			16TH AVE	ST																									
202.12	201.81	BEG BRIDGE	I			BN RR	ST	2	2	\$\$C	38P	\$\$C	600	\$\$	\$\$C	38P	\$\$C	76	2	01	1485	U1	60	L	P							
202.12	201.81	BEG BRIDGE	I			BRDG NUM 012/346S																										
202.12	201.81	BEG BRIDGE	I			RR XING	B																									
202.12	201.81	BEG BRIDGE	D			NUM 98491Y STRUCTURE																										
202.12	201.81	BEG BRIDGE	D			BN RR	ST																									
202.12	201.81	BEG BRIDGE	D			BRDG NUM 012/346N																										
202.15	201.84	ON RAMP	L			SR 82	ST																									
202.20	201.89	END BRIDGE	I			BN RR		2	2	10A	24A	4A	40S	DE	4A	24A	10A	48	2	01	1485	U1	60	L	P							
202.20	201.89	END BRIDGE	D			BN RR																										
202.25	201.94	OFF RAMP	R			N 1ST ST	ST																									
202.37	202.06	MISC FEATR	R			GORE (P120225)																										
202.43	202.12	MISC FEATR	L			GORE (SR 82 P203096)																										
202.44	202.13	OFF RAMP	R			SR 82	ST	Y	2	1	10A	24A	4A	40S	DE	4A	12A	10A	36	2	01	1485	U1	60	L	P						

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----														
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	-----		LEGAL		T	P	S									
:DIRECTION TO INVENTORY						-BRIDGE-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S											
: :LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S								
:						OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T							
279.97	279.66		ENTER CO			FRANKLIN																									
291.67	288.81		ENTER CITY			PASCO		2	2	10A	24A	8A	40S	DE	4A	24A	10A		48	3	01	0960	U1		60	L	P				
			EQUATION			289.12 =291.67																									
			BEG CTLSEC			CONTROL SECTION 1102																									
			END COINCI			SR 182 MP015.19																									
291.71	288.85		ON RAMP	L		PASCO KAHLOTUS RD	ST																								
291.80	288.94		OFF RAMP	R		E LEWIS ST	ST																								
291.95	289.09		MISC FEATR	R		GORE (P129180)																									
292.00	289.14		MISC FEATR	L		GORE (S129171)																									
292.02	289.16		MP MARKER	B		292																									
292.27	289.41		OFF RAMP	R		PASCO KAHLOTUS RD	ST																								
292.33	289.47		MISC FEATR	L		GORE (R529248)																									
292.39	289.53		UXING	B		E LEWIS ST	ST																								
						BRDG NUM 012/502																									
292.42	289.56		MISC FEATR	R		GORE (P529227)																									
292.48	289.62		OFF RAMP	L		E LEWIS ST	ST																								
292.64	289.78		MISC FEATR	L		GORE (R129279)																									
292.75	289.89							2	2	10A	24A	10A	40S	DE	4A	24A	10A		48	3	01	0960	U1		60	R	P				
292.79	289.93		OFF RAMP	L		PASCO KAHLOTUS RD	ST																								
			MISC FEATR	R		GORE (Q129310)																									
293.03	290.17		MP MARKER	B		293																									
293.10	290.24		ON RAMP	R		E LEWIS ST	ST																								
293.21	290.35		LEAVE CITY			PASCO		2	2	10A	24A	8A	40S	DE	4A	24A	10A		48	3	01	\$\$\$\$	U1		60	L	\$				
293.43	290.57							2	2	10A	24A	10A	40S	DE	4A	24A	10A		48	3	01		U1		60	L					
293.61	290.75		INTRSECTN	R		A ST WYE CONN	CO																								
293.62	290.76		INTRSECTN	R		A ST	CO																								
293.71	290.85		INTRSECTN	R		A ST WYE CONN	CO																								
294.04	291.18		MP MARKER	B		294																									
294.16B	291.30		BEG EQ			BEGIN BACK		2	2	10A	24A	8A	40S	DE	4A	24A	10A		48	3	01		U1		60	L					
294.16	291.34		EQUATION			294.20B=294.16																									
294.38	291.56		INTRSECTN	L		TANK FARM RD	CO	Y	2	2	10A	24A	8A	40S	DE	4A	24A	10A		48	3	01		U1		50	L				
			ENT/EXIT	R		STATE PARK	ST	Y																							
294.51	291.69		BEG BRIDGE I			SNAKE RIVER	ST		2	2	\$\$W	28P	\$\$W	400	\$\$	\$\$W	38P	\$\$W		66	3	01		U1		50	L				
						BRDG NUM 012/512S																									
			BEG BRIDGE D			SNAKE RIVER	ST																								
						BRDG NUM 012/512N																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----														
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--										
			LGT	WD	LGT	WD	LGT	WD	LGT	WD										
293.62	290.76		.03	13		.05	13													
294.38	291.56		.03	13		.04	13	.04	16	.12	12	.05	12	.03	13					

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY WALLA WALLA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S													
							OW	TC	L	NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	RHT	USE	RDY	MTCE	A	SE	NBR	FC	D	IB	R	K	T							
294.70	291.88		ENTER CO BEG CTLSEC			WALLA WALLA CONTROL SECTION 3601			2	2	W	28P	W	400		W	38P	W		66	3	01		R1		50	L									
294.85	292.03		END BRIDGE I END BRIDGE D			SNAKE RIVER SNAKE RIVER			2	2	10A	24A	10A	40S	DE	4A	24A	10A		48	3	01		R1		50	L									
295.00	292.18		MP MARKER		B	295																														
295.30	292.48		INTRSECTN INTRSECTN		R	CARGIL RD SR 124			CO		Y																									
295.36	292.54																																			
295.49	292.67																																			
296.00	293.18		MP MARKER		R	296																														
296.16	293.34		INTRSECTN		B	MAPLE ST			CO		Y																									
296.49	293.67		INTRSECTN		R	HUMORIST RD WYE CONN			CO		Y																									
296.52	293.70		INTRSECTN		B	HUMORIST RD			CO	SG	Y																									
296.55	293.73		INTRSECTN		L	HUMORIST RD WYE CONN			CO		Y																									
296.90	294.08																																			
297.00	294.18		MP MARKER		R	297																														
297.78	294.96		INTRSECTN		R	BASIN LP RD			CO		Y																									
298.00	295.18		MP MARKER		R	298																														
298.64	295.82		INTRSECTN		B	HANSON LP RD			CO		Y																									
299.00	296.18		MP MARKER		R	299																														
299.72	296.90		BEG BRIDGE B		B	MCNARY POOL BRDG NUM 012/603			ST																											
299.73	296.91		END BRIDGE B		B	MCNARY POOL																														
300.00	297.18		MP MARKER		R	300																														
300.06	297.24		ENT/EXIT		R	PUBLIC FISHING			ST		N																									
301.00	298.18		MP MARKER		R	301																														
301.11	298.29		INTRSECTN		L	IVARSON RD			CO		Y																									
301.35	298.53		INTRSECTN		R	CO RD			CO		N																									
301.61	298.79		INTRSECTN		L	DODD-IOWA BEEF RD			CO		Y																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
295.30	292.48		.09	12		.03	12		.12	12
296.16	293.34		.03	12		.02	12		.06	12
296.49	293.67					.02	12			
296.52	293.70		.07	12		.07	12			
296.55	293.73									
297.78	294.96					.03	12			
298.64	295.82		.03	12		.03	12			
301.11	298.29		.03	12						
301.61	298.79		.05	12		.08	12		.11	12

SR 012 MAINLINE U.S. ROUTE - USSH COUNTY WALLA WALLA DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																			
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																							
:				-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
307.92		305.10																																		
307.97		305.15	MP MARKER	R		308																														
308.45		305.63	INTRSECTN	L		CO RD	CO																													
308.97		306.15	MP MARKER	R		309																														
310.00		307.18	MP MARKER	R		310																														
310.38		307.56	INTRSECTN	L		WALLULA HAB MGT UNIT RD	CO																													
310.76		307.94	INTRSECTN	R		LAMBIDIN RD	CO																													
310.78		307.96	INTRSECTN	L		WALLULA GAME DEPT RD	CO																													
311.00		308.18	MP MARKER	R		311																														
311.36		308.54	BEG BRIDGE	B		VANSYCLE CANYON	ST																													
						BRDG NUM 012/616																														
311.37		308.55	END BRIDGE	B		VANSYCLE CANYON																														
311.98		309.16	MP MARKER	R		312																														
312.98		310.16	MP MARKER	R		313																														
313.97		311.15	BEG BRIDGE	B		WALLA WALLA RIVER	ST																													
						BRDG NUM 012/619																														
314.01		311.19	END BRIDGE	B		WALLA WALLA RIVER																														
314.02		311.20	MP MARKER	R		314																														
314.04		311.22	INTRSECTN	L		NINE MILE CANYON RD	CO																													
			INTRSECTN	R		BYRNES RD	CO																													
314.16		311.34	BEG BRIDGE	B		NINE MILE CREEK	ST																													
						BRDG NUM 012/620																														
314.20		311.38	END BRIDGE	B		NINE MILE CREEK																														
314.40		311.58	BEG SU LN	R		CLIMBING	11A																													
314.99		312.17	MP MARKER	R		315																														
315.79		312.97																																		
315.80		312.98	END SU LN	R		CLIMBING	11A																													
315.89		313.07																																		
315.99		313.17	BEG SU LN	L		CLIMBING	10A																													
			MP MARKER	R		316																														
316.99		314.17	MP MARKER	R		317																														
317.73		314.91	END SU LN	L		CLIMBING	10A																													
317.98		315.16	MP MARKER	R		318																														
318.99		316.17	MP MARKER	R		319																														
319.10		316.28	INTRSECTN	R		BYRNES RD	CO																													
319.33		316.51	INTRSECTN	L		CUMMINS RD	CO																													
319.35		316.53	BEG BRIDGE	B		TOUCHET RIVER	ST																													

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
319.10		316.28				.03	13				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY WALLA WALLA

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----													
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT														
:				-XROAD-		LNS		SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
319.35		316.53				BRDG NUM 012/624										C	28A		C			28	4	01		R1		60	R
319.38		316.56	END BRIDGE	B		TOUCHET RIVER										7A	24A		7A			24	4	01		R1		60	R
319.70		316.88	MISC FEATR	R		SGN TOUCHET UNINC																							
319.74		316.92														7A	24A		7A			24	4	01		R1		40	R
319.82		317.00	INTRSECTN	B		BALM ST	CO		N																				
319.99		317.17	MP MARKER	R		320																							
320.09		317.27	INTRSECTN	L		TOUCHET RD	CO		Y	1	1					7A	24A		7A			24	4	01		R1		40	L
			INTRSECTN	R		WALNUT RD	CO		Y																				
320.20		317.38	MISC FEATR	L		SGN TOUCHET UNINC										7A	24A		7A			24	4	01		R1		60	L
320.60		317.78	INTRSECTN	R		MCKAY RD	CO		Y																				
			INTRSECTN	L		LARRABEE RD	CO		Y																				
321.00		318.18	MP MARKER	R		321																							
321.14		318.32	INTRSECTN	L		LARRABEE RD	CO		Y																				
			INTRSECTN	R		PVT RD	PV		Y																				
322.00		319.18	MP MARKER	R		322																							
322.88		320.06	BEG BRIDGE	B		WOODWARD CREEK	ST			1	1					\$\$C	28A		\$\$C			28	4	01		R1		60	L
						BRDG NUM 012/630																							
322.89		320.07	END BRIDGE	B		WOODWARD CREEK				1	1					7A	24A		7A			24	4	01		R1		60	L
323.00		320.18	MP MARKER	R		323																							
323.06		320.24	BEG BRIDGE	B		CREEK	ST			1	1					\$\$C	28A		\$\$C			28	4	01		R1		60	L
						BRDG NUM 012/631																							
323.07		320.25	END BRIDGE	B		CREEK				1	1					7A	24A		7A			24	4	01		R1		60	L
323.30		320.48	INTRSECTN	L		WOODWARD CANYON RD	CO		Y																				
324.00		321.18	MP MARKER	R		324																							
324.12		321.30	BEG BRIDGE	B		DRY CREEK	ST			1	1					\$\$W	36A		\$\$W			36	4	01		R1		60	L
						BRDG NUM 012/633																							
324.13		321.31	END BRIDGE	B		DRY CREEK				1	1					7A	24A		7A			24	4	01		R1		60	L
324.15		321.33	INTRSECTN	R		LOWDEN RD	CO		N																				
324.23		321.41								1	1					7A	24A		7A			24	4	01		R1		40	L
324.35		321.53	INTRSECTN	L		MARSHALL ST	CO		N																				
324.54		321.72								1	1					7A	24A		7A			24	4	01		R1		60	L
324.61		321.79	INTRSECTN	L		LOWER DRY CREEK RD	CO		Y																				
325.00		322.18	MP MARKER	R		325																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
320.09		317.27		.03	12						
320.60		317.78		.03	12		.03	12			
321.14		318.32		.03	12						
323.30		320.48		.03	12						
324.61		321.79		.03	12						

SR 012 MAINLINE U.S. ROUTE - USSH COUNTY WALLA WALLA DOT DISTRICT 5

			:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :			-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----				-----CLASSIFICATIONS----															
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	-XROAD- OW TC L	NBR	LNS	SHD	RDY	SHD	RDY	SHD	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
							D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	A	NBR	FC	SPEED	D	R	K	T		
335.65	332.83	MISC FEATR	R		SGN ENT WALLA WALLA		2	2	10A	24A			16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
335.90	333.08	BEG BRIDGE	B		SR 125 BRDG NUM 012/640	ST		2	2	\$\$C	34A		16A	JE		34A	\$\$C	68	4	01	1365	U1	60	L	P	
335.94	333.12	END BRIDGE	B		SR 125			2	2	10A	24A		16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
336.00	333.18	MP MARKER	B		336																					
336.04	333.22	ON RAMP	L		2ND AVE	ST	Y																			
336.05	333.23	RR XING	B		NUM 808501R STRUCTURE			2	2	\$\$C	34A		16A	JE		34A	\$\$C	68	4	01	1365	U1	60	L	P	
		BEG BRIDGE	B		UP RR BRDG NUM 012/642	ST																				
336.10	333.28	END BRIDGE	B		UP RR			2	2	10A	24A		16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
336.15	333.33	BEG BRIDGE	B		9TH AVE N BRDG NUM 012/643	ST		2	2	\$\$C	44A		16A	JE		34A	\$\$C	78	4	01	1365	U1	60	L	P	
336.19	333.37	END BRIDGE	B		9TH AVE N			2	2	10A	24A		16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
336.21	333.39	OFF RAMP	R		2ND AVE	ST	Y																			
336.32	333.50	MISC FEATR	R		GORE (P133621)																					
336.33	333.51	MISC FEATR	L		GORE (S133604)																					
336.46	333.64	MISC FEATR	L		GORE (R533662)																					
336.47	333.65	MISC FEATR	R		GORE (Q533676)																					
336.52	333.70	RR XING	B		NUM 97097T STRUCTURE			2	2	\$\$C	34A		16A	JE		49A	\$\$C	83	4	01	1365	U1	60	L	P	
		BEG BRIDGE	B		2ND AVE/BN RR BRDG NUM 012/645	ST																				
336.61	333.79	END BRIDGE	B		2ND AVE/BN RR			2	2	10A	24A		16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
336.62	333.80	OFF RAMP	L		2ND AVE	ST	Y																			
336.76	333.94	ON RAMP	R		2ND AVE	ST	Y																			
336.80	333.98	BEG SU LN	R		AUXILIARY	12A		2	2	10A	24A		16A	JE		24A	10A	12	60	4	01	1365	U1	60	L	P
336.82	334.00	BEG SU LN	L		AUXILIARY	14A		2	2	10A	24A		16A	JE		24A	10A	26	74	4	01	1365	U1	60	L	P
336.84	334.02	RR XING	B		NUM 808516F GRADE																					
336.85	334.03	INTRSECTN	R		E REES AVE WYE CONN	CT	Y																			
		INTRSECTN	L		E REES AVE WYE CONN	CT	Y																			
336.86	334.04	END SU LN	L		AUXILIARY	14A		2	2	10A	24A		16A	JE		24A	10A	\$\$\$	48	4	01	1365	U1	60	L	P
		END SU LN	R		AUXILIARY	12A																				
		INTRSECTN	L		REES AVE	CT	Y																			
		INTRSECTN	R		E REES AVE	CT	Y																			
336.98	334.16	BEG BRIDGE	B		PEDESTRIAN OXING	ST		2	2	\$\$C	34A		16A	JE		34A	\$\$C	68	4	01	1365	U1	60	L	P	
		BRDG NUM 012/647			PEDESTRIAN OXING																					
337.00	334.18	END BRIDGE	B		337			2	2	10A	24A		16A	JE		24A	10A	48	4	01	1365	U1	60	L	P	
		MP MARKER	B																							
337.17	334.35	LEAVE CITY			WALLA WALLA			2	2	10A	24A		16A	JE		24A	10A	48	4	01	\$\$\$\$	U1	60	L	\$	
337.59	334.77							2	2	10A	24A		16A	UP		24A	10A	48	4	01		U1	60	L		
337.69	334.87	INTRSECTN	L		LOWER WAITSBURG RD	CO	Y																			
		INTRSECTN	R		CLINTON ST	CO	Y																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
337.69	334.87	.03	15	.04	15				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY WALLA WALLA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																					
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			MTCE		CITY		LEGAL		T P S													
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	USE	TOT	RDY	WID	MTCE	A	SE	NBR	FC	ST	SPEED	D	IB	T	P	S			
337.70	334.88		ENTER CITY			WALLA WALLA				2	2	10A	24A		16A	UP		24A	10A			48	4	01	1365	U1			60	L	P								
337.77	334.95		LEAVE CITY			WALLA WALLA				2	2	10A	24A		16A	UP		24A	10A			48	4	01	1365	U1	\$\$\$		60	L	\$								
337.79	334.97									2	2	10A	24A		16A	JE		24A	10A			48	4	01				60	L										
338.00	335.18		MP MARKER	B		338																																	
338.09	335.27		ENTER CITY			WALLA WALLA				2	2	10A	24A		16A	JE		24A	10A			48	4	01	1365	U1		60	L	P									
338.46	335.64		BEG BRIDGE	B		WELLINGTON AVE BRDG NUM 012/650	ST			2	2	\$\$\$	34A	C	16A	JE		34A	\$\$\$			68	4	01	1365	U1		60	L	P									
338.49	335.67		END BRIDGE	B		WELLINGTON AVE				2	2	10A	24A	\$	16A	JE		24A	10A			48	4	01	1365	U1		60	L	P									
338.50	335.68									2	2	10A	24A		16A	UP		24A	10A			48	4	01	1365	U1		60	L	P									
338.72	335.90		INTRSECTN	R		WILBUR AVE	CT	Y																															
338.73	335.91		INTRSECTN	R		WILBUR AVE WYE CONN	CT	Y																															
338.82	336.00									2	2	10A	24A		16A	JE		24A	10A			48	4	01	1365	U1		60	L	P									
338.93	336.11		LEAVE CITY			WALLA WALLA				2	2	10A	24A		16A	JE		24A	10A			48	4	01	1365	U1	\$\$\$		60	L	\$								
339.00	336.18		MP MARKER	B		339																																	
339.25	336.43		ON RAMP	L		AIRPORT RD	ST	Y																															
339.47	336.65		INTRSECTN	R		AIRPORT RD	ST	Y																															
339.57	336.75		MISC FEATR	L		GORE (S133925)																																	
339.60	336.78		MISC FEATR	R		GORE (P133947)																																	
339.74	336.92		BEG BRIDGE	B		AIRPORT RD BRDG NUM 012/652	ST			2	2	\$\$\$	34A		16A	JE		34A	\$\$\$			68	4	01		U1		60	L										
339.77	336.95		END BRIDGE	B		AIRPORT RD				2	2	10A	24A		16A	JE		24A	10A			48	4	01		U1		60	L										
340.00	337.18		MP MARKER	B		340																																	
340.45	337.63									2	2	10A	24A		16A	UP		24A	10A			48	4	01		U1		60	L										
340.53	337.71		INTRSECTN	L		G ST WYE CONN	CO	Y																															
340.55	337.73		INTRSECTN	B		G ST	CO	Y	1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	10A	64A	10A			64	4	01		U1		60	L										
340.57	337.75		INTRSECTN	L		G ST WYE CONN	CO	Y																															
340.78	337.96		ENTER CITY			WALLA WALLA				1	1							10A	24A	10A		24	4	01	1365	U1		60	L	P									
340.82	338.00									1	1							10B	24B	10B		24	4	01	1365	U1		60	L	P									
340.88	338.06		RR XING	B		NUM 97069P STRUCTURE				1	1							\$\$\$	42B	\$\$\$		42	4	01	1365	U1		60	L	P									
			BEG BRIDGE	B		BN RR BRDG NUM 012/654	ST																																
340.97	338.15		END BRIDGE	B		BN RR				1	1							10B	24B	8B		24	4	01	1365	U1		60	L	P									
341.00	338.18		MP MARKER	R		341																																	
			MISC FEATR	R		GORE (Q134178)																																	
341.06	338.24		LEAVE CITY			WALLA WALLA				1	1							6B	24B	8B		24	4	01	1365	U1	\$\$\$		60	L	\$								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
338.72	335.90			.06	12	.04	15		.07	12
340.55	337.73		.04	15		.04	15		.03	12

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY COLUMBIA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S			
							W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
359.55		356.25	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			COLUMBIA CONTROL SECTION 0701 SGN ENT COLUMBIA COUNTY SGN ENT WALLA WALLA CO																				
359.91		356.61	INTRSECTN	B		CO RD #2305	CO																			
359.98		356.68	MP MARKER	R		360																				
360.13		356.83	INTRSECTN	L		CO RD	CO																			
360.24		356.94	INTRSECTN	L		CO RD #2381	CO																			
360.28		356.98	BEG BRIDGE	B		IRRIGATION DITCH BRDG NUM 012/702	ST		1	1																
360.29		356.99	END BRIDGE	B		IRRIGATION DITCH			1	1																
360.99		357.69	MP MARKER	R		361																				
361.31		358.01	MISC FEATR	B		CATTLE OXING																				
361.49		358.19	BEG BRIDGE	B		TOUCHET RIVER BRDG NUM 012/706	ST		1	1																
361.51		358.21	END BRIDGE	B		TOUCHET RIVER			1	1																
361.81		358.51	INTRSECTN	R		CO RD #1079	CO																			
361.95		358.65	ENT/EXIT	B		LEWIS/CLARK TRAIL ST PK	ST																			
361.99		358.69	MP MARKER	R		362																				
362.99		359.69	MP MARKER	R		363																				
363.39		360.09	INTRSECTN	L		CO RD #2411	CO																			
363.99		360.69	MP MARKER	R		364																				
364.20		360.90	INTRSECTN	R		CO RD #1246	CO																			
364.45		361.15	INTRSECTN	R		CO RD #9106	CO																			
			INTRSECTN	L		PVT RD	PV																			
364.93		361.63	INTRSECTN	R		CO RD #1259	CO																			
364.99		361.69	MP MARKER	R		365																				
365.15		361.85	INTRSECTN	L		CO RD #2427	CO																			
365.64		362.34	INTRSECTN	L		CO RD #2441	CO																			
366.00		362.70	MP MARKER	R		366																				
366.10		362.80	INTRSECTN	L		CO RD #4570	CO																			
366.20		362.90							1	1																
366.29		362.99	MISC FEATR	R		SGN ENT DAYTON			1	1																
366.42		363.12	BEG ST	I		HIGHWAY 12			1	1																
			INTRSECTN	R		CAMERON ST	CO																			
366.51		363.21	ENTER CITY			DAYTON			1	2																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
361.95		358.65	.04	12	.03	12	.03	12	.03	12
364.45		361.15	.02	12						

SR 012 MAINLINE U.S. ROUTE - USSH COUNTY COLUMBIA DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																					
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI					SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-			NBR			LFT		RHT			LFT		RHT		USE		TOT															
:				-XROAD-			LNS			SHD		RDY			SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	W/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
366.52	363.22																																			
366.57	363.27		INTRSECTN	L		CITY ST	CT		Y																											
366.60	363.30																																			
366.66	363.36		END ST	I		HIGHWAY 12																														
			BEG ST	I		W MAIN ST																														
			INTRSECTN	B		PINE ST	CT		Y																											
366.77	363.47		INTRSECTN	B		CHERRY ST	CT		Y																											
366.88	363.58		INTRSECTN	B		WILLOW ST	CT		Y	2	2																									
366.97	363.67		INTRSECTN	B		COTTONWOOD ST	CT		Y																											
366.98	363.68		MP MARKER	R		367																														
366.99	363.69		BEG BRIDGE	B		TOUCHET RIVER	ST																													
			BRDG NUM 012/710																																	
367.02	363.72		END BRIDGE	B		TOUCHET RIVER				2	2																									
367.07	363.77		INTRSECTN	L		FRONT ST	CT		Y																											
367.16	363.86		END ST	I		W MAIN ST																														
			BEG ST	I		E MAIN ST																														
			INTRSECTN	B		FIRST ST	CT		Y																											
367.25	363.95		INTRSECTN	B		SECOND ST	CT		SG	Y																										
367.33	364.03		INTRSECTN	B		THIRD ST	CT		Y																											
367.41	364.11		INTRSECTN	B		FOURTH ST	CT		Y	1	1																									
367.46	364.16		INTRSECTN	R		FIFTH ST	CT		Y																											
367.51	364.21		INTRSECTN	B		SIXTH ST	CT		Y																											
367.57	364.27		INTRSECTN	R		SEVENTH ST	CT		Y	1	1																									
367.63	364.33		END ST	I		E MAIN ST				1	1																									
			INTRSECTN	R		PATIT RD	CT		Y																											
367.64	364.34									1	1																									
367.67	364.37		LEAVE CITY			DAYTON				1	1																									
			RR XING	B		NUM 808601V STRUCTURE																														
			BEG BRIDGE	B		UP RR	ST																													
			BRDG NUM 012/712																																	
367.69	364.39		END BRIDGE	B		UP RR				1	1																									
367.73	364.43		RR XING	B		NUM 96977U STRUCTURE				1	1																									
			BEG BRIDGE	B		NP RR	ST																													
			BRDG NUM 012/713																																	
367.74	364.44		ENTER CITY			DAYTON				1	1																									
367.78	364.48		END BRIDGE	B		NP RR				1	1																									
367.88	364.58		INTRSECTN	R		CITY ST	CT		N																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
367.41	364.11					.04	12				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY COLUMBIA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	-----CLASSIFICATIONS----		LEGAL	T	P	S									
							NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	MTCE	CITY	ST	SPEED	T	P	S								
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
							D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
381.00		377.66	MP MARKER	R		381																							
381.60		378.26	INTRSECTN	L		TERRITORIAL RD	CO	N																					
381.98		378.64																											
382.00		378.66	MP MARKER	R		382																							
382.26		378.92	INTRSECTN	L		SR 261	ST	Y																					
382.49		379.15																											
383.00		379.66	MP MARKER	R		383																							
383.83		380.49	MISC FEATR	B		CATTLE OXING																							
384.00		380.66	MP MARKER	R		384																							
385.00		381.66	MP MARKER	R		385																							
386.00		382.66	MP MARKER	R		386																							
386.24		382.90	MISC FEATR	B		CATTLE OXING																							
387.00		383.66	MP MARKER	R		387																							
387.01		383.67	INTRSECTN	L		ARCHER RD	CO	N																					
387.47		384.13	MISC FEATR	B		CATTLE OXING																							
388.00		384.66	MP MARKER	R		388																							
388.61		385.27	END CTLSEC			CONTROL SECTION 0701																							
			LEAVE CO			COLUMBIA																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
382.26		378.92	.04	11					.06	11				

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY GARFIELD

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE		TOT															
: :				-XROAD-		SHD RDY SHD			SHD RDY SHD			LNS		RDY															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S		
																					A	SE	NBR	FC	D	IB	R	K	T
406.44			INTRSECTN	R		BIRCH RD	CO		N	1	1					6B	23B	5B			23	4	02		R1		40	R	
406.52			INTRSECTN	R		CO RD #241	CO		N																				
406.55			INTRSECTN	L		CO RD #416	CO		N																				
406.61			MISC FEATR	L		SGN ENT PATAHA																							
406.63										1	1					6B	23B	5B			23	4	02		R1		60	R	
406.69			INTRSECTN	L		BELL PLAIN RD	CO		N																				
407.00			MP MARKER	R		407																							
407.29			INTRSECTN	R		RICKMAN GULCH RD	CO		N																				
407.96			MP MARKER	R		408																							
409.00			MP MARKER	R		409																							
409.25			INTRSECTN	L		MAYVIEW RD	CO		N																				
410.00			MP MARKER	R		410																							
410.49										1	1					8B	23B	8B			23	4	02		R1		60	R	
411.05			MP MARKER	R		411																							
411.26			BEG SU LN	R		CLIMBING	11B			1	1					6B	23B	6B	11	34	4	02		R1		60	R		
411.99			MP MARKER	R		412																							
412.77			INTRSECTN	L		LEDGERWOOD RD	CO		N																				
			INTRSECTN	R		SWEENEY GULCH RD	CO		N																				
412.99			MP MARKER	R		413																							
413.03			INTRSECTN	L		LEDGERWOOD RD	CO		N																				
			INTRSECTN	R		NEBURR RD	CO		N																				
413.18			BEG SU LN	L		CLIMBING	11B			1	1					6B	23B	6B	22	45	4	02		R1		60	R		
413.25			EXIT TO	R		REST AREA	ST		Y	1	1					4B	22B	4B	22	44	4	02		R1		60	R		
413.26			ENT FROM	L		REST AREA	ST		Y																				
413.36			END SU LN	R		CLIMBING	11B			1	1					4B	22B	4B	11	33	4	02		R1		60	R		
413.42			ENT FROM	R		REST AREA	ST		Y	1	1					4A	22A	4A	11	33	4	02		R1		60	R		
413.47			EXIT TO	L		REST AREA	ST		Y																				
413.54			INTRSECTN	L		LEGGE RD	CO		N																				
			INTRSECTN	R		FAIRVIEW RD	CO		N																				
413.99			MP MARKER	R		414																							
414.53			INTRSECTN	L		CO RD	CO		N																				
414.70			INTRSECTN	L		CO RD	CO		N																				
414.97			MP MARKER	R		415																							
415.99			MP MARKER	R		416																							
416.89										1	1					4B	22B	4B	11	33	4	02		R1		60	R		
417.00			MP MARKER	R		417																							
418.00			MP MARKER	R		418																							
418.61			BEG BRIDGE B			STEMBER CREEK	ST			1	1					\$\$W	40P	\$\$W	11	51	4	02		R1		60	R		
						BRDG NUM 012/810																							
418.63			END BRIDGE B			STEMBER CREEK				1	1					4B	22B	4B	11	33	4	02		R1		60	R		
418.71			INTRSECTN	L		HOWELL GRADE RD	CO		N																				
418.84			END SU LN	L		CLIMBING	11B			1	1					4B	22B	4B	\$\$\$	22	4	02		R1		60	R		
418.96										1	1					8B	22B	8B		22	4	02		R1		60	R		

SR 012 MAINLINE

U.S. ROUTE - USSH COUNTY ASOTIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																			
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S														
				:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S												
				:	:		OW	TC	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
422.01		418.62	ENTER CO BEG CTLSEC			ASOTIN CONTROL SECTION 0202			1	1						8B	24B	8B			24	4	02		R1		60	R								
422.09		418.70	MP MARKER	R		422																														
423.07		419.68	MP MARKER	R		423																														
423.76		420.37	MISC FEATR	B		CATTLE OXING																														
424.05		420.66	MP MARKER	R		424																														
424.83		421.44							1	1						10B	24B	10B			24	4	02		R1		60	R								
424.97		421.58	INTRSECTN	L		WEST LAKE DR	CO	N	1	1						10B	24A	10B			24	4	02		R1		60	R								
424.99		421.60	MP MARKER BEG BRIDGE B	R		425			1	1						\$SW	40P	\$SW			40	4	02		R1		60	R								
						ALPOWA CREEK BRDG NUM 012/903	ST																													
425.03		421.64	END BRIDGE B	B		ALPOWA CREEK			1	1						10B	24A	10B			24	4	02		R1		60	L								
425.12		421.73	INTRSECTN	R		CO RD	CO	N																												
425.68		422.29							1	1						10A	24A	10A			24	4	02		R1		60	L								
425.83		422.44	INTRSECTN	B		SILCOTT RD	CO	Y																												
425.97		422.58							1	1						10B	24A	10B			24	4	02		R1		60	L								
425.99		422.60	MP MARKER	R		426																														
426.86		423.47	INTRSECTN	R		SILCOTT HILLS RD	CO	Y																												
426.99		423.60	MP MARKER	R		427																														
427.99		424.60	MP MARKER	R		428																														
428.99		425.60	MP MARKER	R		429																														
429.99		426.60	MP MARKER	R		430																														
430.30		426.91	INTRSECTN	R		EVANS RD	CO	N																												
431.19		427.80	MP MARKER	R		431																														
431.66		428.27	INTRSECTN	R		ELM ST	CO	N	1	1						8B	24A	10B			24	4	02		R1		60	L								
432.13		428.74	MP MARKER	R		432																														
432.40		429.01							1	1						8B	24A	10B			24	4	02		R1		30	L								
432.54		429.15							1	1						8A	24A	10A			24	4	02		R1		30	L								
432.61B		429.22	BEG EQ			BEGIN BACK																														
432.61		429.23	EQUATION			432.62B=432.61																														
432.62		429.24	ENTER CITY			CLARKSTON			1	1						\$SC	36A	\$SC			36	4	02	0215	U1		30	L	P							
			INTRSECTN	R		15TH ST (OLD SR 128)	CT	Y																												
			INTRSECTN	L		SR 128	ST	Y																												
432.71		429.33	BEG SU LN	C		TWO WAY TURN	12A		1	1						C	24A	C	12	36	4	02	0215	U1		30	L	P								
432.87		429.49	BEG ST	I		BRIDGE ST			1	1						C	24A	C	12	36	4	02	0215	U1		30	L	P	*							
			INTRSECTN	B		14TH ST	CT	Y																												
433.09		429.71	END SU LN	C		TWO WAY TURN	12A		1	1						C	36A	C	\$\$\$	36	4	02	0215	U1		30	L	P	*							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
425.83		422.44		.03	12			.02	12		

SR 012 MAINLINE

U.S. ROUTE - USSH

COUNTY ASOTIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC			LEGAL		T P S									
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S	
																WD/S	BR														
433.12	429.74		INTRSECTN	B		13TH ST	CT	SG	Y	1	1																				
433.13	429.75		MISC FEATR	L		SGN ENT CLARKSTON																									
433.16	429.78		BEG SU LN	C		TWO WAY TURN	12A																								
433.18	429.80		INTRSECTN	B		MORRISON AVE	CT																								
433.24	429.86		INTRSECTN	R		MONROE ST	CT																								
433.31	429.93		INTRSECTN	R		BURNS ST	CT																								
433.37	429.99		INTRSECTN	B		12TH ST	CT																								
433.43	430.05		INTRSECTN	B		11TH ST	CT																								
433.49	430.11		INTRSECTN	B		10TH ST	CT																								
433.56	430.18		INTRSECTN	B		9TH ST	CT																								
433.62	430.24		INTRSECTN	B		8TH ST	CT																								
433.68	430.30		INTRSECTN	B		7TH ST	CT																								
433.72	430.34		END SU LN	C		TWO WAY TURN	12A																								
433.74	430.36		INTRSECTN	R		SR 129 SP6THST (SPUR)	ST																								
			INTRSECTN	L		6TH ST	CT																								
433.78	430.40		BEG SU LN	C		TWO WAY TURN	12A																								
433.81	430.43		INTRSECTN	B		5TH ST	CT	SG	Y																						
433.87	430.49		INTRSECTN	L		4TH ST	CT																								
433.92	430.54		INTRSECTN	B		3RD ST	CT																								
433.97	430.59		END SU LN	C		TWO WAY TURN	12A																								
433.98	430.60																														
433.99	430.61		INTRSECTN	R		SR 129 WYE CONN	ST																								
			INTRSECTN	B		2ND ST	CT																								
434.00	430.62		INTRSECTN	R		SR 129	ST	SG	Y	1	1																				
434.05	430.67		END ST	I		BRIDGE ST																									
			INTRSECTN	R		RIVERVIEW BLVD	CT	SG	Y																						
434.06	430.68		INTRSECTN	L		1ST ST	CT																								
434.10	430.72		END CTLSEC			CONTROL SECTION 0202																									
			BEG CTLSEC			CONTROL SECTION 0203																									
			BEG BRIDGE	B		SNAKE RIVER	ST																								
434.19	430.81		END BRIDGE	B		BRDG NUM 012/915																									
			MISC FEATR	B		SNAKE RIVER																									
			END CTLSEC			END ON BRIDGE																									
			END ROUTE			CONTROL SECTION 0203																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
433.12	429.74		.02	10						
433.74	430.36		.02	12						
434.05	430.67				.03	12				

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----						
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S			INCRS/UNDI LFT RHT USE SHD RDY SHD W/S W/S W/S			SPC TOT RDY		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB	
0.00	0.00	BEG ROUTE	MAIN ROUTE SR 5/VANCOUVER TO SR 82				1	1	C	22P	16P	JE	22P	C	44	1	01	1350	U1	50	L	P		
		ENTER CITY	VANCOUVER																					
		BEG CTLSEC	CONTROL SECTION 0604																					
		MISC FEATR I	ON RAMP-WASHINGTON ST																					
		MISC FEATR D	OFF RAMP-SR 5 SB																					
		BEG BRIDGE B	SR 5 BRDG NUM 014/001																					
0.04	0.04	END BRIDGE B	SR 5				1	1	1A	14A	16A	JE	22A	W	36	1	01	1350	U1	50	L	P		
0.08	0.08	MISC FEATR L	GORE (WYE CONN)				2	1	10A	25A	16A	JE	22A	W	47	1	01	1350	U1	50	L	P		
0.11	0.11																							
0.12	0.12	OFF RAMP L	6TH ST-C ST																					
0.13	0.13	UXING B	S-E RAMP BRDG NUM 005/003S-E																					
0.15	0.15	MISC FEATR R	GORE (SR 5 P100028)				2	1	10A	25A	16A	JE	14A	10A	39	1	01	1350	U1	50	L	P		
0.20	0.20	MISC FEATR L	GORE (SR 5 Q100059)																					
0.22	0.22	ON RAMP R	NB SR 5				2	2	10A	25A	16A	JE	25A	10A	50	1	01	1350	U1	50	L	P		
0.23	0.23						2	2	7A	25A	16A	JE	25A	7A	50	1	01	1350	U1	50	L	P		
0.28	0.28	OFF RAMP L	NB SR 5																					
0.30	0.30	MISC FEATR R	GORE (SR 5 R100079)				2	2	7A	25A	16A	JE	25A	7A	50	1	01	1350	U1	60	L	P		
0.32	0.32						3	2	7A	36A	16A	JE	25A	7A	61	1	01	1350	U1	60	L	P		
0.33	0.33						3	2	7A	36A	16A	JE	24A	10A	60	1	01	1350	U1	60	L	P		
0.39	0.39	BEG SU LN R	AUXILIARY 12A				3	2	7A	36A	16A	JE	24A	10A	12	72	1	01	1350	U1	60	L	P	
		ON RAMP R	SB SR 5																					
0.52B	0.52	BEG EQ	BEGIN BACK																					
0.52	0.53	EQUATION	000.53B=000.52				3	2	\$\$C	36A	16A	JE	24A	10A	12	72	1	01	1350	U1	60	L	P	
0.55	0.56	ON RAMP L	COLUMBIA SHORES BLVD																					
0.71	0.72						2	2	C	29A	16A	JE	24A	10A	12	65	1	01	1350	U1	60	L	P	
0.75	0.76	END SU LN R	AUXILIARY 12A				2	2	C	29A	16A	JE	24A	10A	\$\$\$	53	1	01	1350	U1	60	L	P	
		OFF RAMP R	COLUMBIA SHORES BLVD																					
0.81	0.82						2	2	C	29A	15A	JE	24A	10A	53	1	01	1350	U1	60	L	P		
0.85	0.86	MISC FEATR L	GORE (S100055)																					
0.86	0.87	MISC FEATR R	GORE (P100075)																					
0.95	0.96						2	2	C	32A	15A	JE	24A	10A	56	1	01	1350	U1	60	L	P		
1.00	1.01	MP MARKER B	1																					
1.03	1.04	BEG BRIDGE B	COLUMBIA SHORES BLVD BRDG NUM 014/005				2	2	W	34P	15P	JE	34P	\$\$W	68	1	01	1350	U1	60	L	P		
1.10	1.11	END BRIDGE B	COLUMBIA SHORES BLVD				2	2	10A	24A	15A	JE	24A	10A	48	1	01	1350	U1	60	L	P		
1.31	1.32	MISC FEATR R	GORE (Q100160)																					
1.60	1.61	ON RAMP R	COLUMBIA SHORES BLVD																					
1.81	1.82	MISC FEATR L	GORE (R100192)																					
1.92	1.93	OFF RAMP L	COLUMBIA HOUSE BLVD																					
2.00	2.01	MP MARKER B	2				2	2	10A	24A	3A	15A	JE	3A	24A	10A	48	1	01	1350	U1	60	L	P

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----															
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC			MTCE		CITY		LEGAL		T P S							
							NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	TOT	USE	TOT	A	SE	NBR	FC	ST	D	IB	R	K	T		
5.63	5.64		MISC FEATR	R		GORE (SR 205 Q202778)	2	2	10A	24A				15A	JE			24A	10A			48	1	01	1350	U1		60	L	P			
5.64	5.65		MISC FEATR	L		GORE (CD00701)																											
5.79	5.80		MISC FEATR			E-N RAMP																											
5.84	5.85		UXING	B		BRDG NUM 014/014E-N																											
5.98	5.99		MP MARKER	B		6																											
6.08	6.09		UXING	B		SR 205																											
6.23	6.24		UXING	B		BRDG NUM 205/001																											
6.23	6.24		UXING	B		S-E RAMP																											
6.45	6.46		MISC FEATR	L		GORE (CD00701)																											
6.46	6.47		MISC FEATR	R		GORE (SR 205 R202765)																											
6.98	6.99		MP MARKER	B		7																											
7.01	7.02		OFF RAMP	L		WBCD LANE																											
7.31	7.32		ON RAMP	R		SR 205																											
7.93	7.94		ON RAMP	L		SE 164TH AVE																											
7.98	7.99		MP MARKER	L		8																											
8.08	8.09		MP MARKER	R		8																											
8.08	8.09		OFF RAMP	R		SE 164TH AVE																											
8.18	8.19																																
8.29	8.30		MISC FEATR	R		GORE (P100808)																											
8.37	8.38		MISC FEATR	L		GORE (S100793)																											
8.52	8.53		BEG BRIDGE	B		SE 164TH AVE																											
8.52	8.53		BEG BRIDGE	B		BRDG NUM 014/015																											
8.56	8.57		END BRIDGE	B		SE 164TH AVE																											
8.70	8.71		MISC FEATR	L		GORE (R100904)																											
8.75	8.76		MISC FEATR	R		GORE (Q100920)																											
8.79	8.80																																
8.98	8.99		MP MARKER	B		9																											
9.04	9.05		OFF RAMP	L		SE 164TH AVE																											
9.05	9.06																																
9.20	9.21		ON RAMP	R		SE 164TH AVE																											
9.21	9.22																																
9.27	9.28		LEAVE CITY			VANCOUVER																											
9.45	9.46		ENT FROM	L		ROCK QUARRY																											
9.46	9.47		BEG BRIDGE	B		QUARRY RD																											
9.46	9.47		BEG BRIDGE	B		BRDG NUM 014/018																											

INTERSECTION DETAIL

SRMP		B		ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	R	N	E	L	R	L	R	L	R	L	R	L	R
NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR	NEAR	FAR
LG	WD	LG	WD	LG	WD	LG	WD	LG	WD	LG	WD	LG	WD
9.45	9.46											.19	12

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----						
							:DIRECTION TO INVENTORY		-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL			
							: LEFT	: RIGHT		NBR	LFT	RHT	LFT	RHT	USE						RDY	RDY	RDY	A
OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	RDY	WID	WID	WID	WID	WID	WID	WID	
9.47	9.48	END BRIDGE	B		R	QUARRY RD EXIT TO ROCK QUARRY	PV	Y	2	2	8B	24P	16A	GR	24P	10A	48	1	01		U1	60	R	
9.98	9.99	MP MARKER	B		B	10			2	2	8B	24P	16A	GR	24P	10A	48	1	01		U1	55	R	
10.00	10.01								2	2	8B	24P	16A	GR	24P	10A	48	1	01		U1	55	R	
10.18	10.19								2	2	8B	24P	16A	GR	24P	10A	48	1	01		U1	55	R	
10.25	10.26	INTRSECTN	L		L	SE BRADY RD WYE CONN	CO	Y																
10.26	10.27	INTRSECTN	L		L	SE BRADY RD	CO	Y																
10.27	10.28	INTRSECTN	L		L	SE BRADY RD WYE CONN	CO	Y	2	2	8B	24P	\$	16A	GR	24P	10A	48	1	01		U1	55	R
10.84	10.85	ENTER CITY				CAMAS			2	2	8B	24P	16A	GR	24P	10A	48	1	01	0145	U1	55	R	P
10.98	10.99	MP MARKER	B		B	11																		
11.64	11.65	INTRSECTN	L		L	NW ALPINE RD	CT	Y																
11.88	11.89								2	2	8B	24P	16A	GR	24A	10A	48	1	01	0145	U1	55	R	P
11.90	11.91	TRAF RCDR	B		B	P06 0			2	2	8B	24P	15A	GR	24A	11A	48	1	01	0145	U1	55	R	P
11.94	11.95	ON RAMP	L		L	NW 6TH AVE	ST	Y																
11.98	11.99	MP MARKER	B		B	12																		
12.03	12.04	OFF RAMP	R		R	NW 6TH AVE	ST	Y																
12.09	12.10								2	2	8A	24A	15A	GR	24A	11A	48	1	01	0145	U1	55	R	P
12.12	12.13	MISC FEATR	R		R	GORE (P101203)																		
12.16	12.17	MISC FEATR	L		L	GORE (S101194)			2	1	8A	24A	15A	GR	18A	18A	42	1	01	0145	U1	55	R	P
12.32	12.33	BEG BRIDGE	B		B	E-6TH AVE RAMP BRDG NUM 014/022	ST		2	1	\$C	34A	14A	GR	33A	\$C	67	1	01	0145	U1	55	R	P
12.33	12.34	END BRIDGE	B		B	E-6TH AVE RAMP			2	1	10A	24A	14A	GR	16A	17A	40	1	01	0145	U1	55	R	P
12.37	12.38	MISC FEATR	R		R	GORE (Q501249)																		
12.40	12.41	UXING	B		B	NW 6TH AVE BRDG NUM 014/023S-E	ST																	
12.49	12.50	MISC FEATR OFF RAMP	L R		L R	GORE (R101249) NW 6TH AVE	ST ST	Y	2	1	10A	24A	23A	JE	15A	9A	39	1	01	0145	U1	55	R	P
12.55	12.56	ON RAMP	R		R	NW 6TH AVE			1	1	11A	23A	16A	JE	14A	8A	37	1	01	0145	U1	55	R	P
12.62	12.63	RR XING	B		B	NUM 90104C STRUCTURE			1	1	\$C	\$C	\$C	\$C	\$C	\$C	30	1	01	0145	U1	55	R	P
12.82	12.83	BEG BRIDGE	B		B	CAMAS SLOUGH BRDG NUM 014/025	ST																	
12.82	12.83	END BRIDGE	B		B	CAMAS SLOUGH			1	1			8A	24A	9A		24	1	01	0145	U1	55	R	P
13.20	13.21								1	1			9A	24A	10A		24	1	01	0145	U1	55	R	P
13.35	13.36								1	1			10A	24A	10A		24	1	01	0145	U1	55	R	P
13.52	13.53	ENT/EXIT	L		L	JAMES RIVER PLANT	ST	Y																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.25	10.26						.17	12		
10.26	10.27		.03	15						
10.27	10.28					.07	12			
13.52	13.53		.03	13						

SR 014 MAINLINE STATE ROUTE - SRSH COUNTY CLARK DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	WID	WID	WID	WID	WID	WID	WID
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
13.56			13.57																							
13.70			13.71	B		BEG BRIDGE	ST		1	1																
						WASHOUGAL RIVER																				
						BRDG NUM 014/027																				
13.76			13.77	B		END BRIDGE			1	1																
						WASHOUGAL RIVER																				
14.00			14.01	R		MP MARKER																				
14.62			14.63	L		INTRSECTN	ST	Y																		
14.63			14.64	L		INTRSECTN	ST	SG	Y	1	1	10A	13A													
				R		INTRSECTN	CT	SG	Y																	
14.79			14.80			LEAVE CITY			1	1	10A	13A														
						ENTER CITY																				
				L		MISC FEATR																				
				R		MISC FEATR																				
14.99			15.00	B		INTRSECTN	CT	SG	Y																	
15.00			15.01	R		MP MARKER																				
15.40			15.41	B		INTRSECTN	CT	Y	1	1	\$\$\$	\$\$\$														
15.59			15.60																							
15.99			16.00	R		MP MARKER																				
16.08			16.09	L		INTRSECTN	CT	Y																		
16.10			16.11	L		INTRSECTN	CT	SG	Y																	
				R		INTRSECTN	CT	SG	Y																	
16.12			16.13	L		INTRSECTN	CT	Y																		
16.17			16.18																							
16.28			16.29																							
16.73			16.74	B		RR XING	ST		1	1																
				B		BEG BRIDGE																				
						NUM 90104C																				
						STRUCTURE																				
						27TH ST/BN RR																				
						BRDG NUM 014/030																				
16.77			16.78	B		END BRIDGE			1	1																
						27TH ST/BN RR																				
17.00			17.01	R		MP MARKER																				
17.05			17.06	B		INTRSECTN	CT	Y	1	1																
						32ND ST																				
17.41			17.42																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L--CNTR	R--CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.62							.17			
14.63										
14.63			.03	12	.03	12	.09	12		
14.99			.03	12	.06	12	.03	12		
15.40			.03	12	.03	12				
16.08							.15	12		
16.10			.03	12	.03	12				
16.12							.06	12		
17.05			.05	14	.09	12	.03	14	.15	12

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
17.61	17.62								1	1															
17.70	17.71		TRAF RCDR	B		P07 0																			
17.84	17.85		INTRSECTN	L		45TH ST	CT	Y																	
18.00	18.01		MP MARKER	R		18																			
18.09	18.10		BEG BRIDGE	B		GIBBONS CREEK	ST		1	1															
						BRDG NUM 014/034																			
18.10	18.11		END BRIDGE	B		GIBBONS CREEK			1	1															
18.12	18.13		LEAVE CITY			WASHOUGAL			1	1															
18.13	18.14		MISC FEATR	L		SGN ENT WASHOUGAL																			
18.24	18.25		ENT/EXIT	R		PUBLIC FISHING	ST	Y																	
18.77	18.78		RR XING	B		NUM 90123G STRUCTURE			1	1															
			BEG BRIDGE	B		BN RR	ST																		
						BRDG NUM 014/035																			
18.84	18.85		END BRIDGE	B		BN RR			1	1															
18.89	18.90		INTRSECTN	L		SE EVERGREEN BLVD	CO	N																	
19.00	19.01		MP MARKER	R		19																			
19.16	19.17								1	1															
19.63	19.38		EQUATION			019.37 =019.63			1	1															
19.99	19.74		MP MARKER	R		20																			
20.34	20.09								1	1															
20.90	20.65		BEG BRIDGE	B		LAWTON CREEK	ST		1	1															
						BRDG NUM 014/038																			
20.91	20.66		END BRIDGE	B		LAWTON CREEK			1	1															
20.99	20.74		MP MARKER	R		21																			
21.45	21.20		INTRSECTN	R		SE MT PLEASANT RD	CO	N																	
21.50	21.25								1	1															
21.77	21.52		END CTLSEC			CONTROL SECTION 0604																			
			LEAVE CO			CLARK																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD		
18.24	18.25				.10	12			.03	12					.16	12

SR 014 MAINLINE STATE ROUTE - SRSH COUNTY SKAMANIA DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT																					
: :				-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	T	P	S					
32.83	32.58		INTRSECTN	L		NIELSON RD	CO	Y	1	1							4A	22A	4A						R1			55	R				
32.85	32.60		INTRSECTN	R		SKAMANIA LANDING RD	CO	Y																									
32.87	32.62		BEG BRIDGE	B		DUNCAN CREEK	ST		1	1							\$\$\$	25A	\$\$\$						R1			55	R				
						BRDG NUM 014/107																											
32.88	32.63		END BRIDGE	B		DUNCAN CREEK			1	1							4A	24A	4A						R1			55	R				
33.00	32.75		MP MARKER	R		33																											
33.04	32.79		INTRSECTN	L		WOODWARD CREEK RD	CO	Y																									
33.11	32.86		INTRSECTN	L		BUTLER LP RD	CO	Y																									
33.50	33.25		INTRSECTN	L		BUTLER LP RD	CO	Y																									
						INTRSECTN	R																										
33.99	33.74		MP MARKER	R		34																											
34.23	33.98		INTRSECTN	R		MOORAGE RD	CO	N																									
34.24	33.99		BEG BRIDGE	B		WOODWARD CREEK	ST		1	1							\$\$\$	25A	\$\$\$						R1			55	R				
						BRDG NUM 014/109																											
34.26	34.01		END BRIDGE	B		WOODWARD CREEK			1	1							4A	24A	6A						R1			55	L				
34.66	34.41		INTRSECTN	L		LITTLE RD	CO	Y																									
34.78	34.53		INTRSECTN	L		KUEFFLER RD	CO	Y																									
34.81	34.56		INTRSECTN	L		KUEFFLER RD WYE CONN	CO	Y																									
34.89	34.64		ENT/EXIT	L		BEACON ROCK STATE PARK	ST	N																									
34.90	34.65		MISC FEATR	B		PED XING																											
34.99	34.74		MP MARKER	R		35																											
35.52	35.27		INTRSECTN	L		GUPTIL RD	CO	N	1	1							4A	24A	4A						R1			55	L				
35.99	35.74		MP MARKER	R		36																											
36.71	36.46		ENTER CITY			NORTH BONNEVILLE			1	1							4A	24A	4A						24	4	02	0877	R1		55	L	P
36.82	36.57								1	1							9A	24A	9A						24	4	02	0877	R1		55	L	P
37.03	36.78		MP MARKER	R		37																											
37.04	36.79		INTRSECTN	L		EVERGREEN DR	CT	N																									
						INTRSECTN	R																										
37.19	36.94		BEG TUNNEL	B		BN RR UC			1	1							\$\$\$	40A	\$\$\$						40	4	02	0877	R1		55	L	P
						TNNL NUM 014/111																											
37.22	36.97		END TUNNEL	B		BN RR UC			1	1							10A	24A	9A						24	4	02	0877	R1		55	L	P
37.43	37.18		BEG BRIDGE	B		HAMILTON CREEK	ST		1	1							\$\$\$	44P	\$\$\$						44	4	02	0877	R1		55	L	P
						BRDG NUM 014/112																											
37.48	37.23		END BRIDGE	B		HAMILTON CREEK			1	1							8A	24A	8A						24	4	02	0877	R1		55	L	P
37.59	37.34		INTRSECTN	R		CITY ST	CT	Y																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
33.04	32.79		.03	12								
33.11	32.86		.06	12								
37.04	36.79		.04	13			.04	13				
37.59	37.34						.05	13				

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAMANIA

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---																				
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S																		
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LNS		RDY		WID		K T																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W/S	RDY	W/S	SHD	W/S	RDY	W/S	SHD	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T						
37.66			37.41																																	
37.89			37.64	BEG	BRIDGE	B																														
							ST																													
37.92			37.67	END	BRIDGE	B																														
38.02			37.77	MP	MARKER	R																														
38.55			38.30	ENT/EXIT	B	DAM ACCESS RD	CT		Y	1	1																									
39.02			38.77	MP	MARKER	R																														
39.26			39.01	LEAVE	CITY																															
39.68			39.43	ENTER	CITY																															
39.75			39.50	ENT/EXIT	R	VISITOR CENTER	OT		Y	1	1																									
				ENT/EXIT	L	BONNEVILLE TRAILHEAD	OT		Y																											
40.02			39.77	MP	MARKER	R																														
40.36			40.11	INTRSECTN	R	CORP OF ENGR RD	OT		Y																											
40.48			40.23	RR XING	B	NUM 0000000 STRUCTURE				1	1																									
				BEG	BRIDGE	B	ST																													
40.54			40.29	END	BRIDGE	B																														
40.62B			40.37	BEG	EQ																															
40.73B			40.48	INTRSECTN	L	WAUNA LAKE RD	CT		N																											
40.62			40.55	EQUATION		040.80B=040.62																														
40.73			40.66	LEAVE	CITY																															
41.02			40.95	MP	MARKER	R																														
41.45			41.38																																	
41.55			41.48	INTRSECTN	R	BRIDGE OF THE GODS RD	CO		Y																											
41.60			41.53	ENT/EXIT	R	HISTORICAL MARKER	ST		Y																											
41.67			41.60	ENT FROM	R	HISTORICAL MARKER	ST		Y																											
41.69			41.62	INTRSECTN	L	ASH LAKE RD	CO		N																											
41.76			41.69																																	
42.02			41.95	MP	MARKER	R																														
42.10			42.03																																	
42.71			42.64	INTRSECTN	L	ASH LAKE RD	CO		N																											
42.90			42.83	MISC	FEATR	R																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
38.55			38.30	.04	12	.05	12				
39.75			39.50	.03	12	.03	12				
40.36			40.11			.04	11				
41.55			41.48			.04	12				
41.60			41.53			.02	11				
41.69			41.62	.02	11						

SR 014 MAINLINE STATE ROUTE - SRSH COUNTY SKAMANIA DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S							
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	WID	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID												
42.95			42.88						1	1							5A	23A	12A			23	4	02		R1		55	R				
42.99			42.92						1	1							4A	24A	4A			24	4	02		R1		55	R				
43.02			42.95	MP		MARKER	R		43																								
43.09			43.02	INTRSECTN		L			ROCK CREEK DR	CO	Y																						
43.19			43.12														6A	23A	6A			23	4	02		R1		55	R				
43.90			43.83	BEG BRIDGE	B				ROCK CREEK	ST							\$\$\$	23A	\$\$\$			23	4	02		R1		55	R				
									BRDG NUM 014/118																								
43.91			43.84	ENTER CITY					STEVENSON								C	23A	C			23	4	02	1250	R1		55	R	P	*		
				BEG ST			I		SECOND ST																								
43.93			43.86	END BRIDGE	B				ROCK CREEK								3A	22A	3A			22	4	02	1250	R1		25	R	P	*		
43.99			43.92	INTRSECTN		R			FIRST ST WYE CONN	CT	Y																						
44.02			43.95	MP		MARKER	R		44								3A	22A	10A			22	4	02	1250	R1		25	R	P	*		
44.05			43.98	INTRSECTN		R			FIRST ST	CT	Y																						
44.06			43.99														\$\$\$	36A	\$\$\$			36	4	02	1250	R1		25	R	L	*		
44.13			44.06	INTRSECTN		L			ROCK CREEK DR	CT	Y																						
44.16			44.09														10A	22A	10A			22	4	02	1250	R1		25	R	B	*		
44.18			44.11	INTRSECTN		R			SEYMOUR ST	CT	Y	1	1			\$\$\$	40A	\$\$\$			40	4	02	1250	R1		25	R	B	*			
44.26			44.19	INTRSECTN		B			RUSSELL AVE	CT	AF	Y																					
44.35			44.28	INTRSECTN		R			LEAVENS ST	CT	Y																						
44.43			44.36	INTRSECTN		R			COLUMBIA ST	CT	Y																						
44.44			44.37	INTRSECTN		L			COLUMBIA ST	CT	Y																						
44.55			44.48														C	36A	C			36	4	02	1250	R1		25	R	P	*		
44.58			44.51														C	36A	C			36	4	02	1250	R1		50	R	P	*		
44.60			44.53	INTRSECTN		L			FRANK JOHNS AVE	CT	Y																						
				INTRSECTN		R			FIRST ST	CT	Y																						
44.61			44.54														C	38A	10A			38	4	02	1250	R1		50	R	P	*		
44.64			44.57	MISC FEATR		L			SGN ENT STEVENSON								4A	22A	4A			22	4	02	1250	R1		50	R	P	*		
44.65			44.58	END ST			I		SECOND ST								4A	22A	4A			22	4	02	1250	R1		50	R	P	*		
				INTRSECTN		B			LUTHERAN CHURCH RD	CT	Y																						
44.66			44.59	LEAVE CITY					STEVENSON								4A	22A	4A			22	4	02	\$\$\$\$	R1		50	R	\$			
44.68			44.61	INTRSECTN		R			FIRST ST WYE CONN	CO	Y																						
45.02			44.95	MP		MARKER	R		45																								
45.13			45.06	INTRSECTN		R			STEVENSON CEMETERY RD	CO	N																						
45.61			45.54														4A	24A	4A			24	4	02		R1		50	R				
45.73			45.66	INTRSECTN		L			NELSON CREEK RD	CO	Y																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
43.09			.04	12						
44.60					.03	12				
45.73			.03	12						

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAMANIA

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																			
:				-XROAD-		LNS	SHD	RDY	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
45.76	45.69																															
45.81	45.74																															
46.02	45.95		MP MARKER	R		46																										
46.57	46.50		INTRSECTN	R		SWEENEY RD	PV		N																							
47.05	46.98		MP MARKER	R		47																										
47.44	47.37		INTRSECTN	L		WIND RIVER RD WYE CONN	CO		Y																							
47.47	47.40		INTRSECTN	L		WIND RIVER RD	CO		Y																							
47.50	47.43		INTRSECTN	R		SPRAGUE LANDING RD	CO		N																							
47.62	47.55		BEG SU LN	L		CLIMBING	11A																									
47.91	47.84		INTRSECTN	L		CARSON DEPOT RD	CO		N																							
48.01	47.94		END SU LN	L		CLIMBING	11A																									
48.02	47.95		MP MARKER	R		48																										
48.21	48.14		INTRSECTN	R		CARSON DEPOT RD	CO		N																							
49.02	48.95		MP MARKER	R		49																										
49.33	49.26		INTRSECTN	L		HOT SPRINGS AVE	CO		Y																							
49.34	49.27		BEG BRIDGE	B		WIND RIVER	ST																									
						BRDG NUM 014/122																										
49.46	49.39		END BRIDGE	B		WIND RIVER																										
49.66	49.59		INTRSECTN	L		OLD HATCHERY RD	CO		Y																							
49.71	49.64		MISC FEATR	R		SGN ENT HOME VALLEY																										
49.86	49.79		INTRSECTN	L		BERGE RD	CO		Y																							
49.91	49.84		INTRSECTN	L		BERGE RD WYE CONN	CO		N																							
50.00	49.93		MP MARKER	R		50																										
50.08	50.01		INTRSECTN	B		CO RD	CO		Y																							
50.22	50.15		INTRSECTN	L		TOMBLESON RD	CO		Y																							
50.30	50.23		WEIGH STA	L		NUMBER 74																										
50.36	50.29		INTRSECTN	L		GERTZ RD	PV		N																							
50.40	50.33		INTRSECTN	L		GERTZ RD	PV		N																							
50.42	50.35		INTRSECTN	R		HOME VALLEY PARK RD	CO		N																							
50.53	50.46		INTRSECTN	L		WIND MTN RD	CO		Y																							
50.80	50.73																															
50.99	50.92		MP MARKER	R		51																										
51.99	51.92		MP MARKER	R		52																										
52.36	52.29		INTRSECTN	L		BERGEN RD	CO		Y																							
52.38	52.31		INTRSECTN	L		BERGEN RD WYE CONN	CO		Y																							
52.89	52.82																															
52.99	52.92		MP MARKER	R		53																										

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
47.44	47.37							.05	12		
47.47	47.40			.03	12						

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY KLIICKITAT

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCRS/UNDI				SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT		LFT	RHT	USE	TOT																			
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
63.48	63.41		ENTER CO BEG CTLSEC			KLIICKITAT CONTROL SECTION 2001			1	1							C	40A	C		40	4	02		R1		50	R			
63.51	63.44		END BRIDGE B			WHITE SALMON RIVER			1	1							2A	22A	2A		22	4	02		R1		50	R			
63.52	63.45		INTRSECTN	L		SR 141 SPUNDRWD (SPUR)	ST		N																						
63.60	63.51		EQUATION			063.58 =063.60																									
63.98	63.89		MP MARKER	R		64																									
64.16	64.07		ENTER CITY			WHITE SALMON			1	1							2A	22A	2A		22	4	02	1435	R1		50	R	P		
64.46	64.37		LEAVE CITY			WHITE SALMON			1	1							2A	22A	2A		22	4	02	\$\$\$\$	R1		50	R	\$		
64.63	64.54								1	1							2A	24A	6A		24	4	02		R1		50	R			
64.67	64.58								1	1							6A	24A	6A		24	4	02		R1		50	R			
64.71	64.62		ENTER CITY			WHITE SALMON			1	1							6A	24A	6A		24	4	02	1435	R1		40	R	P		
64.72	64.63		MISC FEATR	R		SGN ENT WHITE SALMON																									
64.83	64.74		INTRSECTN	L		DOCK GRADE RD N	CT		Y																						
			INTRSECTN	R		DOCK GRADE RD S	CT		Y																						
64.89	64.80		BEG SU LN	C		TWO WAY TURN		13A		1	1						6A	24A	6A	13	37	4	02	1435	R1		40	R	P		
64.96	64.87		MP MARKER	R		65																									
			EXIT TO	R		PARK AND RIDE LOT	ST		Y																						
65.00	64.91		ENT/EXIT	R		PARK AND RIDE LOT	ST		Y																						
65.07	64.98		END SU LN	C		TWO WAY TURN		13A		1	1						6A	24A	6A	\$\$\$	24	4	02	1435	R1		40	R	P		
65.08	64.99		INTRSECTN	R		HOOD RIVER BRIDGE RD	CT		Y																						
65.12	65.03								1	1								2A	24A	4A		24	4	02	1435	R1		40	R	P	
65.50	65.41		LEAVE CITY			WHITE SALMON			1	1							3A	23A	3A		23	4	02	0090	R1		40	R	P		
			ENTER CITY			BINGEN																									
			MISC FEATR	L		SGN ENT WHITE SALMON																									
			MISC FEATR	R		SGN ENT BINGEN																									
65.81	65.72								1	1								2A	24A	7A		24	4	02	0090	R1		40	R	\$	
65.85	65.76								1	1								2A	24A	7A		24	4	02	0090	R1		30	R		
65.94	65.85		MP MARKER	R		66																									
65.95	65.86		INTRSECTN	R		CITY ST	CT		N	1	1						2A	24A	4A		24	4	02	0090	R1		30	R			
66.14	66.05								1	1								2A	24A	4A		24	4	02	0090	R1		30	R	R	
66.15	66.06		BEG ST	I		W STEUBEN			1	1							\$\$C	33A	10A		33	4	02	0090	R1		25	R	R	*	
			INTRSECTN	L		WILLOW ST	CT		Y																						
66.17	66.08								1	1								C	33A	10A		33	4	02	0090	R1		25	R	L	*
66.23	66.14		INTRSECTN	B		WALNUT ST	CT		Y	1	1						C	41A	10A		41	4	02	0090	R1		25	R	B	*	
66.28	66.19		INTRSECTN	L		ALDER ST	CT		Y	1	1						C	60A	\$\$C		60	4	02	0090	R1		25	R	B	*	
66.34	66.25		INTRSECTN	B		ASH ST	CT		Y																						

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----					
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
64.83	64.74			.04	13			.03	13	.07	12		
65.08	64.99					.06	12	.03	13				

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY KLICKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
							BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	W	L	R	T	P	S			
						:DIRECTION TO INVENTORY	-BRIDGE	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
						:	OW TC L	L																			
66.41	66.32		END ST	I		W STEUBEN		1	1					C	60A	C	60	4	02	0090	R1	25	R	B	*		
			BEG ST	I		E STEUBEN																					
			INTRSECTN	R		OAK ST	CT	AF	Y																		
			INTRSECTN	L		SR 141	ST	AF	Y																		
66.43	66.34								1	1				C	50A	9A	50	4	02	0090	R1	25	R	B	*		
66.47	66.38		INTRSECTN	B		MAPLE ST	CT	Y	1	1				C	42A	10A	42	4	02	0090	R1	25	R	B	*		
66.54	66.45		INTRSECTN	L		CHERRY ST	CT	Y																			
66.58	66.49								1	1				C	36A	4A	36	4	02	0090	R1	25	R	L	*		
66.60	66.51		INTRSECTN	L		CEDAR ST	CT	Y	1	1				C	36A	4A	36	4	02	0090	R1	35	R	L	*		
66.66	66.57		INTRSECTN	L		ELM ST	CT	Y																			
66.71	66.62		INTRSECTN	L		PINE ST	CT	Y	1	1				9A	23A	3A	23	4	02	0090	R1	35	R	P	*		
66.77	66.68		INTRSECTN	L		VINE ST	CT	Y	1	1				3A	24A	3A	24	4	02	0090	R1	35	R	P	*		
66.88	66.79		LEAVE CITY			BINGEN			1	1				3A	24A	3A	24	4	02	\$\$\$\$	R1	35	R	\$	\$		
			END ST	I		E STEUBEN																					
66.96	66.87		MP MARKER	R		67																					
67.00	66.91								1	1				3A	24A	3A	24	4	02		R1	60	R				
67.10	67.01		MISC FEATR	L		SGN ENT BINGEN																					
67.92	67.83		MP MARKER	R		68			1	1				3A	24A	5A	24	4	02		R1	60	R				
68.89	68.80								1	1				3A	24A	3A	24	4	02		R1	60	R				
69.15	69.06								1	1				3A	22A	3A	22	4	02		R1	60	R				
69.21	69.12								1	1				8B	22B	8B	22	4	02		R1	60	R				
69.72	69.63		INTRSECTN	L		COURTNEY RD	CO	N																			
70.00	69.91		MP MARKER	R		70																					
70.91	70.82		INTRSECTN	L		CO RD #1230	CO	N																			
70.99	70.90		MP MARKER	R		71																					
71.99	71.90		MP MARKER	R		72																					
72.98	72.89		MP MARKER	R		73																					
73.93	73.84		REST AREA	R		CHAMBERLIN LAKE																					
						CS 200191 Z446 MAJOR																					
73.94	73.85		EXIT TO	R		REST AREA	ST	Y																			
73.95	73.86		MP MARKER	R		74																					
73.96	73.87		ENT FROM	R		REST AREA	ST	Y																			
74.02	73.93		ENT/EXIT	R		REST AREA	ST	Y																			
74.98	74.89		MP MARKER	R		75																					
75.69	75.60		INTRSECTN	L		CANYON RD	CO	N																			
75.75	75.66		MISC FEATR	R		SGN ENT LYLE																					

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
66.41	66.32		.02	10						
74.02	73.93				.04	11				

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY KLIICKITAT

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---													
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT															
:				-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
75.76		75.67	BEG BRIDGE	B		KLIICKITAT RIVER BRDG NUM 014/212	ST		1	1				\$\$C	24A	\$\$C		24	4	02		R1		60	R			
75.81		75.72	END BRIDGE	B		KLIICKITAT RIVER			1	1				4A	24A	4A		24	4	02		R1		35	R			
75.84		75.75	INTRSECTN	R		CO RD	CO		N																			
75.86		75.77	RR XING	B		NUM 90188A GRADE																						
75.87		75.78	INTRSECTN	L		SR 142	ST		Y																			
75.97		75.88	MP MARKER	R		76																						
76.01		75.92	BEG ST	I		STATE ST			1	1				4A	24A	4A		24	4	02		R1		35	R	*		
			INTRSECTN	L		CO RD	CO		N																			
76.02		75.93	INTRSECTN	B		THIRD ST	CO		Y	1	1			5A	24A	8A		24	4	02		R1		35	R	*		
76.08		75.99	INTRSECTN	R		FOURTH ST	CO		Y																			
76.10		76.01	INTRSECTN	L		FOURTH ST	CO		Y	1	1			8A	24A	8A		24	4	02		R1		35	R	*		
76.15		76.06	INTRSECTN	B		FIFTH ST	CO		Y	1	1			12A	24A	12A		24	4	02		R1		35	R	*		
76.21		76.12	INTRSECTN	R		SIXTH ST	CO		Y																			
			INTRSECTN	L		GLENWOOD AVE	CO		Y																			
76.29		76.20	INTRSECTN	R		SEVENTH ST	CO		Y	1	1			8A	24A	4A		24	4	02		R1		35	R	*		
76.32		76.23	INTRSECTN	L		BALFOUR ST	CO		N																			
76.34		76.25	INTRSECTN	L		EIGHTH ST	CO		N	1	1			3A	24A	8A		24	4	02		R1		35	R	*		
76.49		76.40	INTRSECTN	R		WASHINGTON ST	CO		N																			
76.54		76.45	END ST	I		STATE ST			1	1				7A	24A	4A		24	4	02		R1		60	R	\$		
			MISC FEATR	L		SGN ENT LYLE																						
76.77		76.68	BEG TUNNEL	B		ROWENA GAP #1			1	1				2A	22A	2A		22	4	02		R1		60	R			
						TNNL NUM 014/215																						
76.85		76.76	END TUNNEL	B		ROWENA GAP #1								1A	22A	1A		22	4	02		R1		60	R			
76.86		76.77	BEG TUNNEL	B		ROWENA GAP #2																						
						TNNL NUM 014/216																						
76.88		76.79							1	1				1A	22A	1A		22	4	02		R1		60	R			
76.91		76.82	END TUNNEL	B		ROWENA GAP #2								4A	24A	4A		24	4	02		R1		60	R			
76.94		76.85	MP MARKER	R		77			1	1				4A	24A	4A		24	4	02		R1		60	R			
77.94		77.85	MP MARKER	R		78																						
78.65		78.56							1	1				6A	24A	6A		24	4	02		R1		60	R			
78.97		78.88							1	1				4A	24A	4A		24	4	02		R1		60	R			
78.99		78.90	MP MARKER	R		79																						
79.94		79.85	MP MARKER	R		80																						
80.98		80.89	MP MARKER	R		81																						
81.40		81.31							1	1				4A	24A	4A		24	4	02		R1		55	R			
81.61		81.52	INTRSECTN	L		MAPLE ST	CO		N	1	1			6A	24A	6A		24	4	02		R1		55	R			
81.78		81.69	INTRSECTN	L		CO RD	CO		N																			
81.90		81.81	INTRSECTN	L		MURDOCK RD	CO		N																			
81.98		81.89	MP MARKER	R		82																						
82.00		81.91							1	1				8A	24A	3A		24	4	02		R1		55	R			
82.25		82.16	INTRSECTN	R		DALLESPORT RD	CO		N																			
82.35		82.26							1	1				8A	24A	3A		24	4	02		R1		60	R			

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY KLIKKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---								
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	SPEED	R	K	T			
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID	D	IB	R	K	T	
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S										
82.87		82.78																							
82.97		82.88	MP MARKER	R		83								8A	24A	3A			24	4	02		R1	60	R
83.43		83.34												4A	24A	4A			24	4	02		R1	60	R
83.50		83.41	INTRSECTN	R	SR	197 WYE CONN	ST	Y																	
83.53		83.44	INTRSECTN	R	SR	197	ST	Y																	
83.57		83.48	INTRSECTN	R	SR	197 WYE CONN	ST	Y																	
83.96		83.87	MP MARKER	R		84								4A	24A	4A			24	4	01		R1	60	R
84.44		84.35	INTRSECTN	L	DALLES	MT RD	CO	N																	
84.49		84.40	INTRSECTN	L	DALLES	MT RD WYE CONN	CO	N																	
84.93		84.84												3A	24A	3A			24	4	01		R1	60	R
84.95		84.86	MP MARKER	R		85																			
85.14		85.05	ENT/EXIT	R	HORSETHIEF	LAKE ST PARK	ST	N																	
86.02		85.93	MP MARKER	R		86																			
86.03		85.94	BEG BRIDGE	B	HALF	BRIDGE	ST							2A	26A	\$\$C			26	4	01		R1	60	R
						BRDG NUM 014/221																			
86.04		85.95	END BRIDGE	B	HALF	BRIDGE								2A	24A	4A			24	4	01		R1	60	R
86.12		86.03	BEG BRIDGE	B	HORSETHIEF	CANYON	ST							\$\$C	24A	\$\$C			24	4	01		R1	60	R
						BRDG NUM 014/222																			
86.13		86.04	END BRIDGE	B	HORSETHIEF	CANYON								6A	23A	6A			23	4	01		R1	60	R
86.96		86.87	MP MARKER	R		87																			
87.15		87.06	INTRSECTN	L	CO	LANDFILL RD	CO	N																	
87.96		87.87	MP MARKER	R		88								7A	23A	7A			23	4	01		R1	60	R
88.96		88.87	MP MARKER	R		89																			
89.56		89.47	INTRSECTN	R	AVERY	RD	CO	N	1	1				6A	23A	6A			23	4	01		R1	60	R
89.95		89.86	MP MARKER	R		90																			
90.94		90.85	MP MARKER	R		91																			
91.97		91.88	MP MARKER	R		92																			
92.09		92.00	MISC FEATR	R	SGN	ENT WISHRAM HEIGHTS								3A	23A	7A			23	4	01		R1	60	R
92.34		92.25	INTRSECTN	L	CONN	TO ST FRONTAGE RD	ST	N																	
92.46		92.37	INTRSECTN	L	CONN	TO ST FRONTAGE RD	ST	N																	
92.52		92.43	INTRSECTN	L	CONN	TO ST FRONTAGE RD	ST	N																	
92.54		92.45	INTRSECTN	R	CO	RD	CO	N	1	1				3A	23A	3A			23	4	01		R1	60	R
92.65		92.56												6A	23A	6A			23	4	01		R1	60	R
92.68		92.59	INTRSECTN	L	CONN	TO ST FRONTAGE RD	ST	N																	
			INTRSECTN	R	WISHRAM	RD	CO	N																	
92.92		92.83	MP MARKER	R		93																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
83.53		83.44														
83.57		83.48				.03	12								.10	16

SR 014 MAINLINE

STATE ROUTE - SRSH

COUNTY KLIKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	USE		TOT	MTCE		CITY	ST	LEGAL		T	P	S		
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	LNS	RDY	SHD	WID	A	SE	NBR	FC	D	IB	R	K	T	
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
92.97			MISC FEATR	L		SGN ENT WISHRAM HEIGHTS			1	1				6A	23A	6A				23	4	01		R1		60	R
93.25			93.16						1	1				4A	23A	6A				23	4	01		R1		60	R
93.91			93.82 MP MARKER	R		94																					
94.38			94.29 INTRSECTN	R		WISHRAM RD	CO	N																			
94.45			94.36						1	1				3A	23A	6A				23	4	01		R1		60	R
94.90			94.81 MP MARKER	R		95																					
95.42			95.33						1	1				6A	23A	6A				23	4	01		R1		60	R
96.00			95.91 MP MARKER	R		96			1	1				3A	23A	6A				23	4	01		R1		60	R
96.89			96.80 MP MARKER	R		97																					
97.01			96.92						1	1				3A	23A	3A				23	4	01		R1		60	R
97.50			97.41						1	1				3A	23A	6A				23	4	01		R1		60	R
97.89			97.80 MP MARKER	R		98																					
98.63			98.54 INTRSECTN	R		MARYHILL MUSEUM	ST	N	1	1				7A	23A	7A				23	4	01		R1		60	R
98.92			98.83 MP MARKER	R		99																					
99.89			99.80 MP MARKER	R		100																					
100.64			100.55 TRAF RCDR	B		R076 7																					
100.66			100.57 INTRSECTN	L		SR 14 SPMARYHL (SPUR)	ST	SS	N																		
100.73			100.64						1	1				2A	23A	2A				23	4	01		R1		60	R
100.77			100.68						1	1				2A	23A	2A				23	4	01		R1		55	R
100.88			100.79 MP MARKER	R		101																					
100.99			100.90 INTRSECTN	L		SR 97 S BND LANE	ST	N																			
101.02			100.93 BEG COINCI			SR 097 MP002.31								\$\$\$	\$\$\$	\$\$\$				\$\$\$	\$	\$\$\$		\$\$		\$\$	\$
			END CTLSEC			CONTROL SECTION 2001																					
			INTRSECTN	L		SR 97 N BND LANE	ST	Y																			
101.44			101.35 BEG CTLSEC			CONTROL SECTION 2032			1	1				6B	23B	8B				23	4	01		R3		65	R
			INTRSECTN	R		SR 97	ST	Y																			
			END COINCI			SR 097 MP001.89																					
101.64			101.55						1	1				3B	23B	3B				23	4	01		R3		65	R
102.00			101.91 MP MARKER	R		102																					
102.27			102.18 TRAF RCDR	B		R077 7																					
102.32			102.23						1	1				3A	23A	3A				23	4	01		R3		65	R
102.40			102.31 INTRSECTN	R		MARYHILL RD	CO	N	1	1				6A	23A	8A				23	4	01		R3		65	R
102.64			102.55 INTRSECTN	L		CO RD	CO	N																			
103.00			102.91 MP MARKER	R		103																					
104.00			103.91 MP MARKER	R		104																					
105.00			104.91 MP MARKER	R		105																					
106.00			105.91 MP MARKER	R		106																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
101.44		101.35			.03	13				

SR 016 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S			INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S			USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
3.84	3.84						2	2	10A	24A	4A	48S	DE	4A	24A	10A		48	1	01	1280	U1	55	R	P		
3.99	3.99		MP MARKER	R		4																					
4.13	4.13		ON RAMP	R		SR 163-PEARL ST	ST	Y																			
4.15	4.15		ON RAMP	L		JACKSON AVE	ST	Y																			
4.32	4.32						2	2	10A	24A	4A	36S	DE	4A	24A	10A		48	1	01	1280	U1	55	R	P		
4.33	4.33		OFF RAMP	R		JACKSON AVE	ST	Y																			
4.41	4.41		UXING	B		JACKSON AVE PED XING BRDG NUM 016/040P	ST																				
4.45	4.45		MISC FEATR	R		GORE (P100443)																					
4.48	4.48		MISC FEATR	L		GORE (S100415)																					
4.50	4.50		BEG SU LN	L		TRUCK CLIMBING SHOULD11A			2	2	10A	24A	4A	36S	DE	4A	24A	10A	11	59	1	01	1280	U1	55	R	P
4.62	4.62		MISC FEATR	R		GORE (Q500490)																					
4.67	4.67		UXING	B		JACKSON AVE BRDG NUM 016/080	ST																				
4.78	4.78		END SU LN	L		TRUCK CLIMBING SHOULD11A			2	2	10A	24A	4A	36S	DE	4A	24A	10A	\$\$\$	48	1	01	1280	U1	55	R	P
4.83	4.83								2	2	10A	24A	4A	36A	UP	4A	24A	10A		48	1	01	1280	U1	55	R	P
4.84	4.84		MISC FEATR	L		GORE (R100501)																					
4.90	4.90		ON RAMP	R		JACKSON AVE	ST	Y																			
4.96	4.96		MP MARKER	B		5																					
5.01	5.01		OFF RAMP	L		JACKSON AVE	ST	Y																			
5.02	5.02								2	2	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	76	1	01	1280	U1	55	R	P
7.28	5.05		EQUATION			005.05 =007.28			2	2										58	1	01	1280	U1	55	L	P
			END CTLSEC			CONTROL SECTION 2704																					
			BEG CTLSEC			CONTROL SECTION 2705																					
			RR XING	B		NUM 85740P STRUCTURE																					
			BEG BRIDGE	B		TACOMA NARROWS BRDG NUM 016/110	ST																				
7.29	5.06								2	2																	
7.85	5.62		LEAVE CITY			TACOMA			2	2																	
8.41	6.18		END BRIDGE	B		TACOMA NARROWS			2	2																	
			END CTLSEC			CONTROL SECTION 2705																					
			BEG CTLSEC			CONTROL SECTION 2706																					
8.43	6.20		TRAF RCDR	B		R044 0			2	2																	
8.46	6.23		INTRSECTN	R		14TH AVE NW	CO	Y																			
8.51	6.28								2	2	10A	24A		4A	CU	\$\$\$	24A	10A		48	2	01		U1	55	R	
8.72	6.49								2	2	10A	24A		16A	JE		24A	10A		48	2	01		U1	55	R	
8.77	6.54		INTRSECTN	R		24TH ST NW	CO	Y																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.46	6.23				.02	12				

SR 016 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----													
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S							
							NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
27.02B		24.79	EQUATION			027.05B=027.00	2	2	10A	24A				8A	JE				24A	10A			48	2	01	1000	U1		60	R	P	
27.00		24.82	MP MARKER	B		27																										
27.05		24.87	ON RAMP	R		CLIFTON RD-TREMONT ST	ST		Y																							
27.10		24.92	LEAVE CITY			PORT ORCHARD				2	2	10A	24A			8A	JE		24A	10A			48	2	01	\$\$\$\$	U1		60	R	\$	
27.25		25.07								2	2	10A	24A			8A	JE		24A	10A			48	2	01		U1		50	R		
27.81		25.63	BEG BRIDGE	I		SR 166	ST			2	2	10A	24A	4A	2000	\$\$		C	28P	\$\$C			52	2	01		U1		50	R		
						BRDG NUM 016/205																										
27.86		25.68	END BRIDGE	I		SR 166				2	2	10A	24A	4A	300S	UP		4A	24A	8A			48	2	01		U1		50	R		
28.00		25.82	MP MARKER	R		28																										
28.05		25.87	INTRSECTN	L		ANDERSON HILL RD	CO		Y	2	2	10A	24A	4A	40S	UP		4A	24A	8A			48	2	01		U1		50	R		
28.16		25.98	INTRSECTN	C		SR 166	ST		Y	3	3	6A	33A	\$\$\$		6A	JE	\$\$\$	33A	6A			66	2	01		U1		50	R		
28.56		26.38								3	3	6A	33A			6A	JE		33A	6A			66	2	01		U1		40	R		
28.68		26.50	MISC FEATR	R		SGN ENT GORST																										
28.74		26.56	INTRSECTN	RC		SR 16 SPGORST (SPUR)	ST		Y	3	3	6A	33A		37A	UP			33A	6A			66	2	01		U1		40	R		
28.82		26.64								3	3	\$\$\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$		6A	66A	6A			66	2	01		U1		40	R	
28.83		26.65	INTRSECTN	C		U TURN ROUTE	ST		Y																							
28.84		26.66								3	3	6A	33A		20A	UP	\$\$\$	33A	6A				66	2	01		U1		40	R		
28.85		26.67	UXING	D		SR 16 SPUR	ST																									
						BRDG NUM 016/208N-S																										
28.86		26.68	BEG SU LN	C		TWO WAY TURN	20A			3	3	\$\$\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$		6A	66A	6A	20	86	2	01		U1		40	R		
28.88		26.70	INTRSECTN	L		E BND SR 16 SPUR	ST		Y																							
28.90		26.72	OFF RAMP	L		SR 16 SPGORST	ST		Y																							
28.96		26.78	END SU LN	C		TWO WAY TURN	20A			3	3	6A	33A		20A	UP	\$\$\$	33A	6A	\$\$\$			66	2	01		U1		40	R		
28.98		26.80	INTRSECTN	RC		U TURN ROUTE	ST		Y	3	3	2A	33A		80A	UP			33A	10A			66	2	01		U1		40	R		
29.00		26.82	MP MARKER	B		29																										
29.03		26.85	UXING	D		SR 3 NB	ST			\$	3	\$\$\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$		33A	10A			33	2	01		U1		40	R		
						BRDG NUM 003/103N																										
			INTRSECTN	L		S BND SR 3	ST		Y																							
			INTRSECTN	C		MEDIAN XROAD	ST		Y																							
29.05		26.87	INTRSECTN	RC		CONNECTION TO SR 16 EB	ST		Y																							
29.06		26.88	UXING	I		SR 3 NB	ST																									
						BRDG NUM 003/103N																										
29.09		26.91																														
29.19		27.01	INTRSECTN	R		SR 3	ST		Y										22A	10A			22	2	01		U1		40	R		
			END CTLSEC			CONTROL SECTION 1806																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
28.05		25.87					.09	12	.04	12

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						: :LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
						:	-XROAD-	D I	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
						:	OW TC L																		
7.43	0.00		BEG ROUTE			MAIN ROUTE		1	1			W	36P	W	36	3	01	0765	R1	60	R	P			
			ENTER CITY			MESA																			
			BEG CTLSEC			CONTROL SECTION 1133																			
			BEG BRIDGE	B		SR 395	ST																		
						BRDG NUM 017/004																			
7.48	0.05		END BRIDGE	B		SR 395		1	1			7A	24A	7A	24	3	01	0765	R1	60	R	P			
7.55	0.12		ON RAMP	R		SR 395	ST	Y	1	1		8A	24A	8A	24	3	01	0765	R1	60	R	P			
			OFF RAMP	L		SR 395	ST	Y																	
7.87	0.44		MISC FEATR	R		SGN ENT MESA																			
8.00	0.57		MP MARKER	R		8																			
8.25	0.82		INTRSECTN	B		PEPIOT RD	CT	Y																	
8.71	1.28		BEG BRIDGE	B		MANTON WAY	ST	1	1			\$\$\$	47A	\$\$\$	47	3	01	0765	R1	60	R	P			
						BRDG NUM 017/006																			
8.74	1.31		END BRIDGE	B		MANTON WAY		1	1			8A	24A	8A	24	3	01	0765	R1	60	R	P			
8.77	1.34		INTRSECTN	R		MANTON WAY	CT	Y																	
8.88	1.45		MISC FEATR	L		SGN ENT MESA																			
8.94	1.51		LEAVE CITY			MESA		1	1			8A	24A	8A	24	3	01	\$\$\$\$	R1	60	R	\$			
9.00	1.57		MP MARKER	R		9																			
9.09	1.66		RR XING	B		NUM 89693X STRUCTURE		1	1			\$\$\$	28A	\$\$\$	28	3	01		R1	60	R				
			BEG BRIDGE	B		BN RR	ST																		
						BRDG NUM 017/007																			
9.21	1.78		END BRIDGE	B		BN RR		1	1			8A	24A	8A	24	3	01		R1	60	R				
9.35	1.86		EQUATION			009.29 =009.35																			
9.52	2.03		INTRSECTN	R		CO RD #7820	CO	N																	
9.98	2.49		MP MARKER	R		10																			
10.00	2.51							1	1			6A	24A	6A	24	3	01		R1	60	R				
10.01	2.52		INTRSECTN	L		BASIN CITY RD WYE CONN	CO	N																	
10.02	2.53		INTRSECTN	L		BASIN CITY RD	CO	N																	
10.59	3.10		INTRSECTN	L		LINCOLN RD	CO	N																	
10.99	3.50		MP MARKER	R		11																			
11.60	4.11		INTRSECTN	L		MERION RD	CO	N																	
11.99	4.50		MP MARKER	R		12																			
12.80	5.31							1	1			8A	24A	8A	24	3	01		R1	60	R				
12.98	5.49		MP MARKER	R		13																			
13.98	6.49		MP MARKER	R		14																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
8.25	0.82		.04	11		.04	11			
8.77	1.34					.04	11			

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---							
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S
							OW	TC	L	D	I	WD	S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
14.00	6.51																							
14.69	7.20		INTRSECTN	R		SR 260	ST	Y																
			INTRSECTN	L		HENDRICKS RD	CO	Y																
14.98	7.49		MP MARKER	R		15																		
15.97	8.48		MP MARKER	R		16																		
16.98	9.49		MP MARKER	R		17																		
17.64	10.15		INTRSECTN	R		PARADISE RD	CO	N																
			INTRSECTN	L		SCOOTENEY PK RD	CO	N																
17.98	10.49		MP MARKER	R		18																		
18.96	11.47		INTRSECTN	B		COYAN RD	CO	N																
19.00	11.51		MP MARKER	R		19																		
19.07	11.58		BEG BRIDGE	B		SCOOTENEY WASTEWAY	ST		1	1														
						BRDG NUM 017/010.25																		
19.08	11.59		END BRIDGE	B		SCOOTENEY WASTEWAY			1	1														
19.96	12.47		MP MARKER	R		20																		
20.18	12.69		INTRSECTN	R		BOOKER RD	CO	N																
20.97	13.48		MP MARKER	R		21																		
21.80	14.31		LEAVE DIST			5																		
			END CTLSEC			CONTROL SECTION 1133																		
			LEAVE CO			FRANKLIN																		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.69	7.20		.04	12			.04	12						

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S								
							-XROAD-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	SPEED	T	P	S								
							OW TC L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S					D	IB	R	K	T							
21.80	14.31		ENTER CO BEG CTLSEC			ADAMS CONTROL SECTION 0136		1	1						7A	24A	7A			24	2	02			R1	55	L					
21.81	14.32		INTRSECTN	R		MUSE RD	CO	N																								
22.00	14.51		MP MARKER	R		22																										
22.03	14.54							1	1						7A	24A	14A			24	2	02			R1	55	L					
22.11	14.62		INTRSECTN	L		SCOOTENEY RD	CO	N																								
22.19	14.70							1	1						7A	24A	7A			24	2	02			R1	55	L					
22.38	14.89		INTRSECTN	R		LEMASTER RD	CO	N																								
22.99	15.50		MP MARKER	R		23																										
23.99	16.50		MP MARKER	R		24																										
24.50	17.01		INTRSECTN	R		YEISLEY RD	CO	N																								
			INTRSECTN	L		ATHEY RD	CO	N																								
24.96	17.47		MP MARKER	R		25																										
25.35	17.86		INTRSECTN	B		HATTON RD	CO	N																								
26.00	18.51		MP MARKER	R		26																										
26.35	18.86		INTRSECTN	L		HAMPTON RD	CO	N																								
27.00	19.51		MP MARKER	R		27																										
27.36	19.87		INTRSECTN	B		BENCH RD	CO	N																								
28.00	20.51		MP MARKER	R		28																										
28.37	20.88		INTRSECTN	B		SR 26	ST	AF	Y	1	1				8A	24A	8A			24	2	02			R1	55	L					
28.43	20.94		WEIGH STA	L		NUMBER 96																										
28.50	21.01		ENT/EXIT	L		WEIGH STATION	ST		N																							
28.99	21.50		MP MARKER	R		29																										
29.38	21.89		INTRSECTN	B		CUNNINGHAM RD	CO	Y																								
29.99	22.50		MP MARKER	R		30																										
30.37	22.88		TRAF RCDR	B		R020 5																										
30.40	22.91		INTRSECTN	B		LEE RD	CO	Y																								
30.98	23.49		MP MARKER	R		31																										
31.41	23.92		INTRSECTN	B		FOLEY RD	CO	N																								
31.99	24.50		MP MARKER	R		32																										
32.41	24.92		INTRSECTN	B		SUTTON RD	CO	N																								
32.99	25.50		MP MARKER	R		33																										
33.41	25.92		INTRSECTN	B		HERMAN RD	CO	N																								
33.43	25.94		BEG BRIDGE B			IRRIGATION CANAL	ST		1	1					\$\$W	41A	\$\$W			41	2	02			R1	55	L					
						BRDG NUM 017/101.75																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
28.37	20.88		.03	13	.03	13				
29.38	21.89		.02	12	.02	12				
30.40	22.91		.03	12	.03	12				

SR 017 MAINLINE STATE ROUTE - SRSH COUNTY GRANT DOT DISTRICT 2

			-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY			-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC																				
:LEFT/RIGHT INDICATOR			-UXING-		NBR		LFT			RHT		USE		TOT																
:			-XROAD-		LNS		SHD RDY SHD			LNS		RDY		MTCE		CITY		ST		LEGAL		T P S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	IB	R	K	T			
35.60	28.11		ENTER CO BEG CTLSEC BEG SU LN		R	GRANT CONTROL SECTION 1336 CLIMBING									1	1		8A	24A	4A	12	36	2	02		R1		55	L	
36.00	28.51		MP MARKER		R	36																								
36.61	29.12		INTRSECTN		B	11 SE																								
36.98	29.49		MP MARKER		R	37																								
37.27	29.78		INTRSECTN		R	10.5 SE																								
37.47	29.98		END SU LN		R	CLIMBING												8A	24A	8A	\$\$\$	24	2	02		R1		55	L	
37.65	30.16		INTRSECTN		R	10 SE																								
38.00	30.51		MP MARKER		R	38																								
39.00	31.51		MP MARKER		R	39																								
39.77	32.28		INTRSECTN		R	SR 170																								
			INTRSECTN		L	8 SE																								
39.99	32.50		MP MARKER		R	40																								
40.78	33.29		INTRSECTN		L	SR 262-O'SULLIVAN DAM RD																								
			INTRSECTN		R	7 SE																								
40.99	33.50		MP MARKER		R	41																								
41.31	33.82		BEG SU LN		L	CLIMBING												4A	24A	8A	12	36	2	02		R1		55	L	
41.89	34.40		INTRSECTN		B	6 SE																								
41.99	34.50		MP MARKER		R	42																								
42.66	35.17		END SU LN		L	CLIMBING												8A	24A	8A	\$\$\$	24	2	02		R1		55	L	
42.83	35.34		BEG BRIDGE		B	LIND COULEE												\$\$\$	26A	\$\$\$		26	2	02		R1		55	L	
						BRDG NUM 017/203																								
42.87	35.38		END BRIDGE		B	LIND COULEE												7A	24A	7A		24	2	02		R1		55	L	
42.99	35.50		MP MARKER		R	43																								
43.99	36.50		MP MARKER		R	44																								
44.49	37.00		INTRSECTN		R	4 SE																								
44.97	37.48		MP MARKER		R	45																								
45.13	37.64		INTRSECTN		L	3.5 SE																								
45.79	38.30		INTRSECTN		B	3 SE																								
45.98	38.49		MP MARKER		R	46																								
46.98	39.49		MP MARKER		R	47																								
47.03	39.54		INTRSECTN		L	N SE																								
47.09	39.60		INTRSECTN		B	2 SE																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
39.77	32.28		.03	13		.03	13			
40.78	33.29		.03	13		.03	13			
45.79	38.30		.05	12	.04	12	.04	12	.03	12
47.09	39.60				.11	12				

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID									
51.72	44.23							2	2	10A	24A		16A	UP		24A	10A	48	2	02	0805	U1	50	L	P	
51.75	44.26		INTRSECTN	L	SB	SR 17-PIONEER WAY	ST	Y	2	1	8A	31A	8A	150S	DE	4A	13A	8A	44	2	02	0805	U1	50	L	P
51.84	44.33		EQUATION			051.82 =051.84																				
51.87	44.36		INTRSECTN	L	PIONEER WAY NB	CONN	ST	Y	1	1	8A	13A	8A	65S	DE	4A	13A	8A	26	2	02	0805	U1	50	L	P
51.93	44.42		INTRSECTN	L	SB	SR 17	ST	Y	1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$	8A	24A	8A	24	2	02	0805	U1	50	L	P
52.00	44.49		MP MARKER	R		52																				
52.19	44.68		LEAVE CITY			MOSES LAKE			1	1						8A	24A	8A	24	2	02	\$\$\$\$	U1	50	L	\$
52.20	44.69		INTRSECTN	B	NELSON RD		CO	Y																		
52.38	44.87		ENTER CITY			MOSES LAKE			1	1						8A	24A	8A	24	2	02	0805	U1	50	L	P
52.57	45.06		LEAVE CITY			MOSES LAKE			1	1						8A	24A	8A	24	2	02	\$\$\$\$	U1	50	L	\$
52.79	45.28		ENTER CITY			MOSES LAKE			1	1						8A	24A	8A	24	2	02	0805	U1	50	L	P
53.00	45.49		MP MARKER	R		53																				
53.22	45.71		INTRSECTN	B	WHEELER RD		CT SG	Y	1	1						7A	24A	8A	24	2	02	0805	U1	50	L	P
53.47	45.96		LEAVE CITY			MOSES LAKE			1	1						7A	24A	8A	24	2	02	\$\$\$\$	U1	50	L	\$
53.91	46.40		INTRSECTN	L	SR 171-BROADWAY AVE		ST SG	Y	1	1						6A	24A	6A	24	2	02		U1	50	L	
			INTRSECTN	R	BROADWAY AVE		CO SG	Y																		
53.96	46.45		MP MARKER	R		54																				
54.24	46.73		BEG BRIDGE	B	PARKER HORN		ST		1	1						\$\$C	26A	\$\$C	26	2	02		U1	50	L	
						BRDG NUM 017/215																				
54.26	46.75		END BRIDGE	B	PARKER HORN				1	1						6A	24A	6A	24	2	02		U1	50	L	
54.32	46.81		OFF RAMP	R	STRATFORD RD		ST	Y																		
			ON RAMP	L	STRATFORD RD		ST	Y																		
54.39	46.88								1	1						8A	28A	8A	28	2	02		U1	50	L	
54.40	46.89		RR XING	B	NUM 396983B	GRADE																				
54.56	47.05		MISC FEATR	R	GORE (P105432)																					
			MISC FEATR	L	GORE (S105432)																					
54.58	47.07								1	1						10A	28A	10A	28	2	02		U1	50	L	
54.61	47.10		ENTER CITY			MOSES LAKE			1	1						10A	28A	10A	28	2	02	0805	U1	50	L	P
54.73	47.22		UXING	B	STRATFORD RD		ST																			
						BRDG NUM 017/216																				
54.89	47.38								1	1	10A	12A	4A	20S	DE	4A	12A	10A	24	2	02	0805	U1	50	L	P
54.93	47.42		MISC FEATR	R	GORE (Q105499)				2	1	10A	24A	4A	22S	DE	4A	12A	10A	36	2	02	0805	U1	50	L	P
			MISC FEATR	L	GORE (R105503)																					
54.99	47.48		ON RAMP	R	STRATFORD RD		ST	Y	2	2	10A	24A	4A	22S	DE	4A	24A	10A	48	2	02	0805	U1	50	L	P
55.00	47.49		MP MARKER	B		55																				

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
52.20	44.69		.05	12			.05	12						
53.22	45.71		.04	12			.04	12	.02	12				
53.91	46.40		.06	12			.06	12						

SR 017 MAINLINE STATE ROUTE - SRSH COUNTY GRANT DOT DISTRICT 2

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	CO	N	1	1	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----															
			D	LR						-BRIDGE-	NBR	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL								
												-UXING-	LNS	LFT	RHT	SHD	RDY						SHD	LFT	RDY	RHT	LNS	RDY	SHD	WID	WID
63.03	55.52	INTRSECTN	R		10 NE RD								8B	24B	8B		24	2	01		R2		60	L							
63.99	56.48	MP MARKER	R		64																										
64.99	57.48	MP MARKER	R		65																										
65.44	57.93	INTRSECTN	B		NEPPEL RD	CO			N																						
66.00	58.49	MP MARKER	R		66																										
66.60	59.09	BEG BRIDGE	B		ROCKY FORD CREEK BRDG NUM 017/220	ST		1	1				\$\$C	26B	\$\$C		26	2	01		R2		60	L							
66.62	59.11	END BRIDGE	B		ROCKY FORD CREEK			1	1				8B	23B	8B		23	2	01		R2		60	L							
66.76	59.25	ENT/EXIT	L		PUBLIC FISHING	ST			N																						
67.00	59.49	MP MARKER	R		67																										
67.64	60.13	INTRSECTN	L		SR 282	ST			Y																						
67.69	60.18	INTRSECTN	L		SR 282 WYE CONN	ST			Y																						
67.73	60.22	INTRSECTN	L		SR 17 S BND	ST			Y																						
67.78	60.27							1	1				7B	24B	6B		24	2	01		R2		60	L							
67.99	60.48	MP MARKER	R		68																										
69.99	62.48	MP MARKER	R		70																										
70.99	63.48	MP MARKER	R		71																										
71.56	64.05	INTRSECTN	R		HATCHERY RD	CO		1	1				5B	24B	7B		24	2	01		R2		60	L							
72.00	64.49	MP MARKER	R		72																										
72.99	65.48	MP MARKER	R		73																										
73.13	65.62							1	1				6B	23B	7B		23	2	01		R2		60	L							
73.73	66.22	UXING	B		BN RR BRDG NUM 017/223	ST																									
		RR XING	B		NUM 65776T STRUCTURE																										
73.87	66.36	INTRSECTN	R		18.5 NE	CO			N																						
73.99	66.48	MP MARKER	R		74																										
74.15	66.64	INTRSECTN	B		18.8 NE	CO			N																						
74.40	66.89	INTRSECTN	B		19 NE	CO			N																						
75.00	67.49	MP MARKER	R		75			1	1				6B	23B	7B		23	2	01		R2		50	L							
75.15	67.64							1	1				6B	23B	7B		23	2	01		R2		40	L							
75.24	67.73	INTRSECTN	L		SR 28 WYE CONN	ST			Y																						
75.27	67.76	INTRSECTN	B		SR 28	ST	RF	Y	1	1			9B	37B	10B		37	2	01		R2		30	L							
75.29	67.78	INTRSECTN	R		SR 28 WYE CONN	ST			Y																						
75.40	67.89	MISC FEATR	L		GORE (R107542)																										
75.41	67.90	MISC FEATR	R		SGN ENT SOAP LAKE																										
75.42	67.91	OFF RAMP	L		SR 28 WB	ST			Y																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----											
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	LGT	WD	LGT	WD	LGT	WD	LGT	WD
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
67.64		60.13						.05				10							
75.27		67.76		.05		12								.04					

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---											
				D	LR		DESCRIPTION	OW	TC	L	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P
				:	:																							
75.43	67.92		INTRSECTN	B		6TH AVE SE	CO	Y	2	1																		
75.44	67.93		ENTER CITY			SOAP LAKE																						
75.49	67.98		INTRSECTN	R		6TH AVE SE WYE CONN	CT	Y																				
75.50	67.99		BEG ST	I		DAISY ST S			2	2																		
			INTRSECTN	B		5TH AVE SE	CT	Y																				
75.57	68.06		INTRSECTN	B		4TH AVE SE	CT	Y																				
75.63	68.12		INTRSECTN	B		3RD AVE SE	CT	Y																				
75.70	68.19		INTRSECTN	B		2ND AVE SE	CT	Y																				
75.77	68.26		INTRSECTN	B		1ST AVE SE	CT	Y																				
75.83	68.32		END ST	I		DAISY ST S			2	2																		
			BEG ST	I		DAISY ST N																						
			INTRSECTN	B		MAIN AVE E	CT	Y																				
75.90	68.39		INTRSECTN	B		1ST AVE NE	CT	Y																				
75.96	68.45		INTRSECTN	R		2ND AVE NE	CT	Y																				
			ENT/EXIT	L		SOAP LAKE CITY PARK	CT	Y																				
76.00	68.49		MP MARKER	R		76																						
76.03	68.52		END ST	I		DAISY ST N			2	2																		
			INTRSECTN	R		3RD AVE NE	CT	Y																				
			ENT/EXIT	L		SOAP LAKE CITY PARK	CT	Y																				
76.07	68.56		INTRSECTN	R		4TH AVE NE	CT	Y																				
76.12	68.61		ENT/EXIT	L		SOAP LAKE CITY PARK	CT	Y	1	2																		
76.16	68.65								1	1																		
76.40	68.89		MISC FEATR	L		SGN ENT SOAP LAKE																						
76.45	68.94		LEAVE CITY			SOAP LAKE			1	1																		
76.99	69.48		MP MARKER	R		77																						
77.39	69.88		MISC FEATR	I		SPEED SITE #25																						
78.01	70.50		MP MARKER	R		78																						
78.38	70.87		INTRSECTN	L		23RD NW	CO	Y																				
78.48	70.97								1	1																		
78.95	71.44		MP MARKER	R		79																						
78.97	71.46		INTRSECTN	R		23.4 NW	CO	N																				
79.04	71.53								1	1																		
80.00	72.49		MP MARKER	R		80																						
80.60	73.09		INTRSECTN	L		LAKE LENORE DR	CO	N																				
81.09	73.58		MP MARKER	R		81																						
81.96	74.45		ENT/EXIT	L		GAME AREA	ST	N	1	1																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
75.43	67.92		.01	12		.01	12			
75.50	67.99		.01	12						

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY DOUGLAS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID									
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID									
119.07	111.45								1	1					2B	24B	2B		24	3	01		R2	60	R	*
119.08	111.46		INTRSECTN	R		20	NE	CO	N																	
119.67	112.05								1	1					3B	24B	3B		24	3	01		R2	60	R	*
119.69	112.07		END ST	I			R NE		1	1					3B	24B	3B		24	3	01		R2	60	R	\$
			INTRSECTN	R			SR 174 WYE CONN	ST	N																	
119.86	112.24		INTRSECTN	R			SR 174	ST	Y																	
119.95	112.33								1	1					3B	24B	3B		24	3	02		R2	60	R	
120.02	112.40		MP MARKER	R			120																			
120.04	112.42		INTRSECTN	L			P NE	CO	N																	
121.01	113.39		MP MARKER	R			121																			
122.01	114.39		MP MARKER	R			122																			
123.01	115.39		MP MARKER	R			123																			
123.75	116.13		INTRSECTN	L			CO RD	CO	N																	
124.00	116.38		MP MARKER	R			124																			
125.00	117.38		MP MARKER	R			125																			
125.84	118.22		INTRSECTN	L			K NE	CO	N																	
125.99	118.37		MP MARKER	R			126																			
126.12	118.50		INTRSECTN	R			K NE	CO	N																	
126.99	119.37		MP MARKER	R			127																			
127.23	119.61		BEG BRIDGE B				E FOSTER CREEK	ST	1	1					\$\$C	26B	\$\$C		26	3	02		R2	60	R	
							BRDG NUM 017/306																			
127.25	119.63		END BRIDGE B				E FOSTER CREEK		1	1					3B	24B	3B		24	3	02		R2	60	R	
127.98	120.36								1	1					2B	24B	2B		24	3	02		R2	60	R	
128.01	120.39		MP MARKER	R			128																			
128.32	120.70		BEG BRIDGE B				E FOSTER CREEK	ST	1	1					\$\$C	26B	\$\$C		26	3	02		R2	60	R	
							BRDG NUM 017/307																			
128.34	120.72		END BRIDGE B				E FOSTER CREEK		1	1					2B	24B	2B		24	3	02		R2	60	R	
128.90	121.28		MP MARKER	R			129																			
129.16	121.54		BEG BRIDGE B				E FOSTER CREEK	ST	1	1					\$\$C	26B	\$\$C		26	3	02		R2	60	R	
							BRDG NUM 017/308																			
129.18	121.56		END BRIDGE B				E FOSTER CREEK		1	1					1B	24B	1B		24	3	02		R2	60	R	
129.64	122.02								1	1					1B	24B	1B		24	3	02		R2	60	M	
129.90	122.28		MP MARKER	R			130																			
131.00	123.38		MP MARKER	R			131																			
132.00	124.38		MP MARKER	R			132																			
133.00	125.38		MP MARKER	R			133																			
133.45	125.83								1	1					3B	22B	3B		22	3	02		R2	60	M	

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
119.86	112.24				.02	12				

SR 017 MAINLINE

STATE ROUTE - SRSH

COUNTY DOUGLAS

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
133.53	125.91	BEG	BRIDGE	B		W FOSTER CREEK BRDG NUM 017/309	ST																											
133.55	125.93	END	BRIDGE	B		W FOSTER CREEK																												
133.57	125.95																																	
133.63	126.01	INTRSECTN		L		BRIDGEPORT HILL RD	CO																											
133.66	126.04	INTRSECTN		L		BRIDGEPORT HILL WYE CONN	CO																											
134.00	126.38	MP MARKER		R		134																												
134.14	126.52	INTRSECTN		R		CO RD	CO																											
134.44	126.82																																	
134.97	127.35	MP MARKER		R		135																												
135.20	127.58	INTRSECTN		L		SWITCH YARD RD	CO																											
135.41	127.79	ENT/EXIT		R		POWERHOUSE VIEWPOINT	OT																											
135.56	127.94	MISC FEATR		R		SGN ENT BRIDGEPORT																												
135.60	127.98	ENTER CITY				BRIDGEPORT																												
135.66	128.04																																	
135.84	128.22	INTRSECTN		L		SR 173	ST																											
		ENT/EXIT		R		CHIEF JOSEPH DAM	OT																											
135.86	128.24	INTRSECTN		L		SR 173 WYE CONN	ST																											
135.92	128.30	BEG	BRIDGE	B		COLUMBIA RIVER BRDG NUM 017/401	ST																											
136.01	128.39	MP MARKER		R		136																												
136.03	128.41	LEAVE CITY				BRIDGEPORT																												
		END CTLSEC				CONTROL SECTION 0931																												
		LEAVE CO				DOUGLAS																												

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
135.84	128.22			.01	13	.01	12	.06	16		

SR 018 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----															
							-BRIDGE	NBR	DECREAS	DIV	INCRS	UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
						:DIRECTION TO INVENTORY	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S									
						:LEFT/RIGHT INDICATOR	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
0.00	0.53		OFF RAMP	L		SR 5 SB	ST	Y	2	2	10A	24A	15A	JE		24A	10A	12	60	4	02	0443	U1	35	R	P							
0.01	0.54		UXING	B		SR 5 NB BRDG NUM 005/503E	ST																										
0.04	0.57		END SU LN ON RAMP	L		AUXILIARY	12A		2	2	10A	24A	15A	JE		24A	10A	\$\$\$	48	4	02	0443	U1	35	R	P							
0.08	0.61		MISC FEATR	R		GORE (SR 5 Q514221)																											
0.10	0.63		MISC FEATR	L		GORE (SR 5 P514204)			2	2	10A	24A	15A	JE		24A	10A		48	4	02	0443	U1	60	R	P							
0.18	0.71		ON RAMP	R		SR 5	ST	Y																									
0.21	0.74		MISC FEATR	L		GORE (SR 5 Q114242)																											
0.22	0.75		MISC FEATR	R		GORE (SR 5 P114172)																											
0.30	0.83		BEG SU LN ON RAMP	R		AUXILIARY	15A		2	2	10A	24A	15A	JE		24A	10A	15	63	4	02	0443	U1	60	R	P							
0.34	0.87		BEG SU LN OFF RAMP	L		AUXILIARY	14A		2	2	10A	24A	15A	JE		24A	10A	29	77	4	02	0443	U1	60	R	P							
0.40	0.93		END SU LN OFF RAMP	R		AUXILIARY	15A		2	2	10A	24A	15A	JE		24A	10A	14	62	4	02	0443	U1	60	R	P							
0.46	0.99		END SU LN ON RAMP	L		AUXILIARY	14A		2	2	10A	24A	15A	JE		24A	10A	\$\$\$	48	4	02	0443	U1	60	R	P							
0.58	1.11		MISC FEATR	L		GORE (S100046)																											
0.60	1.13		MISC FEATR	R		GORE (P100040)																											
0.77	1.30		UXING	B		WEYERHAEUSER WAY BRDG NUM 018/003	ST																										
0.90	1.43		MISC FEATR	R		GORE (Q100123)																											
0.92	1.45		MISC FEATR	L		GORE (R100108)																											
1.02	1.55		MP MARKER	R		1																											
1.08	1.61		OFF RAMP	L		WEYERHAEUSER WAY	ST	Y																									
1.23	1.76		ON RAMP	R		WEYERHAEUSER WAY	ST	Y	2	2	8A	24A	15A	JE		24A	8A		48	4	02	0443	U1	60	R	P							
1.41	1.94		LEAVE CITY			FEDERAL WAY			2	2	8A	24A	15A	JE		24A	8A		48	4	02	\$\$\$\$	U1	60	R	\$							
1.46	1.99								2	2	10A	24A	6A	JE		24A	10A		48	4	02		U1	60	R								
1.75	2.28		UXING	B		MILITARY RD BRDG NUM 018/004	ST																										
1.86	2.39		BEG BRIDGE	B		PEASLEY CANYON BRDG NUM 018/005	ST		2	2	\$\$W	26A	4A	JE		26A	\$\$W		52	4	02		U1	60	R								
1.93	2.46		END BRIDGE	B		PEASLEY CANYON			2	2	8A	24A	6A	JE		24A	10A		48	4	02		U1	60	R								
2.00	2.53		MP MARKER	R		2																											
2.27	2.80		ON RAMP	L		SR 167	ST	Y																									
2.43	2.96		OFF RAMP	R		OLD SR 181	ST	Y																									
2.51	3.04		MISC FEATR	R		GORE (P100243)																											
2.52	3.05		ENTER CITY ON RAMP	L		AUBURN			2	2	8A	24A	6A	JE		24A	10A		48	4	02	0055	U1	60	R	P							
			MISC FEATR	L		OLD SR 181	ST	Y																									
2.56	3.09		MISC FEATR	R		GORE (S100227)																											
2.68	3.21		BEG BRIDGE	B		SGN ENT AUBURN OLD SR 181	ST		2	2	\$\$C	35A	8A	JE		23A	\$\$C		58	4	02	0055	U1	60	R	P							

SR 018 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC	TOT	-XROAD-		LNS		USE	RDY	MTCE	CITY	ST	LEGAL		T	P
							NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
							OW	TC	CL	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S										
4.05		4.58					2	2	10A	22A	6A	JE	22A	10A			44	4	02	0055	U1		60	R	P		
4.06		4.59	MISC FEATR	L		GORE (S100397)																					
4.08		4.61	OFF RAMP	R		SR 164	ST	Y																			
4.15		4.68	BEG BRIDGE	B		SR 164	ST		2	2	\$\$W	28A	6A	JE	66A	\$\$W	94	4	02	0055	U1		60	R	P		
						BRDG NUM 018/010																					
4.17		4.70	END BRIDGE	B		SR 164			2	2	10A	22A	6A	JE	22A	10A	44	4	01	0055	U1		60	R	P		
4.18		4.71	MISC FEATR	R		GORE (P500408)																					
4.24		4.77	MISC FEATR	R		GORE (Q100447)																					
			MISC FEATR	L		GORE (R100435)																					
4.35		4.88	OFF RAMP	L		SR 164	ST	Y																			
4.36		4.89	BEG BRIDGE	B		F ST	ST		2	2	\$\$W	35A	6P	JE	41A	\$\$W	76	4	01	0055	U1		60	R	P		
						BRDG NUM 018/011																					
4.37		4.90	END BRIDGE	B		F ST			2	2	10A	24A	6A	JE	24A	10A	48	4	01	0055	U1		60	R	P		
4.47		5.00	ON RAMP	R		SR 164	ST	Y																			
4.61		5.14							2	2	10A	24A	16A	JE	24A	10A	48	4	01	0055	U1		60	R	P		
4.73		5.26	BEG BRIDGE	B		M ST	ST		2	2	\$\$W	34P	16P	JE	34P	\$\$W	68	4	01	0055	U1		60	R	P		
						BRDG NUM 018/013																					
4.75		5.28	END BRIDGE	B		M ST			2	2	10A	24A	16A	JE	24A	10A	48	4	01	0055	U1		60	R	P		
4.95		5.48	BEG BRIDGE	I		BN RR	ST		2	2	\$\$W	34A	16P	JE	34P	\$\$W	68	4	01	0055	U1		60	R	P		
						BRDG NUM 018/014S																					
			RR XING	B		NUM 0000000 STRUCTURE																					
			BEG BRIDGE	D		BN RR	ST																				
						BRDG NUM 018/014N																					
4.99		5.52	END BRIDGE	I		BN RR			2	2	10A	24A	16A	JE	24A	10A	48	4	01	0055	U1		60	R	P		
			END BRIDGE	D		BN RR																					
5.00		5.53	MP MARKER	R		5																					
5.26		5.79	TRAF RCDR	B		P20 0																					
5.84		6.37	ON RAMP	L		AUBURN BLK DIAMOND RD	ST	Y																			
6.03		6.56	MP MARKER	R		6																					
6.05		6.58							2	2	8A	24A	4A	40S	JE	4A	24A	10A	48	4	01	0055	U1		60	R	P
6.06		6.59	OFF RAMP	R		AUBURN BLK DIAMOND RD	ST	Y																			
6.18		6.71	MISC FEATR	L		GORE (S100584)																					
6.24		6.77	MISC FEATR	R		GORE (P100606)																					
6.25		6.78	MISC FEATR	L		SGN ENT AUBURN																					
6.31		6.84	LEAVE CITY			AUBURN			2	2	8A	24A	4A	40S	JE	4A	24A	10A	48	4	01	\$\$\$\$	U1		60	R	\$
6.34		6.87	MISC FEATR	L		GORE (R500649)																					
			MISC FEATR	R		GORE (Q500661)																					
6.41		6.94	BEG BRIDGE	I		AUBURN BLK DIA RD/NP RR	ST		2	2	\$\$W	44P	\$\$W	400	\$\$	\$\$C	50P	\$\$W	94	4	01		U1		60	R	
						BRDG NUM 018/016S																					
			RR XING	B		NUM 85236C STRUCTURE																					
			BEG BRIDGE	D		AUBURN BLK DIA RD/NP RR	ST																				
						BRDG NUM 018/016N																					
6.47		7.00	END BRIDGE	I		AUBURN BLK DIA RD/NP RR			2	2	10A	24A	4A	40S	DE	4A	24A	2A	48	4	01		U1		60	R	

SR 019 MAINLINE

STATE ROUTE - SRSH

COUNTY JEFFERSON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
9.60	9.60		INTRSECTN	R		FERN WAY	CO	N	1	1				8A	24A	8A		24	3	01		R2	35	L	*
9.62	9.62		ENT/EXIT	L		CHIMACUM CO PARK	CO																		
9.68	9.68								1	1				8A	24A	8A		24	3	01		R2	40	L	*
10.00	10.00		MP MARKER	R		10																			
10.05	10.05		INTRSECTN	L		ANDERSON LK RD	CO	Y																	
10.16	10.16		INTRSECTN	R		NIP LEE RD	PV	N																	
10.45	10.45		INTRSECTN	L		OLD NIP LEE RD	CO	N																	
10.47	10.47		BEG SU LN	C		TWO WAY TURN	12A		1	1				8A	24A	8A	12	36	3	01		R2	40	L	*
			INTRSECTN	R		HILDA ST	CO	N																	
10.53	10.53		INTRSECTN	L		LILLIAN ST	CO	N																	
10.67	10.67		END SU LN	C		TWO WAY TURN	12A		1	1				8A	24A	8A	\$\$\$	24	3	01		R2	40	L	*
10.68	10.68		INTRSECTN	L		CHARLES ST	CO	Y																	
			INTRSECTN	R		SR 116-NESS CORNER RD	ST	Y																	
10.75	10.75		BEG SU LN	C		TWO WAY TURN	12A		1	1				8A	24A	8A	12	36	3	01		R2	40	L	*
10.82	10.82		INTRSECTN	R		MARGARET WAY	CO	N																	
10.87	10.87		INTRSECTN	R		BELLE ST	CO	N																	
10.93	10.93		INTRSECTN	R		COLWELL ST	CO	N																	
11.00	11.00		MP MARKER	R		11																			
11.09	11.09		INTRSECTN	L		KENNEDY RD	CO	N																	
11.30	11.30		INTRSECTN	L		W FOSTER ST	CO	N																	
11.35	11.35		INTRSECTN	R		HOLMAN RD	CO	N																	
11.45	11.45		INTRSECTN	R		W PATISON ST	CO	N																	
11.59	11.59		END SU LN	C		TWO WAY TURN	12A		1	1				8A	24A	8A	\$\$\$	24	3	01		R2	40	L	*
11.61	11.61		INTRSECTN	R		IRONDALE RD	CO	Y																	
11.89	11.89		END ST	I		RHODY DR																			
			BEG ST	I		AIRPORT CUTOFF RD																			
			INTRSECTN	L		4 CORNERS RD	CO	Y																	
11.98	11.98								1	1				8A	24A	8A		24	3	01		R2	50	L	*
12.00	12.00		MP MARKER	R		12																			
12.43	12.43		INTRSECTN	R		PROSPECT AVE	CO	Y																	
12.54	12.54								1	1				6A	24A	6A		24	3	01		R2	50	L	*
12.95	12.95		INTRSECTN	L		AIRPORT RD	CO	Y																	
			INTRSECTN	R		WOODLAND DR	CO	Y																	
13.00	13.00		MP MARKER	R		13																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
10.68	10.68				.03	12					
11.61	11.61				.06	12					
11.89	11.89		.05	13				.03	13		
12.43	12.43				.03	11					

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY JEFFERSON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																	
							OW	TC	L	LNS	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1			3A	23A	3A			23	3	01			R1			50	R							
			BEG CTLSEC			SR 101 TO SR 2/NEWPORT																													
			INTRSECTN	B		CONTROL SECTION 1605																													
0.05	0.05		BEG BRIDGE	B		SR 101								ST	RF	Y																			
						SNOW CREEK																													
						BRDG NUM 020/007																													
0.07	0.07		END BRIDGE	B		SNOW CREEK																													
0.09	0.09		INTRSECTN	R		SR 101 WYE CONN																													
0.17	0.17		INTRSECTN	L		FAIRMONT RD																													
0.18	0.18		INTRSECTN	R		MOA HILL RD																													
0.21	0.21		INTRSECTN	L		FAIRMONT RD WYE CONN																													
0.82	0.82		INTRSECTN	L		FAIRMONT HILL RD																													
1.00	1.00		MP MARKER	R		1																													
1.84	1.84		INTRSECTN	R		EAGLEMOUNT RD																													
2.00	2.00		MP MARKER	R		2																													
2.23	2.23		BEG BRIDGE	B		EAGLEMOUNT HALF																													
						BRDG NUM 020/011																													
2.24	2.24		END BRIDGE	B		EAGLEMOUNT HALF																													
3.00	3.00		MP MARKER	R		3																													
3.68	3.68		INTRSECTN	R		ANDERSON LAKE RD																													
3.94	3.94		INTRSECTN	L		WOODMAN RD																													
4.00	4.00		MP MARKER	R		4																													
4.63	4.63																																		
5.00	5.00		MP MARKER	R		5																													
6.00	6.00		MP MARKER	R		6																													
6.05	6.05		INTRSECTN	R		PVT RD																													
6.24	6.24		INTRSECTN	R		4 CORNERS RD WYE CONN																													
6.25	6.25		INTRSECTN	L		DISCOVERY RD																													
			INTRSECTN	R		4 CORNERS RD																													
7.00	7.00		MP MARKER	R		7																													
7.83	7.83		INTRSECTN	L		SR 20 WYE CONN																													
7.85	7.85		INTRSECTN	R		SR 19-AIRPORT CUTOFF RD																													
7.87	7.87		INTRSECTN	L		SR 20 WYE CONN																													
7.89	7.89																																		
8.00	8.00		MP MARKER	R		8																													
8.25	8.25																																		
8.26	8.26		INTRSECTN	R		OLD FORT TOWNSEND RD																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.26		8.26			.03	12			.04	12

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T
12.88	12.88		ENTER CO BEG CTLSEC TRAF RCDR B FERRY TERM B			ISLAND CONTROL SECTION 1531 FY01 0 KEYSTONE FERRY LANDING OWNER WSF END FERRY ZONE																		
12.91	12.91		INTRSECTN	L		CO RD	CO	Y																
13.00	13.00		ENT/EXIT	R		FORT CASEY STATE PK	ST	N																
13.01	13.01		MP MARKER	R		13																		
13.05	13.05																							
13.64	13.64		ENT/EXIT	R		FORT CASEY STATE PK	ST	N																
14.01	14.01		MP MARKER	R		14																		
14.16	14.16		ENT/EXIT	R		FORT CASEY STATE PK	ST	N																
14.60	14.60		INTRSECTN	R		CO RD	CO	N 1 1																
14.98	14.98		MP MARKER	R		15																		
14.99	14.99		INTRSECTN	L		WANAMAKER RD	CO	N 1 1																
15.06	15.04		EQUATION			015.04 =015.06																		
15.29	15.27		INTRSECTN	R		KOENIG LN	CO	N																
16.00	15.98		MP MARKER	R		16																		
16.18	16.16																							
16.32	16.30		INTRSECTN	R		RACE RD	CO	SS Y																
			INTRSECTN	R		SR 525	ST	SS Y																
16.41	16.33		EQUATION			016.35 =016.41																		
16.48	16.40																							
16.99	16.91		MP MARKER	R		17																		
17.58	17.50																							
17.68	17.60																							
18.00	17.92		MP MARKER	R		18																		
18.04	17.96		INTRSECTN	R		WELCHER RD	CO	N 1 1																
18.42	18.34																							
18.62	18.54		INTRSECTN	R		CO RD	CO	N																
18.70	18.62		INTRSECTN	L		PATMORE RD	CO	N																
18.91	18.83		INTRSECTN	L		PATMORE RD	CO	N																
18.95	18.87																							
19.00	18.92		MP MARKER	R		19																		
19.30	19.22		INTRSECTN	R		MORRIS RD	CO	N 1 1																
19.32	19.24		INTRSECTN	R		PARKER RD	CO	N																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
16.32	16.30				.03	12			.02	12				

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID							
19.55	19.47		INTRSECTN	R		PARKER RD WYE CONN	CO	N	1	1														
19.98	19.90		MP MARKER	R		20																		
20.02	19.94		TRAF RCDR	B		S706 0																		
20.27	20.19		INTRSECTN	L		RHODODENDRON PK DR	CO	N																
20.47	20.39		INTRSECTN	R		QUAILTRAIL LN	PV	N	1	1														
20.53	20.45		INTRSECTN	L		JACOBS RD	CO	N																
20.90	20.82		INTRSECTN	L		TERRY RD	CO	Y	1	1														
21.00	20.92		MP MARKER	R		21																		
21.67	21.59		ENTER CITY			COUPEVILLE																		
21.68	21.60		MISC FEATR	R		SGN ENT COUPEVILLE																		
21.83	21.74		EQUATION			021.82 =021.83																		
21.84	21.75		INTRSECTN	B		MAIN ST	CT	SG	Y															
			UXING	B		PED XING	ST																	
						BRDG NUM 020/104																		
21.94	21.85		LEAVE CITY			COUPEVILLE																		
21.96	21.87		MP MARKER	R		22																		
22.11	22.02		MISC FEATR	L		SGN ENT COUPEVILLE																		
22.15	22.06		INTRSECTN	R		BROADWAY ST	CO	N																
			INTRSECTN	L		EBEY RD	CO	N																
22.63	22.54		INTRSECTN	B		SHERMAN RD	CO	N																
22.74	22.65		INTRSECTN	R		WIND DANCER PL	PV	N																
23.00	22.91		MP MARKER	R		23																		
23.55	23.46		BEG SU LN	B		SLOW VEHICLE	15A																	
23.88	23.79		END SU LN	B		SLOW VEHICLE	15A																	
23.99	23.90		MP MARKER	R		24																		
24.98	24.89		MP MARKER	R		25																		
25.15	25.06																							
25.31	25.22		INTRSECTN	L		LIBBEY RD	CO	Y																
25.48	25.39		INTRSECTN	R		MADRONA WAY	CO	Y																
25.81	25.71		EQUATION			025.80 =025.81																		
			INTRSECTN	L		ZYLSTRA RD	CO	N																
25.99	25.89		MP MARKER	R		26																		
26.13	26.03		INTRSECTN	L		POWER RD	CO	N																
26.39	26.29		INTRSECTN	B		HOLBROOK RD	CO	N																
26.73	26.63		INTRSECTN	B		ARNOLD RD	CO	N																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
21.83		21.74	.04	12	.03	12				
25.31		25.22	.03	11					.04	11
25.48		25.39			.03	11			.04	11

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----													
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
				:LEFT/RIGHT INDICATOR		-UXING-	LNS	LFT	RHT	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
				:		-XROAD-	W/S	W/S	W/S	MEDIAN-	W/S	W/S	W/S	WID	WID	WID	WID									
31.39	31.29		INTRSECTN	R	W	PIONEER WAY	CT	SG	Y																	
			INTRSECTN	R	S	BEEKSMA DR	CT	SG	Y																	
31.41	31.31		INTRSECTN	R	W	PIONEER WAY WYE CONN	CT																			
31.45	31.35																									
31.49	31.39		INTRSECTN	R	SE	BARRINGTON DR	CT	SG	Y																	
			INTRSECTN	L	SW	BARRINGTON DR	CT	SG	Y																	
31.54	31.44		BEG SU LN	C	TWO	WAY TURN				13A																
31.57	31.47		INTRSECTN	R	SE	11TH AVE	CT																			
31.69	31.59		INTRSECTN	R	SE	8TH AVE	CT	PC	Y																	
			INTRSECTN	L	SW	8TH AVE	CT	PC	Y																	
31.76	31.66																									
31.80	31.70		INTRSECTN	L	SW	6TH AVE WYE CONN	CT																			
31.82	31.72		END ST	I	80TH	NW																				
			INTRSECTN	L	SW	6TH AVE	CT																			
31.88	31.78																									
32.00	31.90		END SU LN	C	TWO	WAY TURN				13A																
32.01	31.91		EXIT TO			BUSINESS ACCESS	PV			N																
32.06	31.96		INTRSECTN	L	SE	3RD AVE	CT	SG	Y																	
			INTRSECTN	R	SE	CABOT DR	CT	SG	Y																	
32.12	32.02																									
32.15	32.05		ENT FROM	L	SHOPPING	CENTER	PV			Y																
32.16	32.06		EXIT TO	L	SHOPPING	CENTER	PV			Y																
32.19	32.09																									
32.25	32.15		INTRSECTN	L	E	WHIDBEY AVE WYE CONN	CT			Y																
32.26	32.16		INTRSECTN	B	E	WHIDBEY AVE	CT	SG	Y																	
32.27	32.17		INTRSECTN	R	E	WHIDBEY AVE WYE CONN	CT			Y																
32.32	32.22		BEG SU LN	C	TWO	WAY TURN				13A																
			INTRSECTN	L	NE	ERNST ST	CT			Y																
32.43	32.33		INTRSECTN	L	NE	FABER ST	CT			Y																
32.50	32.40		INTRSECTN	R	NE	4TH AVE	CT			Y																
32.64	32.54		END SU LN	C	TWO	WAY TURN				13A																

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LG	WD	LG	WD	LG	WD	LG	WD
31.39	31.29			.03	.03	.11	.03	.22		
31.49	31.39		.03	.12			.03	.12		
32.01	31.91			.02	.11					
32.06	31.96		.04	.12			.04	.12		
32.16	32.06						.02	.11		
32.26	32.16		.03	.12	.04	.14	.03	.12	.04	.14
32.32	32.22		.02	.12						

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S	
		:LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
		:		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
		:		OW TC L		D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
32.67		32.57	INTRSECTN	L		NE 7TH AVE WYE CONN	CT	Y	2	2				C	62A	C		62	2	01	0895	U1	40	R	P
32.73		32.63	INTRSECTN	B		NE 7TH AVE	CT	SG	Y	2	2			C	49A	C		49	2	01	0895	U1	40	R	P
32.74		32.64	INTRSECTN	R		NE 7TH AVE WYE CONN	CT		Y																
32.75		32.65	INTRSECTN	C		TWO WAY TURN			13A	2	2			C	49A	C	13	62	2	01	0895	U1	40	R	P
32.77		32.67	BEG SU LN	L		NE KOETJE ST	CT		Y																
32.90		32.80	INTRSECTN	C		TWO WAY TURN			13A	2	2			C	62A	C	\$\$\$	62	2	01	0895	U1	40	R	P
32.92		32.82	INTRSECTN	R		NE MIDWAY BLVD WYE CONN	CT		Y																
32.94		32.84	INTRSECTN	R		NE MIDWAY BLVD	CT	SG	Y																
			INTRSECTN	L		NE GOLDIE RD	CT	SG	Y																
32.95		32.85	INTRSECTN	L		NE GOLDIE RD WYE CONN	CT		Y																
32.96		32.86								2	2			C	56A	C		56	2	01	0895	U1	40	R	P
32.99		32.89	MP MARKER	R		33																			
33.01		32.91	BEG SU LN	C		TWO WAY TURN			12A	1	1			8A	22A	8A	12	34	2	01	0895	U1	40	R	P
33.19		33.09	INTRSECTN	R		NE NARROWS AVE	CT		Y																
33.21		33.11	END SU LN	C		TWO WAY TURN			12A	1	1			8A	22A	8A	\$\$\$	22	2	01	0895	U1	40	R	P
33.38		33.28	INTRSECTN	B		NE 16TH AVE	CT		N																
33.68		33.58	MISC FEATR	L		SGN ENT OAK HARBOR																			
33.69		33.59	LEAVE CITY			OAK HARBOR				1	1			8A	22A	8A		22	2	01	\$\$\$\$	U1	50	R	\$
33.98		33.88	INTRSECTN	R		CASE RD	CO		Y																
33.99		33.89	MP MARKER	R		34																			
34.06		33.96	INTRSECTN	R		TORPEDO RD	CO		Y																
34.46		34.36	INTRSECTN	R		FAKKEMA RD	CO		Y																
34.49		34.39	INTRSECTN	R		FAKKEMA RD WYE CONN	CO		Y																
34.55		34.45								1	1			8A	24A	8A		24	2	01		U1	50	R	
34.68		34.57	EQUATION			034.67 =034.68																			
34.72		34.61								1	1			8A	24A	8A		24	2	01		R1	50	R	
34.74		34.63	INTRSECTN	L		AULT FIELD RD	CO	SG	Y	1	1			8A	24A	8A		24	2	01		R1	55	R	
34.88		34.77	BEG SU LN	C		TWO WAY TURN			12A	1	1			8A	24A	8A	12	36	2	01		R1	55	R	
34.93		34.82	END SU LN	C		TWO WAY TURN			12A	1	1			8A	24A	8A	\$\$\$	24	2	01		R1	55	R	
34.99		34.88	INTRSECTN	L		HOFFMAN RD	CO		Y																
			INTRSECTN	R		3400 N RD	CO		Y																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
		LGT WD		LGT WD		LGT WD		LGT WD		LGT WD	
		---		---		---		---		---	
32.74		32.64	.03	12	.03	12					
32.94		32.84	.03	12	.03	12					
33.38		33.28			.04	11					
34.06		33.96			.03	12					
34.46		34.36			.02	12	.05	12		.03	12
34.74		34.63	.07	12			.04	12			
34.99		34.88	.03	12							

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----				
							CO	N	BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD				
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A			
35.01	34.90	MP MARKER	R	35					1	1												
35.57	35.46	INTRSECTN	B	SLEEPER RD	CO	N					8A	24A	8A		24	2	01		R1		55 R	
35.58	35.47	INTRSECTN	R	SLEEPER RD WYE CONN	CO	N																
35.86	35.75	BEG SU LN	L	TRUCK CLIMBING SHOULD12A					1	1				\$\$\$	22A	8A	12	34	2	01	R1	55 R
35.97	35.86	MP MARKER	R	36																		
36.40	36.29	END SU LN	L	TRUCK CLIMBING SHOULD12A					1	1				10A	24A	10A	\$\$\$	24	2	01	R1	55 R
36.42	36.31	INTRSECTN	B	FROSTAD RD	CO	N																
36.67	36.56								1	1				10A	24A	8A		24	2	01	R1	55 R
36.92	36.81								1	1				8A	24A	8A		24	2	01	R1	55 R
37.00	36.89	MP MARKER	R	37																		
37.12	37.01	BEG SU LN	R	TRUCK CLIMBING SHOULD14A					1	1				8A	24A	\$\$\$	14	38	2	01	R1	55 R
37.45	37.34	INTRSECTN	R	JONES RD	CO	N																
37.74	37.63	END SU LN	R	TRUCK CLIMBING SHOULD14A					1	1				8A	24A	8A	\$\$\$	24	2	01	R1	55 R
38.00	37.89	MP MARKER	R	38																		
38.14	38.03	INTRSECTN	B	MONKEY HILL RD	CO	N																
38.27	38.16								1	1				8A	24A	8A		24	2	01	R1	50 R
38.63	38.52								1	1				4A	22A	4A		22	2	01	R1	50 R
38.93	38.82	INTRSECTN	L	DE GRAFF RD	CO	N																
39.00	38.89	MP MARKER	R	39																		
39.21	39.10	INTRSECTN	R	NORTHGATE DR	CO	Y																
39.22	39.11	MISC FEATR	B	BUS TURNOUT																		
39.24	39.13	INTRSECTN	L	BANTA RD	CO	N																
39.53	39.42								1	1				8A	24A	8A		24	2	01	R1	50 R
39.67	39.56	BEG SU LN	C	TWO WAY TURN		12A			1	1				8A	24A	8A	12	36	2	01	R1	50 R
39.73	39.62	END SU LN	C	TWO WAY TURN		12A			1	1				8A	24A	8A	\$\$\$	24	2	01	R1	50 R
39.80	39.69	INTRSECTN	B	TROXELL RD	CO	Y																
39.92	39.81								1	1				3A	22A	3A		22	2	01	R1	50 R
40.00	39.89	MP MARKER	R	40																		
40.38	40.27								1	1				3A	22A	3A		22	2	01	R1	40 R
40.40	40.29	BEG SU LN	L	TRUCK CLIMBING SHOULD13A					1	1				3A	22A	3A	13	35	2	01	R1	40 R
40.53	40.42	INTRSECTN	R	DUCKEN RD	CO	N																
40.59	40.48	END SU LN	L	TRUCK CLIMBING SHOULD13A					1	1				3A	22A	3A	\$\$\$	22	2	01	R1	40 R
		INTRSECTN	R	OLD CORNET BAY RD	CO	N																
		INTRSECTN	L	DECEPTION CIRCLE	CO	N																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
35.57	35.46				.02	12								
38.14	38.03				.02	12								
38.93	38.82						.02	12						
39.80	39.69		.05	12			.03	12						

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S										
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T			
41.90	41.79		ENTER CO BEG CTLSEC			SKAGIT CONTROL SECTION 2932				1	1														R1					30	R		
42.00	41.89		END BRIDGE B			DECEPTION PASS				1	1														R1					30	R		
42.01	41.90		MP MARKER	L		42																											
42.04	41.93		BEG BRIDGE B			CANOE PASS BRDG NUM 020/207	ST			1	1														R1					30	R		
42.14	42.03		END BRIDGE B			CANOE PASS				1	1														R1					30	R		
42.46	42.35									1	1														R1					40	R		
42.77	42.66		INTRSECTN	L		ROSARIO RD	CO		Y																								
43.00	42.89		MP MARKER	R		43																											
43.17	43.06		MISC FEATR	L		DECEPTION PASS STATE PRK																											
43.52	43.41									1	1																					50	R
43.69	43.58		INTRSECTN	R		QUIET COVE RD	PV		N																								
43.95	43.84		INTRSECTN	R		DECEPTION RD	CO		Y																								
44.01	43.90		MP MARKER	R		44																											
44.35	44.24		INTRSECTN	R		N DEWEY BEACH DR	CO		N																								
44.71	44.60									1	1															R1					50	R	
44.79	44.68		INTRSECTN	B		LUNZ RD	CO		N																								
44.85	44.74		INTRSECTN	R		DECEPTION RD	CO		N																								
45.00	44.89		MP MARKER	R		45																											
45.12	45.01		INTRSECTN	L		S CAMPBELL LK RD	CO		N																								
45.37	45.26		INTRSECTN	L		LUNZ RD	CO		N																								
45.92	45.81									1	1															R1					50	R	
46.00	45.89		MP MARKER	R		46																											
46.07	45.96		INTRSECTN	L		CAMPBELL LAKE RD	CO		Y																								
46.18	46.04		EQUATION			046.15 =046.18 ``																											
46.31	46.17									1	1															R1					50	R	
46.47	46.33		INTRSECTN	R		TIBBLES LN	CO		N																								
46.67	46.53		INTRSECTN	L		MILLER RD	CO		N																								
47.01	46.87		MP MARKER	R		47																											
47.02	46.88									1	1																						
47.24	47.10		INTRSECTN	L		MILLER RD	CO		Y																								
			INTRSECTN	R		GIBRALTER RD	CO		Y																								
47.44	47.30									1	1																						
47.53	47.39		INTRSECTN	L		CO RD	CO		N																	R1					50	R	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
42.77	42.66		.04	13						.02	13
46.07	45.96		.03	12		.06	12			.08	12
47.24	47.10				.02	12		.04	13		

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																					
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		ST		LEGAL		T P S															
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT		LFT RHT		LNS RDY		LNS RDY		A SE		NBR FC		D IB		R K T																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	RDY	SHD	W/S	W/S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
59.35			59.21							1	1											8A	22A	8A		22	2	01	0140	U1		55	L	P			
59.37			59.23							1	1											8A	22A	8A		22	2	01	0140	U1		35	L	P			
59.43			59.29	INTRSECTN	R	NEVITT ST	CT	Y	1	2												\$\$\$	52A	\$\$\$		52	2	01	0140	U1		35	L	P			
59.48			59.34	INTRSECTN	R	W ANDIS RD WYE CONN	CT	Y																													
59.49			59.35	INTRSECTN	L	PETERSON RD	CT	SG	Y	1	2											C	44A	C		44	2	01	0140	U1		35	L	P			
				INTRSECTN	R	W ANDIS RD	CT	SG	Y																												
59.54			59.40	BEG ST	I	RIO VISTA AVE				1	2											C	44A	C		44	2	01	0140	U1		35	L	P	*		
				UXING	B	SR5	ST																														
						BRDG NUM 005/714																															
59.59			59.45							2	2											C	44A	C		44	2	01	0140	U1		35	L	P	*		
59.60			59.46	OFF RAMP	R	SR 5	ST	SG	Y																												
				ON RAMP	R	SR 5	ST	SG	Y																												
59.61			59.47	INTRSECTN	R	ON RAMP WYE CONN	ST	Y	2	2												C	46A	C		46	2	01	0140	U1		35	L	P	*		
59.85			59.71	END ST	I	RIO VISTA AVE				2	2											C	59A	C		59	2	01	0140	U1		30	L	P	*		
				BEG ST	I	S BURLINGTON BLVD																															
				INTRSECTN	R	S BURLINGTON BLVD	CT	SG	Y																												
				INTRSECTN	R	RIO VISTA AVE	CT	SG	Y																												
59.89			59.75	BEG SU LN	C	TWO WAY TURN	12A			2	2											C	47A	C	12	59	2	01	0140	U1		30	L	P	*		
59.90			59.76	INTRSECTN	R	ORANGE AVE	CT	Y																													
59.93			59.79	END SU LN	C	TWO WAY TURN	12A			2	2											C	59A	C	\$\$\$	59	2	01	0140	U1		30	L	P	*		
59.94			59.80	RR XING	B	NUM 92255Y GRADE																															
59.95			59.81	BEG SU LN	C	TWO WAY TURN	12A			2	2											C	47A	C	12	59	2	01	0140	U1		30	L	P	*		
60.00			59.86	INTRSECTN	R	VERNON ST	CT	Y																													
60.05			59.91	END SU LN	C	TWO WAY TURN	12A			2	2											C	59A	C	\$\$\$	59	2	01	0140	U1		30	L	P	*		
60.06			59.92	INTRSECTN	R	WASHINGTON AVE	CT	Y																													
60.11			59.97	INTRSECTN	B	FAIRHAVEN AVE	CT	SG	Y																												
60.17			60.03	BEG SU LN	C	TWO WAY TURN	12A			2	2											C	47A	C	12	59	2	01	0140	U1		30	L	P	*		
				INTRSECTN	R	VICTORIA AVE	CT	Y																													
60.19			60.05	INTRSECTN	L	W VICTORIA AVE	CT	Y																													
60.22			60.08	INTRSECTN	R	HAZEL AVE	CT	Y																													
60.26			60.12	END SU LN	C	TWO WAY TURN	12A			2	1											C	49A	C	\$\$\$	49	2	01	0140	U1		30	L	P	*		
				INTRSECTN	R	SR 20 WYE CONN	ST	Y																													
60.27			60.13	END ST	I	S BURLINGTON BLVD				2	1											8A	40A	8A		40	2	01	0140	U1		30	L	B	*		
				BEG ST	I	AVON AVE																															
				INTRSECTN	L	S BURLINGTON BLVD	CT	SS	Y																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--			
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
59.49		59.35	.03	11			.10	11				
59.85		59.71					.03	12				
60.11		59.97	.03	12			.03	12				
60.27		60.13					.04	10				

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY SKAGIT DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---																	
				D	LR		DESCRIPTION	-UXING-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
				:	:	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
64.98	64.84		INTRSECTN	L	HARRISON ST	CT	Y	1	1					8A	24A	8A			24	2	01	1150	U2		35	L	B			
65.00	64.86		MP MARKER	R	65																									
65.02	64.88							1	1					8A	22A	8A			22	2	01	1150	U2		35	L	B			
65.14	65.00		INTRSECTN	L	W MUNRO ST	CT	Y																							
65.16	65.02		INTRSECTN	L	F AND S GRADE RD	CT	Y																							
65.24	65.10		INTRSECTN	L	BORSETH ST	CT	Y																							
65.30	65.16		BEG ST	I	MOORE ST			1	1					8A	22A	8A			22	2	01	1150	U2		35	L	B	*		
			INTRSECTN	L	MOORE ST	CT	Y																							
65.46	65.32		INTRSECTN	L	SAPP RD	CT	Y																							
65.47	65.33		UXING	B	BN RR	ST																								
					BRDG NUM 020/226																									
			RR XING	B	NUM 85099X STRUCTURE																									
65.50	65.36		INTRSECTN	R	METCALF ST	CT	Y																							
65.58	65.44		INTRSECTN	B	MURDOCK ST	CT	Y																							
65.65	65.51		INTRSECTN	R	PUGET AVE	CT	Y																							
65.71	65.57		INTRSECTN	B	REED ST	CT	Y																							
65.78	65.64		INTRSECTN	R	HAINES ST	CT	Y																							
65.83	65.69		INTRSECTN	L	N CENTRAL AVE	CT	Y																							
			INTRSECTN	R	CENTRAL ST	CT	Y																							
65.96	65.82		INTRSECTN	B	BALL ST	CT	Y																							
65.99	65.85		MP MARKER	R	66			1	1					8A	24A	8A			24	2	01	1150	U2		35	L	B	*		
66.08	65.94		END ST	I	MOORE ST			1	1					8A	24A	8A			24	2	01	1150	U2		35	L	B	\$		
			INTRSECTN	L	SR 9	ST	SG	Y																						
			INTRSECTN	R	TOWNSHIP ST	CT	SG	Y																						
66.19	66.05							1	1					8A	22A	8A			22	2	01	1150	U2		35	L	B			
66.29	66.15		LEAVE CITY		SEDRO WOOLLEY			1	1					8A	22A	8A			22	2	01	\$\$\$\$	U2		55	L	\$			
66.43	66.29		INTRSECTN	L	CARTER RD	CO	N																							
66.52	66.38							1	1					8A	24A	8A			24	2	01		U2		55	L				
66.67	66.53		INTRSECTN	L	MOBILE HOME PARK	PV	Y																							
66.71	66.57		INTRSECTN	R	POLTE RD	CO	Y																							
66.88	66.74							1	1					8A	24A	8A			24	2	01		R2		55	L				
66.89	66.75		INTRSECTN	B	FRUITDALE RD	CO	Y																							
66.93	66.79							1	1					8A	22A	8A			22	2	01		R2		55	L				
67.01	66.87		MP MARKER	R	67																									
67.53	67.39		BEG BRIDGE	B	HANSEN CREEK	ST		1	1					\$\$C	36A	\$\$C			36	2	01		R2		55	L				
					BRDG NUM 020/229																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
66.08	65.94		.03	13		.03	13				
66.67	66.53		.04	11			.14	11		.12	12

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----										
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT													
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
82.73			82.59																								
82.75			82.61																								
82.84			82.70			INTRSECTN																					
82.98			82.84			MP MARKER																					
83.37			83.23			INTRSECTN																					
83.93			83.79			INTRSECTN																					
83.98			83.84			MP MARKER																					
84.33			84.19			INTRSECTN																					
84.63			84.49			INTRSECTN																					
84.76			84.58			EQUATION																					
85.00			84.82			MP MARKER																					
85.80			85.62			INTRSECTN																					
86.00			85.82			MP MARKER																					
86.77			86.59			INTRSECTN																					
86.94			86.76			INTRSECTN																					
87.00			86.82			MP MARKER																					
87.53			87.35			INTRSECTN																					
87.62			87.44			RR XING																					
						MISC FEATR																					
87.70			87.52																								
87.85			87.67			INTRSECTN																					
87.90			87.72			INTRSECTN																					
88.00			87.82			MP MARKER																					
88.07			87.89			INTRSECTN																					
88.20			88.02			MISC FEATR																					
88.21			88.03			ENTER CITY																					
						INTRSECTN																					
88.26			88.08			MISC FEATR																					
88.54			88.36			INTRSECTN																					
88.80			88.62																								
88.92			88.74			INTRSECTN																					
89.00			88.82			MP MARKER																					
89.01			88.83			INTRSECTN																					
89.14			88.96			MISC FEATR																					
89.22			89.04			INTRSECTN																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----												
				L NEAR		R NEAR		L FAR		R FAR		LEFT--		L-CNTR		R-CNTR		RIGHT-		
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
88.21			88.03			.02	12													
88.92			88.74					.03	12			.03	12							
89.01			88.83			.03	12							.03	12					

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY WHATCOM DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S				
						:DIRECTION TO INVENTORY	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:LEFT/RIGHT INDICATOR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S						
						:	OW	TC	L	WD	S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S						
						:	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S						
116.49		116.32	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			WHATCOM CONTROL SECTION 3738 SGN ENT WHATCOM COUNTY SGN ENT SKAGIT COUNTY		1	1					5A	22A		5A			22	2	01		R2		50	R
116.94		116.77						1	1					4A	24A		4A			24	2	01		R2		50	R
116.97		116.80	MP MARKER	R		117																					
117.13		116.96	BEG BRIDGE	B		THORNTON CREEK BRDG NUM 020/302	ST		1	1				\$S	C	36P	\$S			36	2	01		R2		50	R
117.15		116.98	END BRIDGE	B		THORNTON CREEK			1	1				4A	24A		4A			24	2	01		R2		50	R
117.29		117.12	INTRSECTN	L		THORNTON CREEK RD	FS	N																			
117.43		117.23	EQUATION			117.40 =117.43			1	1				5A	22A		5A			22	2	01		R2		50	R
117.99		117.79	MP MARKER	R		118																					
118.98		118.78	MP MARKER	R		119																					
119.35		119.15							1	1				8A	24A		8A			24	2	01		R2		50	R
119.41		119.21	ENT/EXIT	R		GOODELL CREEK CAMPGROUND	FS	N						8A	24A		8A			24	2	01		R2		30	R
119.51		119.31							1	1				8A	24A		8A			24	2	01		R2		30	R
119.66		119.46	INTRSECTN	L		GOODELL PARK RD	CO	N																			
119.73		119.53	BEG BRIDGE	B		GOODELL CREEK BRDG NUM 020/305	ST		1	1				\$S	W	40A	\$S			40	2	01		R2		30	R
119.78		119.58	END BRIDGE	B		GOODELL CREEK			1	1				8A	24A		8A			24	2	01		R2		30	R
119.79		119.59	MISC FEATR	R		SGN ENT NEWHALEM																					
119.92		119.72	INTRSECTN	R		NEWHALEM CR RD	FS	N																			
120.00		119.80	MP MARKER	L		120																					
120.04		119.84							1	1				3A	22A		3A			22	2	01		R2		30	R
120.11		119.91	INTRSECTN	B		PVT RD	PV	N																			
120.12		119.92	INTRSECTN	R		PVT RD	PV	N																			
120.28		120.08	INTRSECTN	B		PVT RD	PV	N																			
120.36		120.16							1	1				9A	22A		2A			22	2	01		R2		30	R
120.43		120.23	INTRSECTN	R		PVT RD	PV	N																			
120.55		120.35	MISC FEATR	B		PED XING	AF	N	1	1				4A	22A		4A			22	2	01		R2		30	R
120.58		120.38	INTRSECTN	R		PVT RD	PV	N	1	1				4A	22A		8A			22	2	01		R2		30	R
120.67		120.47							1	1				8A	22A		8A			22	2	01		R2		30	R
120.74		120.54	INTRSECTN	L		PVT RD	PV	N																			
120.78		120.58							1	1				3A	22A		8A			22	2	01		R2		30	M
120.84		120.64	INTRSECTN	R		PVT RD	PV	N	1	1				3A	22A		3A			22	2	01		R2		30	M
120.85		120.65	INTRSECTN	R		GORGE POWERHOUSE	PV	N																			
120.95		120.75							1	1				3A	22A		3A			22	2	01		R2		45	M
121.00		120.80	MP MARKER	R		121																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT	L-CNTR	R-CNTR	RIGHT
			LGW	WD	LGW	WD	LGW	WD	LGW	WD
119.92		119.72			.06	13			.03	12

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY WHATCOM DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----													
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S							
							NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
129.69		129.49																													
129.87		129.67	END SU LN	L		SLOW VEHICLE																									
129.88		129.68	BEG BRIDGE B	B		COLONIAL CREEK																									
						BRDG NUM 020/342																									
129.90		129.70	END BRIDGE B	B		COLONIAL CREEK																									
129.99		129.79	MP MARKER	R		130																									
130.24		130.04	ENT/EXIT	L		FS CAMPGROUND	FS		N																						
			ENT/EXIT	R		COLONIAL CRK CAMPGROUND	FS		N																						
130.33		130.13	BEG BRIDGE B	B		DIABLO LK \ THUNDER CR																									
						BRDG NUM 020/345																									
130.37		130.17	END BRIDGE B	B		DIABLO LK \ THUNDER CR																									
130.99		130.79	MP MARKER	L		131																									
131.76		131.56	BEG SU LN	R		SLOW VEHICLE																									
			INTRSECTN	L		SCENIC VIEWPOINT																									
131.99		131.79	MP MARKER	R		132																									
132.12		131.92	END SU LN	R		SLOW VEHICLE																									
132.96		132.76	MP MARKER	L		133																									
132.97		132.77																													
133.00		132.80	MISC FEATR	L		SCENIC VIEWPOINT																									
133.06		132.86																													
133.38		133.18	BEG BRIDGE B	B		JOHN PIERCE WATERFALLS																									
						BRDG NUM 020/348																									
133.45		133.25	END BRIDGE B	B		JOHN PIERCE WATERFALLS																									
133.95		133.75	MP MARKER	L		134																									
134.08		133.88																													
134.10		133.90	MISC FEATR	L		ROSS DAM TRAIL PARKING																									
134.18		133.98	MISC FEATR	R		SGN AVALANCHE AREA-GATE																									
134.38		134.18																													
134.41		134.21	INTRSECTN	R		HAPPY CREEK FOREST WALK	FS		N																						
134.63		134.43	BEG SU LN	L		SLOW VEHICLE																									
134.89		134.69	END SU LN	L		SLOW VEHICLE																									
134.98		134.78	MP MARKER	R		135																									
135.08		134.88																													
135.10		134.90	MISC FEATR	L		SCENIC VIEWPOINT																									
135.13		134.93																													
135.21		135.01																													
135.27		135.07	MISC FEATR	L		SCENIC VIEWPOINT																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
130.24		130.04	.02	11	.02	11				
131.76		131.56	.07	13	.02	12			.02	13

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY CHELAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS---																		
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				NBR		LFT	RHT		LFT	RDY	SHD	RHT	USE	TOT																						
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
157.40	157.20		ENTER CO BEG CTLSEC			CHELAN CONTROL SECTION 0437																														
157.58	157.38		MISC FEATR	L		SGN RAINY PASS ELEV 4855																														
157.60	157.40		INTRSECTN	L		PACIFIC CREST TR PARK	FS																													
			INTRSECTN	R		RAINY PASS PICNIC AREA	FS																													
157.99	157.79		MP MARKER	R		158																														
158.88	158.68		INTRSECTN	L		ROAD TO TRAILHEAD/FS 600	FS																													
159.00	158.80		MP MARKER	R		159																														
159.71	159.51		BEG SU LN	R		CLIMBING		11A																												
160.00	159.80		MP MARKER	R		160																														
160.41	160.21		END SU LN	R		CLIMBING		11A																												
160.56	160.36		MISC FEATR	L		SNG WHISTLER MTN																														
161.00	160.80		MP MARKER	R		161																														
161.46	161.26		INTRSECTN	R		BLUE LAKE TR FS #510	FS																													
162.00	161.80		MP MARKER	R		162																														
162.17	161.97		BEG SU LN	L		CLIMBING		11A																												
162.31	162.11		ENT/EXIT	L		SCENIC VIEWPOINT																														
162.41	162.21		MISC FEATR	L		SGN WN PASS SUM ELE 5477																														
162.54	162.34		END CTLSEC LEAVE CO			CONTROL SECTION 0437 CHELAN																														

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
162.31	162.11			.03	12				

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
162.54	162.34		ENTER CO BEG CTLSEC			OKANOGAN CONTROL SECTION 2438				1	1			4A	24A	4A	11	35	3	02		R2		60	M				
162.94	162.74		MP MARKER	L		163								4A	24A	4A	\$\$\$	24	3	02		R2		60	M				
163.61	163.41		END SU LN	L		CLIMBING		11A		1	1																		
164.00	163.80		MP MARKER	R		164																							
164.89	164.69		MISC FEATR	L		SGN LIBERTY BELL MTN																							
166.00	165.80		MP MARKER	R		166																							
166.15	165.95		MISC FEATR	R		SGN SILVER STAR MTN																							
166.99	166.79		INTRSECTN	L		CUTTHROAT CR RD	FS		N																				
167.00	166.80		MP MARKER	R		167																							
167.07	166.87		BEG BRIDGE	B		CUTTHROAT CREEK	ST		1	1			\$\$C	32A	\$\$C		32	3	02		R2		60	M					
						BRDG NUM 020/603																							
167.09	166.89		END BRIDGE	B		CUTTHROAT CREEK			1	1			4A	24A	4A		24	3	02		R2		60	M					
168.02	167.82		MP MARKER	R		168																							
168.47	168.27		INTRSECTN	R		LONE FIR CAMPGROUND	FS		N																				
169.00	168.80		MP MARKER	R		169																							
170.00	169.80		MP MARKER	R		170																							
170.59	170.39		BEG BRIDGE	B		EARLY WINTERS CR	ST		1	1			\$\$C	32A	\$\$C		32	3	02		R2		60	M					
						BRDG NUM 020/606																							
170.60	170.40		END BRIDGE	B		EARLY WINTERS CR			1	1			4A	24A	4A		24	3	02		R2		60	M					
171.01	170.81		MP MARKER	R		171																							
172.02	171.82		MP MARKER	R		172																							
173.02	172.82		MP MARKER	R		173																							
174.03	173.83		MP MARKER	R		174																							
175.04	174.84		MP MARKER	R		175																							
175.17	174.97		ENT/EXIT	L		KLIPCHUCK CMPGRD FS #300	FS		N																				
175.45	175.25		INTRSECTN	R		SANDY BUTTE RD FS #200	FS		N																				
175.98	175.78		BEG BRIDGE	B		EARLY WINTER	ST		1	1			\$\$C	32A	\$\$C		32	3	02		R2		60	M					
						BRDG NUM 020/609																							
176.03	175.83		END BRIDGE	B		EARLY WINTER			1	1			4A	24A	4A		24	3	02		R2		60	M					
176.04	175.84		MP MARKER	R		176																							
177.00	176.80		MP MARKER	R		177																							
177.36	177.16																												
177.65	177.45		ENT/EXIT	R		EARLY WINTERS CAMPGROUND	FS		N				8A	24A	4A		24	3	02		R2		60	M					
			INTRSECTN	L		FS RD	FS		N																				
177.78	177.58		BEG BRIDGE	B		EARLY WINTERS CR	ST		1	1			\$\$C	26P	\$\$C		26	3	02		R2		60	M					
						BRDG NUM 020/612																							
177.80	177.60		END BRIDGE	B		EARLY WINTERS CR			1	1			4B	24B	4B		24	3	02		R2		60	M					
178.00	177.80		MP MARKER	R		178																							
178.05	177.85		ENT/EXIT	L		EARLY WINTERS INFO CENTR	FS		N																				
178.94	178.74		INTRSECTN	R		FS RD #100	FS		N																				
179.00	178.80		MP MARKER	R		179																							
179.58	179.38		INTRSECTN	L		LOST RIVER RD	CO		N	1	1		4B	24B	4B		24	3	02		R2		60	R					

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----															
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC				LEGAL			T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
							OW	TC	L	D	I	WD/S	BR	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
179.59		179.39												4B	24B	4B					24	3	02		R2		60	R		
180.00		179.80	MP MARKER	R		180								4B	25B	6B					25	3	02		R2		60	R		
180.43		180.23												5B	25B	12B					25	3	02		R2		60	R		
180.88		180.68																												
181.03		180.83	MP MARKER	R		181																								
181.14		180.94												5B	25B	6B					25	3	02		R2		60	R		
181.38		181.18												5B	25B	10B					25	3	02		R2		60	R		
181.64		181.44												5B	25B	6B					25	3	02		R2		60	R		
182.03		181.83	MP MARKER	R		182																								
183.03		182.83	MP MARKER	R		183																								
183.85		183.65	INTRSECTN	R		CO RD	CO				N																			
184.03		183.83	MP MARKER	R		184																								
184.17		183.97	INTRSECTN	R		WOLF CREEK RD	CO				N																			
184.61		184.41	BEG BRIDGE	B		METHOW RIVER	ST				1	1		\$\$\$	40P	\$\$\$					40	3	02		R2		60	R		
						BRDG NUM 020/618																								
184.69		184.49	END BRIDGE	B		METHOW RIVER					1	1		6B	25B	6B					25	3	02		R2		60	R		
184.71		184.51	INTRSECTN	L		GOAT CREEK RD	CO				N																			
184.98		184.78	MP MARKER	R		185																								
185.23		185.03	INTRSECTN	R		LINDBLOOM LN	CO				N																			
185.54		185.34									1	1		3B	25B	5B					25	3	02		R2		60	R		
185.98		185.78	MP MARKER	R		186																								
187.03		186.83	MP MARKER	R		187																								
187.20		187.00	INTRSECTN	L		RD APPROACH	PV				N																			
187.98		187.78	MP MARKER	R		188																								
188.98		188.78	MP MARKER	R		189																								
189.14		188.94									1	1		3B	25B	27B					25	3	02		R2		60	R		
189.35		189.15									1	1		3B	25B	5B					25	3	02		R2		60	R		
189.42		189.22									1	1		3B	25B	35B					25	3	02		R2		60	R		
189.50		189.30									1	1		3B	25B	5B					25	3	02		R2		60	R		
189.98		189.78	MP MARKER	R		190																								
190.98		190.78	MP MARKER	R		191																								
191.28		191.08	MISC FEATR	B		CATTLE OXING																								
191.90		191.70	TRAF RCDR	B		R037 0																								
191.98		191.78	MP MARKER	R		192																								
192.46		192.15	EQUATION			192.35 =192.46					1	1		1A	22A	1A					22	3	02		R2		60	R		
192.49		192.18									1	1		1A	22A	1A					22	3	02		R2		25	R		
192.51		192.20	MISC FEATR	R		SGN ENT WINTHROP																								
192.55		192.24	INTRSECTN	R		RADER RD	CO				N																			
192.66		192.35	ENTER CITY			WINTHROP					1	1		1A	22A	1A					22	3	02	1465	R2		25	R P		
192.72		192.41	LEAVE CITY			WINTHROP					1	1		1A	22A	1A					22	3	02	\$\$\$\$	R2		25	R \$		
192.73		192.42	INTRSECTN	R		WINTHROP CITY PARK RD	CO				N																			
192.74		192.43	INTRSECTN	L		W CHEWUCH RD	CO				N																			
192.80		192.49									1	1		1A	22A	8A					22	3	02		R2		25	R		

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY OKANOGAN DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																		
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE		CITY	ST	LEGAL		T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
192.84	192.53	BEG BRIDGE	B			CHEWUCH CREEK	ST		1	1						\$	\$	C	26P	\$	\$	C		26	3	02		R2		25	R			
192.86	192.55	END BRIDGE	B			CHEWUCH CREEK			1	1						8A	22A	10A						22	3	02	1465	R2		25	R	B		
192.91	192.60	INTRSECTN	L			MAIN ST	CT	SS	Y	1	1					\$	\$	C	69A	\$	\$	C		69	3	02	1465	R2		25	R	B		
192.96	192.65								1	1						13A	39A							39	3	02	1465	R2		25	R	B		
192.98	192.67	MP MARKER	L			193																												
193.04	192.73								1	1						7A	22A	2A						22	3	02	1465	R2		25	R	B		
193.07	192.76								1	1						4A	22A	2A						22	3	02	1465	R2		25	R	B		
193.18	192.87								1	1						4A	22A	6A						22	3	02	1465	R2		25	R	B		
193.32	193.01								1	1						4A	22A	1A						22	3	02	1465	R2		25	R	B		
193.35	193.04	INTRSECTN	L			MAIN ST	CT		Y	1	1					1A	22A	1A						22	3	02	1465	R2		25	R	P		
193.37	193.06	BEG BRIDGE	B			METHOW RIVER	ST		1	1						\$	\$	C	23P	\$	\$	C		23	3	02	1465	R2		25	R	P		
193.43	193.12	END BRIDGE	B			METHOW RIVER			1	1						3A	22A	2A						22	3	02	1465	R2		25	R	P		
193.45	193.14	INTRSECTN	R			TWIN LAKES RD WYE CONN	CT		Y																									
193.46	193.15	INTRSECTN	R			TWIN LAKES RD	CT		Y																									
193.47	193.16	INTRSECTN	R			TWIN LAKES RD WYE CONN	CT		Y																									
193.71	193.40								1	1						2G	22A	2A						22	3	02	1465	R2		25	R	P		
193.76	193.45								1	1						2G	22A	2A						22	3	02	1465	R2		40	R	P		
193.85	193.54	BEG SU LN	C			TWO WAY TURN		11A			1	1				2A	22A	2A	11				33	3	02	1465	R2		40	R	P			
194.00	193.69	MP MARKER	R			194																												
194.21	193.90	END SU LN	C			TWO WAY TURN		11A			1	1				2A	22A	2A	\$\$\$				22	3	02	1465	R2		40	R	P			
194.24	193.93	MISC FEATR	L			SGN ENT WINTHROP	PV		N																									
194.32	194.01	LEAVE CITY				WINTHROP			1	1						4G	22B	4G						22	3	02	\$\$\$	R2		60	R	\$		
194.66	194.35	INTRSECTN	L			WITTE RD	CO		N	1	1					4B	22B	4B						22	3	02		R2		60	R			
195.00	194.69	MP MARKER	R			195																												
195.56	195.25	INTRSECTN	L			WITTE RD	CO		N	1	1					2B	22B	2B						22	3	02		R2		60	R			
195.93	195.62	INTRSECTN	R			TWIN LAKES RD	CO		Y																									
196.00	195.69	MP MARKER	R			196																												
196.88	196.57	INTRSECTN	L			OLD TWISP HWY S RD	CO		N																									
198.00	197.69	MP MARKER	R			198																												
198.90	198.59	INTRSECTN	L			OLD TWISP HWY S RD	CO		N																									
199.00	198.69	MP MARKER	R			199																												
199.84	199.53								1	1						4B	22B	4B						22	3	02		R2		60	R			
200.00	199.69	MP MARKER	R			200																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP B ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
-----		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD		
195.93	195.62			.03	12						

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY FERRY DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		USE		TOT																					
:				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	A	SE	CITY	ST	LEGAL	T	P	S					
297.23	296.91		ENTER CO BEG CTLSEC MISC FEATR		R	FERRY CONTROL SECTION 1003 SGN ENT FERRY COUNTY			1	1							4A	22A	4A			22	4	02		R2		60	R						
297.37	297.05								1	1							4A	24A	4A			24	4	02		R2		60	R						
297.40	297.08								1	1							4A	24A	4A			24	4	02		R2		55	R						
297.45	297.13		INTRSECTN		L	GRANITE CREEK RD			CO		N																								
297.64	297.32		INTRSECTN		L	TIMBERLAND DR			CO		N																								
297.90	297.58		INTRSECTN		R	SAGE RD			CO		N																								
298.00	297.68		MP MARKER		R	298																													
298.59	298.27								1	1							4A	24A	4A			24	4	02		R2		55	M						
298.99	298.67		MP MARKER		R	299																													
299.72	299.40		INTRSECTN		L	TROUT CREEK RD			CO		N																								
			INTRSECTN		R	SWAN LAKE RD			CO		N																								
299.99	299.67		MP MARKER		R	300																													
300.17	299.85		INTRSECTN		L	MARIAH LN			CO		N																								
300.58	300.26		INTRSECTN		L	FLAG HILL RD			CO		N																								
300.99	300.67		MP MARKER		R	301																													
301.01	300.69		INTRSECTN		R	LILLY CREEK RD			CO		N																								
301.43	301.11		INTRSECTN		L	FLAG HILL RD E			CO		N																								
301.86	301.54		MISC FEATR		R	SGN ENT REPUBLIC																													
301.92	301.60		ENTER CITY BEG ST		I	REPUBLIC 6TH ST			1	1							4A	24A	4A			24	4	02	1075	R2		55	R	P	*				
301.94	301.62		INTRSECTN		R	CITY ST			CT		N																								
301.98	301.66		INTRSECTN		R	CITY ST			CT		N	1	1				4A	24A	4A			24	4	02	1075	R2		25	R	P	*				
301.99	301.67		MP MARKER		L	302						1	1				\$\$\$	45A	\$\$\$			45	4	02	1075	R2		25	R	P	*				
			INTRSECTN		L	CITY ST			CT		Y																								
302.03	301.71		INTRSECTN		B	KEAN ST			CT		Y																								
302.08	301.76		END ST BEG ST		I	6TH ST CLARK AVE			1	1							C	50A	C			50	4	02	1075	R2		25	R	B	*				
			INTRSECTN		L	CLARK AVE			CT		RF	Y																							
			INTRSECTN		R	6TH ST			CT		RF	Y																							
302.15	301.83		INTRSECTN		L	7TH ST			CT		Y																								
302.22	301.90		INTRSECTN		B	8TH ST			CT		Y																								
302.29	301.97		INTRSECTN		B	9TH ST			CT		Y																								
302.35	302.03		INTRSECTN		B	10TH ST			CT		Y	1	1				2A	22A	2A			22	4	02	1075	R2		35	R	P	*				
302.39	302.07		INTRSECTN		R	CITY ST			CT		N																								
302.53	302.21		INTRSECTN		B	CITY ST			CT		N																								
302.56	302.24		BEG BRIDGE		B	OLD BN RR BRDG NUM 020/703			ST		1	1					\$\$\$	26A	\$\$\$			26	4	02	1075	R2		35	R	P	*				
302.60	302.28		END BRIDGE		B	OLD BN RR			1	1							4B	22B	4B			22	4	02	1075	R2		35	R	P	*				
302.64	302.32		INTRSECTN		R	SR 21 WYE CONN			ST		Y																								
302.65	302.33		INTRSECTN		R	SR 21			ST		Y																								
			INTRSECTN		L	CITY ST			CT		Y																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
302.65	302.33		.01	13		.04	12			

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----															
: :LEFT/RIGHT INDICATOR				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	MEDIAN-	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T					
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID												
302.66		302.34																												
302.85		302.53	INTRSECTN	R		CITY ST	CT	Y								4B	22B	4B			22	4	02	1075	R2	35	R	P	*	
302.86		302.54	INTRSECTN	L		CITY ST	CT	N																						
302.99		302.67	MP MARKER	R		303																								
303.05		302.73	ENT/EXIT	R		HIGH SCHOOL	PV	N																						
303.17		302.85																												
303.33		303.01	MISC FEATR	L		SGN ENT REPUBLIC										4B	22B	4B			22	4	02	1075	R2	45	R	P	*	
303.34		303.02	LEAVE CITY			REPUBLIC										4B	22B	4B			22	4	02	\$\$\$\$	R2	45	R	\$	\$	
			END ST	I		CLARK AVE																								
304.00		303.68	MP MARKER	R		304										4B	22B	4B			22	4	02		R2	55	R			
304.60		304.28	TRAF RCDR	B		S820 7																								
304.79		304.47	INTRSECTN	R		FAIRGROUND RD	CO	N																						
304.99		304.67	INTRSECTN	R		FAIRGROUND RD	CO	N	1	1						8B	24B	8B			24	4	02		R2	55	R			
305.00		304.68	MP MARKER	R		305																								
305.24		304.89	EQUATION			305.21 =305.24										8B	24B	4B			24	4	02		R2	55	M			
			INTRSECTN	L		SR 21	ST	Y																						
305.30		304.95	INTRSECTN	L		CO RD	CO	N																						
305.46		305.11	INTRSECTN	R		CO RD	CO	N																						
305.48		305.13																												
305.63		305.28	INTRSECTN	R		CO RD	CO	N								2B	23B	2B			23	4	02		R2	55	M			
305.99		305.64	MP MARKER	R		306																								
306.25		305.90	INTRSECTN	L		HADLEY RD	CO	N																						
306.54		306.19														2A	24A	2A			24	4	02		R2	55	M			
306.56		306.21														2A	24A	2A			24	4	02		R2	55	R			
306.69		306.34														2B	23B	2B			23	4	02		R2	55	R			
307.03		306.68	MP MARKER	R		307																								
307.13		306.78														2A	24A	2A			24	4	02		R2	55	R			
307.21		306.86														2B	23B	2B			23	4	02		R2	55	R			
307.65		307.30														2A	24A	2A			24	4	02		R2	55	R			
307.77		307.42	INTRSECTN	L		YENTER RD	CO	N																						
307.80		307.45														2B	23B	2B			23	4	02		R2	55	R			
308.02		307.67	MP MARKER	R		308																								
308.94		308.59	BEG SU LN	L		CHAIN UP										\$\$\$	23B	2B	12		35	4	02		R2	55	R			
308.96		308.61	BEG SU LN	R		CHAIN UP	12B										23B	\$\$\$	24		47	4	02		R2	55	R			
308.99		308.64	MP MARKER	R		309																								
309.02		308.67	END SU LN	L		CHAIN UP										2B	23B		12		35	4	02		R2	55	R			
309.08		308.73	END SU LN	R		CHAIN UP	12B									2B	23B	2B	\$\$\$		23	4	02		R2	55	R			

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
305.24		304.89		.03	11						.06	12

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																					
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC						LEGAL		T P S																			
: :LEFT/RIGHT INDICATOR				-UXING-		LNS		SHD RDY SHD		LFT RHT		LNS RDY		MTCE		CITY		ST																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
342.36			ENTER CO			STEVENS																															
354.33			ENTER CITY			COLVILLE																															
			BEG CTLSEC			CONTROL SECTION 3334																															
			BEG ST	I		3RD ST																															
			INTRSECTN	B		SR 395																															
			END COINCI			SR 395																															
						MP229.64																															
354.40			INTRSECTN	B		OAK ST																															
354.47			INTRSECTN	B		ELM ST																															
354.53			INTRSECTN	B		MAPLE ST																															
354.60			INTRSECTN	B		WALNUT ST																															
354.65			INTRSECTN	B		CEDAR ST																															
354.74			INTRSECTN	B		HOFFSTETTER ST																															
354.87			INTRSECTN	R		ALDER ST																															
354.95																																					
354.97			INTRSECTN	R		PINE ST																															
			INTRSECTN	L		MADISON ST																															
354.98			MISC FEATR	L		SGN ENT COLVILLE																															
355.00																																					
355.12			LEAVE CITY			COLVILLE																															
355.28			INTRSECTN	R		SILKE RD																															
355.44			INTRSECTN	L		ALADDIN RD																															
355.45			END ST	I		3RD ST																															
355.53			INTRSECTN	L		LAUNDRY RD																															
355.54																																					
355.67			ENTER CITY			COLVILLE																															
355.68			ENT/EXIT	R		COLVILLE HIGH SCHOOL																															
355.71			LEAVE CITY			COLVILLE																															
355.79			INTRSECTN	L		DEGRIEF RD																															
			INTRSECTN	R		EVERGREEN WAY																															
355.84																																					
355.95																																					
355.99			MP MARKER	R		356																															
357.00			MP MARKER	R		357																															
357.06			INTRSECTN	L		KNAPP RD																															
357.30			EQUATION			357.27 =357.30																															
358.01			MP MARKER	R		358																															
358.12			INTRSECTN	R		TIGER DR RD																															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP		B ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----		-----		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
355.68		355.33			.10 12	.04 12					

SR 020 MAINLINE STATE ROUTE - SRSH COUNTY PEND OREILLE DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----					-----CLASSIFICATIONS----																			
				D	LR		DESCRIPTION	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S								
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
418.00	417.62	MP MARKER	R	418			1	1								2B	22B	2B		22	4	01		R2		55	L				
418.45	418.07	INTRSECTN	R	KAPPS LN		CO	N																								
418.63	418.25	INTRSECTN	L	CO RD		CO	N																								
418.87	418.49						1	1								6B	24B	6B		24	4	01		R2		55	L				
418.89	418.51	INTRSECTN	R	MEADOW RD		CO	N																								
418.90	418.52						1	1								6B	24B	6B		24	4	01		R2		45	L				
418.92	418.54	MP MARKER	R	419																											
418.93	418.55	BEG BRIDGE	B	CALISPELL CREEK		ST		1	1							\$\$\$	38B	\$\$\$		38	4	01		R2		45	L				
				BRDG NUM 020/918																											
418.98	418.60	END BRIDGE	B	CALISPELL CREEK				1	1							6B	24B	6B		24	4	01	0300	R2		45	L	B			
				ENTER CITY																											
418.99	418.61	INTRSECTN	L	MONUMENTAL WAY		CT	Y																								
419.01	418.63	INTRSECTN	L	WINCHESTER ST		CT	N																								
419.02	418.64	LEAVE CITY		CUSICK			1	1								2B	22B	2B		22	4	01	\$\$\$\$	R2		45	L	\$			
419.18	418.80						1	1								2B	22B	2B		22	4	01		R2		55	L				
419.64	419.26	MISC FEATR	B	CATTLE OXING																											
419.95	419.57	MP MARKER	R	420																											
420.99	420.61	MP MARKER	R	421																											
421.07	420.69	INTRSECTN	B	KINGS LAKE RD		CO	N																								
421.42	421.01	EQUATION		421.39 =421.42			1	1								4B	22B	4B		22	4	01		R2		55	R				
		INTRSECTN	L	TRIANGLE RD		CO	N																								
421.44	421.03						1	1								4B	22B	4B		22	1	02		R2		55	R				
421.48	421.07	INTRSECTN	R	SR 211		ST	N																								
421.99	421.58	MP MARKER	R	422																											
422.19	421.78	INTRSECTN	L	SANITARY FILL RD		CO	N																								
422.78	422.37	ENT/EXIT	L	PONDERAY NEWSPRINT CO		PV	N																								
422.98	422.57	MP MARKER	R	423																											
423.31	422.90	INTRSECTN	R	JARED RD		CO	N																								
423.54	423.13	INTRSECTN	L	BLACK RD		CO	N																								
423.56	423.15	RR XING	B	NUM 399603C GRADE																											
423.75	423.34	BEG BRIDGE	B	DAVIS CREEK		ST		1	1							\$\$C	27B	\$\$C		27	1	02		R2		55	R				
				BRDG NUM 020/924																											
423.77	423.36	END BRIDGE	B	DAVIS CREEK				1	1							4B	22B	4B		22	1	02		R2		55	R				
423.99	423.58	MP MARKER	R	424																											
424.42	424.01	INTRSECTN	L	MALLARD RD		CO	N																								
424.99	424.58	MP MARKER	R	425																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
421.48	421.07				.03	12				
422.78	422.37				.03	12				

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----							
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	LEGAL	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	LEGAL	T	P	S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R K T	
425.19		424.78																						
425.80		425.39	INTRSECTN	R	W	CALISPELL RD																		
425.81		425.40	MISC FEATR	R	SGN	ENT DALKENA																		
426.00		425.59	INTRSECTN	R	RUSSELL	RD																		
426.01		425.60	MP MARKER	R		426																		
426.99		426.58	INTRSECTN	R	TURNER	RD																		
427.00		426.59	MP MARKER	R		427																		
427.78		427.37	INTRSECTN	R	DEETER	RD																		
427.99		427.58	MP MARKER	R		428																		
428.99		428.58	MP MARKER	R		429																		
429.07		428.66	INTRSECTN	R	MCCLOUD	CREEK RD																		
429.98		429.57	MP MARKER	R		430																		
430.05		429.64	INTRSECTN	L	LEVETCH	RD																		
430.81		430.40	INTRSECTN	L	YERGENS	RD																		
430.88		430.47	RR XING	B	NUM	399593Y GRADE																		
431.00		430.59	MP MARKER	R		431																		
431.99		431.58	MP MARKER	R		432																		
432.25		431.84	INTRSECTN	R	BOBIER	RD																		
432.47		432.06	INTRSECTN	L	HERB'S	DR																		
433.00		432.59	MP MARKER	R		433																		
433.61		433.20	INTRSECTN	L	STANLEY	DR																		
433.99		433.58	MP MARKER	R		434																		
434.41		434.00	ENT/EXIT	L	SCENIC	VIEW																		
434.99		434.58	MP MARKER	R		435																		
435.97		435.56	MP MARKER	R		436																		
436.48		436.07	MISC FEATR	R	SGN	ENT NEWPORT																		
436.49		436.08	ENTER CITY			NEWPORT																		
436.52		436.11	INTRSECTN	L	LILAC	LN																		
436.65		436.24	INTRSECTN	B	LARCH	ST																		
436.75		436.34																						
436.77		436.36	INTRSECTN	B	WARREN	AVE																		
436.78		436.37	BEG ST	I	WALNUT	ST																		
436.84		436.43	INTRSECTN	B	SPOKANE	AVE																		
436.91		436.50	END ST	I	WALNUT	ST																		
			INTRSECTN	L	WASHINGTON	AVE																		
			INTRSECTN	B	SR 2	CONEPRT (COUPLT)																		
			END CTLSEC			CONTROL SECTION 2631																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
436.91		436.50			.05	14				

SR 020 SPUR
ANACRT

STATE ROUTE - SRSH COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
				:	:		OW TC L	D I	W/S	W/S	W/S	W/S	WID	WID										
52.24	4.35		END SU LN	C		TWO WAY TURN																		
52.28	4.39		INTRSECTN	B		K AVE	CT	Y						C 44A	C \$\$\$	44	2	01	0030	U1			30	R R *
52.31	4.42													4A 22A	4A	22	2	01	0030	U1			30	R P *
52.35	4.46		INTRSECTN	B		J AVE	CT	Y																
52.43	4.54		INTRSECTN	B		I AVE	CT	Y																
52.50	4.61		INTRSECTN	B		H AVE	CT	Y																
52.57	4.68		INTRSECTN	B		G AVE	CT	Y																
52.64	4.75		INTRSECTN	R		F AVE	CT	Y	1	1				\$\$\$ 30A	\$\$\$	30	2	01	0030	U1			30	R P *
52.79	4.90		INTRSECTN	B		D AVE	CT	Y	1	1				8A 43A	C	43	2	01	0030	U1			30	R P *
52.86	4.97		INTRSECTN	R		C AVE	CT	Y	1	1				8A 22A	3A	22	2	01	0030	U1			30	R P *
52.93	5.04		INTRSECTN	B		B AVE	CT	Y																
53.00	5.11		END ST	I		12TH ST																		
			BEG ST	I		OAKES AVE																		
			MP MARKER	R		53 S																		
53.01	5.12		INTRSECTN	L		A AVE	CT	Y																
53.07	5.18		INTRSECTN	B		ALASKA AVE	CT	Y	1	1				8A 22A	6A	22	2	01	0030	U1			30	R R *
53.14	5.25		INTRSECTN	L		BALTIMORE AVE	CT	Y																
53.29	5.40		INTRSECTN	B		DAKOTA ST	CT	Y																
53.36	5.47		INTRSECTN	L		ERIE AVE	CT	Y																
53.43	5.54		INTRSECTN	L		FLORIDA AVE	CT	Y	1	1				5A 22A	3A	22	2	01	0030	U1			30	R P *
53.50	5.61		INTRSECTN	L		GEORGIA AVE	CT	N	1	1				5A 22A	3A	22	2	01	0030	U1			30	R R *
53.58	5.69		INTRSECTN	L		HARTFORD AVE	CT	Y																
53.65	5.76													5A 22A	3A	22	2	01	0030	U1			40	R R *
53.99	6.10		MP MARKER	R		54 S																		
54.08	6.19		INTRSECTN	L		ANACOPPER RD	CT	Y	1	1				5A 22A	5A	22	2	01	0030	U1			40	R R *
54.55	6.66													\$\$\$ 23A	6A	23	2	01	0030	U1			40	R R *
54.60	6.71		INTRSECTN	L		GLASGOW WAY	CT	Y																
54.72	6.83													8A 22A	6A	22	2	01	0030	U1			40	R P *
54.75	6.86		INTRSECTN	R		CITY ST	CT	Y																
54.77	6.88		INTRSECTN	R		CITY ST WYE CONN	CT	Y																
54.78	6.89		INTRSECTN	L		HARBOR VIEW DR	CT	Y																
54.93	7.04													8A 22A	6A	22	2	01	0030	U1			40	R R *
55.00	7.11		MP MARKER	R		55 S																		

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
52.28	4.39			.04	13						
52.79	4.90			.03	13	.03	13				
53.58	5.69			.03	12					.01	12
54.08	6.19			.03	12					.04	12
54.60	6.71			.03	12						

SR 020 SPUR
ANACRT

STATE ROUTE - SRSH COUNTY SKAGIT

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																								
:				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	T	P	S					
55.01	7.12		END ST INTRSECTN	I	L	OAKES AVE SUNSET AVE											1	1		8A	22A	6A				22	2	01	0030	U1	40	R	R	\$	
55.03	7.14																1	1		8A	24A	3A				24	2	01	0030	U1	40	R	P		
55.08	7.19		INTRSECTN	L		SUNSET AVE WYE CONN														4A	30A	4A				30	2	01	0030	U1	40	R	P		
55.14	7.25																1	2		4A	30A	4A				30	2	01	0030	U1	40	R	P		
55.20	7.31																1	2		4A	30A	4A				30	2	01	0030	U1	30	R	P		
55.29	7.40		ENT/EXIT	R		FERRY PARKING LOT																													
55.37	7.48		TOLL BOOTH	B		TOLL BOOTH OWNER WSF																													
55.40	7.51		MISC FEATR	I		FERRY TOLL PLAZA																													
55.42	7.53		INTRSECTN	R		U TURN ROUTE																													
55.43	7.54		MISC FEATR	R		US CSTMS CMPND*SEARCH RM																													
55.55	7.66		ENT/EXIT	L		PARKING LOT																													
55.60	7.71		ENT/EXIT	L		PUBLIC PARKING														\$\$\$	38A	\$\$\$				38	2	01	0030	U1	30	R	P		
55.65	7.76		INTRSECTN	R		AA LINE HOLDING AREA																				30	2	01	0030	U1	30	R	R		
55.67	7.78		TRAF RCDR	B		FY02 0																													
			FERRY TERM	B		ANACORTES FERRY LANDING OWNER WSF																													
			END CTLSEC			CONTROL SECTION 2931																													
			END SECTN			ANACRT																													

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
55.01	7.12		.04		12				

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----														
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	MTCE		CITY	ST	LEGAL	T	P	S									
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.70	0.00		BEG ROUTE			MAIN ROUTE				2	1				W	68P				68	2	02			R1			50	L		
			BEG CTLSEC			SR 82 TO SR 82/PROSSER																									
			BEG BRIDGE B			CONTROL SECTION 3917																									
						SR 82																									
						BRDG NUM 022/004																									
0.75	0.05		END BRIDGE B			SR 82									10A	52A	10A			52	2	02			R1			50	L		
0.80	0.10		OFF RAMP	L		SR 82									8A	28A	9A			28	2	02			R1			50	L		
			ON RAMP	R		SR 82																									
0.84	0.14														8A	39A	9A			39	2	02			R1			50	L		
0.87	0.17		INTRSECTN	R		ON RAMP WYE CONN									\$\$W	52P	\$\$W			52	2	02			R1			50	L		
			BEG BRIDGE B			YAKIMA RIVER OVERFLOW																									
						BRDG NUM 022/005																									
0.98	0.28		END BRIDGE B			YAKIMA RIVER OVERFLOW									9A	30A	10A			30	2	02			R1			50	L		
0.99	0.29		MP MARKER	R		1																									
1.10	0.40		BEG BRIDGE B			YAKIMA RIVER									\$\$C	24P	\$\$C			24	2	02			R1			50	L		
						BRDG NUM 022/006																									
1.20	0.50		END BRIDGE B			YAKIMA RIVER									1A	22A	1A			22	2	02			R1			50	L		
1.39	0.69		BEG BRIDGE B			YAKIMA RIVER SLOUGH									\$\$C	24P	\$\$C			24	2	02			R1			50	L		
						BRDG NUM 022/007																									
1.41	0.71		END BRIDGE B			YAKIMA RIVER SLOUGH									1A	22A	1A			22	2	02			R1			50	L		
1.59	0.89		INTRSECTN	R		E BRANCH RD									2A	22A	2A			22	2	02			R1			50	L		
1.99	1.29		MP MARKER	R		2																									
2.03	1.33														2A	22A	10A			22	2	02			R1			50	L		
2.07	1.37		ENTER CITY			TOPPENISH									2A	22A	10A			22	2	02	1310	U1				50	L	P	
2.32	1.62		INTRSECTN	L		FRALEY RD																									
2.57B	1.87		BEG EQ			BEGIN BACK																									
			INTRSECTN	R		E MCDONALD RD																									
2.57	1.88		EQUATION			002.58B=002.57																									
2.58	1.89														\$\$C	45A	\$\$C			45	2	02	1310	U1				35	L	P	
2.59	1.90														6A	34A	C			34	2	02	1310	U1				35	L	R	
2.61	1.92		INTRSECTN	L		PISCOE AVE																									
2.70	2.01		INTRSECTN	B		JORDAN AVE																									
2.78	2.09		INTRSECTN	L		CHAPARREL AVE																									
2.82	2.13		INTRSECTN	B		IDAHO AVE																									
2.83	2.14														\$\$C	48A	C			48	2	02	1310	U1				35	L	B	
2.89	2.20		BEG ST	I		BUENA WAY									C	48A	C			48	2	02	1310	U1			25	L	B	*	
			INTRSECTN	L		HOQUIAM AVE																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.80	0.10		.05	12						

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T
2.91	2.22																							
2.94	2.25		INTRSECTN	R		GOLDENDALE AVE	CT	Y																
2.97	2.28		INTRSECTN	L		GOLDENDALE AVE	CT	Y																
3.07	2.38		INTRSECTN	L		FRANKLIN AVE	CT	Y																
3.16	2.47		INTRSECTN	R		ASOTIN AVE	CT	Y																
3.17	2.48		INTRSECTN	L		ASOTIN AVE	CT	Y																
3.19	2.50		RR XING	B		NUM 99190G GRADE																		
3.28	2.59		INTRSECTN	R		WASHINGTON AVE	CT	Y																
3.32	2.63		END ST	I		BUENA WAY																		
			BEG ST	I		S ELM ST																		
			INTRSECTN	L		WASHINGTON AVE	CT	Y																
3.39	2.70		INTRSECTN	B		JEFFERSON AVE	CT	Y																
3.48	2.79		INTRSECTN	B		MADISON AVE	CT	Y																
3.55	2.86		INTRSECTN	B		MONROE AVE	CT	Y																
3.64	2.95																							
3.66	2.97		INTRSECTN	L		W 1ST ST	CT	SG Y																
			INTRSECTN	R		W 1ST ST (OLD SR 220)	CT	SG Y																
3.75	3.06		INTRSECTN	L		W 2ND AVE	CT	Y 1 1																
3.79	3.10		INTRSECTN	R		W 3RD AVE	CT	Y																
3.92	3.23		END ST	I		S ELM ST																		
			INTRSECTN	B		W 4TH AVE	CT	Y																
3.93	3.24		MISC FEATR	L		SGN ENT TOPPENISH																		
3.96	3.27		MP MARKER	R		4																		
3.97	3.28		INTRSECTN	R		FRONTAGE RD	CT	Y																
3.99	3.30																							
4.00	3.31		END CTLSEC			CONTROL SECTION 3917																		
			BEG CTLSEC			CONTROL SECTION 3933																		
			INTRSECTN	R		SR 97	ST	SG Y																
4.21B	3.52		BEG EQ			BEGIN BACK																		
4.21	3.53		EQUATION			004.22B=004.21																		
4.29	3.61		LEAVE CITY			TOPPENISH																		
			INTRSECTN	R		CASEY RD	CT																	
4.60	3.92		INTRSECTN	B		DIVISION RD	CO	N 1 1																
4.95	4.27		MP MARKER	R		5																		
5.13	4.45		INTRSECTN	R		LARUE RD	CO	Y																
			INTRSECTN	L		E LARUE RD	CO	Y																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.66	2.97		.03	12			.03	12						
4.00	3.31						.04	10						
5.13	4.45		.02	9			.02	9						

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
				D	LR	DESCRIPTION	CO	N	1	1	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				:LEFT/RIGHT INDICATOR		-BRIDGE	NBR	LFT	RHT	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
				:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	MTCE	CITY	ST	LEGAL	T	P	S		
				:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T		
5.54	4.86		INTRSECTN	L	N	MEYERS RD	CO	N	1	1																
			INTRSECTN	R		MEYERS RD	CO																			
5.80	5.12																									
5.95	5.27		MP MARKER	R		6																				
6.80	6.12		INTRSECTN	L	N	STEVENS RD	CO	N																		
			INTRSECTN	R		STEVENS RD	CO																			
6.95	6.27		MP MARKER	R		7																				
7.96	7.28		MP MARKER	R		8																				
8.22	7.54		INTRSECTN	R		HARRIS RD	CO	N																		
			INTRSECTN	L	N	HARRIS RD	CO																			
8.60	7.92		INTRSECTN	L	SR	223	ST	Y	1	1																
			INTRSECTN	R		CHAMBERS RD	CO	Y																		
8.96	8.28		MP MARKER	R		9																				
9.51	8.83		INTRSECTN	L	S	TRACK RD	CO	N																		
9.73	9.05		BEG BRIDGE	B		MARION DRAIN	ST		1	1																
						BRDG NUM 022/022																				
9.74	9.06		END BRIDGE	B		MARION DRAIN			1	1																
10.00	9.32		MP MARKER	R		10																				
10.25	9.57		BEG BRIDGE	B		TOPPENISH CREEK	ST		1	1																
						BRDG NUM 022/025																				
10.26	9.58		END BRIDGE	B		TOPPENISH CREEK			1	1																
10.27	9.59																									
10.74	10.06		INTRSECTN	R		PLANK RD	CO	N																		
11.00	10.32		MP MARKER	R		11																				
11.33	10.65		INTRSECTN	L		INDIAN CHURCH RD	CO	N	1	1																
12.00	11.32		MP MARKER	R		12																				
12.77	12.09		INTRSECTN	L		BARNHART RD	CO	N																		
13.00	12.32		MP MARKER	R		13																				
13.41	12.73		BEG BRIDGE	B		DRAIN CANAL	ST		1	1																
						BRDG NUM 022/028																				
13.42	12.74		END BRIDGE	B		DRAIN CANAL			1	1																
14.00	13.32		MP MARKER	R		14																				
14.13	13.45		BEG BRIDGE	B		DRAIN CANAL	ST		1	1																
						BRDG NUM 022/029																				
14.14	13.46		END BRIDGE	B		DRAIN CANAL			1	1																
14.34	13.66		BEG BRIDGE	B		SATUS CREEK	ST		1	1																
						BRDG NUM 022/030																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.60	7.92		.04	10		.03	10			

SR 022 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	LFT		RHT		USE	TOT	MTCE		CITY	ST	LEGAL	
							NBR	LFT	RHT	LFT	RHT	USE	TOT	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID									
36.40	35.72		ON/OFF RMP	R		SR 82	ST	Y	1	1																
36.45	35.77		BEG BRIDGE B	B		SR 82	ST		1	1																
						BRDG NUM 082/217																				
36.52	35.84		END BRIDGE B	B		SR 82																				
			END CTLSEC			CONTROL SECTION 0334																				
			END ROUTE																							

INTERSECTION DETAIL

-----TURN LANES-----		-----ACCELERATION LANES-----					
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
36.40	35.72			.03	13		

SR 024 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
:DIRECTION TO INVENTORY						-XROAD-	NBR	LFT	RHT	LFT	RHT	RHT	USE													
:LEFT/RIGHT INDICATOR						LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
:						OW	TC	L	D	I	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 82 TO SR 26/OTHELLO	1	1					C	43A	C	43	2	01	1485	U1	35	L	P			
			ENTER CITY			YAKIMA																				
			BEG CTLSEC			CONTROL SECTION 3934																				
			BEG BRIDGE B			SR 82	ST																			
						BRDG NUM 024/001																				
0.04	0.04		END BRIDGE B			SR 82	1	1					10A	22A	10A	22	2	01	1485	U1	35	L	P			
0.08	0.08		OFF RAMP	L		SR 82	ST	SG	Y	2	1	4A	23A	14A	UP	\$\$\$	17A	4A	40	2	01	1485	U1	35	L	P
			ON RAMP	R		SR 82	ST	SG	Y																	
0.16	0.16						2	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	4A	54A	4A	54	2	01	1485	U1	35	L	P	
0.18	0.18		INTRSECTN	R		W BIRCHFIELD RD WYE CONN	CT		Y																	
0.20	0.20		INTRSECTN	B		W BIRCHFIELD RD	CT	SG	Y	1	1			10A	24A	10A	24	2	01	1485	U1	35	L	P		
0.21	0.21		INTRSECTN	R		W BIRCHFIELD RD WYE CONN	CT		Y																	
0.30	0.30						1	1						10A	24A	10A	24	2	01	1485	U1	55	L	P		
0.57	0.57		BEG BRIDGE B			YAKIMA RIVER	ST			1	1			\$\$\$	32P	\$\$\$	32	2	01	1485	U1	55	L	P		
						BRDG NUM 024/005																				
0.63	0.63		LEAVE CITY			YAKIMA	1	1						W	32P	W	32	2	01	\$\$\$	U1	55	L	\$		
0.69	0.69		END BRIDGE B			YAKIMA RIVER	1	1						10A	24A	10A	24	2	01		U1	55	L			
0.84	0.84		INTRSECTN	L		KEYS RD	CO		Y																	
0.85	0.85						1	1						10A	24A	10A	24	2	01		R2	55	L			
1.00	1.00		MP MARKER	R		1																				
1.29	1.29		INTRSECTN	B		RIVERSIDE RD	CO		Y																	
1.94	1.94		MP MARKER	R		2																				
2.08	2.08		INTRSECTN	B		BIRCHFIELD RD	CO		Y																	
2.95	2.95		MP MARKER	R		3																				
3.79	3.79		INTRSECTN	B		BEAUDRY RD	CO		Y																	
3.92	3.92		MP MARKER	R		4																				
4.11	4.11						1	1						8A	24A	8A	24	2	01		R2	55	L			
4.42	4.42		INTRSECTN	R		BELL RD WYE CONN	CO		Y																	
4.44	4.44		INTRSECTN	B		BELL RD	CO		Y																	
4.47	4.47		INTRSECTN	L		BELL RD WYE CONN	CO		Y																	

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.08	0.08		.06	11						
0.20	0.20		.03	11	.03	11				
0.84	0.84		.04	11						
1.29	1.29		.03	13	.03	13				
2.08	2.08		.03	13	.04	13				
3.79	3.79		.03	13	.03	13				
4.44	4.44		.04	13	.04	13				

SR 024 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																		
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																							
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	SPEED	T	P	S						
14.88	14.83																6A	24A	6A																
14.94	14.89	MP	MARKER	R																															
15.98	15.93	MP	MARKER	R																															
16.98	16.93	MP	MARKER	R																															
17.98	17.93	MP	MARKER	R																															
18.98	18.93	MP	MARKER	R																															
19.98	19.93	MP	MARKER	R																															
20.98	20.93	MP	MARKER	R																															
21.96	21.91	MP	MARKER	R																															
22.97	22.92	MP	MARKER	R																															
23.97	23.92	MP	MARKER	R																															
24.98	24.93	MP	MARKER	R																															
25.97	25.92	MP	MARKER	R																															
27.00	26.95	MP	MARKER	R																															
27.94	27.89	MP	MARKER	R																															
28.95	28.90	MP	MARKER	R																															
29.94	29.89	MP	MARKER	R																															
30.45	30.40		INTRSECTN	R		SR 241																													
			INTRSECTN	L		CO RD																													
30.73	30.68		MISC FEATR	R		SGN ENT BENTON COUNTY																													
30.76	30.71		END CTLSEC	R		CONTROL SECTION 3934																													
			LEAVE CO			YAKIMA																													

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
30.45	30.40			.03	13	.03	13				

SR 024 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S														
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
						:LEFT/RIGHT INDICATOR	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	WID	SE	NBR	FC	D	IB	R	K	T	
76.92	76.69		END BRIDGE	B		BRDG NUM 024/305			1	1						W	40P	W			40	2	02		R3		60	L				
76.94	76.71		END BRIDGE	B		POTHOLES CANAL			1	1						10B	23B	10B			23	2	02		R3		60	L				
76.97	76.74		INTRSECTN	R		BAYLEY RD	CO	N																								
77.43	77.20		INTRSECTN	B		HAMPTON RD	CO	N																								
77.93	77.70		MP MARKER	R		78																										
78.22	77.99								1	1						10B	23B	10B			23	2	02		R3		50	L				
78.45	78.22		INTRSECTN	B		BENCH RD	CO	Y	1	1						12B	23B	10B			23	2	02		R3		50	L				
78.52	78.29		ENTER CITY			OTHELLO			1	1						12B	23B	10B			23	2	02	0945	R3	50	L	B	*			
78.89	78.66		MP MARKER	R		BROADWAY AVE																										
78.94	78.71					79			1	1						12B	23B	10B			23	2	02	0945	R3	55	L	B	*			
78.95	78.72		MISC FEATR	R		SGN ENT OTHELLO			1	1						5B	23B	10B			23	2	02	0945	R3	55	L	B	*			
79.17	78.76		EQUATION			078.99 =079.17			1	1						5B	23B	10B			23	2	02	0945	R3	35	L	B	*			
			INTRSECTN	L		PARK ST	CT	Y																								
79.19	78.78		INTRSECTN	R		CURTIS DR	CT	N																								
79.24	78.83		INTRSECTN	L		TECK ST	CT	Y																								
79.31	78.90		INTRSECTN	L		HUDSON ST	CT	Y																								
79.38	78.97		INTRSECTN	L		BAKER ST	CT	Y																								
79.44	79.03		INTRSECTN	L		LAWSON ST	CT	Y																								
79.51	79.10		INTRSECTN	L		CANNING ST	CT	Y																								
79.52	79.11		INTRSECTN	R		CONCRETE DR	CT	Y																								
79.57	79.16								1	1						6B	23B	6B			23	2	02	0945	R3	35	L	B	*			
79.59	79.18		INTRSECTN	L		MOON ST	CT	N																								
79.62	79.21		ON/OFF RMP	R		SR 26	ST	Y																								
79.64	79.23		END ST	I		BROADWAY AVE																										
			UXING	B		SR 26	ST																									
						BRDG NUM 026/111																										
			END CTLSEC			CONTROL SECTION 0140																										
			END ROUTE																													

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
78.45	78.22		.03	12	.04	12	.02	12						

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----							
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID					
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S								
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	1					7A	26A	7A		26	2	02		R1	60	R
			BEG CTLSEC			SR 90/VANTAGE TO SR 195																		
			UXING	B		CONTROL SECTION 1335																		
						SR 90																		
						BRDG NUM 090/201	ST																	
0.07	0.07		INTRSECTN	L		OFF RAMP WYE CONN	ST	Y																
0.11	0.11		ON RAMP	R		SR 90 EB	ST	Y																
0.14	0.14		OFF RAMP	L		SR 90 EB	ST	Y																
0.20	0.20								1	1				10B	23B	8B		23	2	02		R1	60	R
1.00	1.00		MP MARKER	R	1																			
1.01	1.01		INTRSECTN	R		SR 243 WYE CONN	ST	Y																
1.02	1.02		INTRSECTN	R		SR 243	ST	Y	1	1				6B	22B	6B		22	2	02		R1	60	R
1.11	1.11								1	1				6A	24A	4A		24	2	02		R1	60	R
1.17	1.17		BEG SU LN	R		CLIMBING			1	1				6A	24A	6B	12	36	2	02		R1	60	R
1.26	1.26								1	1				6A	24A	12G	12	36	2	02		R1	60	M
1.85	1.85								1	1				6A	24A	8G	12	36	2	02		R1	60	M
2.00	2.00		MP MARKER	R	2																			
3.00	3.00		MP MARKER	R	3																			
3.46	3.46		INTRSECTN	L		S SW	CO	N																
4.00	4.00		MP MARKER	R	4																			
5.00	5.00		MP MARKER	R	5																			
5.38	5.38		END SU LN	R		CLIMBING			1	1				6A	24A	4A	\$\$\$	24	2	02		R1	60	M
5.42	5.42								1	1				6A	24A	4A		24	2	02		R1	60	L
5.61	5.61								1	1				8G	22B	8G		22	2	02		R1	60	L
5.99	5.99		MP MARKER	R	6																			
6.46	6.46		INTRSECTN	R		13 SW	CO	N																
6.99	6.99		INTRSECTN	B		BEVERLY-BURKE RD	CO	N																
7.00	7.00		MP MARKER	R	7																			
7.99	7.99		INTRSECTN	L		P SW	CO	N	1	1				11G	22B	11G		22	2	02		R1	60	L
8.00	8.00		MP MARKER	R	8																			
8.99	8.99		MP MARKER	R	9																			
9.98	9.98		MP MARKER	R	10																			
9.99	9.99		INTRSECTN	L		N SW	CO	N																
10.99	10.99		MP MARKER	R	11																			
11.01	11.01		INTRSECTN	B		M SW	CO	N																
11.99	11.99		MP MARKER	R	12																			
12.03	12.03		INTRSECTN	R		L SW	CO	N																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.02	1.02				.02	14				

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY			-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR			-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT														
: :			-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
12.03	12.03		INTRSECTN	L		ADAMS RD	CO	N	1	1			11G	22B	11G		22	2	02		R1		60	L			
12.98	12.98		MP MARKER	R		13																					
13.05	13.05		INTRSECTN	B		K SW	CO	N																			
13.98	13.98		MP MARKER	R		14																					
14.08	14.08		INTRSECTN	R		J SW	CO	N																			
14.98	14.98		MP MARKER	R		15																					
15.09	15.09		INTRSECTN	B		I SW	CO	N																			
15.99	15.99		MP MARKER	R		16																					
16.00	16.00									1	1			11G	23B	11G		23	2	02		R1		60	L		
16.11	16.11		INTRSECTN	B		H SW	CO	N																			
16.98	16.98		MP MARKER	R		17																					
17.49	17.49		INTRSECTN	L		G SW TO ROYAL CITY	CO	Y																			
17.99	17.99		MP MARKER	R		18																					
18.21	18.21		INTRSECTN	B		F SW	CO	N																			
18.97	18.97		MP MARKER	R		19																					
19.01	19.01		INTRSECTN	B		E SW	CO	Y																			
19.97	19.97		MP MARKER	R		20																					
20.08	20.08		INTRSECTN	R		CO RD	CO	N																			
21.00	21.00		MP MARKER	R		21																					
21.12	21.12		INTRSECTN	L		DODSON RD	CO	N																			
22.00	22.00		MP MARKER	R		22																					
22.44	22.44		INTRSECTN	L		CROOK RD	CO	N	1	1			9G	23B	9G		23	2	02		R1		60	L			
22.97	22.97		MP MARKER	R		23																					
23.83	23.83		INTRSECTN	L		DIVISION .5 SW	CO	N																			
24.00	24.00		MP MARKER	R		24																					
24.29	24.29		INTRSECTN	R		DIVISION S RD	CO	N																			
24.99	24.99		MP MARKER	R		25																					
25.32	25.32		INTRSECTN	R		A SE	CO	N																			
			INTRSECTN	L		SR 262-A SE	ST	N																			
25.99	25.99		MP MARKER	R		26																					
26.46	26.46		INTRSECTN	L		B SE	CO	N	1	1			11G	23B	11G		23	2	02		R1		60	L			
			INTRSECTN	R		CORFU RD	CO	N																			
26.95	26.95		MP MARKER	R		27																					
27.65	27.65		INTRSECTN	R		C SE	CO	N																			
27.95	27.95		MP MARKER	R		28																					
28.77	28.77		INTRSECTN	L		D SE	CO	N																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
17.49	17.49		.04	10						
19.01	19.01		.04	12		.03	12			

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S												
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	RDY	A	SE	NBR	FC	D	IB	R	K	T					
31.17			ENTER CO BEG CTLSEC			ADAMS CONTROL SECTION 0134				1	1											6B	24B	6B				24	2	02		R1		60	R		
31.31			BEG BRIDGE B			LOWER CRAB CREEK BRDG NUM 026/106	ST			1	1											\$\$\$	31B	\$\$\$				31	2	02		R1		60	R		
31.34			END BRIDGE B			LOWER CRAB CREEK				1	1											6B	24B	6B				24	2	02		R1		60	R		
31.98			MP MARKER	R		32																															
32.47			INTRSECTN	B		GILLIS RD	CO		N																												
33.00			MP MARKER	R		33																															
33.35			INTRSECTN	R		DANIELSON RD	CO		N																												
33.47			INTRSECTN	L		HARRISON RD	CO		N																												
33.99			MP MARKER	R		34																															
34.49			INTRSECTN	L		O'BRIAN RD	CO		N																												
34.99			MP MARKER	R		35																															
35.50			INTRSECTN	L		HART RD	CO		N																												
35.99			MP MARKER	R		36																															
36.01			INTRSECTN	L		HAYS RD	CO		N																												
36.68			INTRSECTN	R		ANSON RD	CO		N																												
36.95			MP MARKER	R		37																															
37.98			MP MARKER	R		38																															
38.56			INTRSECTN	B		THACKER RD	CO		N																												
38.98			MP MARKER	R		39																															
39.09			INTRSECTN	L		DRURY LN	CO		Y																												
39.58			INTRSECTN	L		TAYLOR RD	CO		N																												
39.58			INTRSECTN	R		SUNSET ACRES RD	CO		N																												
39.96			BEG BRIDGE B			POTHOLES CANAL BRDG NUM 026/109	ST			1	1											\$\$\$	31B	\$\$\$				31	2	02		R1		60	R		
39.99			END BRIDGE B			POTHOLES CANAL				1	1											6B	24B	6B				24	2	02		R1		60	R		
40.06			MP MARKER	R		40																															
40.06			ENTER CITY	I		OTHELLO				1	1											6B	24B	6B				24	2	02	0945	R1		60	R	P	*
40.07			INTRSECTN	R		WASHINGTON ST	CT		Y																												
40.43			MISC FEATR	R		MOON RD																															
40.44			RR XING	B		SGN ENT OTHELLO				1	1											\$\$\$	32A	\$\$\$				32	2	02	0945	R1		60	R	P	*
40.44			BEG BRIDGE B			NUM 396439R STRUCTURE	ST																														
40.48			END BRIDGE B			CMSTP&P RR				1	1											6A	24A	6A				24	2	02	0945	R1		60	R	B	*
40.57			BEG BRIDGE B			BRDG NUM 026/110	ST			1	1											\$\$\$	32A	\$\$\$				32	2	02	0945	R1		60	R	P	*
40.57			BEG BRIDGE B			SR 24				1	1																										
40.59			END BRIDGE B			BRDG NUM 026/111				1	1											6A	24A	6A				24	2	02	0945	R1		60	R	B	*
40.59			END BRIDGE B			SR 24				1	1																										
40.69			ON/OFF RMP	R		SR 24	ST		Y																												
40.69			INTRSECTN	L		FIRST ST	CT		Y																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
40.69		40.69	.02	13	.02	13	.02	13	.02	13

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---										
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T				
				:	:		-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S			
				:	:		OW TC L	D I	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
60.80	60.80		ON RAMP	L	SR 395		ST	Y	1	1					8A	24A	8A			24	2	01		R1	65	R	
60.81	60.81		OFF RAMP	R	SR 395		ST	Y																			
60.93	60.93		BEG BRIDGE	B	SR 395		ST		1	1					\$\$W	40P	\$\$W			40	2	01		R1	65	R	
					BRDG NUM 026/121																						
60.98	60.98		END BRIDGE	B	SR 395				1	1					8A	24A	8A			24	2	01		R1	65	R	
61.10	61.10		OFF RAMP	L	SR 395		ST	Y																			
			ON RAMP	R	SR 395		ST	Y																			
61.47	61.47		ENT/EXIT	L	REST AREA		ST	Y																			
61.75	61.75		INTRSECTN	B	LAUREL RD		CO	N																			
61.78B	61.78		BEG EQ		BEGIN BACK																						
61.78	61.86		EQUATION		061.86B=061.78 ``				1	1					8B	22B	8B			22	2	01		R1	65	R	
61.99	62.07		MP MARKER	R	62																						
62.99	63.07		MP MARKER	R	63																						
63.64	63.72		INTRSECTN	R	HOEFEL RD		CO	N																			
63.99	64.07		MP MARKER	R	64																						
64.67	64.75		INTRSECTN	L	WILLIAMS RD		CO	N																			
64.99	65.07		MP MARKER	R	65																						
65.36	65.44		BEG BRIDGE	B	DRY WASH		ST		1	1					\$\$C	26P	\$\$C			26	2	01		R1	65	R	
					BRDG NUM 026/124																						
65.40	65.48		END BRIDGE	B	DRY WASH				1	1					8B	22B	8B			22	2	01		R1	65	R	
65.66	65.74		INTRSECTN	B	FOULKES RD		CO	N																			
65.99	66.07		MP MARKER	R	66																						
66.99	67.07		MP MARKER	R	67																						
67.99	68.07		MP MARKER	R	68																						
69.59	69.67		INTRSECTN	B	LONGMEIR RD		CO	N																			
69.99	70.07		MP MARKER	R	70																						
70.59	70.67		INTRSECTN	B	SR 21		ST	N																			
70.99	71.07		MP MARKER	R	71																						
71.99	72.07		MP MARKER	R	72																						
72.99	73.07		MP MARKER	R	73																						
73.60	73.68		INTRSECTN	B	DEWALD RD		CO	N																			
73.99	74.07		MP MARKER	R	74																						
74.99	75.07		MP MARKER	R	75																						
75.55	75.63		INTRSECTN	B	THIEL RD		CO	N																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
60.81	60.81				.04	12				
61.10	61.10		.04	12			.02	12		
61.47	61.47		.03	11						

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																					
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCREAS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S														
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T								
125.27	125.35	END BRIDGE	B			UNION FLAT CREEK BRANCH				1	1				4A	23A	4A									R1													
126.02	126.10	MP MARKER	R			126																																	
126.05	126.13	BEG BRIDGE	B			UNION FLAT CREEK BRANCH	ST			1	1				\$\$\$	32A	\$\$\$									R1													
						BRDG NUM 026/279																																	
126.06	126.14	END BRIDGE	B			UNION FLAT CREEK BRANCH				1	1				4A	23A	4A									R1													
126.15	126.23	INTRSECTN	R			FILAN RD	CO			N																													
127.03	127.11	MP MARKER	R			127																																	
128.05	128.13	MP MARKER	R			128																																	
129.07	129.15	MP MARKER	R			129																																	
129.30	129.38	INTRSECTN	R			COLFAX AIRPORT RD	CO			N																													
						FAIRGROUNDS RD	CO			N																													
129.56	129.64	BEG BRIDGE	B			REBEL FLAT CREEK	ST			1	1				\$\$W	40A	\$\$W									R1													
						BRDG NUM 026/281																																	
129.57	129.65	END BRIDGE	B			REBEL FLAT CREEK				1	1				4A	23A	4A									R1													
129.69	129.77	INTRSECTN	L			ENDICOTT RD	CO			N																													
129.72	129.80	INTRSECTN	L			ENDICOTT RD WYE CONN	CO			N																													
130.01	130.09	MP MARKER	R			130																																	
131.03	131.11	MP MARKER	R			131																																	
132.04	132.12	MP MARKER	R			132																																	
132.05	132.13	UXING	B			UP RR	ST																																
						BRDG NUM 026/283																																	
		RR XING	B			NUM 808035M STRUCTURE																																	
132.15	132.23	INTRSECTN	R			CO RD 8540	CO			N																													
132.25	132.33	INTRSECTN	L			MORLEY RD	CO			N																													
132.94	133.02	BEG BRIDGE	B			S PALOUSE RIVR	ST			1	1				\$\$\$	24A	\$\$\$									R1													
						BRDG NUM 026/285																																	
133.06	133.14	END BRIDGE	B			S PALOUSE RIVR				1	1				2A	23A	2A									R1													
		MP MARKER	R			133																																	
133.14	133.22	MISC FEATR	R			SGN ENT COLFAX																																	
133.25	133.33	ENTER CITY				COLFAX				1	1				2A	23A	2A									R1		0230											
133.43	133.51	INTRSECTN	L			HARRIS GRADE RD	CT			Y																													
		INTRSECTN	L			GREEN HOLLOW RD	CT			Y																													
133.44	133.52	LEAVE CITY				COLFAX				1	1				2A	23A	2A									R1		\$\$\$\$											
		INTRSECTN	R			SR 26 SPCOLFAX (SPUR)	ST			Y																													
133.51	133.59	INTRSECTN	L			SR 195 WYE CONN	ST			N																													
133.53	133.61	INTRSECTN	B			SR 195	ST			RF	N																												
		END CTLSEC				CONTROL SECTION 3830																																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
129.30		129.38			.04	12				

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S			
:DIRECTION TO INVENTORY							-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
: :LEFT/RIGHT INDICATOR							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
:							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID					
0.30	2.70		END BRIDGE	B		MISSOURI FLAT CREEK																				
0.37	2.77		INTRSECTN	L		RITCHIE ST	CT	Y																		
0.59	2.99		INTRSECTN	L		NYE ST	CT	Y																		
0.68	3.08																									
0.74	3.14		INTRSECTN	B		STADIUM WAY	CT	SG	Y																	
0.78	3.18																									
0.85	3.25																									
0.95	3.35		INTRSECTN	L		TURNER DR	CT	Y																		
1.00	3.40		MP MARKER	R		1																				
1.31	3.71		INTRSECTN	L		LARRY ST	CT	Y																		
1.34	3.74																									
1.52	3.92		END ST	I		GRAND AVE																				
			BEG ST	I		S GRAND AVE																				
			INTRSECTN	B		TERRE VIEW ST	CT	Y																		
1.53	3.93		INTRSECTN	R		TERRE VIEW ST WYE CONN	CT	Y																		
1.59	3.99		LEAVE CITY			PULLMAN																				
1.61	4.01		MISC FEATR	L		SGN ENT PULLMAN																				
1.99	4.39		MP MARKER	R		2																				
2.20	4.60		INTRSECTN	L		PULLMAN ALBION RD	CO	N																		
			INTRSECTN	R		WHELAN RD	CO	N																		
2.27	4.67		END ST	I		S GRAND AVE																				
3.01	5.41		MP MARKER	R		3																				
4.02	6.42		MP MARKER	R		4																				
4.60	7.00		INTRSECTN	L		REID RD	CO	N																		
4.80	7.20		INTRSECTN	L		VERNIER RD	CO	N																		
5.01	7.41		MP MARKER	R		5																				
5.29	7.69		INTRSECTN	L		ROSE CREEK RD	CO	N																		
6.00	8.40		MP MARKER	R		6																				
6.73	9.13		INTRSECTN	R		ZAKARISON RD	CO	N																		
7.00	9.40		MP MARKER	R		7																				
7.75	10.15		INTRSECTN	R		ESTES RD	CO	N																		
8.00	10.40		MP MARKER	R		8																				
8.55	10.95		INTRSECTN	R		VIOLA RD	CO	N																		
8.86	11.20		EQUATION			008.80 =008.86 ``																				
8.87	11.21		INTRSECTN	L		PALOUSE-ALBION RD	CO	N	1	1																
9.00	11.34		MP MARKER	R		9																				
9.99	12.33		MP MARKER	R		10																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.74	3.14		.02	11	.06	12	.06	11		

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY DOUGLAS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
0.00B	0.00		BEG ROUTE			MAIN ROUTE SR 2 TO SR 2/DAVENPORT		1	1		4A	24A	6A		24	1	01		U1		40		R		
			BEG EQ			BEGIN BACK																			
			BEG CTLSEC			CONTROL SECTION 0901																			
			INTRSECTN	R		SR 2																			
0.16B	0.16		INTRSECTN	L		35TH ST NE	CO	Y	1	1	6A	26A	7A		26	1	01		U1		40		R		
0.24B	0.24		INTRSECTN	R		35TH ST NW	CO	Y	1	1	4A	24A	4A		24	1	01		U1		40		R		
0.37B	0.37		BEG SU LN	C		TWO WAY TURN					12A				36	1	01		U1		40		R		
0.51B	0.51		INTRSECTN	R		33RD ST NW	CO	N																	
0.52B	0.52		END SU LN	C		TWO WAY TURN					12A				24	1	01		U1		40		R		
			INTRSECTN	L		VINE ST NE	CO	N																	
0.60B	0.60		INTRSECTN	L		GLENDALE ST NE	CO	Y																	
0.67B	0.67		INTRSECTN	L		NE LINDWOOD ST	CO	N	1	1	4A	23A	5A		23	1	01		U1		40		R		
0.76B	0.76		INTRSECTN	R		31ST ST NW	CO	N																	
			INTRSECTN	L		31ST ST NE	CO	N																	
0.95B	0.95		INTRSECTN	L		MCELMURRY LN NE	CO	N																	
1.00B	1.00		MP MARKER	R		1 B																			
1.01B	1.01		INTRSECTN	R		29TH ST NW	CO	N																	
1.26B	1.26		INTRSECTN	L		27TH ST NE	CO	Y	1	1	\$\$\$	28A	7A		28	1	01		U1		40		R		
1.46B	1.46		INTRSECTN	L		HADLEY ST NE	CO	Y																	
			INTRSECTN	R		HADLEY ST NW	CO	Y																	
1.62B	1.62		INTRSECTN	L		24TH ST NE	CO	N				C	37A	\$\$\$	37	1	01		U1		40		R		
1.70B	1.70		INTRSECTN	L		23RD ST NE	CO	Y	1	1		C	28A	9A	28	1	01		U1		40		R		
1.77B	1.77		INTRSECTN	R		23RD ST NW	CO	Y																	
			INTRSECTN	L		22ND ST NE	CO	N																	
1.90B	1.90		INTRSECTN	L		22ND ST NE	CO	N																	
2.00B	2.00		MP MARKER	R		2 B						C	28A	5A	28	1	01		U1		40		R		
2.04B	2.04		INTRSECTN	R		19TH ST NE	CO	SG	Y			C	28A	2A	28	1	01		U1		40		R		
2.18B	2.18		INTRSECTN	R		19TH ST NW	CO	SG	Y			C	28A	5A	28	1	01		U1		40		R		
2.22B	2.22		MISC FEATR	R		SGN ENT EAST WENATCHEE																			
2.28B	2.28		INTRSECTN	L		19TH ST NE	CO	SG	Y																
			INTRSECTN	R		19TH ST NW	CO	SG	Y																
2.29B	2.29		ENTER CITY			EAST WENATCHEE					1	1		C	28A	5A	28	1	01	0350	U1	40	R	P	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00B	0.00				.08	12				
1.26B	1.26		.06	12						
1.77B	1.77		.05	12	.03	12				
2.28B	2.28		.05	12	.05	12	.01	12		

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---													
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T						
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S					
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
29.80	33.94		BEG SU LN	C		TWO WAY TURN																							
29.82	33.96		BEG SU LN	C		TWO WAY TURN	12A																						
29.85	33.99		INTRSECTN	B		1ST AVE SE	CT	Y																					
29.93	34.07		INTRSECTN	B		SECOND AVE SE	CT	Y																					
30.01	34.15		END ST	I		F ST SE																							
			BEG ST	I		E ST SE																							
			INTRSECTN	B		THIRD AVE SE	CT	Y																					
30.09	34.23		INTRSECTN	B		FOURTH AVE SE	CT	Y																					
30.18	34.32		INTRSECTN	B		FIFTH AVE SE	CT	Y																					
30.24	34.38		END SU LN	C		TWO WAY TURN	12A																						
30.27	34.41		BEG SU LN	C		TWO WAY TURN	12A																						
			INTRSECTN	B		SIXTH AVE SE	CT	Y																					
30.35	34.49		INTRSECTN	R		G ST SE	CT	Y																					
30.40	34.54		INTRSECTN	R		H ST SE	CT	Y																					
30.43	34.57		ENT/EXIT	R		CITY PARK	CT	Y																					
30.52	34.66		INTRSECTN	L		EIGHTH AVE SE	CT	Y	1	1																			
30.60	34.74		END SU LN	C		TWO WAY TURN	12A																						
			INTRSECTN	L		COLUMBIA WAY-P NW	CT	Y																					
30.63	34.77		LEAVE CITY			QUINCY																							
			END ST	I		E ST SE																							
30.64	34.78		BEG BRIDGE	B		WEST CANAL	ST		1	1																			
			BRDG NUM 028/108																										
30.67	34.81		END BRIDGE	B		WEST CANAL			1	1																			
30.69	34.83		MISC FEATR	L		SGN ENT QUINCY																							
30.78	34.92		INTRSECTN	R		P NW	CO	N	1	1																			
30.96	35.10		MP MARKER	R		31																							
31.79	35.93		INTRSECTN	B		O NW	CO	N																					
32.00	36.14		MP MARKER	R		32																							
33.00	37.14		MP MARKER	R		33																							
33.79	37.93		INTRSECTN	B		ADAMS RD	CO	N																					
34.00	38.14		MP MARKER	R		34																							
34.79	38.93		INTRSECTN	R		10 NW	CO	N																					
35.00	39.14		MP MARKER	R		35																							
36.01	40.15		MP MARKER	R		36																							
36.22	40.36		INTRSECTN	B		K NW	CO	N																					
36.47	40.61		MISC FEATR	R		SGN ENT WINCHESTER																							
36.48	40.62		INTRSECTN	L		K4 NW	CO	N																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
30.27		34.41	.02	12						

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
:	:	:	:	:	:	:	LNS	LFT	RHT	LFT	RHT	USE	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T	
:	:	:	:	:	:	:	W/S	RDY	SHD	W/S	RDY	SHD	LNS	RDY	W/S	W/S								
:	:	:	:	:	:	:	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID								
79.02		83.16	ENTER CO BEG CTLSEC			LINCOLN CONTROL SECTION 2205																		
79.04		83.18	INTRSECTN	B		X NE RD	CO																	
80.01		84.15	MP MARKER	R		80																		
81.01		85.15	MP MARKER	R		81																		
81.99		86.13	MP MARKER	R		82																		
83.00		87.14	MP MARKER	R		83																		
84.00		88.14	MP MARKER	R		84																		
85.00		89.14	MP MARKER	R		85																		
85.46		89.60	INTRSECTN	R		CO RD	CO																	
86.02		90.16	MP MARKER	R		86																		
86.10		90.24	INTRSECTN	B		IRBY RD	CO																	
87.00		91.14	MP MARKER	R		87																		
87.92		92.06	INTRSECTN	B		BATUM RD	CO																	
87.99		92.13	MP MARKER	R		88																		
88.99		93.13	MP MARKER	R		89																		
89.94		94.08	INTRSECTN	R		CO RD	CO																	
90.00		94.14	MP MARKER	R		90																		
90.54		94.68	INTRSECTN	R		CO RD	CO																	
90.99		95.13	MP MARKER	R		91																		
91.58		95.72	INTRSECTN	R		CO RD	CO																	
91.96		96.10	MP MARKER	R		92																		
92.14		96.28	INTRSECTN	R		CO RD	CO																	
92.97		97.11	INTRSECTN	L		CO RD	CO																	
93.01		97.15	MP MARKER	R		93																		
93.26		97.40	MISC FEATR	R		SGN ENT ODESSA																		
93.27		97.41	INTRSECTN	R		GOLF COURSE RD	CO	Y	1	1		5A	22A	5A		22	3	02		R2		60	R	
93.30		97.44	ENTER CITY			ODESSA							5A	22A	5A		22	3	02	0910	R2		45	L B
93.37		97.51	INTRSECTN	R		CITY ST	CT	Y																
93.40		97.54	BEG BRIDGE	B		CRAB CREEK BRDG NUM 028/205	ST		1	1		\$\$C	26A	\$\$C		26	3	02	0910	R2		45	L P	
93.42		97.56	END BRIDGE	B		CRAB CREEK			1	1		5A	22A	5A		22	3	02	0910	R2		45	L B	
93.56		97.70							1	1		26A	44A	\$\$C		44	3	02	0910	R2		30	L B	
93.58		97.72	INTRSECTN	R		CEDAR ST	CT	Y																
93.65		97.79	BEG ST	I		FIRST AVE			1	1		\$\$C	60A	C		60	3	02	0910	R2		30	L B *	
			INTRSECTN	B		BIRCH ST	CT	Y																
93.72		97.86	INTRSECTN	R		SR 21	ST	Y																
			INTRSECTN	L		ALDER ST	CT	Y																
93.79		97.93	INTRSECTN	R		DIVISION ST	CT	Y																
			INTRSECTN	L		SR 21	ST	Y																
93.86		98.00	INTRSECTN	B		FIRST ST	CT	Y																
93.93		98.07	INTRSECTN	L		SECOND ST	CT	Y																
93.94		98.08	BEG BRIDGE	B		CRAB CREEK	ST		1	1		C	24A	C		24	3	02	0910	R2		30	L P *	

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---															
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV				INCRS/UNDI				SPC																			
			: :LEFT/RIGHT INDICATOR		-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
										WD/S	W/S	W/S	WD/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
120.06	124.20																																	
120.44	124.58		INTRSECTN	L		CO RD	CO																											
120.53	124.67		INTRSECTN	R		CO RD	CO																											
121.00	125.14		MP MARKER	R		121																												
122.00	126.14		MP MARKER	R		122																												
123.01	127.15		MP MARKER	R		123																												
123.88	128.02		INTRSECTN	R		CO RD	CO																											
124.03	128.17		MP MARKER	R		124																												
124.56	128.70		INTRSECTN	L		CO RD	CO																											
125.00	129.14		MP MARKER	R		125																												
125.05	129.19		INTRSECTN	R		CO RD	CO																											
125.58	129.72		INTRSECTN	R		CO RD	CO																											
126.00	130.14		MP MARKER	R		126																												
127.00	131.14		MP MARKER	R		127																												
127.12	131.26		INTRSECTN	R		SPINNING RD	CO																											
			INTRSECTN	L		COOK RD	CO																											
128.00	132.14		MP MARKER	R		128																												
128.33	132.47		INTRSECTN	B		CO RD	CO																											
129.00	133.14		MP MARKER	R		129																												
129.33	133.47		INTRSECTN	L		CO RD	CO																											
130.00	134.14		MP MARKER	R		130																												
130.37	134.51		ENTER CITY			DAVENPORT																												
			BEG ST	I		TWELFTH ST																												
			INTRSECTN	B		CITY ST	CT																											
130.38	134.52		MISC FEATR	R		SGN ENT DAVENPORT																												
130.60	134.74		INTRSECTN	B		MONROE ST	CT																											
130.61	134.75																																	
130.68	134.82		RR XING	B		NUM 66029G GRADE																												
130.71	134.85		INTRSECTN	R		MADISON ST	CT																											
130.72	134.86		INTRSECTN	B		JEFFERSON ST	CT																											
130.79	134.93		INTRSECTN	B		ADAMS ST	CT																											
130.84	134.98		INTRSECTN	B		WASHINGTON ST	CT																											
130.90	135.04		INTRSECTN	B		MAIN ST	CT																											
130.95	135.09		INTRSECTN	B		MAXWELL ST	CT																											
131.01	135.15		INTRSECTN	B		MARSHALL ST	CT																											
131.06	135.20		INTRSECTN	B		MERRIEM ST	CT																											
131.12	135.26		INTRSECTN	B		PARK ST	CT																											
131.18	135.32		END ST	I		TWELFTH ST																												
			INTRSECTN	B		SR 2	ST																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
131.18	135.32			.03	12					

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS---																				
			:DIRECTION TO INVENTORY			-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC																							
			: :LEFT/RIGHT INDICATOR			NBR			LFT			RHT			LFT		RHT		USE		TOT																	
			:			-XROAD-			LNS			SHD			RDY			SHD			LNS		RDY		MTCE		CITY		ST		SPEED		T		P		S	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T								
131.18	135.32		END CTLSEC END ROUTE			CONTROL SECTION 2205											8A	22A	8A						22	3	01	0310	R2			30	L	B	\$			

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				NBR		LFT			RHT			LFT			RHT																		
: :				-XROAD-		LNS			SHD			RDY			SHD			LNS			RDY			SHD									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	W/S	BR	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
19.88	19.88		ENTER CO BEG CTLSEC			YAKIMA CONTROL SECTION 3918	2	2	10A	24P	4A	160S	GR	4A	24P	10A					48	2	01		R5		70	M					
19.91	19.91		MISC FEATR	R		SGN ENT YAKIMA COUNTY																											
19.92	19.92		MISC FEATR	L		SGN ENT KITITITAS COUNTY																											
19.99	19.99						2	2	10A	24P	4A	120S	DE	4A	24P	10A					48	2	01		R5		70	M					
20.01	20.01		MP MARKER	B		20																											
20.55	20.55		MED XING	C		OFFICIAL																											
20.92	20.92						2	2	10A	24P	4A	75S	DE	4A	24P	10A					48	2	01		R5		70	M					
20.99	20.99						2	2	10A	24P	4A	110S	DE	4A	24P	10A					48	2	01		R5		70	M					
21.00	21.00						2	2	10A	24P	4A	110S	GR	4A	24P	10A					48	2	01		R5		70	M					
21.01	21.01		MP MARKER	B		21																											
21.49	21.49						2	2	10A	24P	4A	110S	DE	4A	24P	10A					48	2	01		R5		70	M					
21.50	21.50		MED XING	C		OFFICIAL																											
21.52	21.52						2	2	10A	24P	4A	360S	DE	4A	24P	10A					48	2	01		R5		70	M					
21.99	21.99		ENT FROM	L		REST AREA	ST																										
22.01	22.01		MP MARKER	B		22																											
22.05	22.05						2	2	10A	24P	4A	360S	GR	4A	24P	10A					48	2	01		R5		70	M					
22.16	22.16						2	2	10A	24P	4A	120S	GR	4A	24P	10A					48	2	01		R5		70	M					
22.27	22.27		REST AREA	L		SELAH CREEK CS 391891 E539 MAJOR																											
22.44	22.44						2	2	10A	24P	4A	120S	DE	4A	24P	10A					48	2	01		R5		70	M					
22.60	22.60		EXIT TO	L		REST AREA	ST														48	2	01		R5		70	M					
22.76	22.76						2	2	10A	24P	4A	120S	DE	4A	24P	10A					48	2	01		R5		70	M					
23.01	23.01		MP MARKER	B		23																											
23.37	23.37						2	2	10A	24P	4A	120S	GR	4A	24P	10A					48	2	01		R5		70	M					
23.38	23.38						2	2	10A	24P	4A	600S	GR	4A	24P	10A					48	2	01		R5		70	M					
23.74	23.74						2	2	10A	24P	4A	600S	DE	4A	24P	10A					48	2	01		R5		70	M					
23.75	23.75		MED XING	C		OFFICIAL																											
23.87	23.87						2	2	10A	24P	4A	75S	DE	4A	24P	10A					48	2	01		R5		70	M					
23.89	23.89		BEG BRIDGE	I		SELAH CREEK BRDG NUM 082/102S	ST														76	2	01		R5		70	M					
			BEG BRIDGE	D		SELAH CREEK BRDG NUM 082/102N	ST																										
24.14	24.14		END BRIDGE	I		SELAH CREEK															48	2	01		R5		70	M					
			END BRIDGE	D		SELAH CREEK																											
24.24	24.24		EXIT TO	R		REST AREA	ST																										
24.32	24.32		REST AREA	R		SELAH CREEK CS 391892 E538 MAJOR																											
24.83	24.83		TRAF RCDR	B		R048 0																											
24.86	24.86		ENT FROM	R		REST AREA	ST																										
24.96	24.96		MED XING	C		OFFICIAL																											
25.00	25.00		MP MARKER	B		25																											
25.15	25.15		BEG BRIDGE	D		E PAMONA RD	ST														76	2	01		R5		70	M					

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----										
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			MTCE		CITY		LEGAL		T	P	S		
:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :							-UXING-	NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	RHT	USE	TOT	RDY	MTCE	CITY	ST	SPEED	T	P	S			
: : :							-XROAD-	LNS	SHD	RDY	SHD	WD/S	BR	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T	
: : :							OW	TC	L	D	I	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
25.15		25.15				BRDG NUM 082/104N		2	2	C	38A	C	75S	DE	C	38A	C	76	2	01		R5		70	M			
25.16		25.16	BEG BRIDGE	I		E PAMONA RD	ST	2	2	C	38A	C	750	\$\$	C	38A	C	76	2	01		R5		70	M			
						BRDG NUM 082/104S																						
25.18		25.18	END BRIDGE	D		E PAMONA RD		2	2	C	38A	C	75S	DE	4A	24A	10A	62	2	01		R5		70	M			
25.19		25.19	END BRIDGE	I		E PAMONA RD		2	2	10A	24A	4A	75S	DE	4A	24A	10A	48	2	01		R5		70	M			
25.48		25.48						2	2	10A	24A	4A	75S	DE	4A	24A	10A	48	2	01		R5		70	L			
26.00		26.00	MP MARKER		B	26																						
26.06		26.06	ON RAMP		L	SR 821	ST																					
26.21		26.21	BEG BRIDGE	D		ROZA CANAL	ST	2	2	10A	24A	4A	75S	DE	\$\$C	38A	\$\$C	62	2	01		R5		70	L			
						BRDG NUM 082/106N																						
26.22		26.22	BEG BRIDGE	I		ROZA CANAL	ST	2	2	\$\$C	50A	\$\$C	750	\$\$	C	38A	C	88	2	01		R5		70	L			
						BRDG NUM 082/106S																						
26.23		26.23	END BRIDGE	D		ROZA CANAL		2	2	C	50A	C	75S	DE	4A	24A	10A	74	2	01		R5		70	L			
			OFF RAMP		R	SR 821	ST																					
26.24		26.24	END BRIDGE	I		ROZA CANAL		2	2	10A	24A	4A	75S	DE	4A	24A	10A	48	2	01		R5		70	L			
26.31		26.31	MISC FEATR		R	GORE (P102623)																						
26.37		26.37	MISC FEATR		L	GORE (S102606)																						
26.59		26.56	EQUATION			026.56 =026.59																						
			UXING		B	SR 821	ST																					
						BRDG NUM 821/001																						
26.82		26.79	MISC FEATR		R	GORE (Q102712)																						
26.91		26.88	MISC FEATR		L	GORE (R102698)																						
26.98		26.95	OFF RAMP		L	SR 821	ST																					
27.00		26.97	MP MARKER		B	27																						
27.12		27.09	ON RAMP		R	SR 821	ST																					
27.59		27.56	MED XING		C	OFFICIAL																						
28.03		28.00	MP MARKER		B	28																						
28.61		28.58	ON RAMP		L	E SELAH RD	ST																					
28.77		28.74	OFF RAMP		R	E SELAH RD	ST																					
28.87		28.84	MISC FEATR		R	GORE (P102877)																						
28.89		28.86	MISC FEATR		L	GORE (S102861)																						
28.99		28.96	MP MARKER		B	29																						
29.02		28.99	BEG BRIDGE	I		E SELAH RD	ST	2	2	\$\$C	36P	\$\$C	500	\$\$	\$\$C	36P	\$\$C	72	2	01		R5		70	R			
						BRDG NUM 082/110S																						
			BEG BRIDGE	D		E SELAH RD	ST																					
						BRDG NUM 082/110N																						
29.04		29.01	END BRIDGE	I		E SELAH RD		2	2	10A	24A	4A	50S	DE	4A	24A	10A	48	2	01		R5		70	R			
			END BRIDGE	D		E SELAH RD																						
29.16		29.13	MISC FEATR		R	GORE (Q102945)																						
29.22		29.19	MISC FEATR		L	GORE (R102930)																						
29.30		29.27	OFF RAMP		L	E SELAH RD	ST																					
29.45		29.42	ON RAMP		R	E SELAH RD	ST																					
29.55		29.52						2	2	10A	24A	4A	50S	DE	4A	24A	10A	48	2	01		R5		60	R			

SR 082 MAINLINE

INTERSTATE - ISSH

COUNTY YAKIMA

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---										
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC														
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT														
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
50.13	50.10	MISC FEATR	L	GORE (S504981)			2	2	10A	24P	4A	76S	DE	4A	24P	10A	48	2	02	R5		70	L			
50.34	50.31	MISC FEATR	R	GORE (Q105063)																						
		MISC FEATR	L	GORE (R105046)																						
50.46	50.43	OFF RAMP	L	SR 22-BUENA RD						ST		Y														
50.63	50.60	ON RAMP	R	SR 22 WB						ST		Y														
51.00	50.97	MP MARKER	B	51																						
51.58	51.55	ON RAMP	L	ZILLAH						ST		Y														
51.75	51.72	OFF RAMP	R	ZILLAH-TOPPENISH RD						ST		Y														
51.86	51.83	MISC FEATR	R	GORE (P105175)																						
		MISC FEATR	L	GORE (S105158)																						
51.99	51.96	MP MARKER	B	52																						
52.08	52.05	UXING	B	TOPPENISH-ZILLAH RD						ST																
				BRDG NUM 082/141																						
52.27	52.24	MISC FEATR	L	GORE (R105239)																						
52.32	52.29	MISC FEATR	R	GORE (Q105260)																						
52.38	52.35	ENTER CITY		ZILLAH			2	2	10A	24P	4A	76S	DE	4A	24P	10A	48	2	02	1500	R5		70	L	P	
52.39	52.36	OFF RAMP	L	ZILLAH-TOPPENISH RD						ST		Y														
52.47	52.44	LEAVE CITY		ZILLAH			2	2	10A	24P	4A	76S	DE	4A	24P	10A	48	2	02	\$\$\$\$	R5		70	L	\$	
52.60	52.57	ON RAMP	R	ZILLAH						ST		Y														
52.94	52.91	ENTER CITY		ZILLAH			2	2	10A	24P	4A	76S	DE	4A	24P	10A	48	2	02	1500	R5		70	L	P	
53.00	52.97	MP MARKER	B	53																						
53.52	53.49	LEAVE CITY		ZILLAH			2	2	10A	24P	4A	76S	DE	4A	24P	10A	48	2	02	\$\$\$\$	R5		70	L	\$	
53.61	53.58	ON RAMP	L	YAKIMA VALLEY HWY						ST		Y														
53.64	53.61	UXING	B	UP RR						ST																
				BRDG NUM 082/142																						
53.66	53.63	RR XING	B	NUM 0000000 STRUCTURE						ST																
		UXING	B	BN RR																						
				BRDG NUM 082/143																						
		RR XING	B	NUM 0000000 STRUCTURE																						
53.73	53.70	OFF RAMP	R	YAKIMA VALLEY HWY						ST		Y														
53.85	53.82	MISC FEATR	R	GORE (P105373)																						
53.90	53.87	MISC FEATR	L	GORE (S105361)																						
54.00	53.97	MP MARKER	B	54																						
54.08	54.05	UXING	B	YAKIMA VALLEY HWY						ST																
				BRDG NUM 082/145																						
54.27	54.24	MISC FEATR	R	GORE (Q105453)																						
54.28	54.25	MISC FEATR	L	GORE (R105440)																						
54.40	54.37	OFF RAMP	L	YAKIMA VALLEY HWY						ST		Y														
54.53	54.50	ON RAMP	R	YAKIMA VALLEY HWY						ST		Y														
55.02	54.99	MP MARKER	B	55																						
55.61	55.58	BEG BRIDGE	I	OLD SR 12			2	2	10A	24P	4A	76S	DE	\$\$\$	38P	\$\$\$	62	2	02	R5		70	L			
				BRDG NUM 082/147S																						
55.63	55.60	BEG BRIDGE	D	OLD SR 12			2	2	\$\$	38P	\$\$	76O	\$\$		W 38P	W	76	2	02	R5		70	L			

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
2.73		0.79							3	4	W	55P	W	500		W	68P	W	123	5	01	1140	U5	60	R	P	
2.76		0.82							3	4	10P	36P	10P	500		W	68P	W	104	5	01	1140	U5	60	R	P	
2.79		0.85	END BRIDGE I			CORWIN PL			4	4	10P	48P	10P	500	JE	10P	48P	10P	96	5	01	1140	U5	60	R	P	
			OFF RAMP	L		SR 5 NB																					
2.80		0.86	BEG BRIDGE D			TRANSIT/HOV			4	4	\$\$\$W	60P	\$\$W	500	\$\$	10P	48P	10P	108	5	01	1140	U5	60	R	P	
						BRDG NUM 090/010WCD																					
2.88		0.94	END BRIDGE D			TRANSIT/HOV			4	4	10P	48P	10P	500	JE	10P	48P	10P	96	5	01	1140	U5	60	R	P	
2.90		0.96							4	4	10P	48P	10P	400	JE	10P	48P	10P	96	5	01	1140	U5	60	R	P	
2.94		1.00							4	4	10P	48P	10P	400	JE	8P	48P	10P	96	5	01	1140	U5	60	R	P	
3.03		1.09	OFF RAMP	R		RAINIER AVE (OLD SR 900)	ST	Y																			
3.11		1.17	OFF RAMP	RC		TRANSIT AREA	ST	Y																			
			MISC FEATR	R		GORE (P100303)																					
3.13		1.19	ON RAMP	LC		TRANSIT AREA	ST	Y																			
3.17		1.23	MISC FEATR	RC		GORE (TRANSIT AREA)																					
3.20		1.26	MISC FEATR B			RAMP TUNNEL OXING																					
3.23		1.29	MISC FEATR	L		GORE (R500329)																					
3.26		1.32	MISC FEATR	LC		GORE (TRANSIT AREA)																					
3.29		1.35	BEG SU LN	L		AUXILIARY			4	4	10P	48P	10P	400	JE	8P	48P	10P	12	108	5	01	1140	U5	60	R	P
			OFF RAMP	L		RAINIER AVE (OLD SR 900)	ST	Y																			
3.30		1.36	BEG BRIDGE D			RAINIER AVE (OLD SR 900)	ST		4	4	\$\$\$W	60P	\$\$W	400	\$\$	8P	48P	10P	12	120	5	01	1140	U5	60	R	P
						BRDG NUM 090/017N																					
3.31		1.37	MISC FEATR	R		GORE (Q100351)																					
3.33		1.39	BEG BRIDGE I			RAINIER AVE (OLD SR 900)	ST		4	4	W	60P	W	400	\$\$\$W	99P	\$\$\$W	12	171	5	01	1140	U5	60	R	P	
						BRDG NUM 090/017S																					
3.36		1.42	END BRIDGE D			RAINIER AVE (OLD SR 900)			4	4	10P	48P	10P	400		W	99P	W	12	159	5	01	1140	U5	60	R	P
3.39		1.45	END BRIDGE I			RAINIER AVE (OLD SR 900)			4	4	10P	48P	10P	400	JE	10P	48P	10P	12	108	5	01	1140	U5	60	R	P
3.40		1.46	MISC FEATR	L		GORE (R100352)																					
3.44		1.50	MISC FEATR	LC		GORE (TRANSIT AREA)																					
3.47		1.53	MISC FEATR	RC		GORE (TRANSIT AREA)																					
3.48		1.54	ON RAMP	RC		TRANSIT AREA	ST	Y																			
3.49		1.55	OFF RAMP	LC		TRANSIT AREA	ST	Y	3	4	10P	36P	10P	400	JE	10P	48P	10P	12	96	5	01	1140	U5	60	R	P
3.51		1.57	ON RAMP	R		RAINIER AVE	ST	Y																			
			ON RAMP	LC		REVERSIBLE LANE	ST	Y																			
3.52		1.58	OFF RAMP	L		RAINIER AVE (OLD SR 900)	ST	Y																			
			OFF RAMP	RC		REVERSIBLE LANE	ST	Y																			
3.53		1.59	MISC FEATR	LC		GORE (REVERSIBLE)																					
3.55		1.61	MISC FEATR	RC		GORE (REVERSIBLE)																					
3.57		1.63	BEG TUNNEL I			MT BAKER RIDGE			3	4	\$\$\$W	44P	\$\$W	400	\$\$	\$\$\$W	52P	\$\$W	12	108	5	01	1140	U5	60	R	P
						TNNL NUM 090/024S																					
			BEG TUNNEL D			MT BAKER RIDGE																					
						TNNL NUM 090/024N																					
3.58		1.64							3	3	W	44P	W	400		W	52P	W	12	108	5	01	1140	U5	60	R	P
3.65		1.71	END SU LN	L		AUXILIARY			3	3	W	44P	W	400		W	52P	W	\$\$\$	96	5	01	1140	U5	60	R	P

SR 090 MAINLINE

INTERSTATE - ISSH COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	-XROAD-		LNS		USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S							
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
11.95		10.01					3	3	11A	36A	11A			75S	DE	10A	36A	13A	24	96	5	01	0075	U5		60	R	P					
12.00		10.06	MP MARKER	B		12																											
12.13		10.19	ON RAMP	R		EBCD LANE	ST	Y																									
12.24		10.30	MISC FEATR	L		GORE (CD01241)																											
12.35		10.41					3	3	11A	48A	11A			75S	DE	10A	36A	13A	24	108	5	01	0075	U5		60	R	P					
12.41		10.47	OFF RAMP	L		WBCD LANE	ST	Y																									
12.45		10.51					3	3	10A	36A	11A			75S	DE	10A	36A	13A	24	96	5	01	0075	U5		60	R	P					
12.49		10.55	LEAVE CITY			BELLEVUE								75S	DE	10A	36A	13A	24	96	5	01	\$\$\$\$	U5		60	R	\$					
12.88		10.94					3	3	10A	36A	11A			75S	GR	10A	36A	13A	24	96	5	01		U5		60	R						
13.00		11.06	MP MARKER	B		13																											
13.04		11.10	UXING	B		PED XING	ST																										
						BRDG NUM 090/056																											
13.15		11.21	ON RAMP	L		W LAKE SAMMAMISH PRKWY	ST	Y																									
13.20		11.26					3	3	10A	36A	11A			75S	JE	10A	36A	13A	24	96	5	01		U5		60	R						
13.30		11.36	OFF RAMP	R		W LAKE SAMMAMISH PRKWY	ST	Y																									
13.41		11.47					3	3	10A	36A	11A			75S	GR	10A	36A	10A	24	96	5	01		U5		60	R						
13.42		11.48	MISC FEATR	L		GORE (S101315)																											
			MISC FEATR	R		GORE (P101330)																											
13.53		11.59					3	3	10A	36A	11A			75S	DE	10A	36A	10A	24	96	5	01		U5		60	R						
13.67		11.73	BEG BRIDGE	D		W LK SAMMAMISH PRKWY	ST		3	3	\$\$W	68A	\$\$W	75S	DE	10A	36A	10A	24	128	5	01		U5		60	R						
						BRDG NUM 090/059N																											
13.69		11.75	BEG BRIDGE	I		W LK SAMMAMISH PRKWY	ST		3	3	W	68A	W	700	\$\$	\$\$W	56A	\$\$W	24	148	5	01		U5		60	R						
						BRDG NUM 090/059S																											
13.74		11.80	END BRIDGE	D		W LK SAMMAMISH PRKWY			3	3	10A	36A	11A	70S	DE	W	56A	W	24	116	5	01		U5		60	R						
13.77		11.83	END BRIDGE	I		W LK SAMMAMISH PRKWY			3	3	10A	36A	11A	70S	DE	10A	36A	10A	24	96	5	01		U5		60	R						
13.86		11.92	MISC FEATR	L		GORE (R101399)																											
13.99		12.05	MP MARKER	B		14			3	3	12A	36A	11A	70S	DE	10A	36A	10A	24	96	5	01		U5		60	R						
			OFF RAMP	L		W LAKE SAMMAMISH PRKWY	ST	Y																									
14.05		12.11	MISC FEATR	R		GORE (Q101432B)																											
14.32B		12.38	BEG EQ			BEGIN BACK																											
			ON RAMP	R		W LAKE SAMMAMISH PRKWY	ST	Y																									
14.32		12.39	EQUATION			014.33B=014.32																											
14.45		12.52					3	3	12A	36A	11A			90S	DE	10A	36A	10A	24	96	5	01		U5		60	R						
14.46		12.53					3	3	12A	36A	11A			90S	GR	10A	36A	10A	24	96	5	01		U5		60	R						
14.65		12.72	TRAF RCDR	B		S825 0																											
14.87		12.94	ENTER CITY			ISSAQUAH			3	3	12A	36A	11A	90S	GR	10A	36A	10A	24	96	5	01	0590	U5		60	R	P					
15.00		13.07	MP MARKER	B		15																											
15.06		13.13	OFF RAMP	R		SR 900	ST	Y	3	2	12A	36A	11A	90S	GR	10A	24A	10A	24	84	5	01	0590	U5		60	R	P					
15.12		13.19					3	2	12A	36A	11A			80S	GR	10A	24A	10A	24	84	5	01	0590	U5		60	R	P					
15.16		13.23					3	2	12A	36A	11A			48S	GR	10A	24A	10A	24	84	5	01	0590	U5		60	R	P					
15.19		13.26					3	2	12A	36A	11A			48S	DE	10A	24A	10A	24	84	5	01	0590	U5		60	R	P					
15.20		13.27	MED XING	C		OFFICIAL																											
15.37		13.44	ON RAMP	L		SR 900	ST	Y	2	2	12A	24A	11A	48S	DE	10A	24A	10A	24	72	5	01	0590	U5		60	R	P					

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S					
							-UXING-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	WD/S	BR	WD/S	W/S	W/S	W/S	WID	WID												
17.46		15.53						3	3	10A	36A	8A	48S	DE	8A	36A	10A		72	5	01	0590	U5			60	R	P			
17.58		15.65						3	3	10A	36A	8A	48S	GR	8A	36A	10A		72	5	01	0590	U5			60	R	P			
17.63		15.70						3	3	10A	36A	8A	48S	GR	8A	36A	10A		72	5	01	0590	U5			70	R	P			
17.69		15.76	ON RAMP		R	228TH AVE SE	ST	Y																							
18.00		16.07						3	3	10A	36A	8A	48S	DE	8A	36A	10A		72	5	01	0590	U5			70	R	P			
18.07		16.14	BEG BRIDGE	I		E FORK ISSAQUAH CR BRDG NUM 090/068S	ST		3	3	10A	36A	8A	48S	DE	\$\$\$W	52A	\$\$\$W		88	5	01	0590	U5			70	R	P		
18.08		16.15	BEG BRIDGE	D		E FORK ISSAQUAH CR BRDG NUM 090/068N	ST		3	3	\$\$\$W	52A	\$\$\$W	480	\$\$	W	52A	W		104	5	01	0590	U5			70	R	P		
18.10		16.17	END BRIDGE	I		E FORK ISSAQUAH CR			3	3	W	52A	W	48S	DE	8A	36A	10A		88	5	01	0590	U5			70	R	P		
18.11		16.18	END BRIDGE	D		E FORK ISSAQUAH CR			3	3	10A	36P	8A	48S	DE	8A	36P	10A		72	5	01	0590	U5			70	R	P		
18.12		16.19	UXING	B		W-S RAMP BRDG NUM 090/069W-S	ST																								
18.16		16.23	MP MARKER	B		18																									
18.21		16.28	MISC FEATR	L		SGN ENT ISSAQUAH																									
18.22		16.29	MISC FEATR	R		GORE (Q101838)																									
18.25		16.32	BEG BRIDGE	I		ISSAQUAH CREEK BRDG NUM 090/070S	ST		3	3	\$\$\$W	52P	\$\$\$W	480	\$\$	\$\$\$W	74P	\$\$\$W		126	5	01	0590	U5			70	R	P		
			MISC FEATR	L		GORE (R101836)																									
			BEG BRIDGE	D		ISSAQUAH CREEK BRDG NUM 090/070N	ST																								
18.28		16.35	END BRIDGE	I		ISSAQUAH CREEK			3	3	10A	36P	8A	60S	DE	8A	36P	10A		72	5	01	0590	U5			70	R	P		
			END BRIDGE	D		ISSAQUAH CREEK																									
18.36		16.43	OFF RAMP	L		E SUNSET WAY	ST	Y																							
18.38		16.45	ON RAMP	R		E SUNSET WAY	ST	Y	3	4	10A	36P	8A	60S	DE	10A	48P	10A		84	5	01	0590	U5			70	R	P		
18.41		16.48	LEAVE CITY			ISSAQUAH			3	4	10A	36P	8A	60S	DE	10A	48P	10A		84	5	01	\$\$\$\$	U5			70	R	\$		
18.50		16.57	BEG BRIDGE	I		E FORK ISSAQUAH CR BRDG NUM 090/071S	ST		3	4	10A	36P	8A	100S	DE	\$\$\$W	68P	\$\$\$W		104	5	01		U5			70	R			
18.52		16.59	END BRIDGE	I		E FORK ISSAQUAH CR			3	4	10A	36P	8A	100S	GR	10A	48P	10A		84	5	01		U5			70	R			
18.58		16.65	BEG BRIDGE	D		E FORK ISSAQUAH CR BRDG NUM 090/071N	ST		3	4	\$\$\$W	52P	\$\$\$W	100S	GR	10A	48P	10A		100	5	01		U5			70	R			
18.62		16.69	END BRIDGE	D		E FORK ISSAQUAH CR			3	4	10A	36P	8A	200S	GR	10A	48P	10A		84	5	01		U5			70	R			
18.77		16.84	BEG BRIDGE	D		E FORK ISSAQUAH CR BRDG NUM 090/072N	ST		3	4	\$\$\$W	52P	\$\$\$W	160S	GR	10A	48P	10A		100	5	01		U5			70	R			
18.86		16.93	BEG BRIDGE	I		E FORK ISSAQUAH CR BRDG NUM 090/072S	ST		3	4	W	52P	W	1600	\$\$	\$\$\$W	68P	\$\$\$W		120	5	01		U5			70	R			
18.88		16.95	END BRIDGE	I		E FORK ISSAQUAH CR			3	4	10A	36P	10A	110S	DE	10A	48P	10A		84	5	01		U5			70	R			
			END BRIDGE	D		E FORK ISSAQUAH CR																									
19.04		17.11	ENTER CITY			ISSAQUAH			3	4	10A	36P	10A	60S	DE	10A	48P	10A		84	5	01	0590	U5			70	R	P		
19.08		17.15	BEG BRIDGE	I		E FORK ISSAQUAH CR BRDG NUM 090/073S	ST		3	4	10A	36P	10A	54S	DE	\$\$\$W	68P	\$\$\$W		104	5	01	0590	U5			70	R	P		
19.09		17.16	BEG BRIDGE	D		E FORK ISSAQUAH CR BRDG NUM 090/073N	ST		3	4	\$\$\$W	52P	\$\$\$W	600	\$\$	W	68P	W		120	5	01	0590	U5			70	R	P		

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																		
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
52.61	50.95	LEAVE CO	KING				4	4	10P	48P		22P	JE		48P	10P		96	1	02			R5		65	M					

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY KITTITAS

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----													
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC						LEGAL												
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT				SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	D	IB	R	K	T		
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC					
69.49	67.82	BEG	BRIDGE	D		KACHESS RIVER BRDG NUM 090/118N	ST			2	2	\$\$W	38P	\$\$W	140S	4A	24P	10A			62	1	02		R5		65	M	
69.50	67.83	BEG	BRIDGE	I		KACHESS RIVER BRDG NUM 090/118S	ST			2	2	W	38P	W	1400	\$\$W	38P	\$\$W			76	1	02		R5		70	M	
69.52	67.85	END	BRIDGE	I		KACHESS RIVER				2	2	10A	24P	4A	140S	4A	24P	10A			48	1	02		R5		70	M	
69.77	68.10	ON	RAMP	L		W EASTON RD	ST		Y																				
69.98	68.31									2	2	10A	24P	4A	90S	DE	4A	24P	10A			48	1	02		R5		70	M
70.00	68.33	MP	MARKER	B		70																							
70.09	68.42	MISC	FEATR	L		W EASTON RD	ST		Y																				
70.11	68.44	MISC	FEATR	R		GORE (S106977)																							
70.30	68.63	UXING		B		GORE (P107000)																							
70.49	68.82	MISC	FEATR	L		WEST EASTON RD	ST																						
70.52	68.85	MISC	FEATR	R		BRDG NUM 090/119																							
70.63	68.96	OFF	RAMP	L		GORE (R107063)	ST		Y																				
70.66	68.99	BEG	SU LN	L		GORE (Q107080)	10A			2	2	10A	24P	4A	90S	DE	4A	24P	10A	10	58	1	02		R5		70	M	
70.80	69.13	ON	RAMP	R		W EASTON RD	ST		Y																				
71.02	69.35	MP	MARKER	B		71																							
71.20	69.53	END	SU LN	L		CHAIN UP	10A			2	2	10A	24P	4A	90S	DE	4A	24P	10A	\$\$\$	48	1	02		R5		70	M	
71.25	69.54	EQUATION				071.21 =071.25				2	2	10A	24P	4A	78S	DE	4A	24P	10A			48	1	02		R5		70	M
71.26	69.55	BEG	BRIDGE	I		YAKIMA RIVER	ST			2	2	10A	24P	4A	78S	DE	\$\$W	38P	\$\$W			62	1	02		R5		70	M
71.28	69.57	ON	RAMP	L		BRDG NUM 090/120S	ST		Y	2	2	\$\$W	39P	\$\$W	780	\$\$	W	38P	W			77	1	02		R5		70	M
71.32	69.61	END	BRIDGE	I		YAKIMA RIVER	ST		Y	2	2	W	39P	W	78S	DE	4A	24P	10A			63	1	02		R5		70	R
71.34	69.63	END	BRIDGE	D		E EASTON RD				2	2	10A	24P	4A	78S	DE	4A	24P	10A			48	1	03		R5		70	R
71.42	69.71	MISC	FEATR	R		YAKIMA RIVER																							
71.46	69.75	MISC	FEATR	L		CONTROL SECTION 1901																							
71.56	69.85	UXING		B		CONTROL SECTION 1902	ST																						
71.69	69.98	MISC	FEATR	L		GORE (P107132)																							
71.74	70.03	MISC	FEATR	R		GORE (S107128)																							
71.75	70.04	OFF	RAMP	L		EAST EASTON RD	ST		Y																				
71.90	70.19	BEG	SU LN	L		BRDG NUM 090/121	10A			2	2	10A	24P	4A	78S	DE	4A	24P	10A	10	58	1	03		R5		70	R	
72.00	70.29	MP	MARKER	B		GORE (R107175)																							
72.03	70.32	ON	RAMP	R		GORE (Q107203)	ST		Y																				
72.66	70.95	END	SU LN	L		E EASTON RD	10A			2	2	10A	24P	4A	78S	DE	4A	24P	10A	\$\$\$	48	1	03		R5		70	R	

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY ADAMS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																			
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC					LEGAL																		
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT					T	P	S															
:				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
197.16	195.45	MISC FEATR	R	GORE (Q119745)			2	2	10A	24A	4A	122S	DE	4A	24A	10A				48	3	02			R5		70	R						
197.23	195.52	OFF RAMP	L	DEAL RD	ST	Y																												
197.45	195.74	ON RAMP	R	DEAL RD	ST	Y																												
197.75	196.04	ENT FROM	L	REST AREA	ST	Y																												
197.92	196.21	EXIT TO	R	REST AREA	ST	Y																												
198.00	196.29	MP MARKER	B	198																														
198.32	196.61	REST AREA	R	SCHRAG REST AREAS																														
		REST AREA	L	SCHRAG REST AREAS																														
				CS 010192 A629 MAJOR																														
				CS 010191 A630 MAJOR																														
198.86	197.15	EXIT TO	L	REST AREA	ST	Y																												
198.94	197.23	ENT FROM	R	REST AREA	ST	Y																												
199.00	197.29	MP MARKER	B	199																														
199.47	197.76	MED XING	C	OFFICIAL																														
199.91	198.20	BEG BRIDGE I		BATUM RD	ST		2	2	\$\$\$	38A	\$\$\$	1220	\$\$	\$\$\$	38P	\$\$\$				76	3	02			R5		70	R						
				BRDG NUM 090/307S																														
		BEG BRIDGE D		BATUM RD	ST																													
				BRDG NUM 090/307N																														
199.93	198.22	END BRIDGE I		BATUM RD			2	2	10A	24A	4A	122S	DE	4A	24A	10A				48	3	02			R5		70	R						
		END BRIDGE D		BATUM RD																														
200.00	198.29	MP MARKER	B	200																														
201.00	199.29	MP MARKER	B	201																														
202.00	200.29	MP MARKER	B	202																														
202.12	200.41	BEG BRIDGE D		DAMON RD	ST		2	2	\$\$\$	38P	\$\$\$	122S	DE	4A	24A	10A				62	3	02			R5		70	R						
				BRDG NUM 090/310N																														
202.13	200.42	BEG BRIDGE I		DAMON RD	ST		2	2	C	38P	C	1220	\$\$	\$\$\$	38P	\$\$\$				76	3	02			R5		70	R						
				BRDG NUM 090/310S																														
202.14	200.43	END BRIDGE D		DAMON RD			2	2	10A	24A	4A	122S	DE	C	38P	C				62	3	02			R5		70	R						
202.15	200.44	END BRIDGE I		DAMON RD			2	2	10A	24A	4A	122S	DE	4A	24A	10A				48	3	02			R5		70	R						
203.00	201.29	MP MARKER	B	203																														
204.00	202.29	MP MARKER	B	204																														
205.00	203.29	MP MARKER	B	205																														
205.55	203.84	MED XING	C	OFFICIAL																														
206.00	204.29	MP MARKER	B	206																														
206.36	204.65	ON RAMP	L	SR 21	ST	Y																												
206.49	204.78	OFF RAMP	R	SR 21	ST	Y																												
206.57	204.86	MISC FEATR	R	GORE (P120649)																														
206.63	204.92	MISC FEATR	L	GORE (S120636)																														
206.84	205.13	BEG BRIDGE I		SR 21	ST		2	2	10A	24A	4A	122S	DE	\$\$\$	38P	\$\$\$				62	3	02			R5		70	R						
				BRDG NUM 090/312S																														
206.85	205.14	BEG BRIDGE D		SR 21	ST		2	2	\$\$\$	38P	\$\$\$	1220	\$\$	C	38P	C				76	3	02			R5		70	R						
				BRDG NUM 090/312N																														
206.88	205.17	END BRIDGE I		SR 21			2	2	10A	24A	4A	122S	DE	4A	24A	10A				48	3	02			R5		70	R						

SR 092 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---										
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID							
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
5.97	5.97																									
6.02	6.02		INTRSECTN	L		84TH ST NE		CO	SG	Y				4A	24A	5A			24	3	02		R3	55	R	
			ENT/EXIT	R		BUSINESS		PV	SG	Y																
6.03	6.03		MP MARKER	R		6																				
6.45	6.45																									
6.72	6.72		INTRSECTN	L		PVT RD		PV		Y																
			INTRSECTN	R		CROOKED MI RD-OLD SR 92		CO		Y				4A	24A	5A			24	3	02		R3	40	R	
6.73	6.73		INTRSECTN	R		CROOKED MILE RD WYE CONN		CO		Y																
7.01	7.01		MP MARKER	R		7																				
7.46	7.46		ENTER CITY			GRANITE FALLS								4A	24A	5A			24	3	02	0525	R3	40	R P	
7.57	7.57		INTRSECTN	L		PVT RD		PV		Y																
			INTRSECTN	R		CROOKED MI RD-OLD SR 92		CT		Y																
7.60	7.60		MISC FEATR	R		SGN ENT GRANITE FALLS																				
7.67	7.66		EQUATION			007.66 =007.67																				
7.87	7.86		INTRSECTN	L		JORDAN RD		CT	SG	Y																
7.98	7.97		MP MARKER	R		8																				
8.01	8.00		BEG ST	I		W STANLEY ST								6A	32A	\$\$C			32	3	02	0525	R3	30	R R *	
			INTRSECTN	R		PORTAGE AV		CT		Y																
8.07	8.06		INTRSECTN	R		PROSPECT AVE		CT		Y																
8.13	8.12		INTRSECTN	R		ANDERSON AVE		CT		Y																
8.14	8.13																									
8.14	8.13																									
8.19	8.18		INTRSECTN	R		CASCADE AVE		CT		Y				6A	32A	C			32	3	02	0525	R3	30	R B *	
8.26	8.25		END ST	I		W STANLEY ST																				
			INTRSECTN	B		GRANITE AVE		CT	RF	Y																
			END CTLSEC			CONTROL SECTION 3138																				
			END ROUTE																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.02	6.02		.04	12			.03	12			.07	12		
6.72	6.72		.03	12	.07	12			.03	12				
7.57	7.57		.03	12	.08	12			.03	12				
7.87	7.86		.05	12					.08	12				

SR 096 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
						:	-XROAD-	D	I	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
						:	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE																					
						SR 5 TO SR 9																					
			BEG CTLSEC			CONTROL SECTION 3160																					
			BEG ST	I		128TH ST SE																					
			BEG BRIDGE	B		SR 5																					
						BRDG NUM 096/001																					
0.07	0.07		END BRIDGE	B		SR 5																					
0.12	0.12		ON RAMP	R		SR 5																					
			OFF RAMP	L		SR 5																					
0.13	0.13		INTRSECTN	L		OFF RAMP WYE CONN																					
0.17	0.17		BEG SU LN	C		TWO WAY TURN	14A																				
0.25	0.25		END SU LN	C		TWO WAY TURN	14A																				
0.30	0.30		INTRSECTN	B		3RD AVE SE																					
0.35	0.35		BEG SU LN	C		TWO WAY TURN	14A																				
0.38	0.38		INTRSECTN	R		4TH DR SE																					
0.52	0.52		BEG SU LN	R		BICYCLE	07A																				
			BEG SU LN	R		HIGH OCCUPANCY VEHICL12A																					
			ENT/EXIT	R		MCCOLLUM PARK																					
0.68	0.68		END SU LN	C		TWO WAY TURN	14A																				
0.70	0.70		END SU LN	R		BICYCLE	07A																				
0.71	0.71		END SU LN	R		HIGH OCCUPANCY VEHICL12A																					
			EXIT TO	R		PARK AND RIDE LOT																					
0.72	0.72		END ST	I		128TH ST SE																					
			ENTER CITY			MILL CREEK																					
			BEG ST	I		132ND ST SE																					
			INTRSECTN	R		DUMAS RD																					
			INTRSECTN	L		ELGIN WAY																					
0.91	0.91		INTRSECTN	R		10TH DR SE																					
0.96	0.96		INTRSECTN	L		12TH DR SE																					
1.00	1.00		MP MARKER	R		1																					
1.08	1.08		BEG SU LN	C		TWO WAY TURN	12A																				
1.18	1.18		END SU LN	C		TWO WAY TURN	12A																				
			INTRSECTN	R		16TH AVE SE																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.12	0.12		.05	24							
0.13	0.13					.03	12				
0.30	0.30		.03	14		.03	14				
0.52	0.52				.03	12					
0.72	0.72		.03	12		.03	12				
1.18	1.18				.03	12					

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY KLIKKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----												
				D	LR	DESCRIPTION	TC	L	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
				:	:			SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
3.40	3.89	BEG	SU LN	L		CHAIN UP	20A																			
3.46	3.95	END	SU LN	R		CHAIN UP	38A																			
3.53	4.02	END	SU LN	L		CHAIN UP	20A																			
3.65	4.14																									
3.71	4.20																									
3.99	4.48	MP	MARKER	R		4																				
4.97	5.46																									
5.00	5.49																									
5.01	5.50	MP	MARKER	R		5																				
6.01	6.50	MP	MARKER	R		6																				
6.34	6.83	INTRSECTN		L		OLD MARYHILL LP RD	CO																			
6.51	7.00																									
6.84	7.33	END	SU LN	R		CLIMBING	12A																			
6.86	7.35	INTRSECTN		L		STRINGSTREET RD	CO																			
7.00	7.49																									
7.05	7.54	MP	MARKER	R		7																				
7.50	7.99																									
7.82	8.31	INTRSECTN		R		HI PRAIRIE RD	CO																			
		INTRSECTN		L		CENTERVILLE RD	CO																			
8.00	8.49	MP	MARKER	R		8																				
8.08	8.57	BEG	BRIDGE	B		SWALW CREEK	ST																			
						BRDG NUM 097/006																				
8.10	8.59	END	BRIDGE	B		SWALW CREEK																				
9.00	9.49	MP	MARKER	R		9																				
9.08	9.57	INTRSECTN		R		HOCTOR RD	CO																			
		INTRSECTN		L		S COLUMBUS AVE	CO																			
10.00	10.49	MP	MARKER	R		10																				
10.42	10.91	INTRSECTN		B		CO RD	CO																			
11.01	11.50	MP	MARKER	R		11																				
11.69	12.18	INTRSECTN		L		SIMCOE DR	CO																			
12.00	12.49	MP	MARKER	R		12																				
12.07	12.56	ENTER	CITY			GOLDENDALE																				
12.11	12.60	UXING		B		COLLINS DR	ST																			
						BRDG NUM 097/007																				
12.33	12.82	LEAVE	CITY			GOLDENDALE																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
7.82	8.31		.03	13						
9.08	9.57		.03	15	.03	15				
11.69	12.18		.04	15			.07	12		

SR 097 MAINLINE

U.S. ROUTE - USSH COUNTY KLICKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
							OW TC L	D I	W/S	W/S	W/S	W/S	WD/S	BR										
21.52	21.47																							
21.61	21.56	BEG SU LN	R	CLIMBING		12A																		
21.99	21.94	INTRSECTN	R	BOX CANYON RD			CO	N																
22.02	21.97	MP MARKER	R	22																				
22.06	22.01	INTRSECTN	L	FS RD			FS	N																
23.04	22.99	MP MARKER	R	23																				
23.16	23.11	END SU LN	R	CLIMBING		12A																		
23.27	23.22																							
23.67	23.62	BEG SU LN	R	CHAIN UP		22A																		
23.75	23.70	CHG SU LN	R	CHAIN UP		25A																		
23.80	23.75	END SU LN	R	CHAIN UP		25A																		
23.89	23.84	INTRSECTN	R	TIMMER LN			CO	N																
24.01	23.96	MP MARKER	R	24																				
24.66	24.61	ENT/EXIT	B	BROOKS MEMORIAL ST PARK			ST	N	1	1														
25.00	24.95	MP MARKER	R	25																				
26.00	25.95	MP MARKER	R	26																				
27.00	26.95	MP MARKER	R	27																				
27.16	27.11	BEG SU LN	L	CLIMBING		11A																		
		INTRSECTN	L	SKI LODGE RD			CO	N																
27.18	27.13	MISC FEATR	L	SGN SATUS PASS ELE 3107																				
27.21	27.16	MISC FEATR	L	SGN LEV YAKIMA INDIAN RS																				
		MISC FEATR	R	SGN ENT YAKIMA INDIAN RS																				
27.99	27.94	MP MARKER	R	28																				
28.33	28.28	END SU LN	L	CLIMBING		11A																		
28.50	28.45	BEG SU LN	L	CLIMBING		11A																		
29.01	28.96	MP MARKER	R	29																				
30.01	29.96	MP MARKER	R	30																				
30.17	30.12	INTRSECTN	R	INDIAN SERVICE RD			CO	N																
30.77	30.72	END SU LN	L	CLIMBING		11A																		
30.80	30.75	BEG BRIDGE B		SATUS CREEK			ST																	
				BRDG NUM 097/020																				
30.82	30.77	END BRIDGE B		SATUS CREEK																				
30.91	30.86	INTRSECTN	L	WILSON CHARLEY IND RES			CO	N																
30.95	30.90	MP MARKER	R	31																				
31.44	31.39	BEG SU LN	L	CHAIN UP		11A																		
31.69	31.64	END SU LN	L	CHAIN UP		11A																		
31.99	31.94	MP MARKER	R	32																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
24.66	24.61		.03	12	.04	12				

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID							
62.90	62.76		END BRIDGE	D		WANITY SLOUGH		2	2	10A	24A		18A	JE		24A	10A		48	2	02		R2	55	L
62.97	62.83		MP MARKER	B		63																			
63.23	63.09		INTRSECTN	R		FRONTAGE RD	ST	N																	
63.51	63.37							2	2	10A	24A		18A	UP		24A	10A		48	2	02		R2	55	L
63.67	63.53		INTRSECTN	C		MEDIAN XROAD	ST	Y																	
			INTRSECTN	R		E MCDONALD-N BECKER RD	CO	Y																	
			INTRSECTN	L		MCDONALD RD-BECKER RD	CO	Y																	
63.83	63.69							2	2	10A	24A		18A	JE		24A	10A		48	2	02		R2	55	L
63.97	63.83		MP MARKER	B		64																			
64.78	64.64							2	2	10A	24A		18A	UP		24A	10A		48	2	02		R2	55	L
64.89	64.75		INTRSECTN	L		S OLDEN WAY	CO	Y																	
			INTRSECTN	R		OLDEN WAY	CO	Y																	
			INTRSECTN	C		MEDIAN XROAD	ST	Y																	
64.97	64.83		MP MARKER	B		65																			
65.10	64.96		RR XING	B		NUM 99199T GRADE																			
65.11	64.97		INTRSECTN	C		MEDIAN XROAD	ST	Y																	
			INTRSECTN	R		E BRANCH RD	CO	Y																	
			INTRSECTN	L		BRANCH RD	CO	Y																	
65.22	65.08							2	2	10A	24A		18A	JE		24A	10A		48	2	02		R2	55	L
65.24	65.10		INTRSECTN	L		FRONTAGE RD	CO	N																	
65.58	65.44		INTRSECTN	L		S MARTIN RD	CO	N																	
65.61	65.47		INTRSECTN	R		MARTIN RD	CO	N																	
65.62	65.48		INTRSECTN	R		MARTIN RD WYE CONN	CO	N																	
65.63	65.49		INTRSECTN	L		S MARTIN RD WYE CONN	CO	N																	
65.93	65.79		INTRSECTN	L		FRONTAGE RD	ST	N																	
65.94	65.80		INTRSECTN	R		FRONTAGE RD	ST	N																	
66.00	65.86		MP MARKER	B		66																			
66.14	66.00		INTRSECTN	R		FRONTAGE RD	ST	N																	
66.15	66.01		INTRSECTN	L		FRONTAGE RD	ST	N																	
66.30	66.16		TRAF RCDR	B		P03 0																			
66.32	66.18		INTRSECTN	L		FRONTAGE RD	ST	N																	
66.33	66.19							2	2	10A	24A		18A	UP		24A	10A		48	2	02		R2	55	L
66.49	66.35		INTRSECTN	R		E PROGRESSIVE RD WYE CON	CO	Y																	
66.50	66.36		INTRSECTN	C		MEDIAN XROAD	ST	Y																	
			INTRSECTN	L		MCKINLEY RD	CO	Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
63.67	63.53		.04	18	.03	18				
64.89	64.75		.03	18	.03	18				
65.11	64.97		.03	18	.03	18				

SR 097 MAINLINE

U.S. ROUTE - USSH COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----																			
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	MEDIAN-	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
				: :LEFT/RIGHT INDICATOR		-UXING-		LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
66.50	66.36		INTRSECTN	R	E	PROGRESSIVE RD	CO	Y	2	2	10A	24A		18A	UP		24A	10A		48	2	02			R2		55	L					
66.51	66.37		INTRSECTN	L	M	MCKINLEY RD WYE CONN	CO	Y																									
66.67	66.53								2	2	10A	24A		18A	JE		24A	10A		48	2	02			R2		55	L					
67.00	66.86		MP MARKER	B		67																											
67.71	67.57		INTRSECTN	R	F	FRONTAGE RD	ST	N																									
67.76	67.62								2	2	10A	24A		18A	UP		24A	10A		48	2	02			R2		55	L					
67.79	67.65		INTRSECTN	L	S	WAPATO RD WYE CONN	CO	Y																									
67.80	67.66		INTRSECTN	R	S	CAMAS RD WYE CONN	CO	Y																									
67.82	67.68		INTRSECTN	R	S	CAMAS RD	CO	SG	Y																								
			INTRSECTN	L	S	WAPATO RD	CO	SG	Y																								
			INTRSECTN	C	M	MEDIAN XROAD	ST	SG	Y																								
67.85	67.71		INTRSECTN	R	S	CAMAS RD WYE CONN	CO	Y																									
67.89	67.75								2	2	10A	24A		16A	JE		24A	10A		48	2	02			R2		55	L					
67.96	67.82		MP MARKER	B		68																											
68.54	68.40		INTRSECTN	R	W	NINTH ST WYE CONN	CO	Y																									
68.55	68.41		INTRSECTN	R	W	NINTH ST	CO	Y																									
			INTRSECTN	L	H	OFFER RD WYE CONN	CO	Y																									
68.58	68.44		INTRSECTN	L	H	OFFER RD	CO	Y																									
68.94	68.80		INTRSECTN	R	F	FRONTAGE RD	CO	Y																									
68.96	68.82		MP MARKER	B		69																											
69.00	68.86								2	2	10A	24A		18A	UP		24A	10A		48	2	02			R2		55	L					
69.08	68.94		INTRSECTN	L	W	WAPATO RD WYE CONN	CO	Y																									
			INTRSECTN	R	W	FIRST ST WYE CONN	CO	Y																									
69.09	68.95		INTRSECTN	R	W	FIRST ST	CO	SG	Y																								
			INTRSECTN	L	W	WAPATO RD	CO	SG	Y																								
			INTRSECTN	C	M	MEDIAN XROAD	ST	SG	Y																								
69.11	68.97		INTRSECTN	R	W	FIRST ST WYE CONN	CO	Y																									
			INTRSECTN	L	W	WAPATO RD WYE CONN	CO	Y																									
69.20	69.06								2	2	10A	24A		18A	JE		24A	10A		48	2	02			R2		55	L					
69.59	69.45		INTRSECTN	R	F	FRONTAGE RD	ST	N																									
69.65	69.51		INTRSECTN	L	F	FRONTAGE RD	ST	N																									
69.95	69.81		MP MARKER	B		70																											
70.00	69.86								2	2	10A	24A		18A	UP		24A	10A		48	2	02			R2		55	L					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
66.50	66.36			.04	18		.04	18			
67.80	67.66					.10	12				
67.82	67.68			.03	18		.04	18		.02	12
69.09	68.95			.05	18		.08	18			
69.11	68.97									.12	10

SR 097 MAINLINE

U.S. ROUTE - USSH COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---																		
				D	LR		DESCRIPTION	-UXING-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
				:	:	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
				:	:				D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
70.13	69.99		INTRSECTN	L	JONES RD WYE CONN	CO	Y	2	2	10A	24A		18A	UP		24A	10A		48	2	02		R2		55	L					
70.15	70.01		INTRSECTN	C	MEDIAN XROAD	ST	Y																								
			INTRSECTN	L	JONES RD	CO	Y																								
			INTRSECTN	R	E JONES RD	CO	Y																								
70.17	70.03		INTRSECTN	R	E JONES RD WYE CONN	CO	Y																								
70.31	70.17							2	2	10A	24A		16A	JE		24A	10A		48	2	02		R2		55	L					
70.61	70.47		INTRSECTN	L	FRONTAGE RD	ST	N																								
70.73	70.59		BEG BRIDGE	I	IRRIGATION CANAL	ST		2	2	\$\$C	33P		16A	JE		30A	\$\$C		63	2	02		R2		55	L					
			BEG BRIDGE	D	IRRIGATION CANAL	ST																									
			BRDG NUM		097/130E																										
			BRDG NUM		097/130W																										
70.74	70.60		END BRIDGE	I	IRRIGATION CANAL			2	2	10A	24A		16A	JE		24A	10A		48	2	02		R2		55	L					
			END BRIDGE	D	IRRIGATION CANAL																										
71.00	70.86		MP MARKER	B	71																										
71.18	71.04							2	2	10A	24A		16A	UP		24A	10A		48	2	02		R2		55	L					
71.27	71.13		INTRSECTN	L	FRONTAGE RD	ST	N																								
71.32	71.18		INTRSECTN	B	LATERAL 1 RD	CO	Y																								
			INTRSECTN	C	MEDIAN XROAD	ST	Y																								
71.33	71.19		INTRSECTN	R	LATERAL 1 RD WYE CONN	CO	Y																								
71.47	71.33							2	2	10A	24A		16A	JE		24A	10A		48	2	02		R2		55	L					
71.52	71.38		BEG BRIDGE	I	IRRIGATION CANAL	ST		2	2	\$\$C	33P		16A	JE		30A	\$\$C		63	2	02		R2		55	L					
			BEG BRIDGE	D	IRRIGATION CANAL	ST																									
			BRDG NUM		097/132E																										
			BRDG NUM		097/132W																										
71.53	71.39		END BRIDGE	I	IRRIGATION CANAL			2	2	10A	24A		16A	JE		24A	10A		48	2	02		R2		55	L					
			END BRIDGE	D	IRRIGATION CANAL																										
71.96	71.82		MP MARKER	B	72																										
72.04	71.90		INTRSECTN	L	FRONTAGE RD	ST	N																								
72.33	72.19							2	2	10A	24A		16A	UP		24A	10A		48	2	02		R2		55	L					
72.47	72.33		INTRSECTN	L	KAYS RD WYE CONN	CO	N																								
72.49	72.35		INTRSECTN	L	KAYS RD	CO	Y																								
			INTRSECTN	C	MEDIAN XROAD	ST	Y																								
72.50	72.36							2	2	10A	24A		16A	JE		24A	10A		48	2	02		R2		55	L					
72.53	72.39		INTRSECTN	L	KAYS RD WYE CONN	CO	Y																								
72.94	72.80							2	2	10A	24A		16A	UP		24A	10A		48	2	02		R2		55	L					
72.97	72.83		MP MARKER	B	73																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
70.15	70.01		.03	16		.05	16			
71.32	71.18		.02	16		.04	16			
72.49	72.35		.06	16						

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY KITTITAS

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---												
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																			
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
94.32			ENTER CO			KITTITAS																										
114.17	113.99		BEG COINCI			SR 090																										
			END COINCI			SR 082																										
133.90	118.80		EQUATION			118.98 =133.90																										
			BEG CTLSEC			CONTROL SECTION 1933																										
			BEG BRIDGE B			SR 90																										
						BRDG NUM 097/200																										
			END COINCI			SR 090																										
133.95	118.85		END BRIDGE B			SR 90																										
133.99	118.89		ON RAMP	R		SR 90																										
			OFF RAMP	L		SR 90																										
134.00	118.90		MP MARKER	R		134																										
134.01	118.91		ENTER CITY			ELLENSBURG																										
134.02	118.92		BEG SU LN	L		AUXILIARY		12A																								
			OFF RAMP	L		SR 90																										
134.14	119.04		END SU LN	L		AUXILIARY		12A																								
			INTRSECTN	L		SR 97 WYE CONN																										
			INTRSECTN	R		DOLLAR WAY WYE CONN																										
134.16	119.06		INTRSECTN	R		DOLLAR WAY																										
			INTRSECTN	R		FAUST RD																										
134.18	119.08		INTRSECTN	L		SR 97 WYE CONN																										
134.25	119.15		LEAVE CITY			ELLENSBURG																										
134.26	119.16																															
134.70	119.60		ENTER CITY			ELLENSBURG																										
134.82	119.72		INTRSECTN	L		DESMOND RD																										
134.99	119.89		MP MARKER	R		135																										
135.10	120.00		LEAVE CITY			ELLENSBURG																										
135.35	120.25		RR XING	B		NUM 85214C GRADE																										
135.36	120.26		INTRSECTN	R		CO RD WYE CONN																										
135.38	120.28		INTRSECTN	R		CO RD																										
135.72	120.62		BEG BRIDGE B			SPRING CREEK																										
						BRDG NUM 097/205																										
135.73	120.63		END BRIDGE B			SPRING CREEK																										
136.17	121.07		MP MARKER	R		136																										
136.42	121.32		BEG BRIDGE B			SLOUGH																										

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
134.14		119.04				.05	12				
134.16		119.06		.06	13			.04	13		
134.18		119.08								.04	12

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY KITTITAS

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	LEGAL		T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
149.69	134.72		INTRSECTN	L		SR 970	ST	SS	Y	1	1						8A	24A	8A					24	1	02		R1		55	R	
149.99	135.02		MP MARKER	R		150																										
150.01	135.04		BEG BRIDGE	B		SWAUK CREEK NO 1	ST			1	1						\$\$\$	40A	\$\$\$					40	1	02		R1		55	M	
						BRDG NUM 097/271																										
150.02	135.05		END BRIDGE	B		SWAUK CREEK NO 1				1	1						8A	24A	8A					24	1	02		R1		55	M	
150.99	136.02		MP MARKER	R		151																										
152.01	137.04		MP MARKER	R		152																										
152.67	137.70		BEG BRIDGE	B		SWAUK CREEK NO 2	ST			1	1						\$\$\$	40A	\$\$\$					40	1	02		R1		55	M	
						BRDG NUM 097/273																										
152.69	137.72		END BRIDGE	B		SWAUK CREEK NO 2				1	1						8A	24A	8A					24	1	02		R1		55	M	
152.73	137.76		INTRSECTN	R		LIBERTY RD	CO			N																						
152.94	137.97		INTRSECTN	L		LIBERTY WORK CNTR	FS			N																						
				R		INFORMATION CENTER	FS			N																						
153.00	138.03		MP MARKER	R		153																										
154.00	139.03		MP MARKER	R		154																										
155.00	140.03		MP MARKER	R		155																										
155.97	141.00		MP MARKER	R		156																										
156.11	141.14		ENT/EXIT	L		MINERAL SPRINGS CMPGRD	FS			N																						
156.34	141.37		INTRSECTN	L		FS RD #9738	FS			N																						
156.97	142.00		MP MARKER	R		157																										
157.21	142.24		INTRSECTN	R		DURST CR RD-FS RD #9705	FS			N																						
157.43	142.46		BEG SU LN	R		CHAIN UP				23A							8A	24A	\$\$\$	23	47	1	02				R1		55	M		
157.59	142.62		END SU LN	R		CHAIN UP				23A							8A	24A	8A	\$\$\$	24	1	02				R1		55	M		
157.97	143.00		MP MARKER	R		158																										
158.01	143.04																															
158.28	143.31		INTRSECTN	L		IRON CR RD-FS RD #9714	FS			N							5A	24A	6A					24	1	02		R1		55	M	
158.44	143.47																															
158.66	143.69		BEG SU LN	L		CHAIN UP				23A							5A	24A	4A					24	1	02		R1		55	M	
158.81	143.84		END SU LN	L		CHAIN UP				23A							\$\$\$	24A	4A	23	47	1	02				R1		55	M		
158.98	144.01		MP MARKER	R		159											5A	24A	4A	\$\$\$	24	1	02				R1		55	M		
159.21	144.24		INTRSECTN	L		OLD BLEWETT RD-FS #7320	FS			N																						
159.26	144.29		INTRSECTN	R		HURLEY CR RD-FS RD #9711	FS			N																						
159.78	144.81		ENT/EXIT	R		SWAUK CAMPGROUND	FS			N																						
159.98	145.01		MP MARKER	R		160																										
160.39	145.42		INTRSECTN	L		FS RD #113	FS			N																						
160.51	145.54		BEG SU LN	R		CHAIN UP				30A							5A	24A	\$\$\$	30	54	1	02				R1		55	M		
160.54	145.57		INTRSECTN	R		PORKY BASIN RD-FS #121	FS			N																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP		B ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----		-----		LGT	WD	LGT	WD	LGT	WD	LGT	WD
149.69		134.72				.03	13				

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY DOUGLAS

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																				
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		ST		LEGAL		T P S														
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		RDY		WID		A SE														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	MTCE	CITY	ST	SPEED	T	P	S			
																	WD/S	BR																		
200.31	185.49		ENTER CO			DOUGLAS																														
213.00	198.16		EQUATION			212.98 =213.00																														
			BEG CTLSEC			CONTROL SECTION 0930																														
			INTRSECTN	R		SR 2	ST		Y																											
			END COINCI			SR 002																														
213.08	198.24																																			
213.11	198.27		INTRSECTN	R		SR 2 WYE CONN	ST		Y																											
213.24	198.40		INTRSECTN	R		CO RD	CO	N	1	1																										
213.34	198.50																																			
213.36	198.52		INTRSECTN	R		SR 97SPORONDO (SPUR)	ST		N																											
213.45	198.61		BEG BRIDGE	B		PINE CANYON CREEK	ST		1	1																										
						BRDG NUM 097/403																														
213.47	198.63		END BRIDGE	B		PINE CANYON CREEK			1	1																										
213.55	198.71																																			
213.57	198.73		INTRSECTN	R		ZANOL LOOP RD	CO		N																											
214.00	199.16		MP MARKER	R		214																														
214.12	199.28		INTRSECTN	R		ZANOL LOOP RD	CO		N																											
214.21	199.37		INTRSECTN	L		PIONEER RD	CO		N																											
214.42	199.58		INTRSECTN	L		ORONDO SCHOOL RD	CO		N																											
214.79	199.95		INTRSECTN	R		ORONDO ORCHARD LOOP RD	CO		N																											
214.98	200.14																																			
215.01	200.17		MP MARKER	R		215																														
215.28	200.44		INTRSECTN	R		ORONDO ORCHARD LOOP RD	CO		N																											
215.53	200.69		INTRSECTN	R		FISHER LN	CO	N	1	1																										
			ENT/EXIT	L		ORONDO RIVER PARK	CO		N																											
215.82	200.98		INTRSECTN	R		HOWES LANDING RD	CO		N																											
216.00	201.16		MP MARKER	R		216																														
216.01	201.17		INTRSECTN	R		HOWES LANDING RD	CO		N																											
216.25	201.41																																			
217.00	202.16		MP MARKER	R		217																														
217.23	202.39		BEG BRIDGE	B		DRY GULCH	ST		1	1																										
						BRDG NUM 097/406																														
217.24	202.40		END BRIDGE	B		DRY GULCH			1	1																										
218.00	203.16		MP MARKER	R		218																														
218.90	204.06		ENT/EXIT	L		DAROGA STATE PARK	ST		N																											
219.00	204.16		MP MARKER	R		219																														
219.19	204.35		INTRSECTN	L		CO RD	CO		N																											
219.20	204.36		BEG BRIDGE	B		DRY GULCH	ST		1	1																										
						BRDG NUM 097/408																														
219.21	204.37		END BRIDGE	B		DRY GULCH			1	1																										
219.31	204.47																																			
219.45	204.61		ENT/EXIT	L		DAROGA STATE PARK	ST		Y																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
219.45	204.61			.05	12						

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY DOUGLAS

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S
219.46	204.62		INTRSECTN	L		DAROGA ST PARK WYE CONN	ST	Y	1	1														
219.60	204.76																							
220.00	205.16		MP MARKER	R		220																		
220.50	205.66		INTRSECTN	R		BRAYS RD	CO																	
220.55	205.71		TRAF RCDR	B		R084 1																		
221.00	206.16		MP MARKER	R		221																		
221.30	206.46		INTRSECTN	L		BARBER RD	CO																	
221.58	206.74		INTRSECTN	L		SKEELS RD	CO																	
222.00	207.16		MP MARKER	R		222																		
222.80	207.96		INTRSECTN	L		WEIMER RD	CO																	
223.00	208.16		MP MARKER	R		223																		
224.00	209.16		MP MARKER	R		224																		
224.08	209.24		INTRSECTN	R		BRAYS RD	CO																	
224.47	209.63		INTRSECTN	L		SUN COVE RD	CO																	
225.00	210.16		MP MARKER	R		225																		
226.00	211.16		MP MARKER	R		226																		
226.31	211.47																							
227.00	212.16		MP MARKER	R		227																		
228.00	213.16		MP MARKER	R		228																		
228.01	213.17		INTRSECTN	R		CO RD	CO																	
228.28	213.44		INTRSECTN	R		CO RD	CO																	
229.00	214.16		MP MARKER	R		229																		
229.93	215.09		INTRSECTN	R		GREENS CANYON RD	CO																	
230.00	215.16		MP MARKER	R		230																		
230.97	216.13		MP MARKER	R		231																		
231.04	216.20		INTRSECTN	R		CO RD	CO																	
231.87	217.03		INTRSECTN	R		PARK PLACE	CO																	
231.99	217.15		MP MARKER	R		232																		
232.99	218.15		MP MARKER	R		233																		
233.16	218.32		INTRSECTN	R		CHELAN HILL ACRES RD	CO																	
233.98	219.14		MP MARKER	R		234																		
234.58	219.74		ENT/EXIT	L		BEEBE BRIDGE PARK	CO																	
			INTRSECTN	R		MCNEIL CANYON RD	CO																	
234.77	219.93		BEG BRIDGE B			COLUMBIA RIVER	ST																	
						BRDG NUM 097/420																		
234.87	220.03		END CTLSEC			CONTROL SECTION 0930																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
219.46	204.62									
234.58	219.74		.03	12			.03	12		.02 12

SR 097 MAINLINE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
234.87	220.03		ENTER CO BEG CTLSEC			CHELAN CONTROL SECTION 0410									C 26P	C	26	1	01		R1	60	R		
235.00	220.16		END BRIDGE B			COLUMBIA RIVER									8B 24B	8B	24	1	01		R1	60	R		
235.01	220.17		MP MARKER	R		235																			
235.10	220.26		INTRSECTN	L		SR 150	ST	Y																	
236.02	221.18		MP MARKER	R		236																			
237.02	222.18		MP MARKER	R		237																			
238.00	223.16		MP MARKER	R		238																			
238.58	223.74		BEG BRIDGE B			BN RR BRDG NUM 097/391	ST		1	1					\$\$W 40P	\$\$W	40	1	01		R1	60	R		
238.63	223.79		END BRIDGE B			BN RR			1	1					8B 24B	8B	24	1	01		R1	60	R		
239.00	224.16		MP MARKER	R		239																			
240.00	225.16		MP MARKER	R		240																			
240.15	225.31		INTRSECTN	R		CO RD #506	CO	Y	1	1					9B 24B	9B	24	1	01		R1	60	R		
			INTRSECTN	L		SR 97AR (ALTERNATE)	ST	Y																	
240.19	225.35		INTRSECTN	L		SR 97AR (ALT) WYE CONN	ST	Y																	
240.96	226.12								1	1					8B 24B	8B	24	1	01		R1	60	R		
241.02	226.18		MP MARKER	R		241																			
242.01	227.17		MP MARKER	R		242																			
243.00	228.16		MP MARKER	R		243																			
244.00	229.16		MP MARKER	R		244																			
244.39	229.55		INTRSECTN	L		ANTOINE CR RD	CO	N																	
244.51	229.67								1	1					5B 24B	5B	24	1	01		R1	60	R		
244.80	229.96		INTRSECTN	R		CO RD	CO	N																	
245.02	230.18		MP MARKER	R		245																			
245.10	230.26		MISC FEATR I			SPEED SITE #41																			
246.02	231.18		MP MARKER	R		246																			
246.20	231.36		INTRSECTN	R		AZWELL RD	CO	Y																	
			INTRSECTN	L		CO RD	CO	Y																	
246.97	232.13		END CTLSEC LEAVE CO			CONTROL SECTION 0410 CHELAN																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
235.10	220.26		.03	12						
240.19	225.35					.05	12			

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---														
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																	
: :				-XROAD-		LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T		
254.00		239.15	MP MARKER	R		254											5B	24B	5B				24	3	02	0970	R1	45	R	P	
254.04		239.19															5B	24B	5B				24	3	02	0970	R1	60	R	P	
254.51		239.66	LEAVE CITY			PATEROS											5B	24B	5B				24	3	02	\$\$\$\$	R1	60	R	\$	
			MISC FEATR	L		SGN ENT PATEROS																									
254.52		239.67	INTRSECTN	L		PEDERSON RD	CO			N																					
254.76		239.91	INTRSECTN	R		CO RD	CO			Y																					
254.95		240.10	BEG BRIDGE	B		GRIGGS CANYON	ST			1	1						\$\$\$	32P	\$\$\$				32	3	02		R1	60	R		
			BRDG NUM 097/512																												
254.97		240.12	END BRIDGE	B		GRIGGS CANYON				1	1						8A	24A	8A				24	3	02		R1	60	R		
255.00		240.15	MP MARKER	R		255																									
256.00		241.15	MP MARKER	R		256																									
256.28		241.43	INTRSECTN	L		CO RD	CO			N																					
257.00		242.15	MP MARKER	R		257																									
257.92		243.07	INTRSECTN	L		INDIAN DAN CANYON RD	CO			N																					
258.00		243.15	MP MARKER	R		258																									
259.00		244.15	MP MARKER	R		259																									
259.05		244.20	INTRSECTN	B		BREWSTER GRANGE RD	CO			N																					
259.51		244.66	UXING	B		BN RR	ST																								
			BRDG NUM 097/515																												
			RR XING	B		NUM 96256U STRUCTURE																									
259.61		244.76								1	1						8A	24A	8A				24	3	02		R1	40	R		
259.67		244.82	INTRSECTN	L		W INDIAN AVE	CO			N																					
259.69		244.84	INTRSECTN	R		W INDIAN AVE	CO			N																					
259.92		245.07	INTRSECTN	R		MAIN ST	CO			Y																					
259.94		245.09	MISC FEATR	R		SGN ENT BREWSTER																									
259.96		245.11	ENTER CITY			BREWSTER				1	1						8A	24A	8A				24	3	02	0120	R1	40	R	B	
259.97		245.12	BEG SU LN	C		TWO WAY TURN	12A			1	1						8A	24A	8A	12			36	3	02	0120	R1	40	R	B	
			MP MARKER	R		260																									
260.04		245.19	END SU LN	C		TWO WAY TURN	12A			1	1						8A	24A	8A	\$\$\$			24	3	02	0120	R1	40	R	B	
260.10		245.25	INTRSECTN	B		N 7TH ST	CT			Y																					
260.18		245.33	BEG SU LN	C		TWO WAY TURN	12A			1	1						8A	24A	8A	12			36	3	02	0120	R1	40	R	B	
260.41		245.56	END SU LN	C		TWO WAY TURN	12A			1	1						8A	24A	8A	\$\$\$			24	3	02	0120	R1	40	R	B	
260.42		245.57	INTRSECTN	R		SR 173	ST			Y																					
260.45		245.60	INTRSECTN	R		SR 173 WYE CONN	ST			Y																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
254.76		239.91				.03	13				
259.92		245.07			.04	12	.03	12			
260.10		245.25	.04	12	.06	12	.03	12			
260.42		245.57				.03	12				

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---										
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT															
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL			T	P	S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
266.25			251.40																								
267.00			252.15			MP MARKER																					
267.75			252.90			INTRSECTN																					
						INTRSECTN																					
267.99			253.14			MP MARKER																					
268.99			254.14			MP MARKER																					
269.27			254.42			INTRSECTN																					
269.98			255.13			MP MARKER																					
270.97			256.12			MP MARKER																					
271.97			257.12			MP MARKER																					
272.97			258.12			MP MARKER																					
273.96			259.11			MP MARKER																					
274.85			260.00			INTRSECTN																					
274.97			260.12			MP MARKER																					
275.96			261.11			MP MARKER																					
276.12			261.27			INTRSECTN																					
276.96			262.11			MP MARKER																					
277.15			262.30			INTRSECTN																					
277.96			263.11			MP MARKER																					
278.48			263.63			INTRSECTN																					
278.96			264.11			MP MARKER																					
280.01			265.16			MP MARKER																					
280.95			266.10			MP MARKER																					
281.95			267.10			MP MARKER																					
282.43			267.58			ENT/EXIT																					
282.53			267.68			ENT/EXIT																					
282.94			268.09			MP MARKER																					
283.91			269.06			INTRSECTN																					
283.93			269.08			MP MARKER																					
284.93			270.08			MP MARKER																					
285.88			271.03			INTRSECTN																					
285.94			271.09			MP MARKER																					
286.16			271.31			TRAF RCDR																					
286.18			271.33			INTRSECTN																					
286.19			271.34			INTRSECTN																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
278.48			263.63	.03	12	.03	12				
286.18			271.33	.02	12						
286.19			271.34			.01	12				

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY OKANOGAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	WID										
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S									
286.76		271.91																							
286.91		272.06	INTRSECTN	L		JACKSON ST	CO	Y						8B	23B	8B			23	3	01		R1	60	R
			INTRSECTN	R		AIRPORT RD	CO	Y																	
287.00		272.15	MP MARKER	R		287																			
287.90		273.05	INTRSECTN	B		CAMERON LAKE RD	CO	Y																	
288.00		273.15	MP MARKER	R		288																			
288.55		273.70	ENT/EXIT	R		OKANOGAN CO PUBLIC WORKS	CO	Y																	
288.81		273.96	ENT/EXIT	R		DOT MAINTENANCE SHOP	ST	Y																	
289.00		274.15	MP MARKER	R		289																			
289.69		274.84	INTRSECTN	L		CO RD	CO	N																	
290.00		275.15	MP MARKER	R		290																			
290.29		275.44	RR KING	B		NUM 96293W STRUCTURE																			
			BEG BRIDGE	B		JACKSON ST*GN RR	ST							\$SC	28P	\$SC			28	3	01		R1	60	R
						BRDG NUM 097/531																			
290.35		275.50	END BRIDGE	B		JACKSON ST*GN RR								8B	23B	8B			23	3	01		R1	60	R
290.99		276.14	MP MARKER	R		291																			
291.08		276.23												5B	23B	5B			23	3	01		R1	60	R
291.17		276.32	ENTER CITY			OMAK								5B	23B	5B			23	3	01	0925	R1	60	R
291.24		276.39	INTRSECTN	L		SR 155	ST	Y	1	1				7B	23B	8B			23	3	01	0925	R1	60	R
291.25		276.40	INTRSECTN	L		SR 155 WYE CONN	ST	Y																	
291.48		276.63	BEG BRIDGE	B		SR 155	ST							\$SC	38P	\$SC			38	3	01	0925	R1	60	R
						BRDG NUM 097/533																			
291.49		276.64	END BRIDGE	B		SR 155								8B	22B	8B			22	3	01	\$\$\$\$	R1	60	R
			LEAVE CITY			OMAK																			
291.86		277.01	ENTER CITY			OMAK								8B	22B	8B			22	3	01	0925	R1	60	R
291.90		277.05	BEG BRIDGE	B		OKANOGAN RIVER	ST							\$SC	28P	\$SC			28	3	01	0925	R1	60	R
						BRDG NUM 097/534																			
291.98		277.13	END BRIDGE	B		OKANOGAN RIVER								8B	23B	8B			23	3	01	0925	R1	60	R
291.99		277.14	MP MARKER	R		292																			
292.11		277.26	LEAVE CITY			OMAK								8B	23B	8B			23	3	01	\$\$\$\$	R1	60	R
292.19		277.34												8B	24B	8B			24	3	01		R1	60	R
292.30		277.45	INTRSECTN	L		SR 215 WYE CONN	ST	Y																	
292.32		277.47	INTRSECTN	L		SR 215	ST	SG	Y																
			INTRSECTN	R		RIVERSIDE DR	CO	SG	Y																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
288.55		273.70		.03	.12	.04	.12			
291.24		276.39	.03	.13						
291.25		276.40				.13	.11			
292.32		277.47	.04	.12	.10	.12	.04	.13	.12	.12

SR 097 MAINLINE

U.S. ROUTE - USSH

COUNTY OKANOGAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----													
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
315.58			300.72																										
316.02			301.16	MP	MARKER	R																							
317.04			302.18	MP	MARKER	R																							
318.02			303.16	MP	MARKER	R																							
318.99			304.13	BEG	BRIDGE	B	ST		1	1				\$\$\$	32B	\$\$\$													
319.00			304.14	END	BRIDGE	B			1	1				6B	22B	6B													
319.02			304.16	MP	MARKER	R																							
320.02			305.16	MP	MARKER	R																							
321.02			306.16	MP	MARKER	R																							
321.08			306.22	MISC	FEATR	R																							
321.33			306.47																										
321.45			306.59	INTRSECTN		L	ELLISFORDE	RD	CO	Y																			
321.46			306.60	BEG	SU LN	C	TWO	WAY	12B	TURN				6A	24B	6A	12												
321.57			306.71	END	SU LN	C	TWO	WAY	12B	TURN				6A	24B	6A	\$\$\$												
321.60			306.74	MISC	FEATR	L	SGN	ENT		ELLISFORDE																			
321.64			306.78																										
322.01			307.15	MP	MARKER	R																							
323.00			308.14	MP	MARKER	R																							
323.15			308.29	INTRSECTN		R	ONEIL	RD	CO	N																			
323.99			309.13	MP	MARKER	R																							
324.99			310.13	MP	MARKER	R																							
325.18			310.32	INTRSECTN		R	MT	HULL	CO	N																			
				INTRSECTN		L	CO	RD	CO	N																			
325.76			310.90	INTRSECTN		R	CO	RD	CO	N																			
325.94			311.08	INTRSECTN		R	VERBECK	RD	CO	N																			
326.00			311.14	MP	MARKER	R																							
326.41			311.55																										
327.00			312.14	MP	MARKER	R																							
327.08			312.22	INTRSECTN		L	CO	RD	CO	N																			
327.95			313.09	INTRSECTN		L	CO	RD	CO	N																			
328.00			313.14	MP	MARKER	R																							
328.33			313.47	INTRSECTN		L	CO	RD	CO	N																			
328.99			314.13	MP	MARKER	R																							
329.13			314.27	INTRSECTN		L	CO	RD	CO	N																			
329.99			315.13	MP	MARKER	R																							
330.06			315.20																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L	R	L	R	L	R	RIGHT-
			NEAR	NEAR	FAR	FAR	NEAR	NEAR	LANES
			LGT	WD	LGT	WD	LGT	WD	LGT
321.45			.04	12			.03	12	

SR 097 MAINLINE

U.S. ROUTE - USSH COUNTY OKANOGAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
332.62	317.76	ENT FROM	R	OSOYOOS LAKE STATE PARK	ST	Y	1	1			6A	24A	6A	12	36	3	01	0935	R1		35	R	B	
332.63	317.77	INTRSECTN	L	CITY ST	CT	Y																		
332.66	317.80	ENT/EXIT	R	OSOYOOS LAKE STATE PARK	ST	Y																		
332.66	317.80	END SU LN	C	TWO WAY TURN	12A			1	1		6A	24A	6A	\$\$\$	24	3	01	0935	R1		35	R	B	
332.70	317.84	LEAVE CITY		OROVILLE				1	1		6A	24A	6A		24	3	01	\$\$\$\$	R1		35	R	\$	
332.73	317.87	INTRSECTN	L	23RD AVE	CO	Y																		
332.73	317.87	INTRSECTN	R	WESTSIDE OSOYOOS RD	CO	Y																		
332.73	317.87	MISC FEATR	L	SGN ENT OROVILLE																				
332.90	318.04							1	1		6A	24A	6A		24	3	01			R1		60	R	
332.92	318.06	INTRSECTN	L	CO RD	CO	N																		
333.00	318.14	MP MARKER	R	333																				
333.24	318.38	INTRSECTN	L	ROSE ST	CO	N																		
333.53	318.67	INTRSECTN	R	CO RD	CO	N																		
334.03	319.17	MP MARKER	R	334																				
334.58	319.72	INTRSECTN	R	WESTSIDE OSOYOOS RD	CO	N																		
335.02	320.16	MP MARKER	R	335																				
335.30	320.44	TRAF RCDR	B	P22 0																				
335.39	320.53	INTRSECTN	L	OLD HIGHWAY	CO	N																		
335.74	320.88	INTRSECTN	R	BOUNDARY POINT RD	CO	N																		
336.00	321.14	MP MARKER	R	336																				
336.13	321.27	INTRSECTN	B	BOUNDARY POINT RD	CO	N																		
336.41	321.55	MISC FEATR	L	SGN ENT WASHINGTON STATE																				
336.42	321.56	EXIT TO	L	CUSTOMS BORDER STA	ST	N	2	1	2A	31A	58A	UP	\$\$\$	19A	16B		50	3	01		R1		60	R
336.48	321.62	BORDER STA	R	INTERNATIONAL BDRY																				
		END CTLSEC		OWNER USC																				
		END ROUTE		CONTROL SECTION 2401																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
332.62	317.76			.12	.12	.03	.11			
332.63	317.77					.03	.12			
332.70	317.84		.03	.12						
332.73	317.87				.03	.12				

SR 097 ALTERNATE ROUTE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		SPC USE TOT LNS RDY WID WID		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB	
199.83	0.00		BEG ROUTE			OLDS STATION TO CHELAN CONTROL SECTION 0408			2	2	12A	24A	16A	UP	24A	12A	48	1	01	U2	30	R		
			BEG CTLSEC UXING	B		SR 2 EB BRDG NUM 002/260S	ST																	
199.84	0.01		UXING	B		SR 2 WB BRDG NUM 002/260N	ST																	
199.89	0.06		ON RAMP	R		SR 2 WB	ST	Y																
199.96	0.13		OFF RAMP	L		SR 2 WB	ST	Y																
200.04	0.21		MP MARKER	R		200																		
200.05	0.22		MISC FEATR	L		GORE (002 S111924)																		
200.17	0.34		OFF RAMP	L		SR 2 WB	ST	Y	2	2	12A	24A	16A	UP	24A	12A	48	1	01	U2	50	R		
200.47	0.64		INTRSECTN	L		OHME GARDEN RD	CO	Y																
			INTRSECTN	R		WAREHOUSE RD	CO	Y																
200.59	0.76		BEG SU LN	C		TWO WAY TURN	15A		1	1	\$\$\$	\$\$\$	\$\$\$	\$\$	8A	24A	8A	15	39	1	01	U2	50	R
201.03	1.20		MP MARKER	R		201																		
201.40	1.57		TRAF RCDR	B		R059 0																		
201.49	1.66		END SU LN	C		TWO WAY TURN	15A		1	1					7A	24A	7A	\$\$\$	24	1	01	U2	50	R
201.50	1.67								1	1					7A	24A	7A		24	1	01	U2	60	R
201.89	2.06								1	1					7A	24A	7A		24	1	01	R2	60	R
201.99	2.16		MP MARKER	R		202																		
202.99	3.16		MP MARKER	R		203																		
203.74	3.91		INTRSECTN	R		ROCKY REACH DAM RD	OT	Y																
204.01	4.18		MP MARKER	R		204																		
205.01	5.18		MP MARKER	R		205																		
205.19	5.36		INTRSECTN	L		SWAKANE CANYON RD	CO	N																
205.52	5.69		INTRSECTN	R		VISTA POINT RD	CO	N																
206.00	6.17		MP MARKER	R		206																		
206.81	6.98		INTRSECTN	R		TURTLE LN	CO	N	1	1			10A	24A	7A		24	1	01	R2	60	R		
206.90	7.07		BEG SU LN	L		CLIMBING	12A		1	1			10A	24A	7A	12	36	1	01	R2	60	R		
207.00	7.17		INTRSECTN	R		TILLY LN	CO	N																
207.01	7.18		MP MARKER	R		207																		
207.55	7.72		END SU LN	L		CLIMBING	12A		1	1			7A	24A	7A	\$\$\$	24	1	01	R2	60	R		
208.00	8.17		MP MARKER	R		208																		
209.00	9.17		MP MARKER	R		209																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
---	---	---	LGT	WD	LGT	WD	LGT	WD	LGT	WD
199.96	0.13		.03	16						
200.47	0.64		.05	16		.05	16			
203.74	3.91					.04	12			

SR 097 ALTERNATE ROUTE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----					
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
				:	:		-UXING-	LNS	LFT	RHT	LFT	RHT	USE	RDY	A	SE	FC	SPEED	R	K	T	
				:	:		-XROAD-	D I	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID	WID	WID	WID
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S						
209.04		9.21																				
210.01		10.18	MP MARKER	R		210																
211.01		11.18	MP MARKER	R		211																
212.00		12.17	MP MARKER	R		212																
213.01		13.18	MP MARKER	R		213																
214.00		14.17	MP MARKER	R		214																
214.12		14.29	MISC FEATR BEG BRIDGE B	R B		SGN ENT ENTIAT ENTIIAT RIVER																
						BRDG NUM 097/355ALT	ST															
						ENTIIAT RIVER																
214.20		14.37	END BRIDGE B	B		ENTIIAT RIVER																
214.28		14.45	ENTER CITY			ENTIIAT																
214.29		14.46	INTRSECTN	L		ENTIIAT RIVER RD	CT	Y														
214.41		14.58	INTRSECTN	L		HAGEN ST	CT	Y														
214.79		14.96	INTRSECTN	L		SHEARSON ST	CT	Y	1	1												
				R		ENT/EXIT ENTIIAT CITY PARK	CT	Y														
215.00		15.17	MP MARKER	R		215																
215.30		15.47																				
215.44		15.61																				
215.51		15.68																				
215.52		15.69	INTRSECTN	R		LAKESHORE DR	CT	Y	1	1												
				L		SHEARON AVE	CT	Y														
215.57		15.74	BEG SU LN	C		TWO WAY TURN	12A															
215.63		15.80	INTRSECTN	L		CAMMACK AVE	CT	Y														
215.89		16.06	INTRSECTN	R		RISK ST	CT	Y														
215.91		16.08																				
216.01		16.18	MP MARKER	R		216																
216.13		16.30	INTRSECTN	B		HOWE ST	CT	Y														
216.30		16.47	END SU LN	C		TWO WAY TURN	12A															
				R		WISDOM AVE	CT	N														
216.43		16.60	INTRSECTN	L		STONERIDGE ST	CT	Y														
216.59		16.76	INTRSECTN	R		PINE MEADOWS DR	CT	N	1	1												
216.99		17.16	MP MARKER	R		217																
217.09		17.26	MISC FEATR	L		SGN ENT ENTIAT																
217.14		17.31	LEAVE CITY			ENTIIAT																
217.98		18.15	MP MARKER	R		218																
218.98		19.15	MP MARKER	R		219																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
214.29		14.46	.03	12						
215.52		15.69	.03	12		.03	12			

SR 097 ALTERNATE ROUTE

U.S. ROUTE - USSH COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
							-UXING-	NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T	
230.56		30.73						1	1						7A	24A	7A				24	1	01		R2		60	R			
231.06		31.23	MP MARKER	R		231																									
231.85		32.02	ENTER CITY			CHELAN		1	1						7A	24A	7A				24	1	01	0195	R2		35	R	B		
231.93		32.10	MISC FEATR	R		SGN ENT CHELAN																									
232.06		32.23	MP MARKER	R		232																									
232.15		32.32	BEG ST	I		WOODIN AVE		1	1						7A	24A	7A				24	1	01	0195	R2		35	R	B	*	
			INTRSECTN	L		N JOHNSON PL	CT	Y																							
232.18		32.35	INTRSECTN	R		S MILLARD ST	CT	Y	1	1					8A	24A	8A				24	1	01	0195	R2		35	R	B	*	
232.25		32.42	INTRSECTN	B		E CENTER ST	CT	Y																							
232.35		32.52	INTRSECTN	B		EVERGREEN ST	CT	Y																							
232.47		32.64	INTRSECTN	L		WATER ST	CT	Y																							
232.65		32.82	INTRSECTN	R		CITY ST	CT	N																							
232.88		33.05	INTRSECTN	R		MAIN ST	CT	Y	1	1					8A	24A	8A				24	1	01	0195	R2		30	R	B	*	
232.99		33.16	INTRSECTN	R		EAST ST	CT	N																							
233.08		33.23	EQUATION			233.06 =233.08																									
			MP MARKER	R		233																									
233.09		33.24	BEG SU LN	C		TWO WAY TURN		11A		1	1				8A	24A	8A	11			35	1	01	0195	R2		30	R	B	*	
233.14		33.29	INTRSECTN	R		WATERSLIDE DR	CT	N																							
233.17		33.32	END SU LN	C		TWO WAY TURN		11A		1	1				8A	24A	8A	\$\$\$			24	1	01	0195	R2		30	R	B	*	
233.48		33.63								1	1				\$\$\$	44A	\$\$\$C				44	1	01	0195	R2		30	R	P	*	
233.51		33.66	INTRSECTN	L		PARK ST	CT	N																							
233.52		33.67	BEG SU LN	C		TWO WAY TURN		12A		1	1				C	32A	C	12			44	1	01	0195	R2		30	R	P	*	
233.56		33.71	END SU LN	C		TWO WAY TURN		12A		1	1				C	44A	C	\$\$\$			44	1	01	0195	R2		30	R	P	*	
233.60		33.75	END ST	I		WOODIN AVE				1	1				C	44A	C				44	1	01	0195	R2		30	R	P	\$	
			INTRSECTN	L		WOODIN AVE	CT	Y																							
233.61		33.76	INTRSECTN	R		PETERSON PL	CT	Y	1	1					C	44A	C				44	1	01	0195	R2		30	R	B		
233.66		33.81	INTRSECTN	B		LAKE ST	CT	Y																							
233.70		33.85	INTRSECTN	L		THIRD ST	CT	Y	1	1					C	44A	C				44	1	01	0195	R2		30	R	P		
233.74		33.89	BEG SU LN	C		TWO WAY TURN		12A		1	1				C	32A	C	12			44	1	01	0195	R2		30	R	P		
			EXIT TO	R		SCHOOL	CT	N																							
233.76		33.91	ENT FROM	R		SCHOOL	CT	N																							
233.77		33.92	INTRSECTN	L		SECOND ST	CT	Y																							
233.80		33.95	ENT/EXIT	R		CHELAN SCHOOL	CT	N																							
233.83		33.98	INTRSECTN	L		FIRST ST	CT	Y																							
233.90		34.05	END SU LN	C		TWO WAY TURN		12A		1	1				C	44A	C	\$\$\$			44	1	01	0195	R2		30	R	P		
233.91		34.06	INTRSECTN	R		FARNHAM ST	CT	Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
233.51		33.66	.02	11						
233.60		33.75	.03	11						
233.91		34.06			.01	11				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T
						:	-XROAD-	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
						:	OW	TC	L	WD	S	BR	W/S	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
0.00	0.00		BEG ROUTE			MAIN ROUTE																		
						SR 5/FIFE TO SR 5/EVERTT																		
			ENTER CITY			FIFE																		
			BEG CTLSEC			CONTROL SECTION 2703																		
			BEG BRIDGE B			SR 5																		
						BRDG NUM 099/400																		
0.06	0.06		END BRIDGE B			SR 5																		
			OFF RAMP	R		SR 5																		
0.12	0.12		ON RAMP	R		SR 5																		
0.13	0.13		OFF RAMP	L		SR 5																		
0.16	0.16		INTRSECTN	L		PACIFIC HWY E WYE CONN																		
			INTRSECTN	R		SR 99 WYE CONN																		
0.18	0.18		BEG ST	I		PACIFIC HWY E																		
			INTRSECTN	L		PACIFIC HWY E																		
			INTRSECTN	L		54TH AVE																		
0.19	0.19		INTRSECTN	R		SR 99 WYE CONN																		
0.22	0.22		BEG SU LN	C		TWO WAY TURN																		
			ENT/EXIT	R		SHOPPING CENTER																		
0.32	0.32		ENT/EXIT	R		SHOPPING CENTER																		
0.33	0.33																							
0.40	0.40		INTRSECTN	R		58TH AVE E																		
			MISC FEATR	L		SGN ENT FIFE																		
0.51	0.51		INTRSECTN	L		59TH AVE CT E																		
0.57	0.57																							
0.59	0.59		END SU LN	C		TWO WAY TURN																		
0.65	0.65		LEAVE CITY			FIFE																		
			END ST	I		PACIFIC HWY E																		
			INTRSECTN	B		62ND AVE E																		
0.85	0.85		INTRSECTN	R		65TH AVE E																		
0.94	0.94		INTRSECTN	L		67TH AVE E																		
1.01	1.01		MP MARKER	R		1																		
1.05	1.05		BEG BRIDGE B			HYLEBOS CREEK																		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----					
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.12	0.12											
0.18	0.18		.03	24			.03	12				
0.22	0.22						.03	12				
0.32	0.32						.10	12				
0.40	0.40						.02	12				
0.65	0.65						.02	12				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---												
				D	LR		DESCRIPTION	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
10.06	6.41	BEG SU LN	C	TWO WAY TURN		16A		2	2				C	66A	C	16	82	4	02	0443	U1	40	R	P	*
10.14	6.49	END SU LN	C	TWO WAY TURN		16A		2	2				C	86A	C	\$\$\$	86	4	02	0443	U1	40	R	P	*
10.18	6.53	INTRSECTN	R	316TH ST			CT	SG	Y	2	2		C	80A	C		80	4	02	0443	U1	40	R	P	*
		ENT/EXIT	L	SHOPPING CENTER			PV	SG	Y																
10.22	6.57	BEG SU LN	C	TWO WAY TURN		12A		2	2				C	68A	C	12	80	4	02	0443	U1	40	R	P	*
10.35	6.70	END SU LN	C	TWO WAY TURN		12A		2	2				C	82A	C	\$\$\$	82	4	02	0443	U1	40	R	P	*
10.44	6.79	INTRSECTN	B	S 312TH ST			CT	SG	Y	2	2		10A	82A	10A		82	4	02	0443	U1	40	R	P	*
10.51	6.86	BEG SU LN	C	TWO WAY TURN		12A		2	2				10A	44A	10A	12	56	4	02	0443	U1	40	R	P	*
10.57	6.92	INTRSECTN	R	S 310TH ST			CT		Y																
10.64	6.99	END SU LN	C	TWO WAY TURN		12A		2	2				10A	56A	10A	\$\$\$	56	4	02	0443	U1	40	R	P	*
10.69	7.04	INTRSECTN	B	S 308TH ST			CT	SG	Y																
10.74	7.09	BEG SU LN	C	TWO WAY TURN		12A		2	2				10A	48A	10A	12	60	4	02	0443	U1	40	R	P	*
10.84	7.19							2	2				10A	48A	10A	12	60	4	02	0443	U1	45	R	P	*
10.86	7.21	INTRSECTN	R	S 305TH PL			CT		N																
10.89	7.24	END SU LN	C	TWO WAY TURN		12A		2	2				10A	60A	10A	\$\$\$	60	4	02	0443	U1	45	R	P	*
10.94	7.29	INTRSECTN	B	S 304TH ST			CT	SG	Y																
10.96	7.31							2	2				12A	60A	12A		60	4	02	0443	U1	45	R	P	*
11.00	7.35	MP MARKER	R	11																					
11.04	7.39							2	2				12A	48A	12A		48	4	02	0443	U1	45	R	P	*
11.23	7.58	BEG SU LN	C	TWO WAY TURN		14A		2	2				9A	48A	9A	14	62	4	02	0443	U1	45	R	P	*
11.24	7.59	INTRSECTN	R	18TH AVE S			CT		Y																
11.32	7.67	END SU LN	C	TWO WAY TURN		14A		2	2				9A	60A	9A	\$\$\$	60	4	02	0443	U1	45	R	P	*
11.37	7.72	INTRSECTN	L	SR 509 WYE CONN			ST		Y																
11.39	7.74	INTRSECTN	L	SR 509			ST	SG	Y	2	2		8A	46A	8A		46	4	02	0443	U1	45	R	P	*
11.51	7.86	BEG SU LN	C	TWO WAY TURN		12A		2	2				8A	46A	10A	12	58	4	02	0443	U1	45	R	P	*
11.62	7.97	END SU LN	C	TWO WAY TURN		12A		2	2				10A	46A	10A	\$\$\$	46	4	02	0443	U1	45	R	P	*
11.86	8.21							2	2				10A	58A	10A		58	4	02	0443	U1	45	R	P	*
11.90	8.25	INTRSECTN	B	S 288TH ST			CT	SG	Y																
11.99	8.34	MP MARKER	R	12				2	2				8A	46A	8A		46	4	02	0443	U1	45	R	P	*
12.15	8.50	LEAVE CITY		FEDERAL WAY				2	2				8A	46A	8A		46	4	02	\$\$\$	U1	45	R	\$	*
12.19	8.54	INTRSECTN	R	S 283RD ST WYE CONN			ST		N																
12.20	8.55	INTRSECTN	R	S 283RD ST			ST		N																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.18	6.53		.03	12	.03	12	.03	12	.02	12				
10.44	6.79		.08	12	.03	12	.04	12	.03	12				
10.69	7.04		.03	11			.03	11	.03	11				
10.94	7.29		.03	10			.03	10	.03	10				
11.39	7.74		.04	12					.02	12				
11.90	8.25		.04	12	.02	10	.06	12						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID							
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
12.28	8.63								2	2																
12.39	8.74								2	2					8A	46A	8A			46	4	02	U1	45	R	*
12.46	8.81	INTRSECTN	L	OLD SR 509 WYE CONN	CO	Y									12A	58A	12A			58	4	02	U1	45	R	*
12.48	8.83	INTRSECTN	L	OLD SR 509	CO	Y																				
		ENT/EXIT	R	APARTMENTS	PV	Y																				
12.49	8.84	INTRSECTN	L	OLD SR 509 WYE CONN	CO	Y																				
12.62	8.97	ENT/EXIT	R	BUSINESS	PV	N																				
12.64	8.99	BEG SU LN	C	TWO WAY TURN	12A				2	2					12A	46A	12A	12		58	4	02	U1	45	R	*
12.65	9.00								2	2					\$\$\$	60A	10A	12		72	4	02	U1	45	R	*
12.72	9.07								2	2					10A	46A	10A	12		58	4	02	U1	45	R	*
12.86	9.21	END SU LN	C	TWO WAY TURN	12A				2	2					10A	58A	10A	\$\$\$		58	4	02	U1	45	R	*
12.88	9.23								2	2					10A	74A	\$\$\$			74	4	02	U1	45	R	*
12.92	9.27	INTRSECTN	B	S 272ND ST	CO	SG	Y	2	2					\$\$\$	70A	10A				70	4	02	U1	45	R	*
12.94	9.29	BEG SU LN	L	AUXILIARY	12A				2	2					C	70A	10A	12		82	4	02	U1	45	R	*
12.96	9.31								2	2					C	82A	\$\$\$	12		94	4	02	U1	45	R	*
13.00	9.35	END SU LN	L	AUXILIARY	12A				2	2					C	82A	C	\$\$\$		82	4	02	U1	45	R	*
		MP MARKER	R	13																						
		ENT/EXIT	L	SHOPPING CENTER	PV	N																				
13.02	9.37	BEG SU LN	C	TWO WAY TURN	14A				2	2					C	68A	C	14		82	4	02	U1	45	R	*
13.08	9.43	END SU LN	C	TWO WAY TURN	14A				2	2					C	82A	C	\$\$\$		82	4	02	U1	45	R	*
13.11	9.46								2	2					8A	46A	8A			46	4	02	U1	45	R	*
13.19	9.54	INTRSECTN	L	S 268TH ST	CO	Y																				
13.54	9.89								2	2					\$\$\$	76A	8A			76	4	02	U1	45	R	*
13.55	9.90								2	2					C	84A	\$\$\$			84	4	02	U1	45	R	*
13.56	9.91								2	2					8A	64A	C			64	4	02	U1	45	R	*
13.58	9.93	ENT/EXIT	R	SHOPPING CENTER	PV	N																				
13.62	9.97	ENT/EXIT	R	SHOPPING CENTER	PV	Y																				
13.70	10.05	INTRSECTN	L	S 260TH ST WYE CONN	CO	Y																				
13.71	10.06	INTRSECTN	B	S 260TH ST	CO	SG	Y	2	2					\$\$\$	76A	C				76	4	02	U1	45	R	*
13.74	10.09	INTRSECTN	R	S 260TH ST WYE CONN	CO	Y																				
13.77	10.12								2	2					C	76A	8A			76	4	02	U1	45	R	*
13.87	10.22								2	2					8A	44A	8A			44	4	02	U1	45	R	*
13.92	10.27								2	2					8A	52A	\$\$\$			52	4	02	U1	45	R	*

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.48	8.83		.09	12					.04	13				
12.62	8.97													
12.92	9.27		.03	12	.04	14			.02	12				
13.62	9.97													
13.71	10.06		.04	13	.06	13			.04	12				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----														
				D	LR		DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P
16.20	12.55		INTRSECTN	L	S	222ND ST	CT	Y	2	2																	
16.28	12.63		INTRSECTN	B	S	220TH ST	CT	Y																			
16.34	12.69		INTRSECTN	R	S	219TH ST	PV	Y																			
16.46	12.81		END SU LN	C		TWO WAY TURN					13A																
16.51	12.86		INTRSECTN	B	S	216TH ST	CT	SG	Y	2	2																
16.52	12.87		LEAVE CITY ENTER CITY			DES MOINES SEA TAC																					
16.58	12.93		BEG SU LN	C		TWO WAY TURN					12A																
16.70	13.05																										
16.82	13.17		INTRSECTN	R	S	211TH ST	CT	Y																			
16.91	13.26		INTRSECTN	L		CHRISTIAN FAITH BLVD	PV	Y	2	2																	
16.96	13.31		END SU LN	C		TWO WAY TURN					12A																
17.01	13.36		MP MARKER	B		17																					
17.02	13.37		INTRSECTN	B	S	208TH ST	CT	SG	Y																		
17.11	13.46		INTRSECTN	L		28TH AVE S	CT	Y																			
17.27	13.62		INTRSECTN	B	S	204TH ST	CT	Y																			
17.34	13.69		BEG SU LN	C		TWO WAY TURN					12A																
17.45	13.80		END SU LN	C		TWO WAY TURN					12A																
17.46	13.81		BEG SU LN	L		HIGH OCCUPANCY VEHICL					14A																
17.52	13.87		INTRSECTN	B	S	200TH ST	CT	SG	Y	2	2																
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																		
17.63	13.98																										
17.73	14.08		ENT/EXIT	R		PARKING LOT	PV	N																			
			INTRSECTN	C		MEDIAN XROAD	ST	N																			
17.86	14.21		INTRSECTN	B	S	195TH ST	CT	SG	Y																		
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																		
18.00	14.35		MP MARKER	R		18																					
18.10	14.45		INTRSECTN	B	S	192ND ST	CT	Y																			
			INTRSECTN	C		MEDIAN XROAD	ST	Y																			
18.24	14.59		ENT/EXIT	R		AIRPORT PARKING	PV	Y																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
16.51	12.86		.03	12	.02	11	.04	11	.02	12
16.91	13.26								.04	12
17.02	13.37		.03	12	.02	12	.06	12	.01	11
17.27	13.62		.04	12	.02	12	.04	12	.02	12
17.52	13.87		.05	12	.04	12	.08	12		
17.73	14.08								.02	10
17.86	14.21		.06	12					.06	12
18.10	14.45		.07	12					.04	12

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----										
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC													
			: :LEFT/RIGHT INDICATOR		-UXING-		LFT RHT			LFT RHT			USE													
			: :		-XROAD-		LNS SHD RDY SHD			LNS SHD RDY SHD			LNS													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S
19.35	15.70																									
19.37	15.72		INTRSECTN	R	S	171ST ST	CT		Y																	
19.47	15.82		INTRSECTN	B	S	170TH ST	CT	SG	Y																	
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																	
19.53	15.88		END SU LN	L		HIGH OCCUPANCY VEHICL14A																				
			BEG SU LN	C		TWO WAY TURN																				
19.64	15.99		END SU LN	C		TWO WAY TURN																				
			INTRSECTN	R	S	167TH ST	CT		Y																	
19.77	16.12																									
20.00	16.35		MP MARKER	R		20																				
20.12	16.47		INTRSECTN	B	S	160TH ST	CT	SG	Y																	
20.13	16.48		INTRSECTN	R	S	160TH ST WYE CONN	CT		Y	2	2															
20.22	16.57		BEG SU LN	C		TWO WAY TURN																				
20.26	16.61		INTRSECTN	L	S	158TH ST	CT		Y																	
20.30	16.65		OFF RAMP	R		SR 518	ST		Y																	
20.33	16.68		END SU LN	C		TWO WAY TURN																				
20.37	16.72		INTRSECTN	R		SR 518 RAMP WYE CONN	ST	SG	Y																	
20.38	16.73		BEG BRIDGE B			SR 518	ST			2	2															
						BRDG NUM 099/500																				
20.43	16.78		END BRIDGE B			SR 518				2	2															
20.46	16.81		ON RAMP	L		SR 518 WB	ST		Y	2	2															
20.49	16.84									2	2															
20.50	16.85		INTRSECTN	L	S	154TH ST WYE CONN	CT		Y																	
20.52	16.87		INTRSECTN	B	S	154TH ST	CT	SG	Y	2	2															
20.59	16.94		INTRSECTN	L		MILITARY RD S	CT		Y																	
20.66	17.01		INTRSECTN	B	S	152ND ST	CO	SG	Y	2	2															
20.67	17.02		LEAVE CITY			SEA TAC				2	2															
			ENTER CITY			TUKWILA																				
20.72	17.07		BEG SU LN	C		TWO WAY TURN																				
20.78	17.13		INTRSECTN	B	S	150TH ST	CT		Y																	
20.92	17.27		INTRSECTN	B	S	148TH ST	CT		Y																	
21.05	17.40		END SU LN	C		TWO WAY TURN																				

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
19.47	15.82		.09	12	.04	11				
19.64	15.99				.03	12				
20.12	16.47		.03	12	.08	12	.02	12		
20.37	16.72				.05	12				
20.52	16.87		.06	12	.03	12	.04	12	.02	12
20.66	17.01		.06	12	.04	12	.04	12		

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----															
							:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S								
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
25.14	21.50	ON RAMP	R			NBCD LANE	ST	Y	2	2	10A	24A	6A	44S	DE	6A	24A	10A					48	5	02	1140	U1			60	R	P		
25.35	21.71	MISC FEATR	L			GORE (R102544)																												
25.39	21.75	BEG BRIDGE	B			CLOVERDALE ST BRDG NUM 099/513	ST		2	2	\$\$\$	36A	\$\$\$	44A	GR	\$\$\$	36A	\$\$\$	W				72	5	02	1140	U1			60	L	P		
25.41	21.77	END BRIDGE	B			CLOVERDALE ST			2	2	10A	24A	6A	44S	DE	6A	24A	10A					48	5	02	1140	U1			60	L	P		
25.44	21.80	OFF RAMP	L			S TRENTON ST	ST	Y																										
25.46	21.82	ON RAMP	L			S KENYON*FR TRANSFER STA	ST	Y																										
25.49	21.85	MISC FEATR	R			GORE (Q102564)																												
25.64	22.00	ON RAMP	R			CLOVERDALE ST	ST	Y																										
25.74	22.10	MISC FEATR	L			GORE (S102546)																												
25.78	22.14								2	2	10A	24A	6A	44S	DE	6A	24A	10A					48	5	02	1140	U1			40	L	P		
25.91	22.27	MISC FEATR	L			GORE (R102601)			2	2	10A	24A	\$\$\$	12A	JE	\$\$\$	24A	10A					48	5	02	1140	U1			40	L	P		
25.92	22.28								3	2	10A	36A		12A	UP		24A	10A					60	5	02	1140	U1			40	L	P		
25.96	22.32																																	
26.01	22.37	INTRSECTN	R			HOLDEN ST WYE CONN	CT	Y																										
		OFF RAMP	L			S KENYON*TO TRANSFER STA	ST	Y																										
26.04	22.40	ON/OFF RMP	L			SR 509 NB	ST	SG	Y	3	2	\$\$\$	\$\$\$	\$\$\$	\$\$\$	4A	74A	\$\$\$	C				74	5	02	1140	U1			40	L	P		
		INTRSECTN	R			HOLDEN ST	CT	SG	Y																									
		INTRSECTN	C			MEDIAN X-ROAD	ST	SG	Y																									
26.07	22.43	INTRSECTN	L			ON/OFF RAMP WYE CONN	ST	Y																										
26.12	22.48	BEG SU LN	C			TWO WAY TURN			3	2						4A	60A	C	14			74	5	02	1140	U1			40	L	P			
26.28	22.64								2	2						4A	60A	C	14			74	5	02	1140	U1			40	L	P			
26.32	22.68	END SU LN	C			TWO WAY TURN			2	2	4A	24A		14A	UP	\$\$\$	24A	C	\$\$\$			48	5	02	1140	U1			40	L	P			
26.35	22.71								2	2	4A	24A	4A	24S	DE	4A	24A	C				48	5	02	1140	U1			40	L	P			
26.37	22.73	EXIT TO	R			CITY ST	CT	Y																										
26.40	22.76	UXING	B			SR 99 NB BRDG NUM 099/530E	ST																											
26.42	22.78	LEAVE CITY END CTLSEC BEG PH GP UXING	B			SEATTLE CONTROL SECTION 1729 BEGIN PHYSICAL GAP SR 99 SB BRDG NUM 099/530W	ST																											
26.55	22.79	ENTER CITY EQUATION BEG CTLSEC BEG SU LN	RC			SEATTLE 026.43 =026.55 CONTROL SECTION 1729 HIGH OCCUPANCY VEHICL12P			3							W	44P	W	12			56	5	02	1140	U1	45	40	L	P				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
26.04	22.40		.06	24						
26.07	22.43				.06	12				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																			
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
:	:	:	:	:	:	:	OW	TC	L	W	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	LNS	RDY	WID	WID	FC	NBR	FC	D	IB	R	K	T				
26.55	22.79	BEG BRIDGE I	DUWAMISH RIVER	ST		3										W	44P	W	12	56	5	02	1140	U1	45	40	L	P									
		MISC FEATR I	END SR 509 NB																																		
		END PH GP	END PHYSICAL GAP																																		
26.57	22.81	BEG SU LN	HIGH OCCUPANCY VEHICL12A	LC		3	3	W	44A	W	240					W	44P	W	24	112	5	02	1140	U1	45	40	L	P									
		MISC FEATR D	END SR 509 SB																																		
		BEG BRIDGE D	DUWAMISH RIVER	ST																																	
		BRDG NUM 099/530W																																			
26.90	23.14	ON RAMP	MICHIGAN ST	L		2	2	W	44A	W	240					W	44P	W	24	112	5	02	1140	U1	45	40	L	P									
		OFF RAMP	MICHIGAN ST	R																																	
26.96	23.20	MISC FEATR	GORE (S102690)	L																																	
26.97	23.21	MISC FEATR	GORE (P102690)	R																																	
27.12	23.36	END BRIDGE I	DUWAMISH RIVER	I		2	3	8P	24P	\$	16P	JE	\$	36P	8P	24	84	5	02	1140	U1	45	40	L	P												
		END BRIDGE D	DUWAMISH RIVER	D																																	
		END SU LN	HIGH OCCUPANCY VEHICL12P	RC																																	
		END SU LN	HIGH OCCUPANCY VEHICL12A	LC																																	
27.17B	23.41	BEG EQ	BEGIN BACK			3	3	8P	36P	4P	16S	DE	8P	36P	8P		72	5	02	1140	U1	45	40	L	P	*											
		END CTLSEC	CONTROL SECTION 1729																																		
		BEG CTLSEC	CONTROL SECTION 1791																																		
		BEG ST	EAST MARGINAL WAY	I																																	
27.17	23.45	EQUATION	027.21B=027.17			4	3	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$C	87P	\$\$\$		87	5	02	1140	U1	45	40	L	P	*								
		INTRSECTN	E MARGINAL WAY	R																																	
27.25	23.53					4	3									C	87P	C		87	5	02	1140	U1	45	40	L	P	*								
27.26	23.54	INTRSECTN	1ST AVE S WYE CONN	R																																	
27.28	23.56	INTRSECTN	1ST AVE S	R																																	
27.30	23.58	BEG SU LN	TWO WAY TURN	C																																	
27.33	23.61					4	3									C	76P	C	11	87	5	02	1140	U1	45	40	L	P	*								
27.38	23.66	INTRSECTN	FIDALGO ST	L												C	76A	C	11	87	5	02	1140	U1	45	40	L	P	*								
27.46	23.74	INTRSECTN	S MEAD ST	R												C	61A	C	11	72	5	02	1140	U1	45	40	L	P	*								
27.51	23.79	INTRSECTN	S ORCAS ST	R																																	
27.61	23.89	END SU LN	TWO WAY TURN	C																																	
27.62	23.90	INTRSECTN	S LUCILLE ST	R												C	72A	C	\$\$\$	72	5	02	1140	U1	45	40	L	P	*								
27.66	23.94	BEG SU LN	TWO WAY TURN	C																																	
27.69	23.97	INTRSECTN	S BRANDON ST	R												C	61A	C	11	72	5	02	1140	U1	45	40	L	P	*								
27.72	24.00	INTRSECTN	OHIO AVE S	L																																	
27.80	24.08	INTRSECTN	S DAWSON ST	R																																	
27.81	24.09	RR XING	NUM 809566M GRADE	B																																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
27.62	23.90				.03	11				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---															
				D	LR	DESCRIPTION	CT	Y	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
36.96	33.24		INTRSECTN	L	N	75TH ST	CT	Y	3	3		C	30A		10A	CU		30A		C			60	5	02	1140	U1		30	R	X	*
37.01	33.29		INTRSECTN	B	N	76TH ST	CT	Y																								
37.07	33.35		INTRSECTN	B	N	77TH ST	CT	SG	Y																							
37.11	33.39		INTRSECTN	B	N	78TH ST	CT	Y																								
37.16	33.44		INTRSECTN	L	N	79TH ST	CT	Y																								
37.22	33.50		INTRSECTN	B	N	80TH ST	CT	SG	Y																							
37.26	33.54		INTRSECTN	B	N	81ST ST	CT	Y																								
37.31	33.59		INTRSECTN	B	N	82ND ST	CT	Y																								
37.35	33.63		INTRSECTN	R		GREEN LAKE DR N	CT	SG	Y																							
37.36	33.64		INTRSECTN	B	N	83RD ST	CT	SG	Y																							
37.41	33.69		INTRSECTN	B	N	84TH ST	CT	Y																								
37.46	33.74		INTRSECTN	B	N	85TH ST	CT	SG	Y	3	3		C	30A		10A	CU		30A		C		60	5	02	1140	U1		35	R	X	*
37.51	33.79		INTRSECTN	L	N	86TH ST	CT	Y																								
37.56	33.84		INTRSECTN	L	N	87TH ST	CT	Y																								
37.58	33.86		INTRSECTN	R	N	88TH ST	CT	Y																								
37.61	33.89		INTRSECTN	L	N	88TH ST	CT	Y																								
37.67	33.95		INTRSECTN	L	N	89TH ST	CT	Y																								
37.71	33.99		INTRSECTN	B	N	90TH ST	CT	SG	Y																							
37.77	34.05		INTRSECTN	B	N	91ST ST	CT	Y																								
37.80	34.08		BEG SU LN	C		TWO WAY TURN				10A				3	3		\$	\$	\$	\$		\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
37.82	34.10		INTRSECTN	B	N	92ND ST	CT	Y																								
37.86	34.14		INTRSECTN	B	N	93RD ST	CT	Y																								
37.92	34.20		INTRSECTN	R	N	94TH ST	CT	Y																								
37.96	34.24		INTRSECTN	L	N	95TH ST	CT	Y																								
38.02	34.30		INTRSECTN	R	N	96TH ST	CT	Y																								
38.03	34.31		INTRSECTN	L	N	96TH ST	CT	Y																								
38.05	34.33		END SU LN	C		TWO WAY TURN				10A				3	3		C	30A		10A	CU		\$	30A		C	\$	\$	\$	\$	\$	
38.08	34.36		INTRSECTN	B	N	97TH ST	CT	Y																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
37.07	33.35				.04	10				
37.22	33.50		.04	10						
37.36	33.64				.03	10				
37.46	33.74		.04	10	.04	9				
37.56	33.84		.03	10						
37.58	33.86				.04	10				
37.71	33.99		.03	10						
37.86	34.14		.04	10						
37.96	34.24		.04	10						
38.08	34.36		.03	10						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS-----														
				D	LR		DESCRIPTION	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							LNS	LFT	RHT	W/S	RDY	SHD	W/S	W/S	W/S	WID	RDY	A	SE	NBR	FC	D	IB	R	K	T	
38.10	34.38						3	3	C	30A		10A	CU		30A	C	60	5	02	1140	U1		35	R	X	*	
38.15	34.43		INTRSECTN	B	N	98TH ST																					
38.22	34.50		INTRSECTN	B	N	100TH ST																					
38.27	34.55		INTRSECTN	L	N	101ST ST																					
38.32	34.60		UXING	B		PED XING																					
						BRDG NUM 099/581																					
			INTRSECTN	L	N	102ND ST																					
38.35	34.63		INTRSECTN	R	N	103RD ST																					
38.38	34.66		INTRSECTN	L	N	103RD ST																					
38.42	34.70		INTRSECTN	L	N	104TH ST																					
38.47	34.75		INTRSECTN	R	N	NORTHGATE WAY																					
			INTRSECTN	L	N	105TH ST																					
38.53	34.81		BEG SU LN	C		TWO WAY TURN	10A																				
38.57	34.85		INTRSECTN	L	N	107TH ST																					
38.59	34.87		INTRSECTN	R	N	107TH ST																					
38.67	34.95		INTRSECTN	L	N	109TH ST																					
38.74	35.02		END SU LN	C		TWO WAY TURN	10A																				
38.81	35.09		ENT/EXIT	B		WASHELLI CEMETERY	PV	SG	Y																		
38.97	35.25		BEG SU LN	R		HIGH OCCUPANCY VEHICL	11A																				
			INTRSECTN	R	N	115TH ST																					
39.01	35.29		BEG SU LN	C		TWO WAY TURN	11A																				
39.41	35.69		END SU LN	C		TWO WAY TURN	11A																				
39.46	35.74		INTRSECTN	B	N	125TH ST																					
39.52	35.80		BEG SU LN	C		TWO WAY TURN	12A																				
39.60	35.88		INTRSECTN	L	N	127TH ST																					
39.66	35.94		INTRSECTN	B	N	128TH ST																					
39.67	35.95		END SU LN	C		TWO WAY TURN	12A																				
39.71	35.99		INTRSECTN	B	N	130TH ST																					
39.72	36.00		UXING	B		PED XING																					
						BRDG NUM 099/582																					
39.77	36.05		BEG SU LN	C		TWO WAY TURN	11A																				

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
38.22	34.50		.04	10			.04	10						
38.38	34.66		.04	10										
38.47	34.75		.06	10			.04	10						
38.81	35.09		.04	10			.02	10						
38.97	35.25						.03	10						
39.46	35.74		.04	11			.03	11						
39.71	35.99		.03	11			.06	11						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---													
			D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
			:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE																
			:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
			:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T				
43.48	39.75	EQUATION INTRSECTN		R	043.47 =043.48 N 205TH ST WYE CONN	CT	Y	2	2						C	70A	C			70	5	02	1169	U1	40	R	P	*
43.50	39.77	LEAVE CITY END ST END CTLSEC LEAVE CO		I	SHORELINE AURORA AVE CONTROL SECTION 1791 KING			2	2						C	70A	C			70	5	02	0365	U1	45	R	P	\$

INTERSECTION DETAIL

SRMP B ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD		
43.48	39.75			.04	14				

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---																	
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	WID	MTCE	CITY	ST	LEGAL	T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T				
43.50	39.77		ENTER CO ENTER CITY BEG CTLSEC			SNOHOMISH EDMONDS CONTROL SECTION 3101																											
			INTRSECTN	B		N 205TH ST																											
43.52	39.79		INTRSECTN	B		N 205TH ST WYE CONN																											
43.55	39.82		ON RAMP	L		SR 104																											
43.58	39.85		MISC FEATR	L		GORE (R504362)																											
43.60	39.87		BEG BRIDGE	B		SR 104																											
						BRDG NUM 099/600																											
43.62	39.89		END BRIDGE	B		SR 104																											
			OFF RAMP	L		SR 104																											
			OFF RAMP	R		SR 104																											
43.67	39.94		ON RAMP	R		SR 104																											
43.71	39.98		BEG SU LN			TWO WAY TURN																											
43.77	40.04		INTRSECTN	B		240TH ST SW																											
43.83	40.10		END SU LN	C		TWO WAY TURN																											
43.89	40.16		INTRSECTN	L		238TH ST SW WYE CONN																											
43.91	40.18		INTRSECTN	B		238TH ST SW																											
43.96	40.23		BEG SU LN	C		TWO WAY TURN																											
43.99	40.26		MP MARKER	R		44																											
44.01	40.28		END SU LN	C		TWO WAY TURN																											
44.04	40.31		INTRSECTN	B		236TH ST SW																											
44.06	40.33																																
44.08	40.35		BEG SU LN	C		TWO WAY TURN																											
44.19	40.46		INTRSECTN	B		234TH ST SW																											
44.28	40.55																																
44.40	40.67																																
44.47	40.74		INTRSECTN	B		230TH ST SW																											
44.60	40.87		INTRSECTN	L		228TH ST SW																											
44.65	40.92																																
44.71	40.98		END SU LN	C		TWO WAY TURN																											
44.74	41.01		INTRSECTN	B		76TH AVE W																											
44.78	41.05		INTRSECTN	L		76TH AVE W WYE CONN																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----						
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--					
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
43.50	39.77		.08	10										
43.91	40.18		.03	10	.03	11	.03	10	.02	11				
44.04	40.31		.02	12										
44.47	40.74								.02	10				
44.74	41.01					.03	10				.02	10		

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----										
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT	RHT	LFT	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
: :				-XROAD-		LNS		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
46.83	43.10		INTRSECTN	L		SR 524 WYE CONN	ST	Y	2	2			10A	70A	C		70	3	01	0715	U1		45	R	P	
46.85	43.12		INTRSECTN	B		SR 524	ST	SG	Y	2	2		\$\$C	84A	C		84	3	01	0715	U1		45	R	P	
46.86	43.13		INTRSECTN	B		SR 524 WYE CONN	ST		Y																	
46.94	43.21		INTRSECTN	L		60TH AVE W	CT		Y	2	2		10A	60A	12A		60	3	01	0715	U1		45	R	P	
46.96	43.23		BEG SU LN	C		TWO WAY TURN						12A	10A	48A	12A	12	60	3	01	0715	U1		45	R	P	
46.97	43.24		MP MARKER	B		47																				
47.12	43.39									2	2		10A	60A	\$\$C	12	72	3	01	0715	U1		45	R	P	
47.28	43.55									2	2		10A	48A	12A	12	60	3	01	0715	U1		45	R	P	
47.33	43.60		END SU LN	C		TWO WAY TURN				2	2	12A	10A	60A	12A	\$\$\$	60	3	01	0715	U1		45	R	P	
47.42	43.69		INTRSECTN	B		188TH ST SW		CT	SG	Y	2	2	10A	72A	\$\$C		72	3	01	0715	U1		45	R	P	
47.47	43.74		BEG SU LN	C		TWO WAY TURN				2	2	12A	\$\$C	60A	8A	12	72	3	01	0715	U1		45	R	P	
47.57	43.84		INTRSECTN	L		186TH PL SW		CT		Y																
47.68	43.95									2	2		10A	48A	10A	12	60	3	01	0715	U1		45	R	P	
47.83	44.10		END SU LN	C		TWO WAY TURN				2	2	12A	8A	60A	8A	\$\$\$	60	3	01	0715	U1		45	R	P	
47.90	44.17		INTRSECTN	R		52ND AVE W		CT		Y																
47.93	44.20									2	2		\$\$C	68A	8A		68	3	01	0715	U1		45	R	P	
47.99	44.26		MP MARKER	R		48																				
			INTRSECTN	L		180TH ST SW WYE CONN		CT		Y																
48.00	44.27		INTRSECTN	B		180TH ST SW		CT		Y																
48.01	44.28		MP MARKER	L		48																				
48.06	44.33		BEG SU LN	C		TWO WAY TURN				2	2	12A	C	68A	\$\$C	12	80	3	01	0715	U1		45	R	P	
48.10	44.37									2	2		8A	60A	C	12	72	3	01	0715	U1		45	R	P	
48.15	44.42									2	2		8A	48A	8A	12	60	3	01	0715	U1		45	R	P	
48.21	44.48		END SU LN	C		TWO WAY TURN				2	2	12A	8A	60A	8A	\$\$\$	60	3	01	0715	U1		45	R	P	
48.27	44.54		INTRSECTN	L		176TH ST SW WYE CONN		CT		Y																
48.29	44.56		INTRSECTN	B		176TH ST SW		CT	SG	Y	2	2	\$\$C	68A	8A		68	3	01	0715	U1		45	R	P	
48.30	44.57		INTRSECTN	R		176TH ST SW WYE CONN		CT		Y																
48.36	44.63		BEG SU LN	C		TWO WAY TURN				2	2	12A	C	56A	8A	12	68	3	01	0715	U1		45	R	P	
48.38	44.65		END SU LN	C		TWO WAY TURN				2	2	12A	C	68A	8A	\$\$\$	68	3	01	0715	U1		45	R	P	
48.40	44.67									2	2		C	80A	\$\$C		80	3	01	0715	U1		45	R	P	
48.43	44.70		INTRSECTN	B		174TH PL SW		CT	SG	Y																

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----						
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-					
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
46.85	43.12		.09	10	.06	12	.08	10						
46.86	43.13								.02	10				
47.42	43.69		.06	10	.03	11	.03	10						
47.90	44.17						.03	10			.02	10		
48.00	44.27		.03	10			.03	10						
48.29	44.56		.05	10	.02	11	.05	10	.02	11				
48.43	44.70		.03	12			.03	12						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----												
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	FC	D	IB	R	K	T	
48.47		44.74																							
48.48		44.75	BEG SU LN	C		TWO WAY TURN									C 80A	C			80	3	01	0715	U1	45 R P	
48.49		44.76	ENT/EXIT	L		SHOPPING CENTER	PV	Y							C 68A	C	12		80	3	01	0715	U1	45 R P	
48.54		44.81													C 56A	10A	12		68	3	01	0715	U1	45 R P	
48.58		44.85													C 68A	\$\$\$	12		80	3	01	0715	U1	45 R P	
48.64		44.91													C 56A	8A	12		68	3	01	0715	U1	45 R P	
48.70		44.97													C 68A	\$\$\$	12		80	3	01	0715	U1	45 R P	
48.76		45.03													C 68A	8A	12		80	3	01	0715	U1	45 R P	
48.77		45.04	END SU LN	C		TWO WAY TURN	12A								C 70A	10A	\$\$\$		70	3	01	0715	U1	45 R P	
48.81		45.08	INTRSECTN	L		168TH ST SW WYE CONN	CT	Y																	
48.83		45.10	INTRSECTN	B		168TH ST SW	CT	SG	Y																
48.85		45.12	INTRSECTN	R		168TH ST SW WYE CONN	CT	Y																	
48.90		45.17	BEG SU LN	C		TWO WAY TURN	12A								8A 48A	8A	12		60	3	01	0715	U1	45 R P	
48.92		45.19													8A 48A	8A	12		60	3	01	0715	U1	50 R P	
48.98		45.25	MP MARKER	R		49																			
49.00		45.27													\$\$\$	56A	8A	12		68	3	01	0715	U1	50 R P
49.07		45.34													8A 48A	8A	12		60	3	01	0715	U1	50 R P	
49.10		45.37	END SU LN	C		TWO WAY TURN	12A								8A 56A	8A	\$\$\$		56	3	01	0715	U1	50 R P	
49.11		45.38	INTRSECTN	B		164TH ST SW	CT	Y																	
49.12		45.39	LEAVE CITY			LYNNWOOD									8A 56A	8A					\$\$\$	U1		50 R \$	
49.14		45.41													\$\$\$	64A	8A							50 R	
49.16		45.43													C 80A	\$\$\$								50 R	
49.18		45.45	ENT/EXIT	R		SHOPPING CENTER	PV	N																	
49.20		45.47													C 68A	8A								50 R	
49.22		45.49	INTRSECTN	L		44TH AVE W	CO	Y	2	2					8A 68A	8A								50 R	
49.27		45.54	BEG SU LN	C		TWO WAY TURN	12A								8A 48A	8A	12		60	3	01			50 R	
49.54		45.81													\$\$\$	58A	8A	12		70	3	01			50 R
49.59		45.86	END SU LN	C		TWO WAY TURN	12A								C 70A	8A	\$\$\$		70	3	01			50 R	
49.65		45.92	INTRSECTN	B		156TH ST SW	CO	SG	Y	2	2				8A 60A	8A			60	3	01			50 R	
49.70		45.97	BEG SU LN	C		TWO WAY TURN	12A								8A 44A	8A	12		56	3	01			50 R	
49.72		45.99	INTRSECTN	L		40TH AVE W	CO	Y																	
49.97		46.24	MP MARKER	R		50									\$\$\$	68A	\$\$\$	12		80	3	01		50 R	
50.15		46.42	END SU LN	C		TWO WAY TURN	12A								C 80A	C	\$\$\$		80	3	01			50 R	
50.21		46.48	INTRSECTN	L		148TH ST SW WYE CONN	CO	Y																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
48.83		45.10	.04	10	.02	10	.06	10	.02	10				
49.11		45.38			.03	12								
49.22		45.49	.03	12										
49.65		45.92	.03	11			.03	11						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-XROAD-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
50.22	46.49	INTRSECTN	B	148TH ST SW	CO	SG	Y	2	2					C	66A	8A			66	3	01		U1	50	R
50.27	46.54							2	2					8A	58A	8A			58	3	01		U1	50	R
50.35	46.62	INTRSECTN	R	35TH AVE W	CO		Y																		
50.38	46.65	INTRSECTN	L	SHELBY RD	CO		Y	2	2					\$\$C	86A	\$\$C			86	3	01		U1	50	R
50.44	46.71							2	2					8A	56A	8A			56	3	01		U1	50	R
50.48	46.75	INTRSECTN	L	LAKE RD	CO		Y																		
50.55	46.82	INTRSECTN	R	SR 525 WYE CONN	ST		Y																		
50.56	46.83	INTRSECTN	R	SR 525	ST	SG	Y	2	2					8A	68A	8A			68	3	01		U1	50	R
50.57	46.84	INTRSECTN	R	SR 525 WYE CONN	ST		Y																		
50.75	47.02							2	2					8A	80A	\$\$C			80	3	01		U1	50	R
50.81	47.08							2	2					8A	68A	12A			68	3	01		U1	50	R
50.85	47.12	INTRSECTN	L	SR 525	ST	SG	Y																		
50.94	47.21	INTRSECTN	L	LINCOLN WAY WYE CONN	CO		Y																		
50.95	47.22	INTRSECTN	B	LINCOLN WAY	CO	SG	Y	2	2					\$\$C	68A	12A			68	3	01		U1	50	R
50.96	47.23	INTRSECTN	R	LINCOLN WAY WYE CONN	CO		Y																		
51.00	47.27	MP MARKER	R	51																					
51.02	47.29	BEG SU LN	C	TWO WAY TURN				12A	2	2				C	68A	\$\$C	12	80	3	01		U1	50	R	
51.05	47.32	END SU LN	C	TWO WAY TURN				12A	2	2				C	80A	C	\$\$C	80	3	01		U1	50	R	
51.08	47.35	BEG SU LN	C	TWO WAY TURN				12A	2	2				C	68A	C	12	80	3	01		U1	50	R	
51.11	47.38								2	2				8A	44A	8A	12	56	3	01		U1	50	R	
51.18	47.45								2	2				8A	58A	\$\$C	12	70	3	01		U1	50	R	
51.27	47.54								2	2				\$\$C	56A	8A	12	68	3	01		U1	50	R	
51.50	47.77	INTRSECTN	L	RUSSELL WAY	CO		Y																		
51.51	47.78	INTRSECTN	R	MANOR WAY	CO		Y																		
51.62	47.89								2	2				8A	44A	8A	12	56	3	01		U1	50	R	
51.77	48.04	INTRSECTN	B	GIBSON RD	CO		Y																		
51.86	48.13								2	2				\$\$C	66A	\$\$C	12	78	3	01		U1	50	R	
51.90	48.17	ENT/EXIT	L	INDUSTRIAL PARK	PV		Y	2	2					C	54A	8A	12	66	3	01		U1	50	R	
51.92	48.19	MP MARKER	R	52																					
51.96	48.23	ENT/EXIT	L	INDUSTRIAL PARK	PV		Y																		
52.00	48.27	ENT/EXIT	L	INDUSTRIAL PARK	PV		Y																		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
50.22	46.49		.05	10	.01	12	.04	10	.01	12						
50.35	46.62														.02	12
50.38	46.65		.03	11					.04	12						
50.48	46.75		.04	12												
50.56	46.83						.10	22								
50.85	47.12		.14	22												
50.95	47.22		.03	12	.02	14	.04	12	.05	12						

SR 099 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
: :LEFT/RIGHT INDICATOR				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																		
:				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
53.51	49.78		INTRSECTN	R		105TH ST SW	CT	Y	3	1			C	60A	C				60	3	01	0420	U1		40	R	P	*		
53.52	49.79		INTRSECTN	L		EVERGREEN WAY WYE CONN	CT	Y																						
53.53B	49.80		BEG EQ			BEGIN BACK																								
53.53	49.81		EQUATION			053.54B=053.53																								
			INTRSECTN	R		SR 99 WYE CONN	ST	Y																						
53.54	49.82																													
53.57	49.85		BEG SU LN	C		TWO WAY TURN					12A																			
53.66	49.94		INTRSECTN	R		5TH PL W	CT	Y																						
53.70	49.98		END SU LN	C		TWO WAY TURN					12A																			
53.76	50.04		INTRSECTN	B		4TH AVE W	CT	SG	Y																					
53.83	50.11		BEG SU LN	C		TWO WAY TURN					12A																			
53.94	50.22		INTRSECTN	B		1ST PL W	CT	Y																						
54.00	50.28		MP MARKER	R		54																								
54.03	50.31		INTRSECTN	R		MERIDIAN AVE	CT	Y																						
54.06	50.34		INTRSECTN	L		2ND AVE	CT	Y																						
54.12	50.40		INTRSECTN	R		1ST DR SE	CT	Y																						
54.19	50.47		INTRSECTN	L		E INTERCITY AVE	CT	Y																						
54.24	50.52		END SU LN	C		TWO WAY TURN					12A																			
54.31	50.59		INTRSECTN	B		3RD AVE SE	CT	SG	Y																					
54.37	50.65		BEG SU LN	C		TWO WAY TURN					12A																			
54.42	50.70		ENT/EXIT	L		SHOPPING CENTER	PV	Y																						
54.46	50.74		END SU LN	C		TWO WAY TURN					12A																			
54.47	50.75		ENT/EXIT	L		SHOPPING CENTER	PV	Y																						
54.55	50.83		INTRSECTN	B		7TH AVE SE	CT	SG	Y																					
54.60	50.88		BEG SU LN	C		TWO WAY TURN					12A																			
54.84	51.12		END SU LN	C		TWO WAY TURN					12A																			
			ENT/EXIT	L		BUSINESS	PV	Y																						
54.89	51.17		INTRSECTN	B		WEST MALL DR	CT	SG	Y																					
54.90	51.18		MP MARKER	R		55																								
55.00	51.28		INTRSECTN	B		CENTRAL MALL DR	CT	SG	Y																					
55.10	51.38		INTRSECTN	B		EAST MALL DR	CT	SG	Y																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
53.51	49.78									.03
53.76	50.04		.04	12						
54.31	50.59		.03	12						
54.55	50.83		.03	12						
54.89	51.17		.03	12						
55.00	51.28		.03	12						.02
55.10	51.38		.05	12						.04

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY PACIFIC

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
				D	LR		DESCRIPTION	-UXING-	NBR	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
12.88	12.88		INTRSECTN	B		CO		N	1	1				C	40A	C		40	3	02		R1	35	L	*	
12.95	12.95		INTRSECTN	L		CO		N																		
12.98	12.98		INTRSECTN	L		CO		N																		
13.01	13.01		MP MARKER	R																						
13.05	13.05		INTRSECTN	B		CO		N																		
13.09	13.09		INTRSECTN	B		CO		N																		
13.13	13.13		INTRSECTN	B		CO		Y																		
13.17	13.17		INTRSECTN	L		CO		N																		
13.23	13.23		INTRSECTN	B		CO		N																		
13.32	13.32		INTRSECTN	B		CO		N																		
13.37	13.37		INTRSECTN	B		CO		Y																		
13.38	13.38		END ST	I																						
			BEG ST	I																						
			INTRSECTN	L		ST		Y																		
13.42	13.42		INTRSECTN	B		CO		N	1	1				10A	22A	10A		22	3	02		R1	35	L	*	
13.48	13.48								1	1				10A	22A	10A		22	3	02		R1	50	L	*	
13.50	13.50								1	1				4A	22A	4A		22	3	02		R1	50	L	*	
13.86	13.86		END ST	I					1	1				4A	22A	4A		22	3	02		R1	50	L	\$	
			INTRSECTN	B		CO	AF	Y																		
14.00	14.00		MP MARKER	R																						
14.13	14.13								1	1				3A	22A	3A		22	3	02		R1	50	L		
14.50	14.50		INTRSECTN	L		CO		N																		
15.01	15.01		MP MARKER	R																						
15.32	15.32		BEG BRIDGE	B		ST			1	1				\$\$W	40A	\$\$W		40	3	02		R1	50	L		
			WALLICUT RIVER																							
			BRDG NUM 101/012																							
15.33	15.33		END BRIDGE	B					1	1				3A	22A	3A		22	3	02		R1	50	L		
			WALLICUT RIVER																							
15.72	15.72		INTRSECTN	L		CO		Y																		
15.73	15.73		INTRSECTN	R		ST		Y																		
15.75	15.75		INTRSECTN	R		ST		Y																		
15.76	15.76		INTRSECTN	R		ST		Y																		
15.85	15.85								1	1				3A	22A	3A		22	3	02		R1	55	L		
16.00	16.00		MP MARKER	R																						
16.01	16.01		BEG BRIDGE	B		ST			1	1				\$\$W	40A	\$\$W		40	3	02		R1	55	L		
			WALLICUT RIVER																							
			BRDG NUM 101/014																							
16.02	16.02		END BRIDGE	B					1	1				3A	22A	3A		22	3	02		R1	55	L		
16.75	16.75								1	1				5A	22A	5A		22	3	02		R1	55	L		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
13.38	13.38									
15.73	15.73			.02	12				.02	13

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY PACIFIC

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																			
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			LEGAL		T P S															
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S			
51.93	51.93									1	1										3A	24A	3A				24	3	01		R1		55	L			
52.00	52.00		MP MARKER		R	52																															
52.51	52.51		BEG BRIDGE		B	POTTER SLOUGH BRDG NUM 101/050	ST			1	1										\$\$W	40A	\$\$W				40	3	01		R1		55	L			
52.53	52.53		END BRIDGE		B	POTTER SLOUGH				1	1										6A	24A	6A				24	3	01		R1		55	L			
52.97	52.97		ENTER CITY			SOUTH BEND				1	1										6A	24A	6A				24	3	01	1195	R1		55	L	P		
52.98	52.98									1	1											7A	24A	7A				24	3	01	1195	R1		55	L	P	
53.00	53.00		MP MARKER		R	53				1	1											7A	24A	7A				24	3	01	1195	R1		55	L	B	
53.57	53.57		INTRSECTN		R	CITY ST	CT		N																												
53.60	53.60									1	1											7A	24A	7A				24	3	01	1195	R1		25	L	B	
53.74	53.74									1	1											8A	24A	8A				24	3	01	1195	R1		25	L	B	
53.77	53.77									1	1											\$\$C	60A	\$\$C				60	3	01	1195	R1		25	L	B	
53.80	53.80		INTRSECTN		R	A ST	CT		Y																												
53.83	53.83		INTRSECTN		R	PACIFIC ST	CT		Y																												
53.84	53.84		BEG SU LN		C	TWO WAY TURN	12A			1	1											C	48A	C	12			60	3	01	1195	R1		25	L	B	
53.89	53.89		INTRSECTN		R	CENTRAL AVE	CT		Y																												
53.95	53.95		MP MARKER		R	53																															
53.96	53.96		END SU LN		C	TWO WAY TURN	12A			1	1											C	60A	C	\$\$\$			60	3	01	1195	R1		25	L	B	
53.98	53.98		INTRSECTN		R	WILLAPA AVE	CT		FS	Y																											
53.98	53.98		BEG SU LN		C	TWO WAY TURN	12A			1	1											C	48A	C	12			60	3	01	1195	R1		25	L	B	
54.02	54.02		MP MARKER		R	54																															
54.02	54.02		INTRSECTN		R	ALDER ST	CT		Y																												
54.08	54.08		END SU LN		C	TWO WAY TURN	12A			1	1												C	60A	C	\$\$\$			60	3	01	1195	R1		25	L	B
54.09	54.09		INTRSECTN		R	MEMORIAL DR	CT		Y																												
54.12	54.12		BEG SU LN		C	TWO WAY TURN	12A			1	1												C	48A	C	12			60	3	01	1195	R1		25	L	B
54.14	54.14		BEG BRIDGE		B	HALF BRIDGE BRDG NUM 101/051	ST																														
54.18	54.18		END SU LN		C	TWO WAY TURN	12A			1	1												C	60A	C	\$\$\$			60	3	01	1195	R1		25	L	B
54.20	54.20		END BRIDGE		B	HALF BRIDGE																															
54.22	54.22		INTRSECTN		R	SPRUCE ST	CT		Y																												
54.28	54.28		INTRSECTN		R	FERRY ST	CT		Y	1	1											C	44A	C				44	3	01	1195	R1		25	L	B	
54.30	54.30									1	1												C	44A	C				44	3	01	1195	R1		35	L	B
54.45	54.45									1	1											10A	38A	C				38	3	01	1195	R1		35	L	B	
54.55	54.55									1	1												10A	45A	C				45	3	01	1195	R1		35	L	B
54.63	54.63		BEG ST		I	W ROBERT BUSH DR				1	1												10A	45A	C				45	3	01	1195	R1		35	L	B

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
53.80	53.80				.01	11				
53.96	53.96				.02	12				
54.09	54.09				.02	12				

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR			LFT			RHT			USE			TOT															
:				-XROAD-		LNS			SHD			RDY			SHD			LNS			RDY												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
															WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
67.18	66.91		ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			GRAYS HARBOR CONTROL SECTION 1401 SGN ENT PACIFIC COUNTY SGN ENT GRAYS HARBOR CO																											
67.81	67.54		BEG BRIDGE	B		SALMON CREEK BRDG NUM 101/101	ST																										
67.83	67.56		END BRIDGE	B		SALMON CREEK																											
68.01	67.74		MP MARKER	R		68																											
69.00	68.73		MP MARKER	R		69																											
70.00	69.73		MP MARKER	R		70																											
70.14	69.87																																
71.00	70.73																																
71.03	70.76		MP MARKER	R		71																											
71.55	71.28																																
72.05	71.78		MP MARKER	R		72																											
72.15	71.88		BEG SU LN	R		TRUCK CLIMBING SHOULD10A																											
72.62	72.35		END SU LN	R		TRUCK CLIMBING SHOULD10A																											
72.90	72.63																																
73.00	72.73		MP MARKER	R		73																											
73.06	72.79																																
73.12	72.85		BEG SU LN	L		TRUCK CLIMBING SHOULD10A																											
73.74	73.47		END SU LN	L		TRUCK CLIMBING SHOULD10A																											
74.01	73.74		MP MARKER	L		74																											
			INTRSECTN	L		LUND RD	CO																										
74.37	74.10		INTRSECTN	R		NORTH RIVER RD	CO																										
74.46	74.19		BEG BRIDGE	B		NORTH RIVER BRDG NUM 101/105	ST																										
74.55	74.28		END BRIDGE	B		NORTH RIVER																											
74.74	74.47																																
74.78	74.51		MISC FEATR	R		SGN ENT ARTIC																											
74.80	74.53		INTRSECTN	R		ARTIC RD WYE CONN	CO																										
75.00	74.73		INTRSECTN	R		ARTIC RD	CO																										
75.03	74.76		MP MARKER	R		75																											
76.02	75.75		MP MARKER	R		76																											
76.22	75.95		MISC FEATR	L		SGN ENT ARTIC																											
76.67	76.40		WEIGH STA	R		NUMBER 12																											
76.79	76.52																																

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
74.37	74.10					.02	11			.03	11

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																				
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																						
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T P S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
81.46	81.11		BRDG NUM 101/110																																	
81.47	81.12		END BRIDGE B																																	
81.72	81.37		LEAVE CITY																																	
			ENTER CITY																																	
81.76	81.41		MISC FEATR		R	SGN ENT ABERDEEN																														
81.79	81.44		END ST		I	W FIRST ST																														
			BEG ST		I	S WEST BLVD																														
			INTRSECTN		R	TAYLOR ST																														
81.86	81.51		INTRSECTN		B	HOGAN ST																														
81.93	81.58		INTRSECTN		B	MEAD ST																														
81.99	81.64		MP MARKER		R	82																														
82.07	81.72		INTRSECTN		B	E SCHLEY ST																														
82.17	81.82		INTRSECTN		B	E PERRY ST																														
82.25	81.90		INTRSECTN		B	E CUSHING ST																														
82.34	81.99		END ST		I	S WEST BLVD																														
			BEG ST		I	N WEST BLVD																														
			INTRSECTN		B	E MARION ST																														
82.44	82.09		INTRSECTN		B	E SCOTT ST																														
82.52	82.17		INTRSECTN		B	N TILDEN ST																														
82.53	82.18		INTRSECTN		R	E KING ST																														
			INTRSECTN		L	W KING ST																														
82.62	82.27		END ST		I	N WEST BLVD																														
			BEG ST		I	W CURTIS ST																														
			INTRSECTN		R	E CURTIS ST																														
			INTRSECTN		R	N EVANS ST																														
82.69	82.34		INTRSECTN		B	N LAWRENCE ST																														
82.76	82.41		INTRSECTN		L	N COLUMBUS ST																														
82.82	82.47		INTRSECTN		B	N CUSTER ST																														
82.96	82.61		INTRSECTN		B	N CLARK ST																														
83.00	82.65		MP MARKER		R	83																														
83.02	82.67		INTRSECTN		L	SR 105 SPBOONE (SPUR)																														
83.17	82.82		END ST		I	W CURTIS ST																														
			BEG ST		I	SCOTT ST																														
			INTRSECTN		L	SR 105																														
83.19	82.84		RR XING		B	NUM 96745E GRADE																														
83.22	82.87		BEG BRIDGE B		B	CHEHALIS RIVER																														
						BRDG NUM 101/115																														

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-			
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
83.17	82.82					.02	13					

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY GRAYS HARBOR

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----														
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	TOT															
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
84.72	84.47		END ST	I		W ALDER ST								C	40A	C	40	4	01	0005	U1	30	L	B	*						
84.76	84.51		BEG ST	I		SUMNER AVE								C	48A	C	48	4	01	0005	U1	30	L	B	*						
			INTRSECTN	R		N ALDER ST	CT	Y																							
84.84	84.59		INTRSECTN	B		N WILLIAMS ST	CT	Y	2				8A	24A	8A	24	4	01	0005	U1	30	L	B	*							
84.89	84.64		INTRSECTN	B		N THORNTON ST	CT	Y																							
84.95	84.70		INTRSECTN	B		N JEFFERIES ST	CT	Y																							
85.01	84.76		MP MARKER	R		85																									
85.02	84.77		INTRSECTN	B		N SCAMMEL ST	CT	Y	2				11A	36A	\$\$C	36	4	01	0005	U1	30	L	B	*							
85.08	84.83		INTRSECTN	B		MARTIN ST	CT	Y	2				8A	24A	13A	24	4	01	0005	U1	30	L	B	*							
85.14	84.89		INTRSECTN	B		CONGER ST	CT	Y	2				8A	24A	8A	24	4	01	0005	U1	30	L	B	*							
85.21	84.96		INTRSECTN	B		RICE ST	CT	Y	2				8A	37A	\$\$C	37	4	01	0005	U1	30	L	B	*							
85.27	85.02		INTRSECTN	B		HAIGHT ST	CT	Y	2				\$\$C	36A	8A	36	4	01	0005	U1	30	L	B	*							
85.34	85.09		INTRSECTN	B		DUFFY ST	CT	Y	2				8A	24A	8A	24	4	01	0005	U1	30	L	B	*							
85.40	85.15		INTRSECTN	B		WOODING ST	CT	Y																							
85.47	85.22		INTRSECTN	B		MAPLE ST	CT	Y																							
85.54	85.29		INTRSECTN	B		WILLOW ST	CT	Y																							
85.61	85.36		INTRSECTN	B		OAK ST	CT	SG	Y	2			11A	37A	\$\$C	37	4	01	0005	U1	30	L	B	*							
85.67	85.42									2			\$\$C	48A	C	48	4	01	0005	U1	30	L	B	*							
85.78	85.53		LEAVE CITY			ABERDEEN				2			C	40A	C	40	4	01	0560	U1	30	L	B	*							
			ENTER CITY			HOQUIAM																									
			INTRSECTN	B		MYRTLE ST	CT	Y																							
85.86	85.61		INTRSECTN	B		31ST ST	CT	Y																							
85.96	85.71		INTRSECTN	B		30TH ST	CT	SG	Y																						
86.00	85.75		MP MARKER	R		86																									
86.06	85.81		INTRSECTN	B		29TH ST	CT	Y																							
86.16	85.91		INTRSECTN	B		28TH ST	CT	Y																							
86.28	86.03		INTRSECTN	B		27TH ST	CT	Y																							
86.40	86.15		INTRSECTN	B		ONTARIO ST	CT	Y																							
86.49	86.24		INTRSECTN	B		25TH ST	CT	Y																							
86.60	86.35		INTRSECTN	B		24TH ST	CT	Y																							
86.67	86.42		INTRSECTN	B		23RD ST	CT	SG	Y																						
86.75	86.50		INTRSECTN	B		22ND ST	CT	Y																							
86.76	86.51									2			C	40A	C	40	4	01	0560	U1	30	L	R	*							
86.81	86.56		INTRSECTN	B		21ST ST	CT	Y																							
86.89	86.64		END ST	I		SUMNER AVE				3			C	40A	C	40	4	01	0560	U1	30	L	P	*							
			BEG ST	I		RIVERSIDE AVE																									
			INTRSECTN	B		20TH ST	CT	Y																							
87.03	86.78		INTRSECTN	R		19TH ST	CT	Y																							
87.09	86.84		INTRSECTN	R		18TH ST	CT	Y																							
87.21	86.96		INTRSECTN	R		16TH ST	CT	Y	2				C	40A	\$	40	4	01	0560	U1	30	L	P	*							
87.26	87.01		INTRSECTN	L		15TH ST	CT	SG	Y	2			C	40A		40	4	01	0560	U1	30	L	L	*							
87.31	87.06		END ST	I		RIVERSIDE AVE				2			C	28P	C	28	4	01	0560	U1	25	L	P	\$							

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S										
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
87.31	87.06	BEG	BRIDGE	I		HOQUIAM RIVER BRDG NUM 101/125E	ST		2							C	28P	C				28	4	01	0560	U1		25	L	P					
87.40	87.15	END	BRIDGE	I		HOQUIAM RIVER			2							\$	33A	C				33	4	01	0560	U1		25	L	L					
87.41	87.16	BEG	ST	I		LEVEE ST			2								33A	C				33	4	01	0560	U1		30	L	L	*				
			INTRSECTN	L		LEVEE ST				CT	SG	Y																							
			RR XING	I		NUM 96769T GRADE																													
87.47	87.22	INTRSECTN		L		SR 101 COUPLT WYE CONN	ST	SG	Y																										
87.49	87.24	INTRSECTN		L		SR 101 COABERDN (COUPLT)	ST	SG	Y	1	1					C	48A	C				48	4	01	0560	U1		30	L	P	*				
			MISC FEATR	D		COUPLT - COABERDN		SG	Y																										
87.66	87.26	END	ST	I		LEVEE ST			2	1						C	33A	C	11			44	4	01	0560	U1		30	L	P	*				
			EQUATION			087.51 =087.66																													
			BEG SU LN	C		TWO WAY TURN	11A																												
			BEG ST	I		LINCOLN ST																													
			INTRSECTN	L		SR 109		ST	SG	Y																									
87.72	87.32	INTRSECTN		B		KARR AVE	CT	Y	1	1						C	33A	C	11			44	4	02	0560	U1		30	L	B	*				
87.79	87.39	END	SU LN	C		TWO WAY TURN	11A			1	1					C	44A	C	\$\$\$			44	4	02	0560	U1		30	L	B	*				
			INTRSECTN	B		EKLUND AVE	CT	Y																											
87.85	87.45	INTRSECTN		B		CHENAULT AVE	CT	Y																											
87.89	87.49	INTRSECTN		L		BLUFF AVE	CT	Y																											
87.91	87.51	INTRSECTN		R		WHEELER AVE	CT	Y																											
87.93	87.53	INTRSECTN		L		CITY ST	CT	Y																											
87.96	87.56	INTRSECTN		L		HILL AVE	CT	Y																											
87.97	87.57	INTRSECTN		L		EMERALD CT	CT	Y																											
			INTRSECTN	R		WASHINGTON AVE	CT	Y																											
88.04	87.64	INTRSECTN		R		SOULE AVE	CT	Y																											
88.07	87.67	INTRSECTN		L		GRAND AVE	CT	Y																											
88.10	87.70	INTRSECTN		R		ARNOLD AVE	CT	Y																											
88.16	87.76	INTRSECTN		R		RAMER AVE	CT	Y																											
88.23	87.83	INTRSECTN		R		SMITH AVE	CT	Y																											
88.29	87.89	INTRSECTN		R		MILL AVE	CT	Y																											
88.36	87.96	INTRSECTN		B		DION AVE	CT	SG	Y																										
88.41	88.01	INTRSECTN		B		WOOD AVE	CT	Y																											
88.47	88.07	END	ST	I		LINCOLN ST				1	1					C	44A	C				44	4	02	0560	U1		30	L	B	\$				
88.48	88.08	BEG	ST	I		PERRY ST				1	1					C	44A	C				44	4	02	0560	U1		30	L	P	*				
			INTRSECTN	R		PERRY AVE	CT	Y																											
			INTRSECTN	R		LINCOLN ST	CT	Y																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
87.66	87.26		.04	11						
87.79	87.39				.02	11				
88.48	88.08				.03	11				

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							CT	Y	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
							-BRIDGE	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
88.56	88.16	INTRSECTN	B	LAUREL ST	CT	Y 1 1								C 44A	C		44	4	02	0560	U1	30	L	B	*		
88.64	88.24	INTRSECTN	B	MARION ST	CT	Y																					
88.73	88.33	INTRSECTN	B	MINOR ST	CT	Y																					
88.76	88.36	INTRSECTN	R	BURNS ST	CT	Y																					
88.82	88.42					1 1								C 43A	10G		43	4	02	0560	U1	30	L	B	*		
88.87	88.47	END ST	I	PERRY ST		1 1								11A	27A	14A	27	4	02	0560	U1	30	L	P	\$		
		INTRSECTN	B	QUEEN AVE	CT	Y																					
88.94	88.54	BEG BRIDGE	B	LITTLE HOQUIAM RIVER	ST	1 1								\$W	52A	\$W	52	4	02	0560	U1	30	L	P			
				BRDG NUM 101/130																							
88.99	88.59	END BRIDGE	B	LITTLE HOQUIAM RIVER		1 1								8A	24A	8A	24	4	02	0560	U1	30	L	P			
89.00	88.60	MP MARKER	R	89																							
89.02	88.62	INTRSECTN	L	SR 109 SPLONNGR (SPUR)	ST	Y																					
89.06	88.66					1 1								8A	24A	8A	24	4	02	0560	R1	50	R	P			
89.16	88.76	MISC FEATR	L	SGN ENT HOQUIAM																							
89.24	88.84	INTRSECTN	L	SANITARY LAND FILL	CT	N																					
89.40	89.00	LEAVE CITY		HOQUIAM		1 1								8A	24A	8A	24	4	02	\$\$\$\$	R1	50	R	\$			
89.66	89.26	INTRSECTN	R	LUMBER MILL LN	PV	N																					
90.01	89.61	MP MARKER	R	90																							
90.02	89.62	INTRSECTN	R	FAIRFIELD ACRES DR	CO	N																					
90.31	89.91	INTRSECTN	R	OLD STATE 9 RD	CO	N																					
90.60	90.20	ENT FROM	L	WEIGH STATION	ST	N																					
90.68	90.28	WEIGH STA	L	NUMBER 11																							
90.72	90.32	INTRSECTN	R	OLD STATE 9 RD	CO	N																					
		EXIT TO	L	WEIGH STATION	ST	N																					
90.75	90.35					1 1								10A	24A	8A	24	4	02		R1	50	R				
90.98	90.58					1 1								8A	24A	8A	24	4	02		R1	50	R				
91.00	90.60	MP MARKER	R	91																							
91.21	90.81	ENTER CITY		HOQUIAM		1 1								8A	24A	8A	24	4	02	0560	R1	50	R	P			
91.33	90.93	LEAVE CITY		HOQUIAM		1 1								8A	24A	8A	24	4	02	\$\$\$\$	R1	50	R	\$			
91.80	91.40					1 1								7A	24A	8A	24	4	02		R1	50	R				
91.87	91.47	BEG BRIDGE	B	BERNARD CREEK	ST	1 1								\$C	44A	\$W	44	4	02		R1	50	R				
				BRDG NUM 101/132																							
91.89	91.49	END BRIDGE	B	BERNARD CREEK		1 1								8A	24A	8A	24	4	02		R1	50	R				
91.92	91.50	EQUATION		091.90 =091.92		1 1								7A	24A	7A	24	4	02		R1	50	R				
		INTRSECTN	L	OCEAN BEACH RD	CO	Y																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
89.02	88.62			.03	11							.04	10		
89.24	88.84			.04	13							.02	13		
89.66	89.26					.09	13			.05	13				
91.92	91.50			.04	12			.03	12			.04	12		

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL		T	P	S						
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
99.63			99.21																								
100.00			99.58			MP MARKER																					
100.02			99.60			BEG SU LN																					
100.30			99.88			BEG SU LN																					
100.45			100.03			END SU LN																					
100.61			100.19			END SU LN																					
100.76			100.34			INTRSECTN																					
100.97			100.55			MP MARKER																					
101.91			101.49			101																					
101.94			101.52			INTRSECTN																					
102.00			101.58			MP MARKER																					
102.06			101.64			INTRSECTN																					
102.61			102.19			BEG BRIDGE																					
102.64			102.22			END BRIDGE																					
103.00			102.58			MP MARKER																					
104.00			103.58			MP MARKER																					
104.37			103.95																								
104.55			104.13			TRAF RCDR																					
104.70			104.28			INTRSECTN																					
105.00			104.58			MP MARKER																					
106.00			105.58			MP MARKER																					
106.39			105.97			INTRSECTN																					
106.54			106.12			INTRSECTN																					
106.69			106.27																								
107.00			106.58			MP MARKER																					
107.35			106.93			INTRSECTN																					
108.00			107.58			MP MARKER																					
108.37			107.95			INTRSECTN																					
108.84			108.42			BEG BRIDGE																					
108.87			108.45			END BRIDGE																					
109.00			108.58			MP MARKER																					
109.08			108.66			END BRIDGE																					
109.14			108.72			MISC FEATR																					
109.28			108.86			INTRSECTN																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-			
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
109.28			.04	12			.04	12				

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---							
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
120.47			120.05						1	1														
120.90			120.48						1	1														
121.00			120.58	MP MARKER	R	121																		
122.00			121.58	MP MARKER	R	122																		
122.25			121.83						1	1														
122.32			121.90	INTRSECTN	R	BURN RD	CO	N																
122.79			122.37	MISC FEATR	R	SGN ENT NEILTON																		
122.96			122.54	INTRSECTN	R	NEILTON LN	CO	N																
123.00			122.58	MP MARKER	R	123																		
123.01			122.59	INTRSECTN	L	OLD MILL LN	CO	N																
123.26			122.84	MISC FEATR	L	SGN ENT NEILTON																		
123.42			123.00						1	1														
123.66			123.24	INTRSECTN	L	CO RD	CO	N																
123.74			123.32	BEG BRIDGE	B	S FK BOULDER CREEK BRDG NUM 101/157	ST		1	1														
123.78			123.36	END BRIDGE	B	S FK BOULDER CREEK			1	1														
124.00			123.58	MP MARKER	R	124																		
124.02			123.60	BEG BRIDGE	B	BOULDER CREEK BRDG NUM 101/158	ST		1	1														
124.03			123.61	END BRIDGE	B	BOULDER CREEK			1	1														
125.00			124.58	MP MARKER	R	125																		
125.38			124.96	BEG SU LN	L	CLIMBING		12A	1	1														
125.48			125.06	CHG SU LN	L	CLIMBING		12B	1	1														
125.54			125.12	MISC FEATR	R	QUINALT INDIAN RES BNDY																		
125.55			125.13	INTRSECTN	R	SOUTH SHORE RD	CO	N																
126.02			125.60	MP MARKER	R	126																		
126.43			126.01	INTRSECTN	R	OLD STATE 9	CO	Y																
126.52			126.10	END SU LN	L	CLIMBING		12B	1	1														
126.58B			126.16	BEG EQ		BEGIN BACK																		
126.58			126.17	EQUATION		126.59B=126.58			1	1														
126.59			126.18						1	1														
126.62			126.21	BEG BRIDGE	B	QUINALT RIVER BRDG NUM 101/160	ST		1	1														
126.69			126.28	END BRIDGE	B	QUINALT RIVER			1	1														
126.70			126.29	MISC FEATR	R	SGN ENT AMANDA PARK			1	1														

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
122.32			121.90			.01	13					.02	11		
122.96			122.54			.02	13								
126.43			126.01			.02	12					.03	12		

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RDY SHD W/S W/S W/S		SPC USE TOT LNS RDY WID WID		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB	
126.71	126.30	INTRSECTN	R	CO	N	1 1							4A	23A	4A			23	4	02		R1	45	R
126.78	126.37	INTRSECTN	L	CO	N																			
126.80	126.39	INTRSECTN	R	CO	N																			
126.90	126.49	BEG SU LN	R	12A		1 1							4A	23A	4A	12	35	4	02		R1	45	R	
126.91	126.50	MISC FEATR	L																					
126.99	126.58	MP MARKER	R			127																		
127.01	126.60	BEG SU LN	C	13A		1 1							4A	23A	4A	25	48	4	02		R1	45	R	
		EXIT TO	R	CO	Y																			
127.06	126.65					1 1							4A	23A	4A	25	48	4	02		R1	55	R	
127.11	126.70	END SU LN	C	13A		1 1							4A	23A	4A	12	35	4	02		R1	55	R	
		ENT FROM	R	CO	Y																			
127.22	126.81	END SU LN	R	12A		1 1							4A	23A	4A	\$\$\$	23	4	02		R1	55	R	
127.23	126.82					1 1							4A	24A	4A		24	4	02		R1	55	R	
127.99	127.58	MP MARKER	R			128																		
128.63	128.22	ENT/EXIT	L	PV	N																			
		INTRSECTN	R	CO	N																			
		MISC FEATR	L			MAINT YARD L																		
128.93	128.52	MISC FEATR	L			QUINault INDIAN RES BNDY																		
128.99	128.58	MP MARKER	R			129																		
129.13	128.72	REST AREA	R			QUINault CS 140191 H346 MAJOR																		
129.19	128.78	INTRSECTN	R	CO	N																			
129.23	128.82	BEG BRIDGE	B	ST		1 1							\$\$W	36A	\$\$W		36	4	02		R1	55	R	
						BRDG NUM 101/162																		
129.25	128.84	END BRIDGE	B			1 1							4A	24A	4A		24	4	02		R1	55	R	
129.98	129.57	BEG BRIDGE	B	ST		1 1							\$\$W	36A	\$\$W		36	4	02		R1	55	R	
						BRDG NUM 101/164																		
129.99	129.58	END BRIDGE	B			1 1							4A	24A	4A		24	4	02		R1	55	R	
130.00	129.59	MP MARKER	R			130																		
130.73	130.32	INTRSECTN	R	CO	N																			
130.74	130.33	BEG BRIDGE	B	ST		1 1							\$\$W	36A	\$\$W		36	4	02		R1	55	R	
						BRDG NUM 101/167																		
130.75	130.34	END BRIDGE	B			1 1							4A	24A	4A		24	4	02		R1	55	R	
130.83	130.41	EQUATION				130.82 =130.83							3A	23A	3A		23	4	02		R1	55	R	
130.99	130.57	MP MARKER	R			131																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
126.80	126.39					.02	11			
127.01	126.60			.01	15					
128.63	128.22		.03	12		.03	12			

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY JEFFERSON DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
151.43		151.01	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			JEFFERSON CONTROL SECTION 1601 SGN ENT GRAYS HARBOR CO SGN ENT JEFFERSON COUNTY			1	1					4A	24A	4A			24	3	02		R1		55	R	
151.58		151.16							1	1					6A	24A	6A			24	3	02		R1		55	R	
151.70		151.28	INTRSECTN	R		INDIAN SER RD-OLD ALIGN	RS	Y																				
151.98		151.56	MP MARKER	R		152																						
152.00		151.58	BEG BRIDGE	B		QUEETS RIVER BRDG NUM 101/204	ST		1	1				\$W	36P	\$W			36	3	02		R1		55	R		
152.20		151.78	END BRIDGE	B		QUEETS RIVER			1	1				8A	24A	8A			24	3	02		R1		55	R		
152.41		151.99							1	1				6A	24A	6A			24	3	02		R1		55	R		
152.62		152.12	EQUATION			152.54 =152.62 ``			1	1				4A	24A	4A			24	3	02		R1		55	R		
153.00		152.50	MP MARKER	R		153																						
154.00		153.50	MP MARKER	R		154																						
154.13		153.63	MISC FEATR	R		SGN ENT OLYMPIC NATL PAR																						
155.00		154.50	MP MARKER	R		155																						
156.00		155.50	MP MARKER	R		156																						
156.80		156.30							1	1				4A	24A	4A			24	3	02		R1		45	R		
156.84		156.34	MISC FEATR	R		SGN ENT KALALOCH																						
156.93		156.43	ENT/EXIT	R		KALALOCH RANGER STATION	FS	N																				
156.99		156.49	ENT/EXIT	R		KALALOCH RANGER STATION	FS	N																				
157.00		156.50	MP MARKER	R		157																						
157.17		156.67	ENT/EXIT	L		KALALOCH LODGE	PV	N																				
157.37		156.87	BEG BRIDGE	B		KALALOCH CREEK BRDG NUM 101/207	ST		1	1				\$C	24A	\$C			24	3	02		R1		45	R		
157.40		156.90	END BRIDGE	B		KALALOCH CREEK			1	1				4A	24A	4A			24	3	02		R1		45	R		
157.69		157.19	ENT/EXIT	L		KALALOCH CAMPGROUND	FS	N						4A	24A	4A			24	3	02		R1		55	R		
157.95		157.45							1	1				4A	24A	4A			24	3	02		R1		55	R		
158.00		157.50	MP MARKER	R		158																						
158.35		157.85	MISC FEATR	L		SGN ENT KALALOCH																						
159.00		158.50	MP MARKER	R		159																						
160.00		159.50	MP MARKER	R		160																						
160.44		159.94	ENT/EXIT	L		OLYMPIC NATIONAL PARK RD	FS	N	1	1				3A	22A	3A			22	3	02		R1		55	R		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
151.70		151.28			.03	11		.03	11	
156.99		156.49			.03	11		.02	11	
157.17		156.67	.10	11				.02	11	
157.69		157.19	.02	11				.02	11	

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY JEFFERSON DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----				
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S													
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
184.62		184.03	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			CLALLAM CONTROL SECTION 0501 SGN ENT CLALLAM COUNTY SGN ENT JEFFERSON OCUNTY				1	1											3A	22A	3A				22	3	02		R1		55	R			
185.00		184.41	MP MARKER			R 185																																
185.06		184.47	INTRSECTN INTRSECTN			R KALLMAN RD L PVT RD				CO	N																											
185.34		184.75																																				
185.46		184.87	INTRSECTN			L SMITH RD				CO	Y																											
185.58		184.99	BEG BRIDGE			B BOGACHIEL RIVER BRDG NUM 101/302				ST																												
185.65		185.06	END BRIDGE			B BOGACHIEL RIVER																																
185.82B		185.23	BEG EQ			BEGIN BACK																																
185.82		185.24	EQUATION			185.83B=185.82																																
185.97		185.39	INTRSECTN ENT/EXIT			R UNDI RD L BOGACHIEL STATE PARK				CO	Y																											
185.99		185.41	MP MARKER			R 186																																
186.08		185.50																																				
186.49		185.91	INTRSECTN			L FUHRMAN RD				CO	N																											
187.00		186.42	MP MARKER			R 187																																
188.00		187.42	MP MARKER			R 188																																
188.99		188.41	MP MARKER			R 189																																
189.37		188.79	INTRSECTN			L MANSFIELD RD				CO	N																											
189.69		189.11	ENTER CITY			FORKS																																
189.73		189.15	MISC FEATR			R SGN ENT FORKS																																
189.91		189.33																																				
189.99		189.41	MP MARKER			R 190																																
190.02		189.44	INTRSECTN			L RUSSELL RD				CT	Y																											
190.03		189.45																																				
190.67		190.09																																				
190.69		190.11	BEG BRIDGE			B MILL CREEK BRDG NUM 101/304				ST																												
190.70		190.12	END BRIDGE			B MILL CREEK																																
190.90		190.32	INTRSECTN			R GUN CLUB RD				CT	Y																											
190.93		190.35																																				
190.98		190.40	INTRSECTN			R CITY ST				CT	Y																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
185.46		184.87	.02	12						.03	12
185.97		185.39	.03	12		.03	12				
190.02		189.44	.02	12							

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS-----																			
				D	LR		DESCRIPTION	-UXING-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
				:	:	OW	TC	L	LNS	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T			
191.00	190.42	MP	MARKER	R	191																											
191.06	190.48	INTRSECTN		R	FERNHILL RD	CT		Y																								
191.13	190.55	BEG ST		I	FORKS AVE																											
		INTRSECTN		L	G ST	CT		Y																								
191.15	190.57	BEG SU LN		C	TWO WAY TURN	12A																										
191.18	190.60																															
191.26	190.68	INTRSECTN		R	EAST E ST	CT		Y																								
		INTRSECTN		L	E ST W	CT		Y																								
191.33	190.75																															
191.40	190.82	INTRSECTN		L	C ST W	CT		Y																								
		INTRSECTN		R	EAST C ST	CT		Y																								
191.46	190.88	INTRSECTN		L	BOGACHIEL WAY SW	CT		Y																								
		INTRSECTN		R	BOGACHIEL WAY SE	CT		Y																								
191.53	190.95	INTRSECTN		L	A ST W	CT		Y																								
		INTRSECTN		R	EAST A ST	CT		Y																								
191.55	190.97	END SU LN		C	TWO WAY TURN	12A																										
191.58	191.00	INTRSECTN		L	DIVISION ST W	CT		SG	Y																							
		INTRSECTN		R	DIVISION ST E	CT		SG	Y																							
191.62	191.04	BEG SU LN		C	TWO WAY TURN	12A																										
191.64	191.06	INTRSECTN		R	CALAWAH WAY	CT		Y																								
		ENT/EXIT		L	BUSINESS	PV		Y																								
191.66	191.08	INTRSECTN		L	WOOD AVE NW	CT		Y																								
		INTRSECTN		L	SOL DUC WAY NW	CT		Y																								
191.73	191.15	END ST		I	FORKS AVE																											
		INTRSECTN		L	CAMPBELL ST NW	CT		Y																								
191.79	191.21	END SU LN		C	TWO WAY TURN	12A																										
191.81	191.23																															
191.83	191.25	INTRSECTN		R	TILlicUM LN	CT		Y																								
192.02	191.44	MP	MARKER	R	192																											
192.07	191.49	INTRSECTN		R	JOHNSON RD	CT		N																								
192.14	191.56	INTRSECTN		L	SOL DUC WAY	CT		Y																								
192.17	191.59	INTRSECTN		R	OLYMPIC DR	CT		Y																								
192.20	191.62																															
192.36	191.78	BEG BRIDGE B			CALAWAH RIVER	ST																										
					BRDG NUM 101/308																											
192.41	191.83	END BRIDGE B			CALAWAH RIVER																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
191.58	191.00		.02	12						
191.64	191.06		.02	12						

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---											
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV				INCRS/UNDI				SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT													
: :				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
192.60			192.02								1	1					6A	24A	6A		24	3	02	0465	R1		50	R	P		
193.01			192.43			MP MARKER																									
193.12			192.54			INTRSECTN																									
193.30			192.72			ENT/EXIT											8A	23A	8A		23	3	02	0465	R1		50	R	P		
						INTRSECTN																									
193.31			192.73			LEAVE CITY											8A	23A	8A		23	3	02	\$\$\$\$	R1		50	R	\$		
193.38			192.80			EXIT TO																									
193.50			192.92														8A	23A	8A		23	3	02		R1		60	R			
193.55			192.97			WEIGH STA																									
193.86			193.28			ENT FROM																									
193.96			193.38			INTRSECTN																									
194.00			193.42			MP MARKER																									
194.30			193.72			BEG BRIDGE B											\$\$C	26A	\$\$C		26	3	02		R1		60	R			
						SOLEDUCK RIVER																									
						BRDG NUM 101/310																									
194.35			193.77			END BRIDGE B											8A	22A	8A		22	3	02		R1		60	R			
						SOLEDUCK RIVER																									
194.80			194.22			INTRSECTN																									
195.01			194.43			MP MARKER																									
195.20			194.62			INTRSECTN																									
196.01			195.43			MP MARKER																									
196.20			195.62			INTRSECTN																									
196.24			195.66			INTRSECTN																									
196.60			196.02			INTRSECTN																									
197.00			196.42			MP MARKER																									
197.04			196.46			INTRSECTN																									
197.16			196.58			INTRSECTN																									
197.43			196.85			INTRSECTN																									
198.01			197.43			MP MARKER																									
198.14			197.56			INTRSECTN																									
198.49			197.91			BEG BRIDGE B											\$\$C	26A	\$\$C		26	3	02		R1		60	R			
						LAKE CREEK																									
						BRDG NUM 101/312																									
198.52			197.94			END BRIDGE B											8A	22A	8A		22	3	02		R1		60	R			
						LAKE CREEK																									
198.71			198.13			INTRSECTN																									
198.99			198.41			MP MARKER																									
199.76			199.18																												
199.86			199.28			INTRSECTN											8A	22A	8A		22	3	02		R1		50	R			
						LAKE CREEK RD																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
193.12			192.54	.03	12					.04	12	
193.30			192.72								.10	12
193.96			193.38			.04	13					
198.71			198.13			.05	14					

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

			:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----													
			: :LEFT/RIGHT INDICATOR		-UXING-	NBR		DECREAS/DIV		INCRS/UNDI		SPC													
			:		-XROAD-	LNS		SHD RDY SHD		LFT RHT		LNS RDY		USE TOT											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S	
200.01	199.43		MP MARKER	R		200																			
200.19	199.61		INTRSECTN	L		PRICE-LOUSHIN RD	CO		N				8A	22A	8A			22	3	02		R1		50	R
200.30	199.72		INTRSECTN	L		TAYLOR ST	CO		N																
200.32	199.74		BEG SU LN	C		TWO WAY TURN		10A					8A	22A	8A	10		32	3	02		R1		50	R
200.35	199.77		END SU LN	C		TWO WAY TURN		10A					8A	22A	8A	\$\$\$		22	3	02		R1		50	R
200.40	199.82		INTRSECTN	L		WEST LAKE PLEASANT RD	CO		Y																
200.68	200.10																								
200.87	200.29		INTRSECTN	L		LAKE PLEASANT PARK RD	CO		Y				8A	22A	8A			22	3	02		R1		60	R
201.01	200.43		MP MARKER	R		201																			
201.43	200.85		INTRSECTN	R		CONLEY RD	CO		N																
201.86	201.28		INTRSECTN	L		BEAVER AVE	CO		N																
202.00	201.42		INTRSECTN	L		E LAKE PLEASANT RD	CO		Y																
202.01	201.43		MP MARKER	R		202																			
202.04	201.46		INTRSECTN	R		STORMAN NORMAN RD	PV		N																
202.65	202.07		INTRSECTN	L		MAGNOLIA RD	CO		N																
203.01	202.43		MP MARKER	R		203																			
203.15	202.57		BEG BRIDGE	B		SOL DUC RIVER	ST		1	1			\$\$\$	24A	\$\$\$			24	3	02		R1		60	R
						BRDG NUM 101/314																			
203.21	202.63		END BRIDGE	B		SOL DUC RIVER			1	1			8A	22A	8A			22	3	02		R1		60	R
203.51	202.93		ENT/EXIT	L		REST AREA	ST		N																
			INTRSECTN	R		MARY CLARK RD	CO		N																
203.57	202.99		MISC FEATR	R		SGN ENT SAPPHO																			
203.66	203.08		BEG BRIDGE	B		SOL DUC RIVER	ST		1	1			\$\$\$	24A	\$\$\$			24	3	02		R1		60	R
						BRDG NUM 101/316																			
203.71	203.13		END BRIDGE	B		SOL DUC RIVER			1	1			6A	24A	6A			24	3	02		R1		60	R
203.76	203.18		INTRSECTN	L		RIXON RD	CO		N																
203.86	203.28		INTRSECTN	L		SR 113-BURNT MTN RD	ST		Y																
203.93	203.35		TRAF RCDR	B		R073 0																			
203.94	203.36		ENT/EXIT	L		PARK AND RIDE LOT	ST		Y																
204.00	203.42		MP MARKER	R		204																			
204.30	203.72																								
204.31	203.73		MISC FEATR	L		SGN ENT SAPPHO																			
204.99	204.41		MP MARKER	R		205																			
205.98	205.40		INTRSECTN	L		BEAR CREEK RD	CO		N																
206.00	205.42		MP MARKER	R		206																			
206.01	205.43		BEG BRIDGE	B		BEAR CREEK	ST		1	1			\$\$\$	26A	\$\$\$			26	3	02		R1		60	R

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
200.40	199.82			.03	10						
203.86	203.28			.03	12						

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY CLALLAM

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCREAS/UNDI			SPC					LEGAL			T P S														
: :LEFT/RIGHT INDICATOR				NBR		LFT RHT		LFT RHT			USE		TOT			SPEED			T P S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	D	IB	R	K	T					
206.01		205.43				BRDG NUM 101/318																											
206.10		205.52	END BRIDGE	B		BEAR CREEK																											
206.33		205.75	INTRSECTN	R		HILLSTROM RD	CO		N																								
207.00		206.42	MP MARKER	R		207																											
208.00		207.42	MP MARKER	R		208																											
208.13		207.55	INTRSECTN	L		WEST TWIN RD	PV		N																								
209.00		208.42	MP MARKER	R		209																											
209.18		208.60	MISC FEATR	R		SGN ENT OLYMPIC NAT FOR																											
209.43		208.85	INTRSECTN	L		WISEN CREEK RD	CO		N																								
210.00		209.42	MP MARKER	R		210																											
210.70		210.12	BEG SU LN	R		SLOW VEHICLE		10A																									
210.83		210.25	END SU LN	R		SLOW VEHICLE		10A																									
210.99		210.41	MP MARKER	R		211																											
211.12		210.54	INTRSECTN	R		RIVERSIDE RD	CO		N																								
211.28		210.70	INTRSECTN	R		RIVERSIDE RD	CO																										
211.39		210.81	INTRSECTN	L		W SNIDER RD	CO		N																								
211.55		210.97	BEG BRIDGE	B		SOL DUC RIVER	ST		1 1																								
						BRDG NUM 101/320																											
211.61		211.03	END BRIDGE	B		SOL DUC RIVER			1 1																								
211.83		211.25	ENT/EXIT	L		KLAWOWYA CAMPGROUND	FS		Y																								
211.88		211.30	INTRSECTN	R		COOPER RANCH RD	CO		N																								
211.99		211.41	MP MARKER	R		212																											
212.46		211.88	BEG BRIDGE	B		SOL DUC RIVER	ST		1 1																								
						BRDG NUM 101/322																											
212.52		211.94	END BRIDGE	B		SOL DUC RIVER			1 1																								
212.64		212.06							1 1																								
213.00		212.42	MP MARKER	R		213																											
213.01		212.43	INTRSECTN	L		E SNIDER RD	CO		N																								
213.11		212.53							1 1																								
213.99		213.41	MP MARKER	R		214																											
214.68		214.10							1 1																								
214.95		214.37							1 1																								
215.01		214.43	MP MARKER	R		215																											
215.25		214.67	INTRSECTN	L		HECKEL RD	CO		N																								
215.26		214.68							1 1																								
215.38		214.80							1 1																								
215.99		215.41	MP MARKER	R		216																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
211.39		210.81		.04	11						

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY CLALLAM

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCREAS/UNDI				SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT															
: :				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	IB	D	IB	R	K	T					
246.64	245.92		UXING	B		BLACK DIAMOND RD BRDG NUM 101/340	ST		1	1							7A	24A	7A				24	3	01		U1		45	R			
246.73	246.01		INTRSECTN	L		S PINE ST	CO		Y																								
246.74	246.02		ENTER CITY			PORT ANGELES			1	1							7A	24A	7A				24	3	01	0990	U1		30	R	P		
246.96	246.24		BEG ST	I		W LAURIDSEN BLVD			1	1							\$\$\$	50A	\$\$\$				50	3	01	0990	U1		30	R	B	*	
			INTRSECTN	R		OAK ST			CT	Y																							
			INTRSECTN	L		W 15TH ST			CT	Y																							
246.99	246.27		BEG SU LN	C		TWO WAY TURN	11A		1	1							C	38A	C	11			49	3	01	0990	U1		30	R	B	*	
247.01	246.29		INTRSECTN	L		OAK ST			CT	Y																							
247.07	246.35		END SU LN	C		TWO WAY TURN	11A		1	1							C	50A	C	\$\$\$			50	3	01	0990	U1		30	R	B	*	
			INTRSECTN	R		S LAUREL ST			CT	Y																							
247.09	246.37		BEG SU LN	C		TWO WAY TURN	11A		1	1							C	38A	C	11			49	3	01	0990	U1		30	R	B	*	
247.12	246.40		END ST	I		W LAURIDSEN BLVD																											
			BEG ST	I		E LAURIDSEN BLVD																											
			INTRSECTN	L		S LAUREL ST			CT	Y																							
247.17	246.45		INTRSECTN	R		S LINCOLN ST			CT	Y																							
247.18	246.46		INTRSECTN	R		E LAURIDSEN BLVD WYE	CON	CT	Y																								
247.19	246.47		END ST	I		E LAURIDSEN BLVD			1	1							C	50A	C	\$\$\$			50	3	01	0990	U1		30	R	B	\$	
			END SU LN	C		TWO WAY TURN	11A																										
			INTRSECTN	R		E LAURIDSEN BLVD			CT	SG	Y																						
247.20	246.48		INTRSECTN	R		E LAURIDSEN BLVD WYE	CON	CT	Y																								
247.28	246.56		BEG ST	I		LINCOLN ST			1	1							C	42A	C				42	3	01	0990	U1		30	R	B	*	
			INTRSECTN	L		E 13TH ST			CT	Y																							
247.35	246.63		INTRSECTN	B		E 12TH ST			CT	Y																							
247.42	246.70		INTRSECTN	B		E 11TH ST			CT	Y																							
247.49	246.77		INTRSECTN	B		E 10TH ST			CT	Y																							
247.56B	246.84		BEG EQ			BEGIN BACK																											
			INTRSECTN	B		E 9TH ST			CT	Y																							
247.56	246.90		EQUATION			247.62B=247.56			1	1							C	50A	C				50	3	01	0990	U1		30	R	B	*	
			INTRSECTN	B		EIGHTH ST			CT	SG	Y																						
247.60	246.94		BEG SU LN	C		TWO WAY TURN	12A		1	1							C	38A	C	12			50	3	01	0990	U1		30	R	B	*	
247.63	246.97		INTRSECTN	B		E 7TH ST			CT	Y																							
247.70	247.04		INTRSECTN	B		E 6TH ST			CT	Y																							

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
246.96	246.24			.02	12						
247.07	246.35					.02	12				
247.18	246.46					.03	11				
247.19	246.47					.02	12				
247.56	246.90			.03	12						

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY CLALLAM

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																			
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																						
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
247.71		247.05																																		
247.74		247.08	END SU LN	C		TWO WAY TURN																														
247.77		247.11	INTRSECTN	B		E 5TH ST																														
247.81		247.15	BEG SU LN	C		TWO WAY TURN																														
247.84		247.18	END SU LN	C		TWO WAY TURN																														
			INTRSECTN	B		E 4TH ST																														
247.87		247.21	BEG SU LN	C		TWO WAY TURN																														
247.91		247.25	INTRSECTN	B		E 3RD ST																														
247.98		247.32	END SU LN	C		TWO WAY TURN																														
			INTRSECTN	B		E 2ND ST																														
248.02		247.36																																		
248.06		247.40	END ST	I		LINCOLN ST																														
			BEG ST	I		E FIRST ST																														
			INTRSECTN	L		E 1ST ST																														
			INTRSECTN	L		SR 101 COPRTANG (COUPLT)																														
			MISC FEATR	D		COUPLT - COPRTANG																														
248.15		247.49	INTRSECTN	L		N CHASE ST																														
			INTRSECTN	R		S CHASE ST																														
248.25		247.59	INTRSECTN	B		PEABODY ST																														
248.35		247.69	INTRSECTN	B		VINE ST																														
248.45		247.79	INTRSECTN	R		S ALBERT ST																														
			INTRSECTN	L		N ALBERT ST																														
248.55		247.89	INTRSECTN	R		S EUNICE ST																														
			INTRSECTN	L		N EUNICE ST																														
248.64		247.98	INTRSECTN	L		N FRANCIS ST																														
			INTRSECTN	R		S FRANCIS ST																														
248.75		248.09	INTRSECTN	B		RACE ST																														
248.84		248.18	INTRSECTN	L		N WASHINGTON ST																														
			INTRSECTN	R		S WASHINGTON ST																														
248.94		248.28	INTRSECTN	B		CHAMBERS ST																														
249.04		248.38	INTRSECTN	B		JONES ST																														
249.14		248.48	INTRSECTN	R		S LIBERTY ST																														
			INTRSECTN	L		N LIBERTY ST																														

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
247.77		247.11		.02	12						
247.84		247.18				.02	12				
247.98		247.32				.02	12				
248.25		247.59		.03	12	.02	12				
248.75		248.09		.03	12	.03	12				

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---																
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
				:LEFT/RIGHT INDICATOR		-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	WID	A	SE	NBR	FC	D	IB	R	K	T		
				:		-XROAD-	D	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID												
249.15	248.49		INTRSECTN	R	S	ENNIS ST	CT	SG	Y						C	52A	C			52	3	01	0990	U1		35	R	B	*
249.25	248.59		INTRSECTN	L	N	ENNIS ST	CT	SG	Y																				
249.35	248.69		INTRSECTN	L		ALDER ST	CT		Y						C	62A	C			62	3	01	0990	U1		35	R	P	*
249.54	248.88		MISC FEATR	I	BEG	L&R TURN LANES																							
			END ST	I	E	FIRST ST									C	62A	C			62	3	01	0990	U1		35	R	P	\$
			INTRSECTN	R	S	PENN ST	CT		Y																				
			INTRSECTN	L	N	PENN ST	CT		Y																				
249.61	248.95		INTRSECTN	L	SR 101	COUPLT WYE CONN	ST		Y																				
249.63	248.97		INTRSECTN	B	GOLF	COURSE RD	CT	SG	Y						C	37A	C			37	3	01	0990	U1		35	R	P	
249.65	248.99		INTRSECTN	L	SR 101	COPRTANG (COUPLT)	ST		Y	2	2				C	62A	C			62	3	01	0990	U1		35	R	P	
			MISC FEATR	D	COUPLT	- COPRTANG																							
249.66	249.00		BEG SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	13		62	3	01	0990	U1		35	R	P	
249.80	249.14									2	2				C	49A	C	13		62	3	01	0990	U1		40	R	P	
249.82	249.16		END SU LN	C	TWO	WAY TURN	13A			2	2				C	62A	C	\$\$\$		62	3	01	0990	U1		40	R	P	
249.83	249.17		INTRSECTN	R	DEL	GUZZI DR		CT	SG	Y																			
249.89	249.23		LEAVE CITY		PORT	ANGELES				2	2				C	62A	C			62	3	01	\$\$\$	U1		40	R	\$	
249.90	249.24		BEG SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	13		62	3	01		U1		40	R		
250.00	249.34		MP MARKER	R	250																								
250.02	249.36		END SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	\$\$\$		49	3	01		U1		40	R		
250.07	249.41		INTRSECTN	L	BAKER	ST		CO		Y																			
250.08	249.42		BEG SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	13		62	3	01		U1		40	R		
250.20	249.54		END SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	\$\$\$		49	3	01		U1		40	R		
			INTRSECTN	L	CO	RD		CO		N																			
250.25	249.59		INTRSECTN	L	GALES	ST		CO		Y																			
250.26	249.60		BEG SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	13		62	3	01		U1		40	R		
250.34	249.68		END SU LN	C	TWO	WAY TURN	13A			2	2				C	62A	C	\$\$\$		62	3	01		U1		40	R		
250.38	249.72		INTRSECTN	R	MONROE	RD		CO	SG	Y																			
			INTRSECTN	L	PIONEER	RD		CO	SG	Y																			
250.45	249.79		BEG SU LN	C	TWO	WAY TURN	13A			2	2				C	49A	C	13		62	3	01		U1		40	R		
250.58	249.92		END SU LN	C	TWO	WAY TURN	13A			2	2				C	62A	C	\$\$\$		62	3	01		U1		40	R		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
			---	---	---	---	---	---	---	---
249.25	248.59		.02	12	.02	12				
249.54	248.88		.19	18	.19	18				
249.63	248.97		.09	18	.09	18	.03	11		
249.83	249.17				.03	13				
250.07	249.41		.03	11						
250.25	249.59		.03	12						
250.38	249.72		.03	12	.04	12				

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																		
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
250.59	249.93																														
250.64	249.98		INTRSECTN	L	N	BROOK AVE	CO		Y																U1		40	R			
			INTRSECTN	R	S	BROOK AVE	CO		Y																						
250.75	250.09		INTRSECTN	R	S	BAY VIEW AVE	CO		Y																						
			INTRSECTN	L	N	BAY VIEW AVE	CO		Y																						
250.80	250.14		BEG SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
250.87	250.21		END SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
			INTRSECTN	R		LEIGHLAND AVE	CO		Y																						
250.92	250.26		BEG SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
250.95	250.29		END SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
251.00	250.34		MP MARKER	R		251																									
251.01	250.35		INTRSECTN	L	N	LILAC AVE	CO		Y																						
251.06	250.40		INTRSECTN	R	MT	PLEASANT RD	CO	SG	Y																						
			INTRSECTN	L		LARCH AVE	CO	SG	Y																						
251.11	250.45		BEG SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
			INTRSECTN	R		SLATE DR	CO		Y																						
251.16	250.50		INTRSECTN	R		ELWHA RD	CO		Y																						
251.25	250.59		END SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
251.31	250.65									2	2														U1		40	R			
251.32	250.66		INTRSECTN	L		MAHOGANY ST	CO		Y																						
251.33	250.67		BEG SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
251.47	250.81		END SU LN	C		TWO WAY TURN	13A			2	2														U1		40	R			
251.53	250.87		INTRSECTN	L		MASTERS RD	CO	SG	Y																						
			ENT/EXIT	R		BUSINESS	PV	SG	Y																						
251.60	250.94		ENT/EXIT	R		BUSINESS	PV		N																						
251.68	251.02		INTRSECTN	L		MASTERS RD	CO		Y	2	2														U1		40	R			
251.90	251.24									2	2														U1		50	R			
252.00	251.34		MP MARKER	R		252																									
252.13	251.47		INTRSECTN	R		COTTONWOOD LN	PV		Y																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----					
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
250.64	249.98			.03	12			.03	12				
250.75	250.09			.03	12			.03	12				
250.87	250.21					.03	12						
251.01	250.35			.04	12								
251.06	250.40			.03	12			.03	12				
251.32	250.66			.03	12								
251.53	250.87			.04	12	.05	13	.04	12				
251.60	250.94					.02	12						
251.68	251.02			.03	12					.02	12		
252.13	251.47					.03	12			.02	10		

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
252.16	251.50	BEG	BRIDGE	B		MORSE CREEK BRDG NUM 101/350	ST	2	2						\$\$\$	78P	\$\$\$		78	3	01		R1		50	R
252.20	251.54	END	BRIDGE	B		MORSE CREEK		2	2						8A	50A	8A		50	3	01		R1		50	R
252.26	251.60	INTRSECTN		L		STRAIT VIEW DR	CO	Y	2	2					8A	50A	10A		50	3	01		R1		50	R
252.66	252.00	ENT/EXIT		L		VIEW POINT	ST		N																	
252.91	252.16	EQUATION				252.82 =252.91																				
252.93	252.18	INTRSECTN		L		BUCHANAN RD	CO		Y																	
253.00	252.25	MP MARKER		R		253																				
253.10	252.35	INTRSECTN		R		DEER PARK RD	CO		Y																	
253.16	252.41							2	2	8A	24A		15A	UP	\$\$\$	24A	10A		48	3	01		R1		50	R
253.20	252.45							2	2	8A	24A		15A	UP		24A	10A		48	3	01		R1		55	R
253.31	252.56							2	2	8A	24A	7A	35S	DE	5A	24A	10A		48	3	01		R1		55	R
253.42	252.67	ENT FROM		L		WB 101 U TURN RT	ST		N																	
253.43	252.68							2	2	8A	24A	4A	35S	DE	4A	24A	10A		48	3	01		R1		55	R
253.44	252.69	INTRSECTN		C		MEDIAN XROAD	ST		N																	
		EXIT TO		L		WB 101 U TURN RT	ST		N																	
253.46	252.71	INTRSECTN		C		MEDIAN RD	ST		N																	
		EXIT TO		R		EB 101 U TURN RT	ST		N																	
253.48	252.73	ENT FROM		R		EB 101 U TURN RT	ST		N																	
253.88B	253.13	BEG EQ				BEGIN BACK																				
253.88	253.14	EQUATION				253.89B=253.88																				
		INTRSECTN		C		MEDIAN XROAD	ST		Y																	
		INTRSECTN		R		S BAGLEY CREEK RD	CO		Y																	
		INTRSECTN		L		N BAGLEY CREEK RD	CO		Y																	
254.00	253.26	MP MARKER		R		254																				
254.13	253.39	INTRSECTN		C		MEDIAN XROAD	ST		Y																	
		INTRSECTN		R		SHORT RD	CO		Y																	
		INTRSECTN		L		LAKE FARM RD	CO		Y																	
254.45	253.71	TRAF RCDR		B		R069 0																				
254.46	253.72	ENT FROM		L		WEIGH STATION	ST		Y																	
254.51	253.77	INTRSECTN		C		MEDIAN XROAD	ST		Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
252.26	251.60		.04	12						.03 12
252.93	252.18		.04	12						.03 12
253.10	252.35				.03	12			.03	12
253.44	252.69		.03	14						
253.46	252.71				.03	14				
253.88	253.14		.03	14					.04	14
254.13	253.39		.03	14						.03 14

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----							
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			LEGAL		T P S			
							CO	N	1	1		8A	25A	8A		25	3	01		R1	55	R			
258.12	257.36		INTRSECTN	R	S	BARR RD	CO	N	1	1		8A	25A	8A		25	3	01		R1	55	R			
			INTRSECTN	L	N	BARR RD	CO	N																	
258.21	257.45		BEG BRIDGE	B		MCDONALD CREEK	ST		1	1		\$\$\$	28A	\$\$\$		28	3	01		R1	55	R			
						BRDG NUM 101/354																			
258.24	257.48		END BRIDGE	B		MCDONALD CREEK			1	1		8A	25A	8A		25	3	01		R1	55	R			
258.31	257.55		INTRSECTN	R		SHERBOURNE RD	CO	N																	
			INTRSECTN	L		MCDONALD CREEK RD	CO	N																	
259.00	258.24		MP MARKER	R		259																			
259.18	258.42		INTRSECTN	L		DRYKE RD	CO	Y																	
			INTRSECTN	R		PIERSON RD	CO	Y																	
259.95	259.19		INTRSECTN	L		KITCHEN-DICK RD	CO	Y	2	1		4A	46A	5A		46	3	01		R1	55	R			
			INTRSECTN	R		KIRK RD	CO	Y																	
260.00	259.24		MP MARKER	R		260																			
260.06	259.30								2	2		4A	46A	5A		46	3	01		R1	55	R			
260.12	259.36								2	2		4A	46A	4A		46	3	01		R1	55	R			
260.47	259.71		INTRSECTN	L		BOYCE RD N	CO	N	2	2	8A	24A		14A	UP	\$\$\$	24A	8A		48	3	01	R1	55	R
			INTRSECTN	R		BOYCE RD S	CO	N																	
			INTRSECTN	L		JOSLIN RD	CO	Y																	
260.73	259.97								2	2	8A	24A	4A	28S	DE	4A	24A	8A		48	3	01	R1	55	R
260.93	260.17								2	2	8A	24A	4A	28S	DE	4A	24A	4A		48	3	01	R1	55	R
261.00	260.24		MP MARKER	R		261			2	2	8A	24A	4A	28S	DE	4A	24A	4A		48	3	01	R1	55	R
261.06	260.30		MISC FEATR	R		SGN ENT SEQUIM VLY CTR																			
261.09	260.33		ENT/EXIT	R		SHOPPING CENTER	PV																		
261.10	260.34								2	2	8A	24A	4A	28S	DE	4A	40A	\$\$\$		64	3	01	R1	55	R
261.18	260.42								2	2	8A	24A	\$\$\$	14A	UP	\$\$\$	40A	C		64	3	01	R1	55	R
261.25	260.49		BEG SU LN	L		AUXILIARY	12A		2	2	\$\$\$	32A		14A	UP		32A	C	12	76	3	01	R1	45	R
			INTRSECTN	C		MEDIAN XROAD		ST	SG	Y															
			INTRSECTN	L		CARLSBORG RD		CO	SG	Y															
			INTRSECTN	R		HOOKEE RD		CO	SG	Y															
261.31	260.55								2	2	C	32A	4A	28S	DE	4A	32A	C	12	76	3	01	R1	45	R
261.45	260.69								2	2	C	32A	\$\$\$	14A	UP	\$\$\$	32A	C	12	76	3	01	R1	45	R
261.51	260.75		END SU LN	L		AUXILIARY	12A		2	2	C	32A		14A	UP		24A	8A	\$\$\$	56	3	01	R1	45	R
			INTRSECTN	C		MEDIAN XROAD		ST	Y																
			INTRSECTN	L		MILL RD		CO	Y																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
259.18	258.42		.02	13		.02	13			
259.95	259.19		.03	13		.03	13			
260.73	259.97		.03	14					.03	14
261.09	260.33			.09	12					
261.25	260.49		.03	14	.16	12	.03	14	.02	14

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE- -UXING- -XROAD- OW TC L	---WIDTH AND SURFACE INFORMATION---						-----CLASSIFICATIONS---													
								NBR	LFT	RHT	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
								LNS	SHD	RDY	SHD	MEDIAN- WD/S BR	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S			
								D I	W/S	W/S	W/S		W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
261.51	260.75		INTRSECTN	R		PARKWOOD BLVD	PV	Y	2	2	C	32A	14A	UP	24A	8A	56	3	01		R1		45	R			
261.57	260.81								2	2	C	32A	4A	28S	DE	4A	24A	8A	56	3	01		R1		45	R	
261.60	260.84		MISC FEATR	L		SGN ENT SEQUIM VLY CTR			2	2	C	32A	\$\$\$	14A	UP	\$\$\$	24A	8A	56	3	01		R1		45	R	
261.96	261.20																										
261.99	261.23		MP MARKER	R		262																					
262.02	261.26		INTRSECTN	L		GILBERT RD	CO	Y																			
			INTRSECTN	R		TAYLOR CUTOFF RD	CO	Y																			
			INTRSECTN	C		MEDIAN XROAD	ST	Y																			
262.15	261.39								2	2	C	32A	10A	JE	24A	8A	56	3	01		R1		45	R			
262.23	261.47								2	2	C	32A	10A	JE	24A	8A	56	3	01		R1		45	L			
262.26	261.50		BEG BRIDGE	B		DUNGENESS RIVER	ST		2	2	W	33P	10P	WA	33P	\$\$W	66	3	01		R1		45	L			
						BRDG NUM 101/356																					
262.33	261.57		END BRIDGE	B		DUNGENESS RIVER			2	2	10A	24A	4A	20S	DE	4A	24A	10A	48	3	01		R1		45	L	
262.72	261.96		OFF RAMP	R		RIVER RD	ST	Y	1	1	10A	12A	4A	20S	DE	4A	12A	10A	24	3	01		R1		45	L	
			ON RAMP	L		RIVER RD	ST	Y																			
262.76	262.00		MISC FEATR	L		GORE (S126272)																					
262.81	262.05		MISC FEATR	R		GORE (P126272)			1	1	6A	12A	\$\$\$	20A	UP	\$\$\$	12A	6A	24	3	01		R1		45	L	
262.86	262.10								1	1	6A	12A		10A	UP		12A	6A	24	3	01		R1		45	L	
263.00	262.24		MP MARKER	R		263			1	1	6A	12A		4A	UP		12A	6A	24	3	01		R1		45	L	
263.05	262.29		UXING	B		RIVER RD	ST																				
						BRDG NUM 101/358																					
263.23	262.47		MISC FEATR	R		GORE (Q126351)			1	1	6A	12A		4A	UP		12A	8A	24	3	01		R1		45	L	
263.45	262.69		MISC FEATR	L		GORE (R126359)			1	1	8A	12A		4A	UP		12A	8A	24	3	01		R1		45	L	
263.51	262.75		ON RAMP	R		RIVER RD	ST	Y	1	1	8A	12A		4A	UP		12A	6A	24	3	01		R1		45	L	
263.59	262.83		OFF RAMP	L		RIVER RD	ST	Y	1	1	6A	12A		4A	UP		12A	6A	24	3	01		R1		45	L	
263.73	262.97								1	1	\$\$\$	33P		\$\$\$	\$\$		8A	24A	8A	57	3	01		R1		45	L
263.75	262.99		ENTER CITY			SEQUIM			1	1	W	33P				8A	24A	8A	57	3	01	1160	R1		45	L	
263.80	263.04		UXING	B		7TH AVE	ST																				
						BRDG NUM 101/360																					
264.00	263.24		MP MARKER	R		264																					
264.06	263.30								1	1	6A	12A		4A	UP	\$\$\$	12A	6A	24	3	01	1160	R1		45	L	
264.19	263.43		ON RAMP	L		SEQUIM AVE	ST	Y																			
264.26	263.50		OFF RAMP	R		SEQUIM AVE	ST	Y																			
264.30	263.54		UXING	B		3RD AVE	ST																				
						BRDG NUM 101/362																					
264.41	263.65		MISC FEATR	R		GORE (P126426)																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
261.51	260.75		.03	14	.03	14	.03	14	.03	14
262.02	261.26		.03	14	.03	14	.03	14	.03	14

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY CLALLAM DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE -UXING- -XROAD- OW TC L		NBR LNS D I		DECREAS/DIV LFT RHT SHD RDY SHD W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		USE	TOT	MTCE	CITY	ST	LEGAL	T	P
264.44	263.68		MISC FEATR	L		GORE (S126419)			1	1	6A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
264.47	263.71		MISC FEATR	L		GORE (R126488)			1	1	8A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
264.56	263.80		UXING	B		SEQUIM AVE BRDG NUM 101/364																				
264.73	263.97		MISC FEATR	L		GORE (R126488)			1	1	8A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
264.74	263.98		MISC FEATR	R		GORE (Q126500)			1	1	8A	12A	4A	UP	12A	8A			24	3	01	1160	R1	45	L	
264.82	264.06		LEAVE CITY			SEQUIM			1	1	8A	12A	4A	UP	12A	8A			24	3	01	\$\$\$\$	R1	45	L	
264.88	264.12		OFF RAMP	L		SEQUIM AVE			Y	1	1	6A	12A	4A	UP	12A	8A			24	3	01		R1	45	L
264.99	264.23		MP MARKER	R		265																				
265.00	264.24		ENTER CITY ON RAMP	R		SEQUIM SEQUIM AVE			1	1	6A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
265.14	264.38								1	1	\$\$\$	33P	\$\$\$		8A	24A	8A		57	3	01	1160	R1	45	L	
265.81	265.05								1	1	6A	12A	4A	UP	\$\$\$	12A	6A		24	3	01	1160	R1	45	L	
265.98	265.22		MP MARKER	R		266																				
266.10	265.34		BEG BRIDGE	B		SIMDARS RD BRDG NUM 101/366			1	1	\$\$\$	18P	4P	UP	18P	\$\$\$			36	3	01	1160	R1	45	L	
266.13	265.37		END BRIDGE	B		SIMDARS RD			1	1	6A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
266.33	265.57		MISC FEATR	L		GORE (R126647)			1	1	8A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L	
266.35	265.59		MISC FEATR	R		GORE (Q126664)			1	1	8A	12A	4A	UP	12A	8A			24	3	01	1160	R1	45	L	
266.47	265.71		OFF RAMP	L		SIMDARS RD			Y	1	1	6A	12A	4A	UP	12A	8A			24	3	01	1160	R1	45	L
266.64	265.88		ON RAMP	R		SIMDARS RD			Y	1	1	6A	12A	4A	UP	12A	6A			24	3	01	1160	R1	45	L
266.91	265.95		EQUATION			266.71 =266.91			1	1	\$\$\$	\$\$\$	\$\$\$		8A	24A	8A		24	3	01	1160	R1	55	L	
267.00	266.04		MP MARKER	R		267																				
267.03	266.07		INTRSECTN	R		HAPPY VALLEY RD	CT	N																		
267.21	266.25		INTRSECTN	L		WHITEFEATHER WAY	CT	N																		
267.43	266.47		INTRSECTN	R		PALO ALTO RD	CT	N																		
267.74	266.78		LEAVE CITY			SEQUIM			1	1					8A	24A	8A		24	3	01	\$\$\$\$	R1	55	L	
268.01	267.05		MP MARKER	R		268																				
268.46	267.50		BEG SU LN	C		TWO WAY TURN			1	1					8A	24A	8A	12	36	3	01		R1	55	L	
268.52	267.56		INTRSECTN	L		W SEQUIM BAY RD	CO	N																		
268.57	267.61		END SU LN	C		TWO WAY TURN			1	1					8A	24A	8A	\$\$\$	24	3	01		R1	55	L	
268.63	267.67		INTRSECTN	L		BARKER RD	CO	N																		
269.00	268.04		MP MARKER	R		269																				
269.06	268.10		ENT/EXIT	L		SEQUIM BAY STATE PARK	ST	Y	1	1					8A	24A	8A		24	3	01		R1	55	R	
269.21	268.25		INTRSECTN	R		LOUELLA RD	CO	N																		
269.32	268.36		INTRSECTN	L		DAWLEY RD	CO	N																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
267.21	266.25		.03	10					.03	10
269.06	268.10		.03	11		.03	11		.04	11

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----										
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P
269.42		268.46																					
269.65		268.69	INTRSECTN	L		SCHOOL HOUSE POINT LN	CO	N															
270.00		269.04	MP MARKER	R		270																	
270.59		269.63	INTRSECTN	R		CORRIEA RD	CO	N															
270.76		269.80	ENT/EXIT	R		SEVEN CEDARS CASINO	PV	Y															
270.99		270.03	INTRSECTN	R		SOPHUS RD	CO	N															
271.00		270.04	MP MARKER	R		271																	
271.16		270.20	MISC FEATR	R		SGN ENT BLYN																	
271.22		270.26	INTRSECTN	R		WOODS RD	CO	Y															
			INTRSECTN	L		BLYN XING	CO	Y															
271.51		270.55	INTRSECTN	R		ZACCARDO RD	CO	N															
271.53		270.57	INTRSECTN	R		CHICKEN COOP RD	CO	N															
271.55		270.59	INTRSECTN	R		CHICKEN COOP RD WYE CONN	CO	N															
271.70		270.74	MISC FEATR	L		SGN ENT BLYN																	
272.01		271.05	MP MARKER	R		272																	
272.27		271.31	INTRSECTN	L		BLYN RD	CO	N															
272.89		271.93	BEG SU LN	L		SLOW VEHICLE	12A																
272.90		271.94	BEG SU LN	R		SLOW VEHICLE	12A																
273.00		272.04	MP MARKER	R		273																	
273.01		272.05	INTRSECTN	L		OLD BLYN HWY	CO	N															
273.09		272.13	END SU LN	L		SLOW VEHICLE	12A																
			END SU LN	R		SLOW VEHICLE	12A																
273.55		272.59	INTRSECTN	L		PIERCE RD	CO	N															
274.00		273.04	MP MARKER	R		274																	
274.08		273.12	INTRSECTN	L		KNAPP RD	CO	N															
			INTRSECTN	R		GUILLES RD	CO	N															
274.58		273.62	INTRSECTN	L		DIAMOND PT RD	CO	Y															
			INTRSECTN	R		CHICKEN COOP RD	CO	Y															
274.64		273.68	MISC FEATR	R		SGN ENT JEFFERSON COUNTY																	
			MISC FEATR	L		SGN ENT CLALLAM COUNTY																	
274.65		273.69	END CTLSEC	L		CONTROL SECTION 0501																	
			LEAVE CO			CLALLAM																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
269.65		268.69								
270.76		269.80		.06	.12	.04	.12		.06	.12
271.22		270.26	.03			.03	.12			
274.58		273.62	.03			.03	.12			

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY JEFFERSON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T	P	S			
						:DIRECTION TO INVENTORY	NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
						:LEFT/RIGHT INDICATOR	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
						:	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
282.41		281.45				BRDG NUM 101/250		1	1					W	34A		W	34	3	01			R1		45		R	
282.44		281.48	END BRIDGE	B		SALMON CREEK		1	1					6A	24A		6A	24	3	01			R1		45		R	
282.56		281.60	INTRSECTN	L		SR 20	ST	AF	Y	1	1			21A	24A		10A	24	3	01			R1		45		R	
282.61		281.65	BEG BRIDGE	B		SNOW CREEK	ST			1	1			\$W	57A		\$W	57	3	01			R1		45		R	
282.63		281.67	END BRIDGE	B		BRDG NUM 101/251		1	1					8A	24A		8A	24	3	01			R1		45		R	
282.64		281.68	INTRSECTN	L		SNOW CREEK																						
282.64		281.68	INTRSECTN	L		SR 20 WYE CONN	ST		Y																			
282.75		281.79	INTRSECTN	L		E UNCAS RD N	CO	N	1	1				8A	24A		8A	24	3	01			R1		55		R	
282.85		281.89								1	1			6A	24A		6A	24	3	01			R1		55		R	
282.91		281.95	MISC FEATR	L		SGN ENT DISCOVERY BAY																						
283.02		282.06	MP MARKER	R		283																						
283.06		282.10						1	1					6A	24A		8A	24	3	01			R1		55		R	
283.16		282.20						1	1					6A	24A		16A	24	3	01			R1		55		R	
283.37		282.41						1	1					6A	24A		8A	24	3	01			R1		55		R	
283.56		282.60	INTRSECTN	L		E UNCAS RD S	CO	N	1	1				6A	24A		6A	24	3	01			R1		55		R	
283.94		282.98	INTRSECTN	R		W UNCAS RD	CO		N																			
284.02		283.06	MP MARKER	R		284																						
284.43		283.47						1	1					8A	22A		8A	22	3	01			R1		55		R	
284.63		283.67	ON RAMP	L		SR 104	ST	Y	1	1				8A	28A		8A	28	3	01			R1		55		R	
284.69		283.73	OFF RAMP	R		SR 104	ST		Y																			
284.76		283.80	MISC FEATR	L		GORE (S128463)																						
284.77		283.81	MISC FEATR	R		GORE (P128469)																						
284.95		283.99	ON RAMP	L		SR 104	ST		Y																			
			OFF RAMP	R		SR 104	ST		Y																			
284.98		284.02	MP MARKER	R		285																						
285.13		284.17	UXING	B		SR 104	ST																					
						BRDG NUM 104/001																						
285.15		284.19						1	1					3A	24A		3A	24	3	01			R1		55		R	
285.59		284.63	INTRSECTN	L		FULLER RD	CO		N																			
286.00		285.04	MP MARKER	R		286																						
286.24		285.28	ENT/EXIT	L		PUBLIC FISHING	ST		N																			
286.75		285.79	INTRSECTN	R		BOULTON RD	CO		N																			
286.99		286.03	MP MARKER	R		287																						
287.83		286.87	INTRSECTN	R		BOULTON RD	CO		N																			
			INTRSECTN	L		LELAND VALLEY RD E	CO		N																			
287.99		287.03	MP MARKER	R		288																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
282.56		281.60	.04	11							
284.95		283.99			.02	12					

SR 101 MAINLINE

U.S. ROUTE - USSH COUNTY MASON

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----															
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																		
: :				-XROAD-	LNS	SHD	RDY	SHD	W/S	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	RDY	W/S	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T				
314.63		313.66	ENTER CO EQUATION BEG CTLSEC			MASON 314.62 =314.63 CONTROL SECTION 2301								3A	22A		3A				22	2	02		R1		50	R		
314.93		313.96	INTRSECTN	L		WEBSTER LN																								
315.04		314.07	MP MARKER	R		315																								
315.15		314.18	INTRSECTN	L		TRITON HEAD DR																								
315.26		314.29	BEG SU LN	R		SLOW VEHICLE		15A						3A	22A	\$\$\$	15				37	2	02		R1		50	R		
			INTRSECTN	R		BEACON POINT DR																								
315.33		314.36	END SU LN	R		SLOW VEHICLE		15A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
316.00		315.03	MP MARKER	R		316																								
316.53		315.56	BEG SU LN	L		SLOW VEHICLE		10A						\$\$\$	22A	3A	10				32	2	02		R1		50	R		
316.60		315.63	END SU LN	L		SLOW VEHICLE		10A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
317.00		316.03	BEG SU LN	L		SLOW VEHICLE		08A						\$\$\$	22A	3A	8				30	2	02		R1		50	R		
			MP MARKER	R		317																								
317.07		316.10	END SU LN	L		SLOW VEHICLE		08A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
317.09		316.12	BEG SU LN	R		SLOW VEHICLE		10A						3A	22A	\$\$\$	10				32	2	02		R1		50	R		
317.18		316.21	END SU LN	R		SLOW VEHICLE		10A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
317.76		316.79	BEG SU LN	L		SLOW VEHICLE		12A						\$\$\$	22A	3A	12				34	2	02		R1		50	R		
317.85		316.88	END SU LN	L		SLOW VEHICLE		12A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
317.90		316.93	INTRSECTN	R		HAMMA HAMMA REC AREA RD																								
318.00		317.03	MP MARKER	L		318																								
318.46		317.49												6A	24A	6A					24	2	02		R1		50	R		
318.52		317.55	BEG BRIDGE B			WAKETICKEH CREEK BRDG NUM 101/402								\$\$\$	37A	\$\$\$					37	2	02		R1		50	R		
318.53		317.56	END BRIDGE B			WAKETICKEH CREEK								6A	24A	6A					24	2	02		R1		50	R		
318.60		317.63												3A	22A	3A					22	2	02		R1		50	R		
319.00		318.03												3A	22A	3A					22	2	02		R1		40	R		
319.01		318.04	MP MARKER	R		319																								
319.02		318.05	MISC FEATR	R		SGN ENT ELDON																								
319.56		318.59	BEG SU LN	R		SLOW VEHICLE		10A						3A	22A	\$\$\$	10				32	2	02		R1		40	R		
			INTRSECTN	R		N LON WEBB RD																								
319.63		318.66	END SU LN	R		SLOW VEHICLE		10A						3A	22A	3A	\$\$\$				22	2	02		R1		40	R		
319.71		318.74	BEG BRIDGE B			HAMMA HAMMA SLOUGH BRDG NUM 101/403								\$\$\$	20P	\$\$\$					20	2	02		R1		40	R		
319.74		318.77	END BRIDGE B			HAMMA HAMMA SLOUGH								3A	22A	3A					22	2	02		R1		50	R		
319.94		318.97	BEG BRIDGE B			HAMMA HAMMA RIVER BRDG NUM 101/404								\$\$\$	20P	\$\$\$					22	2	02		R1		50	R		
319.97		319.00	END BRIDGE B			HAMMA HAMMA RIVER								10A	22A	10A					22	2	02		R1		50	R		
320.01		319.04	MP MARKER	R		320																								
320.14		319.17	BEG SU LN	R		SLOW VEHICLE		10A						10A	22A	\$\$\$	10				32	2	02		R1		50	R		
320.25		319.28	MISC FEATR	L		SGN ENT ELDON																								
320.29		319.32	END SU LN	R		SLOW VEHICLE		10A						3A	22A	3A	\$\$\$				22	2	02		R1		50	R		
320.36		319.39	BEG SU LN	L		SLOW VEHICLE		10A						\$\$\$	22A	3A	10				32	2	02		R1		50	R		

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY MASON

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC			MTCE		CITY		LEGAL		T P S										
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			LNS RDY			A SE		D IB		R K T												
: :				-XROAD-		SHD RDY SHD			SHD RDY SHD			LNS RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S			
327.25	326.28	END BRIDGE	B			LILLIWAUP CREEK				1	1									3A	22A	10A			R1			30	R		
327.33	326.36	INTRSECTN	R			LILLIWAUP ST	CO		Y																						
327.43	326.46									1	1										3A	22A	3A			R1			30	R	
327.90	326.93									1	1										3A	22A	3A			R1			50	R	
327.94	326.97	MISC FEATR	L			SGN ENT LILLIWAUP																									
328.02	327.05	MP MARKER	R			328																									
328.04	327.07	INTRSECTN	L			W CANAL VIEW RD	CO		N																						
328.57	327.60									1	1										3A	22A	3A			R1			40	R	
328.68	327.71	INTRSECTN	R			TERRACE RD	CO		N																						
329.00	328.03	MP MARKER	L			329																									
329.07	328.10	BEG BRIDGE	B			SUND CREEK	ST			1	1									\$\$\$	36A	\$\$\$				R1			40	R	
						BRDG NUM 101/411																									
329.08	328.11	END BRIDGE	B			SUND CREEK				1	1									3A	24A	3A				R1			40	R	
329.59	328.62	MISC FEATR	R			SGN ENT HOLIDAY BEACH																									
329.64	328.67	BEG SU LN	L			SLOW VEHICLE		16A		1	1									\$\$\$	24A	3A	16			R1			40	R	
329.70	328.73	END SU LN	L			SLOW VEHICLE		16A		1	1									3A	24A	3A	\$\$\$			R1			40	R	
329.78	328.81	INTRSECTN	R			VIRGINIA AVE	CO		N																						
329.88	328.91	INTRSECTN	R			NANCY AVE	CO		N																						
329.93	328.96	BEG BRIDGE	B			MILLER CREEK	ST			1	1									\$\$\$	36A	\$\$\$				R1			40	R	
						BRDG NUM 101/411.25																									
329.94	328.97	END BRIDGE	B			MILLER CREEK				1	1									2A	24A	2A				R1			40	R	
		MISC FEATR	L			SGN ENT HOLIDAY BEACH																									
329.95	328.98	INTRSECTN	R			SUSAN AVE	CO		N																						
330.01	329.04	MP MARKER	R			330																									
330.07	329.10									1	1										2A	24A	2A				R1			50	R
331.01	330.04	MP MARKER	R			331																									
331.12	330.15									1	1										2A	24A	2A				R1			30	R
331.39	330.42	MISC FEATR	R			SGN ENT HOODSPORT																									
331.69	330.72	INTRSECTN	R			NORTH HILL RD	CO		Y																						
		INTRSECTN	R			FINCH CR RD	CO		Y																						
331.71	330.74	BEG BRIDGE	B			FINCH CREEK	ST			1	1									\$\$C	24A	\$\$C				R1			30	R	
						BRDG NUM 101/413																									
331.72	330.75	END BRIDGE	B			FINCH CREEK				1	1									5A	24A	5A				R1			30	R	
331.74	330.77	INTRSECTN	R			SR 119-LK CUSHMAN RD	ST		Y	1	1									5A	24A	10A				R1			30	R	
331.84	330.87	INTRSECTN	R			SCHOOLHOUSE HILL RD	CO		Y																						
331.96	330.99	INTRSECTN	R			OLD MILL HILL RD	CO		N	1	1									2A	24A	2A				R1			30	R	
332.01	331.04	MP MARKER	R			332																									
332.20	331.23	MISC FEATR	L			SGN ENT HOODSPORT				1	1									2A	24A	2A				R1			40	R	
332.74	331.77	BEG SU LN	L			SLOW VEHICLE		10A		1	1									\$\$\$	24A	2A	10			R1			40	R	
332.75	331.78	BEG SU LN	R			SLOW VEHICLE		10A		1	1										24A	\$\$\$	20			R1			50	R	
332.80	331.83	END SU LN	R			SLOW VEHICLE		10A		1	1										24A	2A	10			R1			50	R	
332.81	331.84									1	1										2A	24A	2A	10			R1			50	R
332.87	331.90	END SU LN	L			SLOW VEHICLE		10A		1	1									2A	24A	2A	\$\$\$			R1			50	R	

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY MASON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
				:	:	:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
				:	:	:	OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
338.53		337.56																								
338.59		337.62	BEG BRIDGE	B		SKOKOMISH RIVER SLOUGH	ST		1	1				4A	24A	4A		24	2	02		R1		55	R	
						BRDG NUM 101/417			1	1				\$\$W	38A	\$\$W		38	2	02		R1		55	R	
338.62		337.65	END BRIDGE	B		SKOKOMISH RIVER SLOUGH			1	1				5A	24A	5A		24	2	02		R1		55	R	
338.77		337.80	BEG BRIDGE	B		SKOKOMISH RIVER	ST		1	1				\$\$C	24A	\$\$C		24	2	02		R1		55	R	
						BRDG NUM 101/418			1	1				5A	24A	5A		24	2	02		R1		55	R	
338.85		337.88	END BRIDGE	B		SKOKOMISH RIVER			1	1				5A	24A	5A		24	2	02		R1		55	R	
339.00		338.03	MP MARKER	R		339																				
339.08		338.11	INTRSECTN	L		BOURGAULT RD	CO	N																		
339.10		338.13	INTRSECTN	R		BOURGAULT RD WEST	CO	N																		
339.12		338.15	BEG BRIDGE	B		WEAVER CREEK	ST		1	1				\$\$C	40A	\$\$C		40	2	02		R1		55	R	
						BRDG NUM 101/419			1	1																
339.14		338.17	END BRIDGE	B		WEAVER CREEK			1	1				8A	22A	8A		22	2	02		R1		55	R	
339.30		338.33	BEG BRIDGE	B		PURDY CREEK	ST		1	1				\$\$C	23A	\$\$C		23	2	02		R1		55	R	
						BRDG NUM 101/420			1	1																
339.32		338.35	END BRIDGE	B		PURDY CREEK			1	1				2A	22A	7A		22	2	02		R1		55	R	
339.45		338.48	INTRSECTN	L		PURDY CUTOFF RD	CO	Y																		
			INTRSECTN	R		SKOKOMISH VALLEY RD	CO	Y																		
339.48		338.51	INTRSECTN	L		PURDY CUTOFF RD WYE CONN	CO	Y	1	1				3A	22A	4A		22	2	02		R1		55	R	
339.54		338.57							1	1				3A	23A	4A		23	2	02		R1		55	R	
339.55		338.58	BEG SU LN	R		SLOW VEHICLE		14A	1	1				3A	23A	\$\$\$	14	37	2	02		R1		55	R	
339.65		338.68	END SU LN	R		SLOW VEHICLE		14A	1	1				3A	22A	9A	\$\$\$	22	2	02		R1		55	R	
339.71		338.74							1	1				3A	22A	4A		22	2	02		R1		55	R	
339.81		338.84	BEG SU LN	R		SLOW VEHICLE		14A	1	1				3A	22A	\$\$\$	14	36	2	02		R1		55	R	
339.91		338.94	END SU LN	R		SLOW VEHICLE		14A	1	1				3A	22A	4A	\$\$\$	22	2	02		R1		55	R	
340.00		339.03	MP MARKER	R		340																				
340.39		339.42	INTRSECTN	L		E EAGLE POINT DR	CO	N																		
340.42		339.45	BEG SU LN	R		SLOW VEHICLE		46A	1	1				3A	22A	\$\$\$	46	68	2	02		R1		55	R	
340.52		339.55	END SU LN	R		SLOW VEHICLE		46A	1	1				3A	22A	4A	\$\$\$	22	2	02		R1		55	R	
340.60		339.63							1	1				3A	23A	3A		23	2	02		R1		55	R	
341.00		340.03	MP MARKER	R		341																				
341.30		340.33							1	1				4A	22A	4A		22	2	02		R1		55	R	
341.43		340.46	INTRSECTN	L		BROCKDALE RD	CO	Y	1	1				4A	24A	4A		24	2	02		R1		55	R	
341.62		340.65							1	1				5A	24A	5A		24	2	02		R1		55	R	
341.79		340.82	INTRSECTN	R		CALIFORNIA RD	CO	N																		
341.99		341.02	MP MARKER	R		342																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
339.45		338.48	.03	10		.03	10			
341.43		340.46	.03	11					.04	11

SR 101 MAINLINE

U.S. ROUTE - USSH

COUNTY MASON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----														
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S							
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
346.19	345.22		LEAVE CITY			SHELTON				2	1						8A	36A	10A		36	2	02		\$\$\$	U1		60	R	\$		
346.47	345.50		ON RAMP		L	SHELTON-MATLOCK RD	ST		Y	1	1						8A	24A	10A		24	2	02			U1		60	R			
346.52	345.55		RR XING	B		NUM 856753W STRUCTURE				1	1						\$\$W	59P	\$\$W		59	2	02			U1		60	R			
			BEG BRIDGE	B		GOLDSBOROUGH CREEK/BN RR	ST																									
						BRDG NUM 101/425																										
346.58	345.61		END BRIDGE	B		GOLDSBOROUGH CREEK/BN RR				1	1						10A	24A	10A		24	2	02			U1		60	R			
346.62	345.65		MISC FEATR	L		GORE (S134641)																										
346.80	345.83		BEG BRIDGE	B		SHELTON-MATLOCK RD	ST			1	1						\$\$W	40P	\$\$W		40	2	02			U1		60	R			
						BRDG NUM 101/426																										
346.84	345.87		END BRIDGE	B		SHELTON-MATLOCK RD				1	1						10A	24A	10A		24	2	02			U1		60	R			
			OFF RAMP	R		SHELTON-MATLOCK RD	ST		Y																							
346.92	345.95		MISC FEATR	R		GORE (P134684)																										
346.95	345.98		ON RAMP	R		SHELTON-MATLOCK RD	ST		Y																							
347.00	346.03		MISC FEATR	L		GORE (R134711)																										
347.03	346.06		MP MARKER	R		347																										
347.11	346.14		OFF RAMP	L		SHELTON-MATLOCK RD	ST		Y																							
348.02	347.05		MP MARKER	R		348																										
348.07	347.10		UXING	B		LOST LAKE	ST																									
						BRDG NUM 101/427																										
348.44	347.47		BEG BRIDGE	B		MILL CREEK	ST			1	1						\$\$W	40P	\$\$W		40	2	02			U1		60	R			
						BRDG NUM 101/428																										
348.47	347.50		END BRIDGE	B		MILL CREEK				1	1						10A	24A	10A		24	2	02			U1		60	R			
348.95	347.98		OFF RAMP	R		SR 3	ST		Y																							
349.01	348.04		MP MARKER	R		349																										
349.02	348.05		ON RAMP	R		SR 3	ST		Y																							
349.16	348.19		BEG BRIDGE	B		SR 3	ST			1	1						\$\$W	40P	\$\$W		40	2	02			U1		60	R			
						BRDG NUM 101/429																										
349.19	348.22		END BRIDGE	B		SR 3				1	1						10A	24A	10A		24	2	02			R1		60	R			
349.30	348.33									1	1	11A	12A	17A	4S	DE	9A	14A	9A		26	2	02			R1		60	R			
350.12	348.36		EQUATION			349.33 =350.12																										
			MISC FEATR	R		GORE (Q135038)																										
350.13	348.37		MISC FEATR	L		GORE (R135023)																										
350.17	348.41									1	2	11A	12A	17A	40S	DE	4A	24A	10A		36	2	02			R1		60	R			
350.23	348.47		OFF RAMP	L		SR 3	ST		Y	2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	2	02			R1		60	R			
350.38	348.62		ON RAMP	R		SR 3	ST		Y																							
351.00	349.24		MP MARKER	B		351																										
351.60	349.84		INTRSECTN	R		FREDSON RD	CO		Y																							
			INTRSECTN	L		RYAN RD	CO		Y																							
			INTRSECTN	C		MEDIAN XROAD	ST		Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L	R	L	R	LEFT--	L--CNTR	R--CNTR	RIGHT--
			LG	LG	LG	LG	LG	LG	LG	LG
			WD	WD	WD	WD	WD	WD	WD	WD
351.60	349.84		.03	12		.04	12			

SR 101 MAINLINE U.S. ROUTE - USSH COUNTY MASON DOT DISTRICT 3

				:DIRECTION TO INVENTORY	-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																						
				: :LEFT/RIGHT INDICATOR	-UXING-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	SPEED	D	IB	R	K	T			
351.93	350.17		MP MARKER	B		352						2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R1			60			R				
352.00	350.24		MP MARKER	B		352						2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R1			50			R				
352.10	350.34		INTRSECTN	B		LYNCH RD			CO		Y																											
352.60	350.84		INTRSECTN	C		MEDIAN XROAD			ST		Y																											
353.00	351.24		MP MARKER	B		353																																
353.05	351.29		ON RAMP	L		OLYMPIC HWY-SR 108			ST		Y																											
353.10	351.34		MP MARKER	B		353						2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R1			60			R				
353.19	351.43		MP MARKER	B		353						2	2	10A	24A	4A	40S	JE	4A	24A	10A			48	2	02		R1			60			R				
353.21	351.45		OFF RAMP	R		OLYMPIC HWY-SR 108			ST		Y																											
353.24	351.48		MP MARKER	B		353						2	2	10A	24A	\$\$\$	23A	JE	\$\$\$	24A	10A			48	2	02		R1			60			R				
353.34	351.58		MISC FEATR	R		GORE (P135321)																																
353.35	351.59		MISC FEATR	L		GORE (S135305)																																
353.52	351.76		BEG BRIDGE	B		SR 108			ST		Y	2	2	\$\$W	34P		23P	JE		34P	\$\$W			68	2	02		R1			60			R				
						BRDG NUM 101/429.5																																
353.54	351.78		END BRIDGE	B		SR 108						2	2	10A	24A		23A	JE		24A	10A			48	2	02		R1			60			R				
353.62	351.86		MISC FEATR	R		GORE (Q135381)																																
353.64	351.88		MISC FEATR	L		GORE (R135375)																																
353.66	351.90		MP MARKER	B		353						2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R1			60			R				
353.75	351.99		OFF RAMP	L		OLYMPIC HWY-SR 108			ST		Y																											
353.81	352.05		BEG BRIDGE	I		SKOOKUM CREEK			ST		Y	2	2	\$\$W	32P	\$\$W	400	\$\$	\$\$W	32P	\$\$W			64	2	02		R1			60			R				
						BRDG NUM 101/430E																																
			ON RAMP	R		OLYMPIC HWY-SR 108			ST		Y																											
			RR XING	B		NUM 96559D STRUCTURE																																
			BEG BRIDGE	D		SKOOKUM CREEK			ST		Y																											
353.86	352.10		END BRIDGE	I		SKOOKUM CREEK						2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	2	02		R1			60			R				
			END BRIDGE	D		SKOOKUM CREEK																																
354.00	352.24		MP MARKER	B		354																																
354.99	353.23		MP MARKER	B		355																																
355.31	353.55		INTRSECTN	B		HURLEY WALDRIP RD			CO		Y																											
			INTRSECTN	C		MEDIAN XROAD			ST		Y																											
356.00	354.24		INTRSECTN	B		OLD OLYMPIC HWY			CO		Y																											
			INTRSECTN	C		MEDIAN XROAD			ST		Y																											
356.01	354.25		MP MARKER	B		356																																
356.17	354.41		BEG BRIDGE	I		KENNEDY CREEK			ST		Y	2	2	\$\$C	28A	\$\$C	400	\$\$	\$\$C	28A	\$\$C			56	2	02		R1			60			R				
						BRDG NUM 101/432E																																

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
352.60	350.84			.04	12						
						.03	12				

SR 101 ALTERNATE ROUTE U.S. ROUTE - USSH COUNTY PACIFIC DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
9.41	0.00		BEG ROUTE			SR 101 TO SR 101																		
			BEG CTLSEC			CONTROL SECTION 2512																		
			INTRSECTN	B		SR 101																		
9.42	0.01		INTRSECTN	R		SR 101 WYE CONN																		
9.58	0.17																							
10.00	0.59		INTRSECTN	R		SR 101 WYE CONN																		
10.01	0.60		INTRSECTN	L		SR 101 WYE CONN																		
10.04	0.63		INTRSECTN	B		SR 101																		
			END CTLSEC			CONTROL SECTION 2512																		
			END SECTN																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.41	0.00				.03	12				

SR 101 COUPLT U.S. ROUTE - USSH COUNTY GRAYS HARBOR DOT DISTRICT 3
ABERDN

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS-----								
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		USE		TOT		MTCE		CITY		ST		LEGAL		T P S				
: :LEFT/RIGHT INDICATOR				-UXING-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		ST		SPEED		T P S		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	W	S	
87.49	0.00		BEG ROUTE			ABERDN																						
						LEVEE ST TO STATE ST RMP																						
			ENTER CITY			HOQUIAM																						
			BEG CTLSEC			CONTROL SECTION 1401																						
			BEG ST	I		5TH ST																						
			INTRSECTN	B		SR 101-LEVEE ST																						
87.50	0.01		INTRSECTN	L		SR 101 WYE CONN																						
87.54	0.05		INTRSECTN	R		H. ST																						
87.60	0.11		END ST	I		5TH ST																						
			BEG ST	I		SIMPSON AVE																						
			INTRSECTN	R		5TH ST																						
			INTRSECTN	R		SR 109 COHQIAMI (COUPLT)																						
87.66	0.17																											
87.67	0.18		INTRSECTN	B		6TH ST																						
87.75	0.26		INTRSECTN	B		7TH ST																						
87.83	0.34		INTRSECTN	B		8TH ST																						
87.92	0.43		INTRSECTN	L		9TH ST																						
87.98	0.49		INTRSECTN	B		10TH ST																						
87.99	0.50		BEG BRIDGE	I		HOQUIAM RIVER																						
						BRDG NUM 101/125W																						
88.36	0.87		END BRIDGE	I		HOQUIAM RIVER																						
88.37	0.88		INTRSECTN	B		20TH ST CONNECTION																						
88.40	0.91		INTRSECTN	B		22ND ST																						
88.48	0.99		INTRSECTN	B		23RD ST																						
88.55	1.06		INTRSECTN	B		24TH ST																						
88.65	1.16		INTRSECTN	L		25TH ST																						
88.74	1.25		INTRSECTN	B		ONTARIO ST																						
88.87	1.38		INTRSECTN	B		27TH ST																						
88.98	1.49		INTRSECTN	B		28TH ST																						
89.09	1.60		INTRSECTN	B		29TH ST																						
89.18	1.69		INTRSECTN	B		30TH ST																						
89.28	1.79		INTRSECTN	B		31ST ST																						
89.38	1.89		LEAVE CITY			HOQUIAM																						
			ENTER CITY			ABERDEEN																						
			INTRSECTN	B		MYRTLE ST																						
89.39	1.90		MISC FEATR	R		SGN ENT ABERDEEN																						
89.47	1.98		INTRSECTN	R		ASH ST																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
87.83	0.34					.01	14				.06	14

SR 103 MAINLINE

STATE ROUTE - SRSH

COUNTY PACIFIC

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---												
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T					
							-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	WID	WID												
							OW TC L	D I	W/S	W/S	W/S	W/S	W/S	WD/S	BR														
1.11	1.11		INTRSECTN	R		8TH ST SE	CT	Y	1	1					C	40A	C			40	3	02	0690	R3	25	L	B	*	
1.16	1.16		INTRSECTN	L		7TH ST SW	CT	Y																					
			INTRSECTN	R		7TH ST SE	CT	Y																					
1.23	1.23		INTRSECTN	B		5TH ST S	CT	Y																					
1.28	1.28		INTRSECTN	R		4TH ST SE	CT	Y																					
			INTRSECTN	L		4TH ST SW	CT	Y																					
1.31	1.31		INTRSECTN	B		3RD ST S	CT	Y																					
1.35	1.35		INTRSECTN	R		2ND ST SE	CT	Y																					
			INTRSECTN	L		2ND ST SW	CT	Y																					
1.39	1.39		INTRSECTN	B		BOLSTAD ST	CT	SG	Y																				
1.43	1.43		INTRSECTN	L		2ND ST NW	CT	Y																					
			INTRSECTN	R		2ND ST NE	CT	Y																					
1.48	1.48		INTRSECTN	R		3RD ST NE	CT	Y	1	1					C	40A	C			40	3	02	0690	R3	25	L	P	*	
			INTRSECTN	L		3RD ST NW	CT	Y																					
1.54	1.54		INTRSECTN	B		4TH ST N	CT	Y																					
1.59	1.59		INTRSECTN	B		5TH ST N	CT	Y																					
1.65	1.65		INTRSECTN	B		6TH ST N	CT	Y	1	1					C	40A	C			40	3	02	0690	R3	35	L	P	*	
1.70	1.70		INTRSECTN	B		7TH ST N	CT	Y																					
1.75	1.75		INTRSECTN	B		8TH ST N	CT	N																					
1.80	1.80		INTRSECTN	B		9TH ST N	CT	Y																					
1.85	1.85		INTRSECTN	B		10TH ST N	CT	N																					
1.90	1.90		INTRSECTN	B		11TH ST N	CT	Y																					
1.96	1.96		INTRSECTN	R		12TH ST N	CT	N																					
2.00	2.00		INTRSECTN	B		13TH ST N	CT	Y																					
2.03	2.03		MP MARKER	R		2																							
2.08	2.08		INTRSECTN	L		14TH ST N	CT	Y																					
2.18	2.18		INTRSECTN	B		16TH ST N	CT	Y																					
2.27	2.27		INTRSECTN	B		17TH ST N	CT	Y																					
2.34	2.34		INTRSECTN	L		18TH ST	CT	Y																					
2.44	2.44		INTRSECTN	L		19TH ST N	CT	Y																					
2.52	2.52		END ST	I		PACIFIC HWY			1	1					C	30A	3A			30	3	02	0690	R3	35	L	P	*	
			BEG ST	I		PACIFIC WAY																							
			INTRSECTN	B		PIONEER RD	CT	Y																					
2.56	2.56		INTRSECTN	R		91ST ST N	CT	N																					
			INTRSECTN	L		22ND ST N	CT	N																					
2.60	2.60		INTRSECTN	R		92ND ST N	CT	N																					
			INTRSECTN	L		23RD ST N	CT	N																					
2.64	2.64		INTRSECTN	R		93RD ST N	CT	N																					
2.69	2.69		INTRSECTN	R		94TH ST N	CT	N																					
2.73	2.73		INTRSECTN	R		95TH ST N	CT	Y																					
			INTRSECTN	L		26TH ST N	CT	Y																					
2.93	2.93		INTRSECTN	L		98 PL	CT	N	1	1					3A	24A	3A			24	3	02	0690	R3	50	L	P	*	
2.94	2.94		LEAVE CITY			LONG BEACH			1	1					3A	24A	3A			24	3	02	\$\$\$\$	R3	50	L	\$	*	

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY JEFFERSON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.20	0.00		BEG ROUTE			MAIN ROUTE	1	1	8A	14A	4A	260S	DE	C	30A	C	44	3	01		R1		60	R		
			BEG CTLSEC			SR 101 TO SR 522/L F PRK																				
			BEG BRIDGE I			CONTROL SECTION 1630																				
						SR 101																				
						BRDG NUM 104/001																				
0.25	0.05		END BRIDGE I			SR 101	1	1	8A	14A	4A	190S	DE	4A	11A	8A	25	3	01		R1		60	R		
			BEG SU LN		R	CLIMBING																				
						11A																				
0.41	0.21		INTRSECTN		L	SR 104 W BND	Y	1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	8A	22A	8A	11	33	3	01		R1		60	R
1.00	0.80		MP MARKER		R	1																				
2.00	1.80		END SU LN		R	CLIMBING	1	1						8A	22A	8A	\$\$\$	22	3	01		R1		60	R	
			MP MARKER		R	2																				
3.03	2.83		MP MARKER		R	3																				
4.01	3.81		MP MARKER		R	4																				
4.34	4.14		ON/OFF RMP		L	CENTER RD																				
4.38	4.18		BEG BRIDGE B			CENTER RD	ST	Y						\$\$\$	38A	\$\$\$	38	3	01		R1		60	R		
						BRDG NUM 104/002																				
4.39	4.19		END BRIDGE B			CENTER RD			1	1				8A	22A	8A	22	3	01		R1		60	R		
5.00	4.80		MP MARKER		R	5																				
6.00	5.80		MP MARKER		R	6																				
6.10	5.90		INTRSECTN		B	SANDY SHORE RD	CO	N																		
7.01	6.81		MP MARKER		R	7																				
8.01	7.81		MP MARKER		R	8																				
8.87	8.67		INTRSECTN		L	SR 19-BEAVR VALLEY RD	ST	Y																		
			INTRSECTN		R	BEAVR VALLEY RD	CO	Y																		
9.00	8.80		MP MARKER		R	9																				
9.85	9.65		INTRSECTN		L	PVT RD	PV	N																		
10.00	9.80		MP MARKER		R	10																				
10.84	10.64								1	1				9A	24A	9A	24	3	01		R1		60	R		
10.96	10.76		INTRSECTN		R	SOUTH POINT RD WYE CONN	CO	Y																		
11.00	10.80		MP MARKER		L	11																				
			INTRSECTN		R	SOUTH POINT RD	CO	Y																		
11.46	11.26		INTRSECTN		L	TEAL LAKE RD	CO	N																		
11.47	11.27		INTRSECTN		R	SHINE RD	CO	N																		
12.00	11.80		MP MARKER		R	12																				
12.82	12.62		INTRSECTN		L	OLD STARK RD	CO	N																		
13.00	12.80		MP MARKER		R	13																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.87	8.67		.03	12					.03	12
11.00	10.80				.04	12			.04	12

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY JEFFERSON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE												
				:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
13.11	12.91		BEG SU LN	L		CLIMBING																			
13.17	12.97		BEG SU LN	L		CLIMBING																			
13.58	13.38																								
13.76	13.56		INTRSECTN	L		PARADISE BAY RD	CO	Y																	
			INTRSECTN	R		SHINE RD	CO	Y																	
13.88	13.68		END SU LN	L		CLIMBING																			
13.91	13.71		MISC FEATR	R		SGN ENT KITSAP COUNTY																			
13.92	13.72		TRAF RCDR	B		R085 0																			
13.93	13.73		BEG BRIDGE	B		HOOD CANAL-WEST HALF	ST																		
						BRDG NUM 104/005.1																			
14.03	13.83		END CTLSEC																						
14.67	14.47		LEAVE CO			CONTROL SECTION 1630																			
						JEFFERSON																			

INTERSECTION DETAIL

-----TURN LANES-----		-----ACCELERATION LANES-----					
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
.03	.12	.03	.12				

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																
:				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY		MTCE		CITY		LEGAL										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	T	P	S				
14.67	14.47		ENTER CO BEG CTLSEC			KITSAP CONTROL SECTION 1842																												
14.73	14.53		END BRIDGE B BEG BRIDGE B			HOOD CANAL-WEST HALF HOOD CANL-EAST HALF BRDG NUM 104/005.2																												
14.77	14.57																																	
14.82	14.62		ENT/EXIT	C		BRIDGE MAINTENANCE RD	OT		Y	1	1	C 19P	C 40	C 19P	C																			
14.94	14.74																																	
15.42	15.22		END BRIDGE B			HOOD CANL-EAST HALF																												
15.43	15.23		MISC FEATR	L		SGN ENT JEFFERSON COUNTY																												
15.46	15.26		MISC FEATR	B		TOLL PLAZA																												
15.50	15.30		INTRSECTN	R		SR 3 WYE CONN	ST		Y																									
			INTRSECTN	L		SR 104 WYE CONN	ST		Y																									
15.54	15.34		INTRSECTN	R		SR 3	ST	SG	Y	1	1																							
15.59	15.39		INTRSECTN	L		SR 104 WYE CONN	ST		Y																									
15.64	15.44																																	
15.98	15.78		INTRSECTN	L		WHEELER ST	CO		N	1	1																							
16.00	15.80		MP MARKER	R		16																												
16.44	16.24																																	
16.51	16.31		INTRSECTN	R		GAMBLE WAY	CO		N	1	1																							
16.53	16.33		MISC FEATR	R		SGN ENT PORT GAMBLE																												
16.73	16.53		INTRSECTN	L		PACIFIC AVE	CO		N																									
16.76	16.56		INTRSECTN	R		OLYMPIC AVE	CO		N																									
16.82	16.62		INTRSECTN	L		RAINIER AVE	CO		N	1	1																							
16.96	16.76		INTRSECTN	R		KELLER ST	CO		N																									
16.99	16.79		MP MARKER	R		17																												
17.00	16.80		MISC FEATR	L		SGN ENT PORT GAMBLE																												
17.13	16.93																																	
17.99	17.79		MP MARKER	R		18																												
18.99	18.79		MP MARKER	R		19																												
19.65	19.45		INTRSECTN	R		OLD PT GAMBLE RD WYE CON	CO		Y	1	1																							
19.66	19.46		INTRSECTN	R		OLD PT GAMBLE RD	CO		Y																									
19.99	19.79		MP MARKER	R		20																												
20.18	19.98		INTRSECTN	L		GAMBLE BAY NE RD	CO		Y																									
20.58	20.38		INTRSECTN	R		SR 307	ST	SG	Y	1	1																							
20.63B	20.43		BEG EQ			BEGIN BACK																												
20.63	20.50		EQUATION			020.70B=020.63																												
20.76	20.63																																	
20.78	20.65																																	
20.88	20.75		INTRSECTN	R		RITTER LN NE	CO		N																									
20.99	20.86		MP MARKER	R		21																												
21.50	21.37		INTRSECTN	R		HIGHLAND RD	CO		Y																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	L	R	L	R
			NEAR	NEAR	FAR	FAR	LEFT	LEFT	RIGHT	RIGHT		
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
21.50	21.37				.05	12						

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---														
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE		TOT					LEGAL												
: :				-XROAD-		LNS SHD RDY SHD			LNS SHD RDY SHD			LNS RDY		MTCE					CITY												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	T	P	S	
21.60	21.47																														
22.00	21.87		INTRSECTN	B		HANSVILLE-MILLER BAY RD	CO	SG	Y	1	1														R1		50	R			
22.01	21.88		MP MARKER	R		22																			R1		50	R			
23.00	22.87		MP MARKER	R		23																									
23.06	22.93		INTRSECTN	L		PARCELL RD WYE CONN	CO		Y																						
23.08	22.95		INTRSECTN	L		PARCELL RD	CO		Y																						
23.09	22.96		INTRSECTN	R		BARBER CUTOFF RD WYE CON	CO		Y																						
23.10	22.97		INTRSECTN	L		PARCELL RD WYE CONN	CO		Y	1	1														R1		50	R			
23.11	22.98		INTRSECTN	R		BARBER CUTOFF RD	CO		Y																						
23.12	22.99		INTRSECTN	R		BARBER CUTOFF RD WYE CON	CO		Y																						
23.59	23.46																														
23.89	23.76		INTRSECTN	L		LINDVOG RD	CO		Y																R1		25	R			
23.90	23.77		BEG SU LN	C		TWO WAY TURN		10A		1	1														R1		25	R			
24.00	23.87		MP MARKER	R		24																									
24.06	23.93		END SU LN	C		TWO WAY TURN		10A		1	1														R1		25	R			
24.10	23.97		INTRSECTN	B		WEST 1ST ST	CO		Y																						
24.16	24.03		INTRSECTN	L		EAST 2ND ST	CO		Y	1	2														R1		25	R			
24.23	24.10		INTRSECTN	L		ILLINOIS AVE	CO		Y	\$	2														R1		25	R			
			MISC FEATR D			COUPLET - COKNGSTN																									
24.27	24.14		INTRSECTN	R		MAINE ST	CO		Y	3															R1		25	R			
24.32	24.19		INTRSECTN	B		IOWA AVE	CO		Y	4															R1		25	R			
24.39	24.26		INTRSECTN	B		OHIO AVE	CO		Y																						
24.43	24.30		INTRSECTN	B		WASHINGTON BLVD	CO		Y	2																					
24.44	24.31		MISC FEATR	L		SGN ENT KINGSTON																									
24.45B	24.32		BEG EQ			BEGIN BACK																									
			TOLL BOOTH	B		KNGSTON FERRY TOLL BOOTH																									
			OWNER WSF																												
24.53B	24.40		LEAVE DIST			3																									
			BEG FER ZN			BEGIN FERRY ZONE																									
			END CTLSEC			CONTROL SECTION 1842																									
			MISC FEATR D			COUPLET - COKNGSTN																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
22.00	21.87			.04	12						
23.08	22.95			.03	12						
23.11	22.98					.03	12				
24.10	23.97			.03	12						
24.16	24.03			.03	12						
24.23	24.10			.03	12						
24.43	24.30			.04	11						

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----													
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	SHD	LNS	RDY	SHD	WID	WID	W/S	W/S	W/S	W/S	W/S	W/S				
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S					
28.23	28.11		ENTER CO BEG CTLSEC			KING CONTROL SECTION 1748			2	2					C	48A		C			48	5	02		U1	40	R			
			INTRSECTN	B		244TH ST SW WB	CO	SG	Y																					
28.26	28.14		INTRSECTN	L		SR 104 WB	ST	Y																						
28.69	28.16		EQUATION			028.28 =028.69																								
			INTRSECTN	R		244TH ST SW EB	CO	SG	Y																					
28.83	28.30		INTRSECTN	L		76TH AVE NE	CO	SG	Y	2	2			C	60A		C				60	5	02		U1	40	R			
			INTRSECTN	R		MERIDIAN AVE N	CO	SG	Y																					
28.91	28.38		BEG SU LN	C		TWO WAY TURN				12A				2	2		C	48A		C	12	60	5	02		U1	40	R		
29.00	28.47		MP MARKER	R		29																								
29.07	28.54		END SU LN	C		TWO WAY TURN				12A				2	2		C	60A		C	\$\$\$	60	5	02		U1	40	R		
29.08	28.55		INTRSECTN	R		1ST AVE NE	CO	SG	Y																					
29.13	28.60		BEG SU LN	C		TWO WAY TURN				12A				2	2		C	48A		C	12	60	5	02		U1	40	R		
29.20	28.67		EXIT TO	R		HOLYROOD CEMETERY	PV	Y																						
29.21	28.68		ENT FROM	R		HOLYROOD CEMETERY	PV	Y	2	2				C	48A	10A	12	60	5	02				U1	40	R				
29.22	28.69													C	48A	9A	12	60	5	02					U1	40	R			
29.30	28.77		END SU LN	C		TWO WAY TURN				12A				2	2		C	60A	9A	\$\$\$	60	5	02		U1	40	R			
29.33	28.80		INTRSECTN	R		5TH AVE NE	CO	Y	2	2				10A	60A	9A	\$\$\$	60	5	02					U1	40	R			
			ENT/EXIT	L		NILE TEMPLE	PV	Y																						
29.39	28.86		ON RAMP	L		SR 5 SB	ST	Y																						
29.41	28.88		BEG SU LN	R		AUXILIARY				12A				2	2		10A	60A	\$\$\$	C	12	72	5	02		U1	40	R		
			INTRSECTN	R		6TH AVE NE	CO	Y																						
29.48	28.95		END SU LN	R		AUXILIARY				12A				2	2	10A	24A	13A	CU	\$\$\$	24A	10A	\$\$\$	48	5	02		U1	40	R
			OFF RAMP	R		SR 5 SB	ST	Y																						
29.54	29.01		MISC FEATR	L		GORE (SR 5 R317843)																								
29.57	29.04		ON RAMP	L		SR 5 SB	ST	SG	Y																					
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																					
			MISC FEATR	R		GORE (SR 5 S217717)																								
29.61	29.08		BEG SU LN	L		AUXILIARY				12A				2	2	10A	24A	13A	CU		24A	10A	12	60	5	02		U1	40	R
			OFF RAMP	L		SR 5 SB	ST	Y																						
			MISC FEATR	L		GORE (SR 5 S517717)																								
29.62	29.09		BEG SU LN	LC		HIGH OCCUPANCY VEHICL	12A							2	2	10A	24A	13A	CU		24A	10A	24	72	5	02		U1	40	R
			INTRSECTN	C		MEDIAN XROAD	ST	Y																						
			OFF RAMP	R		SR 5 SB (HOV LANE)	ST	Y																						

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
28.83	28.30		.03	10			.04	10								
29.08	28.55				.02	11		.04	12							
29.33	28.80		.03	10			.04	10								
29.41	28.88						.06	10			.02	10				

SR 104 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S			
							-XROAD-	NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	RHT	USE	RDY	MTCE	CITY	ST	SPEED	T	P	S						
							OW TC L	LNS	SHD	RDY	WD/S BR	W/S	W/S	W/S	LNS	RDY	A	NBR	FC	D	IB	R	K	T						
30.51		29.98						1	1									40	5	02	1169	U1			40	R	P	*		
30.53		30.00	MISC FEATR	B		PED XING																								
30.54		30.01	MISC FEATR	R		SGN ENT LK FOREST PARK																								
30.55		30.02	LEAVE CITY			SHORELINE		1	1																					
			ENTER CITY			LAKE FOREST PARK																								
			INTRSECTN	L		NE 195TH ST					CT																			
			INTRSECTN	B		25TH AVE NE																								
30.57		30.04	INTRSECTN	L		NE 195TH ST WYE CONN					CT																			
30.64		30.11																												
30.87		30.34																												
30.92		30.39	INTRSECTN	L		NE 190TH ST					CT																			
30.96		30.43																												
30.98		30.45	INTRSECTN	R		FOREST PARK DR NE					CT																			
31.01		30.48	MP MARKER			31																								
31.02		30.49	INTRSECTN	L		32ND AVE NE					CT																			
31.06		30.53																												
31.11		30.58																												
31.14		30.61																												
31.22		30.69	BEG SU LN	C		TWO WAY TURN		12A																						
31.23		30.70	END SU LN	C		TWO WAY TURN		12A																						
31.26		30.73																												
31.27		30.74	INTRSECTN	B		35TH AVE NE					CT																			
			INTRSECTN	R		NE 185TH ST					CT																			
31.31		30.78	BEG SU LN	C		TWO WAY TURN		12A																						
			INTRSECTN	L		36TH PL NE					CT																			
31.32		30.79	MISC FEATR	B		PED XING																								
31.37		30.84	END SU LN	C		TWO WAY TURN		12A																						
31.39		30.86	INTRSECTN	L		37TH AVE					CT																			
31.41		30.88																												
31.63		31.10	BEG SU LN	C		TWO WAY TURN		12A																						
			INTRSECTN	R		40TH AVE					CT																			
31.70		31.17	END SU LN	C		TWO WAY TURN		12A																						
31.72		31.19	INTRSECTN	L		NE 184TH ST					CT																			
			INTRSECTN	L		40TH PL NE					CT																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
30.55		30.02	.04	13		.04	12			
30.98		30.45				.02	12			
31.27		30.74	.03	12		.02	12			
31.39		30.86	.02	12						

SR 105 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	FC	FC	D	IB	R	K	T			
						:	OW	TC	L	D	I	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
30.72	30.64		ENT/EXIT	L		BUSINESS	PV	Y	1	1						6A	24A	6A		24	4	01		R2	40	L		
30.73	30.65		TRAF RCDR	B		R043 0																						
30.77	30.69								1	1						4A	24B	4A		24	4	01		R2	40	L		
30.79	30.71								1	1						4A	22B	4A		22	4	01		R2	40	L		
30.80	30.72								1	1						4A	22B	4A		22	4	01		R2	55	L		
30.99	30.91		MP MARKER	R		31																						
31.45	31.37								1	1						6A	22B	6A		22	4	01		R2	55	L		
31.78	31.70								1	1						6A	22A	6A		22	4	01		R2	55	L		
31.82	31.74		INTRSECTN	L		OYSTER PL	CO																					
32.00	31.92		MP MARKER	R		32																						
32.08	32.00		BEG BRIDGE	B		ELK RIVER	ST		1	1						\$\$\$	26P	\$\$\$		26	4	01		R2	55	L		
						BRDG NUM 105/104																						
32.33	32.25		END BRIDGE	B		ELK RIVER			1	1						6A	22A	6A		22	4	01		R2	55	L		
32.46	32.38		MISC FEATR	R		SGN ENT BAY CITY																						
32.57	32.49		INTRSECTN	R		WHALEBONE WAY	CO																					
32.61	32.53		INTRSECTN	L		BAY VIEW RD	CO																					
32.80	32.72								1	1						4A	22A	4A		22	4	01		R2	55	L		
33.00	32.92		MP MARKER	R		33																						
33.24	33.16		MISC FEATR	L		SGN ENT BAY CITY																						
33.27	33.19		ENT/EXIT	R		SOLID WASTE DISPOSAL	CO																					
33.72	33.64		INTRSECTN	L		PIRATES WAY	CO																					
34.00	33.92		MP MARKER	R		34																						
34.05	33.97		INTRSECTN	L		FAIRMOUNT AVE	CO																					
34.21	34.13		INTRSECTN	L		BAY VIEW RD	CO																					
			INTRSECTN	R		EUCLID AVE	CO																					
34.81	34.73		INTRSECTN	R		OCOSTA THIRD ST	CO																					
35.00	34.92		MP MARKER	R		35																						
35.03	34.95		INTRSECTN	R		OCOSTA SIXTH ST	CO																					
35.05	34.97																											
35.39	35.31		INTRSECTN	L		OCOSTA MYRTLE ST N	CO																					
			INTRSECTN	R		OCOSTA MYRTLE ST	CO																					
35.55	35.47																											
35.89	35.81		INTRSECTN	L		CO RD	CO									6A	22B	6A		22	4	01		R2	55	L		
35.96	35.88		INTRSECTN	R		PLUM ST	CO																					
36.00	35.92		MP MARKER	R		36																						
36.45	36.37																											
36.63	36.55		INTRSECTN	R		JOHNS RIV BR RD WYE CONN	CO		1	1						4A	22B	4A		22	4	01		R2	55	L		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L	R	L	R	L	R	RIGHT-
			NEAR	NEAR	FAR	FAR	LEFT--	L-CNTR	R-CNTR
			LG	WD	LG	WD	LG	WD	LG
			WD	WD	WD	WD	WD	WD	WD
30.72	30.64		.01	12					

SR 105 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S													
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T					
36.64		36.56																																	
36.69		36.61	INTRSECTN	R		JOHNS RIVER BR RD	CO			N	1	1													R2		55	L							
37.00		36.92	MP MARKER	B		37																													
37.03		36.95	MISC FEATR	R		SGN ENT MARKHAM																													
37.07		36.99	INTRSECTN	R		JOHNS RIVER RD	CO			N																									
37.23		37.15	BEG BRIDGE	B		JOHNS RIVER BRDG NUM 105/108	ST				1	1													R2		55	L							
37.34		37.26	END BRIDGE	B		JOHNS RIVER					1	1																							
37.76		37.68	MISC FEATR	B		CATTLE OXING																													
37.98		37.90	MP MARKER	R		38																													
38.00		37.92	INTRSECTN	L		OLD WESTPORT RD	CO			N																									
38.15		38.07	MISC FEATR	L		SGN ENT MARKHAM																													
38.31		38.23	BEG SU LN	R		TRUCK CLIMBING SHOULD10A					1	1													R2		55	L							
38.44		38.36	INTRSECTN	L		RUSTEMEYER RD	CO			N																									
38.68		38.60	END SU LN	R		TRUCK CLIMBING SHOULD10A					1	1														R2		55	L						
39.00		38.92	MP MARKER	R		39																													
39.10		39.02	INTRSECTN	L		SOUTH ARBOR RD	CO			N																									
39.69		39.61	BEG BRIDGE	B		OLEARY CREEK BRDG NUM 105/110	ST				1	1														R2		55	L						
39.71		39.63	END BRIDGE	B		OLEARY CREEK					1	1																							
39.72		39.64	BEG SU LN	R		TRUCK CLIMBING SHOULD10A					1	1														R2		55	L						
39.93		39.85	END SU LN	R		TRUCK CLIMBING SHOULD10A					1	1														R2		55	L						
40.00		39.92	MP MARKER	R		40																													
40.28		40.20	INTRSECTN	B		OLEARY CREEK RD	CO			N																									
40.80		40.72									1	1															R2		55	L					
40.87		40.79	INTRSECTN	L		GRAY LN	CO			N																									
			INTRSECTN	R		OLEARY CREEK RD	CO			N																									
41.09		40.89	EQUATION			040.97 =041.09																													
			MP MARKER	R		41																													
41.11		40.91									1	1																							
42.00		41.80	MP MARKER	R		42																					R2		55	L					
42.46		42.26	BEG BRIDGE	B		STAFFORD CREEK BRDG NUM 105/112	ST				1	1															R2		55	L					
42.48		42.28	END BRIDGE	B		STAFFORD CREEK					1	1															R2		55	L					
42.99		42.79	BEG BRIDGE	B		INDIAN CREEK BRDG NUM 105/114	ST				1	1															R2		55	L					
43.00		42.80	MP MARKER	R		43																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
40.87		40.79			.04	12				

SR 105 SPUR STATE ROUTE - SRSH COUNTY GRAYS HARBOR DOT DISTRICT 3
WESTPT

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC		USE		TOT	LEGAL		T	P	S													
		:DIRECTION TO INVENTORY		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S																
		:LEFT/RIGHT INDICATOR		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S													
		:		OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T								
30.28	0.00	BEG ROUTE	WESTPT			SR 105 TO WESTPORT																													
		BEG CTLSEC	CONTROL SECTION 1438																																
		INTRSECTN	SCHAFFER RD	L			CO																												
		INTRSECTN	SR 105	R			ST																												
30.29	0.01	INTRSECTN	SR 105 WYE CONN	R			ST																												
30.37	0.05	EQUATION	030.33 =030.37																																
30.41	0.09																																		
30.90	0.58																																		
31.00	0.68	INTRSECTN	JACKSON ST	R			CO																												
31.01	0.69	MP MARKER	31	R																															
31.20	0.88	INTRSECTN	CHEHALIS AVE	B			CO																												
31.33	1.01	MISC FEATR	SGN ENT WESTPORT	R																															
31.40	1.08	ENTER CITY	WESTPORT																																
31.43	1.11	INTRSECTN	W LILA AVE	L			CT																												
31.56	1.24	BEG ST	S FORREST ST	I																															
		INTRSECTN	W NEWELL AVE	B			CT																												
31.63	1.31	INTRSECTN	W PINE AVE	R			CT																												
31.65	1.33																																		
31.90	1.58	INTRSECTN	W HANCOCK AVE	L			CT																												
31.97	1.65	INTRSECTN	W VETERANS AVE	B			CT																												
32.00	1.68	MP MARKER	32	R																															
32.09	1.77	INTRSECTN	PERRY ST W	R			CT																												
32.17	1.85	INTRSECTN	W SHERMAN AVE	L			CT																												
32.23	1.91																																		
32.29	1.97	END ST	S FORREST ST	I																															
		BEG ST	W OCEAN AVE	I																															
		INTRSECTN	W OCEAN AVE	L			CT																												
		INTRSECTN	N FORREST ST	L			CT																												
32.34	2.02	INTRSECTN	S CENTRAL ST	B			CT																												
32.39	2.07	INTRSECTN	N OLYMPIA ST	L			CT																												
32.44	2.12	INTRSECTN	S MELBOURNE ST	L			CT																												
32.51	2.19	INTRSECTN	S BROADWAY ST	B			CT																												
32.57	2.25	INTRSECTN	S OCOSTA ST	R			CT																												
32.62	2.30	END ST	W OCEAN AVE	I																															
		BEG ST	N MONTESANO ST	I																															
		INTRSECTN	S MONTESANO ST	R			CT																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
32.29	1.97	.01	12								
32.62	2.30			.02	10						

SR 107 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			TOT		MTCE		CITY	ST	LEGAL		T	P	S					
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1				6A	24A	6A				24	4	01			R2		55	R						
			BEG CTLSEC			CONTROL SECTION 1409																													
			INTRSECTN	B		SR 101				ST		Y																							
0.01	0.01		INTRSECTN	R		SR 101 WYE CONN				ST		Y																							
0.02	0.02		INTRSECTN	L		SR 101 WYE CONN				ST		Y																							
0.09	0.06		EQUATION			000.06 =000.09					1	1			8A	24A	8A				24	4	01			R2		55	R						
0.30	0.27										1	1			8A	24B	8A				24	4	01			R2		55	R						
1.00	0.97		MP MARKER	R		1																													
1.50	1.47										1	1			5A	24B	5A				24	4	01			R2		55	R						
1.79	1.76		INTRSECTN	R		LEMPIE RD				CO		N																							
2.00	1.97		MP MARKER	R		2					1	1			2A	24B	2A				24	4	01			R2		55	R						
2.96	2.93		INTRSECTN	L		BLUE SLOUGH RD				CO		N																							
2.99	2.96		INTRSECTN	L		BLUE SLOUGH RD WYE CONN				CO	N	1	1		3A	22B	3A				22	4	01			R2		55	R						
3.00	2.97		MP MARKER	R		3																													
4.03	4.00		MP MARKER	R		4					1	1			5A	22B	5A				22	4	01			R2		55	R						
4.13	4.10		INTRSECTN	L		PREACHERS SLOUGH RD				CO		N																							
4.60	4.57										1	1			3A	23B	3A				23	4	01			R2		55	R						
5.03	5.00		MP MARKER	R		5																													
5.27	5.24		INTRSECTN	R		CO RD #61510				CO		N																							
5.30	5.27		INTRSECTN	L		MELBOURNE RD				CO		N																							
5.45	5.42		INTRSECTN	R		MUDGETT MT RD				CO		N																							
5.69	5.66		INTRSECTN	R		CO RD				CO		N																							
5.78	5.75		INTRSECTN	L		MELBOURNE RD				CO		N																							
6.00	5.97		MP MARKER	R		6																													
6.18	6.15										1	1			3A	22B	10A				22	4	01			R2		55	R						
6.50	6.47										1	1			3A	22B	10A				22	4	01			R2		40	R						
6.65	6.62										1	1			6A	22B	6A				22	4	01			R2		40	R						
6.76	6.73		INTRSECTN	R		MINKLER RD				CO		Y																							
			INTRSECTN	L		S MONTE RD				CO		Y																							
6.82	6.79		BEG BRIDGE	B		CHEHALIS RIVER				ST		1	1		\$\$C	26B	\$\$C				26	4	01			R2		40	R						
						BRDG NUM 107/004																													
6.95	6.92		MP MARKER	R		7																													
7.07	7.04		END BRIDGE	B		CHEHALIS RIVER					1	1			8A	22A	8A				22	4	01			R2		40	R						
7.26	7.23		MISC FEATR	R		SGN ENT MONTESANO																													
7.27	7.24		INTRSECTN	R		BOAT LAUNCH RD				CO	Y	1	1		3A	22A	3A				22	4	01			R2		40	R						
7.30	7.27		RR XING	B		NUM 808462C GRADE																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.76	6.73		.03	11	.03	11				

SR 108 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
:DIRECTION TO INVENTORY						-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
:LEFT/RIGHT INDICATOR						-UXING-	LNS	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD	D	IB	R	K	T							
:						-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 8/MCLEARY TO SR 101		1	1			6A	26A	6A		26	4	01	0728	R2		25	L	P				
			ENTER CITY			MC CLEARY																						
			BEG CTLSEC			CONTROL SECTION 1436																						
			INTRSECTN	B		SR 8																						
0.02	0.02		MP MARKER	R		0																						
0.10	0.10							1	1			6A	26A	6A		26	4	01	0728	R2		40	L	P				
0.11	0.11		BEG ST	I		W SIMPSON AVE		1	1			2A	22A	2A		22	4	01	0728	R2		40	L	P	*			
			INTRSECTN	L		ELMA-MCCLEARY RD																						
0.25	0.25							1	1			3A	22A	3A		22	4	01	0728	R2		40	L	B	*			
0.50	0.50		BEG BRIDGE	B		WILDCAT CREEK		1	1			\$\$\$C	28A	\$\$\$C		28	4	01	0728	R2		30	L	P	*			
			BRDG NUM			108/004																						
0.51	0.51		END BRIDGE	B		WILDCAT CREEK		1	1			3A	22A	3A		22	4	01	0728	R2		30	L	B	*			
0.63	0.63		INTRSECTN	R		S 70TH ST		Y	1	1		7A	33A	\$\$\$C		33	4	01	0728	R2		30	L	B	*			
0.66	0.66							1	1			\$\$\$C	40A	C		40	4	01	0728	R2		30	L	B	*			
0.70	0.70		INTRSECTN	B		S.9TH ST		CT	Y																			
0.77	0.77		INTRSECTN	B		S 8TH ST		CT	Y																			
0.83	0.83		INTRSECTN	B		S 7TH ST		CT	Y	1	1	7A	33A	C		33	4	01	0728	R2		30	L	B	*			
0.91	0.91		INTRSECTN	R		S 6TH ST		CT	Y	1	1	10A	32A	C		32	4	01	0728	R2		30	L	B	*			
			ENT/EXIT	L		SIMPSON MILL		PV	Y																			
0.99	0.99		INTRSECTN	R		S 5TH ST		CT	Y	1	1	\$\$\$C	42A	C		42	4	01	0728	R2		30	L	B	*			
1.06	1.06		INTRSECTN	R		S 4TH ST		CT	Y	1	1	C	58A	C		58	4	01	0728	R2		30	L	B	*			
1.11	1.11		END ST	I		W SIMPSON AVE			1	1		7A	60A	C		60	4	01	0728	R2		30	L	R	*			
			BEG ST	I		SUMMIT RD																						
			INTRSECTN	R		SUMMIT RD		CT	SS	Y																		
			INTRSECTN	R		CURRAN ST		CT	SS	Y																		
1.20	1.20							1	1			7A	40A	C		40	4	01	0728	R2		30	L	R	*			
1.21	1.21		INTRSECTN	R		VETERANS WAY		CT	Y																			
1.22	1.22							1	1			7A	40A	C		40	4	01	0728	R2		35	L	R	*			
1.23	1.23							1	1			7A	22A	3A		22	4	01	0728	R2		35	L	P	*			
1.38	1.38		INTRSECTN	R		E BECK ST		CT	Y	1	1	5A	22A	1A		22	4	01	0728	R2		35	L	P	*			
1.92	1.92		INTRSECTN	R		WILDCAT DR		CT	Y																			
1.95	1.95							1	1			8A	22A	8A		22	4	01	0728	R2		35	L	P	*			
1.98	1.98		END ST	I		SUMMIT RD			1	1		8A	22A	8A		22	4	01	0728	R2		50	L	B	\$			
			INTRSECTN	L		SUMMIT RD		CT	RF	Y																		
2.00	2.00		MP MARKER	R		2																						
2.20	2.20		MISC FEATR	L		SGN ENT MCCLEARY																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
-----		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.11	1.11			.02	16	.02	10				

SR 108 MAINLINE

STATE ROUTE - SRSH

COUNTY MASON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																	
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL											
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	T	P	S			
4.18	4.18		ENTER CO BEG CTLSEC			MASON CONTROL SECTION 2330				1	1															R2					50	R		
4.35	4.35									1	1															R2					50	R		
4.50	4.50									1	1															R2					50	R		
4.72	4.72		INTRSECTN	L		PVT RD			PV		N																							
5.00	5.00		MP MARKER	R		5																												
6.03	6.03		MP MARKER	R		6																												
6.35	6.35									1	1															R2					50	R		
6.66	6.66		BEG BRIDGE	B		SKOOKUM CREEK BRDG NUM 108/103			ST																	R2					50	R		
6.67	6.67		END BRIDGE	B		SKOOKUM CREEK				1	1															R2					50	R		
6.72	6.72		INTRSECTN	R		SLIDE CREEK RD			PV		N																							
6.99	6.99		MP MARKER	R		7																												
8.00	8.00		MP MARKER	R		8																												
8.77	8.77									1	1															R2					50	R		
9.00	9.00		MP MARKER	R		9																												
9.25	9.25		INTRSECTN	L		EICH RD			CO		N																							
9.70	9.70		INTRSECTN	R		HURLEY WALDRIP RD			CO		N																							
9.71	9.71		INTRSECTN	R		HURLEY WALDRIP WYE CONN			CO		N																							
10.00	10.00		MP MARKER	R		10																												
11.00	11.00		BEG SU LN MP MARKER	B R		AUXILIARY 11	12A			1	1															R2					50	R		
11.02	11.02		RR XING	B		NUM 96557P GRADE				1	1															R2					50	R		
11.04	11.04		END SU LN	B		AUXILIARY	12A			1	1															R2					50	R		
11.11	11.11		BEG BRIDGE	B		SKOOKUM CREEK BRDG NUM 108/106			ST	1	1															R2					50	R		
11.13	11.13		END BRIDGE	B		SKOOKUM CREEK				1	1															R2					50	R		
11.77	11.77									1	1															R2					50	R		
11.80	11.80		ENT/EXIT	R		LITTLE CREEK CASINO			PV		Y																							
11.81	11.81									1	1															R2					50	R		
11.84	11.84		ENT FROM	R		BUSINESS			PV		Y																							
11.90	11.90		INTRSECTN	L		KAMILCHE LN			CO		Y																							
11.92	11.92		ON RAMP OFF RAMP	L R		SR 101 SR 101			ST ST		Y Y																							
11.96	11.96		UXING	B		SR 101 BRDG NUM 101/429.5			ST																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.80	11.80				.03	12				
11.92	11.92				.01	12				

SR 108 MAINLINE

STATE ROUTE - SRSH

COUNTY MASON

DOT DISTRICT 3

			-----WIDTH AND SURFACE INFORMATION-----																	-----CLASSIFICATIONS---										
			:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																	
			: :LEFT/RIGHT INDICATOR		NBR		LFT	RHT		LFT	RHT	USE	TOT																	
			:		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S						
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
11.96	11.96	END CTLSEC END ROUTE			CONTROL SECTION 2330				1	1						6A	24A	6A			24	4	01			R2			50	R

SR 109 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---												
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T					
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
1.10	1.14																											
1.25	1.29		ENT/EXIT	R		HOQUIAM HIGH SCHOOL	CT	N						4A	22A	4A			22	4	02	0560	U2	35	L	P	*	
1.28	1.32													4A	22A	4A			22	4	02	0560	U2	50	L	P	*	
1.49	1.53		END ST	I		W EMERSON AVE								4A	22A	4A			22	4	02	0560	U2	50	L	P	\$	
			INTRSECTN	L		PAULSON RD	CT	Y																				
1.72	1.76		MISC FEATR	L		SGN ENT HOQUIAM																						
1.76	1.80													3A	22A	3A			22	4	02	0560	U2	50	R	P		
1.79	1.83		INTRSECTN	R		SR 109 SPLONNGR (SPUR)	ST	Y																				
1.80	1.84													3A	22A	3A			22	4	02	0560	R2	50	R	P		
1.99	2.03		MP MARKER	R		2																						
2.19	2.23		MISC FEATR	L		SGN ENT HOQUIAM																						
3.02	3.06		INTRSECTN	R		GRAYS HRBR BLVD WYE CONN	CT	N																				
3.03	3.07		INTRSECTN	R		GRAYS HARBOR BLVD	CT	N																				
3.04	3.08		MP MARKER	R		3																						
3.30	3.34		LEAVE CITY			HOQUIAM								3A	22A	3A			22	4	02	\$\$\$\$	R2	50	R	\$		
3.48	3.52		INTRSECTN	R		HARBORVIEW CT	CO	N																				
3.64	3.68													3A	22B	3A			22	4	02		R2	50	R			
3.67	3.71		INTRSECTN	R		BROADWAY HILL RD	CO	N	1	1				3A	22B	8A			22	4	02		R2	50	R			
3.89	3.93													3A	22B	3A			22	4	02		R2	50	R			
3.97	4.01		INTRSECTN	L		BRECKENRIDGE DR	CO	N																				
4.00	4.04		MP MARKER	R		4																						
4.40	4.44		INTRSECTN	R		VALLEY RD	CO	N	1	1				1B	22B	1B			22	4	02		R2	50	R			
4.99	5.03		MP MARKER	R		5								4B	24B	4B			24	4	02		R2	50	R			
5.05	5.09		BEG SU LN	R		SLOW VEHICLE	15B							4B	24B	\$\$\$	15		39	4	02		R2	50	R			
5.26	5.30		END SU LN	R		SLOW VEHICLE	15B							4B	24B	4B	\$\$\$		24	4	02		R2	50	R			
5.77	5.81		INTRSECTN	L		GRASS CREEK LOOP RD	CO	N																				
5.99	6.03		MP MARKER	R		6																						
6.00	6.04		INTRSECTN	L		GRASS CREEK LOOP RD	CO	N																				
6.28	6.32													4A	24A	4A			24	4	02		R2	50	R			
6.30	6.34		INTRSECTN	R		GRASS CREEK ST	CO	N	1	1				5A	22A	5A			22	4	02		R2	50	R			
6.45	6.49		BEG BRIDGE B			GRASS CREEK	ST		1	1				\$\$C	26A	\$\$C			26	4	02		R2	50	R			
						BRDG NUM 109/006																						

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----												
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-									
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
1.25	1.29																		
1.49	1.53		.04	11															
1.79	1.83				.03	12			.08	12									
3.48	3.52				.03	12					.09	12							
3.67	3.71						.02	11					.02	11					
3.97	4.01		.03	11											.02	11			

SR 109 MAINLINE

STATE ROUTE - SRSH

COUNTY GRAYS HARBOR

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																			
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																						
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
6.52	6.56		END BRIDGE	B		GRASS CREEK														8A	24A	8A		24	4	02		R2		50	R				
6.60	6.64																				8A	24A	8A		24	4	02		R2		55	R			
7.00	7.04		MP MARKER	R	7																														
7.54	7.58		INTRSECTN	L		GRAY GABLES LN	CO		N																										
8.00	8.04		MP MARKER	R	8																														
8.64	8.68		INTRSECTN	R		CHENOIS CREEK RD	CO		N																										
8.65	8.69		BEG BRIDGE	B		CHENOIS CREEK	ST		1	1																									
						BRDG NUM 109/008																													
8.68	8.72		END BRIDGE	B		CHENOIS CREEK				1	1																								
9.05	9.09		MP MARKER	R	9																														
9.83	9.87		INTRSECTN	R		POWELL RD	CO		N																										
9.99	10.03		MP MARKER	R	10																														
10.01	10.05		BEG BRIDGE	B		GILLIS SLOUGH	ST		1	1																									
						BRDG NUM 109/009																													
10.03	10.07		END BRIDGE	B		GILLIS SLOUGH				1	1																								
10.13	10.17		ENT/EXIT	L		PUBLIC FISHING	ST		N																										
10.24	10.28		BEG BRIDGE	B		HUMPTULIPS RIVER	ST		1	1																									
						BRDG NUM 109/010																													
10.31	10.35		END BRIDGE	B		HUMPTULIPS RIVER				1	1																								
10.38	10.42		INTRSECTN	L		BURROWS RD	CO		N	1	1																								
10.62	10.66									1	1																								
10.65	10.69		INTRSECTN	R		PVT LN	PV		N																										
10.78	10.82		BEG BRIDGE	B		JESSIE SLOUGH	ST		1	1																									
						BRDG NUM 109/011																													
10.80	10.84		END BRIDGE	B		JESSIE SLOUGH				1	1																								
10.99	11.03		MP MARKER	R	11																														
12.00	12.04		MP MARKER	R	12																														
13.00	13.04		MP MARKER	R	13																														
13.34	13.38		INTRSECTN	L		BURROWS RD	CO		N																										
14.00	14.04		MP MARKER	R	14																														
14.01	14.05									1	1																								
15.00	15.04		MP MARKER	R	15																														
15.10	15.14									1	1																								
15.29	15.33		ENT/EXIT	R		SOLID WASTE DISPOSAL	ST		N																										
15.75	15.79									1	1																								
15.85	15.89		INTRSECTN	L		HALE AVE	CO		N																										
15.95	15.99									1	1																								
15.98	16.02									1	1																								
16.00	16.04		MP MARKER	R	16																														
16.02	16.06		BEG SU LN	C		TWO WAY TURN	11A			1	1																								
16.07	16.11		END SU LN	C		TWO WAY TURN	11A			1	1																								
16.11	16.15		INTRSECTN	L		SR 115	ST		Y	1	1																								

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
16.11	16.15			.02	11					.02	11

SR 109 SPUR STATE ROUTE - SRSH COUNTY GRAYS HARBOR DOT DISTRICT 3
LONNGR

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCREAS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
1.79	0.00		BEG ROUTE			LONNGR																			
						SR 109 TO SR 101																			
			ENTER CITY			HOQUIAM																			
			BEG CTLSEC			CONTROL SECTION 1443																			
			INTRSECTN	B		SR 109																			
1.98	0.19																								
2.00	0.21		MP MARKER	R		2 S																			
2.18	0.39		MISC FEATR	R		SGN ENT HOQUIAM																			
2.23	0.44		BEG BRIDGE	B		LITTLE HOQUIAM RIVER	ST																		
						BRDG NUM 109/003SP																			
2.50	0.71		END BRIDGE	B		LITTLE HOQUIAM RIVER																			
3.00	1.21		MP MARKER	R		3 S																			
			MISC FEATR	C		GAME OXING																			
3.61	1.82		INTRSECTN	B		SR 101	ST																		
			END CTLSEC			CONTROL SECTION 1443																			
			END SECTN			LONNGR																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.79	0.00				.05	.12				
3.61	1.82		.04	.12						

SR 112 MAINLINE

STATE ROUTE - SRSH

COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
0.00	0.00		BEG ROUTE			MAIN ROUTE RES. E. BDRY TO SR 101		1	1		1B	20B	1B					20	3	02		R3	35	R
			BEG CTLSEC			CONTROL SECTION 0536																		
			MP MARKER	R		0																		
			MISC FEATR	R		MAKAH INDIAN RES BDRY																		
0.10	0.10		INTRSECTN	R		CO RD	CO		N															
1.00	1.00		MP MARKER	R		1																		
1.55	1.55		BEG BRIDGE	B		BULL MAN CREEK BRDG NUM 112/004	ST	1	1		\$\$C	26B	\$\$C					26	3	02		R3	35	R
1.57	1.57		END BRIDGE	B		BULL MAN CREEK		1	1		1B	20B	1B					20	3	02		R3	35	R
2.00	2.00		MP MARKER	R		2																		
3.00	3.00		MP MARKER	R		3																		
4.00	4.00		MP MARKER	R		4																		
5.00	5.00		MP MARKER	L		5																		
5.90	5.90							1	1		1A	24B	1A					24	3	02		R3	35	R
6.00	6.00		MP MARKER	R		6																		
6.23	6.23							1	1		1A	24B	1A					24	3	02		R3	50	R
7.00	7.00		MP MARKER	R		7																		
7.75	7.75							1	1		6A	24B	6A					24	3	02		R3	50	R
8.00	8.00		MP MARKER	R		8																		
8.28	8.28							1	1		1A	24B	1A					24	3	02		R3	50	R
9.00	9.00		MP MARKER	R		9																		
9.50	9.50							1	1		4A	24A	4A					24	3	02		R3	50	R
9.62	9.62		BEG BRIDGE	B		SEKIU RIVER BRDG NUM 112/008	ST	1	1		\$\$W	32A	\$\$W					32	3	02		R3	50	R
9.68	9.68		END BRIDGE	B		SEKIU RIVER		1	1		4A	24A	4A					24	3	02		R3	50	R
9.74	9.74		INTRSECTN	R		SEKIU RIVER RD	CO		N															
9.99	9.97		EQUATION			009.97 =009.99		1	1		1A	24A	1A					24	3	02		R3	50	R
10.00	9.98		MP MARKER	L		10																		
10.72	10.70		INTRSECTN	L		VISTA DR	CO		Y															
11.00	10.98		MP MARKER	R		11																		
11.83	11.81		BEG BRIDGE	B		HOKO RIVER BRDG NUM 112/010	ST	1	1		\$\$C	22P	\$\$C					22	3	02		R3	50	R
11.87	11.85		END BRIDGE	B		HOKO RIVER		1	1		1A	24A	1A					24	3	02		R3	50	R
12.00	11.98		MP MARKER	R		12																		
12.21	12.19		INTRSECTN	L		EAGLE POINT RD	CO		N															
12.29	12.27		INTRSECTN	L		TVEIT RD	CO		N															

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.74		9.74			.03	11				

SR 112 MAINLINE

STATE ROUTE - SRSH

COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S							
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
12.31	12.29																													
12.53	12.51		INTRSECTN	R		HOKO-OZETTE RD	CO		N						1A	24A	1A				24	3	02		R3		50	R		
12.90	12.88														1A	22A	1A				22	3	02		R3		50	R		
13.00	12.98		MP MARKER	R		13																								
14.00	13.98		MP MARKER	R		14																								
14.36	14.34														6A	22A	6A				22	3	02		R3		50	R		
14.37	14.35														3A	24A	3A				24	3	02		R3		50	R		
14.45	14.43		INTRSECTN	L		SEKIU AIRPORT RD	CO		N																					
14.84	14.82		INTRSECTN	L		FRONT ST WYE CONN	CO		Y																					
14.85	14.83		INTRSECTN	L		FRONT ST	CO		Y	1	1				3A	24A	3A				24	3	02		R3		40	R		
14.87	14.85		INTRSECTN	L		FRONT ST WYE CONN	CO		Y																					
14.94	14.92		BEG BRIDGE	B		FALLS CREEK BRDG NUM 112/013	ST			1	1				\$\$\$	25A	\$\$\$				25	3	02		R3		40	R		
14.98	14.96		END BRIDGE	B		FALLS CREEK				1	1				1A	22A	1A				22	3	02		R3		40	R		
15.00	14.98		MP MARKER	R		15																								
16.00	15.98		MP MARKER	R		16																								
16.42	16.40		MISC FEATR	R		SGN ENT CLALLAM BAY				1	1				1A	22A	1A				22	3	02		R3		25	R		
16.50	16.48		BEG BRIDGE	B		CREEK BRDG NUM 112/015	ST			1	1				\$\$\$	25A	\$\$\$				25	3	02		R3		25	R		
16.51	16.49		END BRIDGE	B		CREEK				1	1				10A	24A	10A				24	3	02		R3		25	R		
16.56	16.54		INTRSECTN	R		KALAWA ST	CO		N																					
16.69	16.67		INTRSECTN	R		BOGACHIEL ST	CO		Y																					
16.79	16.77		INTRSECTN	L		FRONTIER ST	CO		Y																					
16.84	16.82		INTRSECTN	R		PIONEER WAY	CO		Y																					
16.88	16.86		INTRSECTN	R		5TH ST	CO		Y																					
16.93	16.91		INTRSECTN	R		6TH ST	CO		Y																					
16.96	16.94									1	1				2A	22A	2A				22	3	02		R3		25	R		
16.98	16.96		INTRSECTN	L		MURPHY RD	CO		Y																					
			INTRSECTN	R		7TH ST	CO		Y																					
17.00	16.98		MP MARKER	R		17																								
17.04	17.02		INTRSECTN	R		8TH ST	CO		Y																					
17.08	17.06		MISC FEATR	L		SGN ENT CLALLAM BAY				1	1				4A	24A	4A				24	3	02		R3		25	R		
17.09	17.07									1	1				4A	24A	4A				24	3	02		R3		50	R		
17.16	17.14		INTRSECTN	B		CHARLIE CRK-WEEL RD	CO		Y																					
17.94	17.92		BEG BRIDGE	B		CLALLAM RIVER	ST			1	1				\$\$\$	32A	\$\$\$				32	3	02		R3		50	R		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.53	12.51				.02	11				
14.87	14.85						.03	12		
17.16	17.14		.03	12			.03	12		

SR 112 MAINLINE

STATE ROUTE - SRSH

COUNTY CLALLAM

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID									
31.92	31.90							1	1			2A	2A	2A			22	3	02		R3		40	R	
32.00	31.98	MP	MARKER	R	32																				
32.05	32.03							1	1			3A	24A	3A			24	3	02		R3		40	R	
32.10	32.08							1	1			2A	22A	2A			22	3	02		R3		40	R	
32.12	32.10							1	1			3A	22A	3A			22	3	02		R3		40	R	
32.22	32.20							1	1			3A	24A	3A			24	3	02		R3		40	R	
32.48	32.46							1	1			3A	22A	3A			22	3	02		R3		40	R	
32.87B	32.85	BEG	EQ			BEGIN	BACK																		
32.87	32.89	EQUATION				032.91B=032.87																			
33.00	33.02	MP	MARKER	R	33																				
33.98	34.00	INTRSECTN		R		GIBSON RD		CO	N																
34.00	34.02	MP	MARKER	R	34																				
34.66	34.68	BEG	BRIDGE	B		DEEP CREEK		ST		1	1			\$\$W	37A	\$\$W			37	3	02		R3	40	R
						BRDG NUM 112/031																			
34.69	34.71	END	BRIDGE	B		DEEP CREEK				1	1			3A	22A	3A			22	3	02		R3	40	R
35.00	35.02	MP	MARKER	R	35																				
35.71	35.73									1	1			3A	24A	3A			24	3	02		R3	40	R
36.31	36.33	MP	MARKER	R	36																				
36.63B	36.65	BEG	EQ			BEGIN	BACK																		
36.63	36.98	EQUATION				036.96B=036.63				1	1			3A	22A	3A			22	3	02		R3	40	R
37.00	37.35	MP	MARKER	R	37																				
38.00	38.35	MP	MARKER	R	38																				
38.55	38.90	BEG	BRIDGE	B		WEST TWIN RIVER		ST		1	1			\$\$C	26A	\$\$C			26	3	02		R3	40	R
						BRDG NUM 112/034																			
38.58	38.93	END	BRIDGE	B		WEST TWIN RIVER				1	1			3A	22A	3A			22	3	01		R3	40	R
38.93	39.28	INTRSECTN		R		BEAR CRK-W TWIN RIVER RD		PV	N																
38.96	39.31	BEG	BRIDGE	B		EAST TWIN RIVER		ST		1	1			\$\$C	26A	\$\$C			26	3	01		R3	40	R
						BRDG NUM 112/035																			
38.99	39.34	END	BRIDGE	B		EAST TWIN RIVER				1	1			2A	22A	2A			22	3	01		R3	40	R
39.00	39.35	MP	MARKER	R	39																				
40.00	40.35	MP	MARKER	R	40																				
41.00	41.35	MP	MARKER	R	41																				
41.07	41.42									1	1			2A	22A	2A			22	3	01		R3	50	R
42.00	42.35	MP	MARKER	R	42																				
42.57	42.92	INTRSECTN		R		EAST TWIN RIVER RD		CO	N																
43.00	43.35	MP	MARKER	R	43																				
44.00	44.35	MP	MARKER	R	44																				
45.00	45.35	MP	MARKER	R	45																				
45.66	46.01									1	1			4A	24A	4A			24	3	01		R3	50	R
45.80	46.15	INTRSECTN		L		WEST LYRE RIVER RD		CO	N																
45.92	46.27	BEG	BRIDGE	B		SUSIE CREEK		ST		1	1			\$\$W	32P	\$\$W			32	3	01		R3	50	R
						BRDG NUM 112/038																			
45.99	46.34	END	BRIDGE	B		SUSIE CREEK				1	1			4A	24A	4A			24	3	01		R3	50	R

SR 112 MAINLINE

STATE ROUTE - SRSH

COUNTY CLALLAM

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----														
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
46.00	46.35	MP	MARKER	R		46										4A	24A	4A		24	3	01		R3		50	R			
46.19	46.54	BEG	BRIDGE	B		LYRE RIVER	ST									\$\$\$C	26A	\$\$\$C		26	3	01		R3		50	R			
46.24	46.59	END	BRIDGE	B		LYRE RIVER										4A	22A	4A		22	3	01		R3		50	R			
46.47	46.82	INTRSECTN		L		EAST LYRE RIVER RD	CO		N																					
46.51	46.86															8A	22A	8A		22	3	01		R3		50	R			
46.70	47.05	INTRSECTN		L		REYNOLD RD	CO		N																					
46.91	47.26															2A	22A	2A		22	3	01		R3		50	R			
47.00	47.35	MP	MARKER	R		47																								
47.47	47.82	INTRSECTN		R		HOWARD RD	CO		N																					
		INTRSECTN		L		FARRINGTON RD	CO		N																					
47.99	48.34	MP	MARKER	R		48																								
48.48	48.83	INTRSECTN		R		GOSSETT RD	CO		N	1	1					2A	24A	2A		24	3	01		R3		50	R			
48.53	48.88	INTRSECTN		L		WHISKEY CREEK BEACH RD	CO		N																					
48.56	48.91															2A	22A	2A		22	3	01		R3		50	R			
49.00	49.35	MP	MARKER	R		49																								
49.27	49.62	INTRSECTN		R		WYE RD	CO		N																					
50.00	50.35	MP	MARKER	R		50																								
50.28	50.63	MISC	FEATR	R		SGN ENT JOYCE				1	1					2A	22A	2A		22	3	01		R3		40	R			
50.34	50.69	INTRSECTN		R		JOYCE-PIEDMONT RD	CO		N																					
50.46	50.72	EQUATION		R		050.37 =050.46				1	1					4A	21A	4A		21	3	01		R3		40	R			
		INTRSECTN		L		AGATE BEACH DR	CO		N																					
50.98	51.24	INTRSECTN		L		CRESCENT BEACH RD	CO		N																					
51.01	51.27	MP	MARKER	R		51																								
51.42	51.68	MISC	FEATR	L		SGN ENT JOYCE																								
51.55	51.81									1	1					4A	21A	4A		21	3	01		R3		55	R			
51.56	51.82									1	1					3A	23A	3A		23	3	01		R3		55	R			
51.89	52.15	INTRSECTN		R		MILLER RD	CO		N																					
52.00	52.26	MP	MARKER	R		52																								
52.16	52.42	INTRSECTN		R		BISHOP RD	CO		N																					
52.69	52.95	INTRSECTN		R		DEMPSEY RD	CO		N																					
52.99	53.25	INTRSECTN		L		NORDSTROM RD	CO		N																					
53.01	53.27	MP	MARKER	R		53																								
53.56	53.82	INTRSECTN		R		GRAUL-RAMAPO RD	CO		N																					
53.84	54.10	INTRSECTN		L		CAMP HAYDEN RD WYE CONN	CO		N																					
53.87	54.13	INTRSECTN		L		CAMP HAYDEN RD	CO		N																					
54.00	54.26	MP	MARKER	R		54																								
54.12	54.38	INTRSECTN		L		JOHNSON RD	CO		N																					
54.38	54.64	INTRSECTN		L		THOMPSON RD	CO		N																					
		INTRSECTN		R		WASANKARI RD	CO		N																					
54.55	54.81	BEG	BRIDGE	B		SALT CREEK	ST			1	1					\$\$\$C	28A	\$\$\$C		28	3	01		R3		55	R			
						BRDG NUM 112/041																								
54.56	54.82	END	BRIDGE	B		SALT CREEK				1	1					3A	23A	3A		23	3	01		R3		55	R			

SR 112 MAINLINE

STATE ROUTE - SRSH

COUNTY CLALLAM

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---										
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT													
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
54.65			54.91																								
54.89			55.15			INTRSECTN																					
55.00			55.26			MP MARKER																					
56.01			56.27			MP MARKER																					
56.12			56.38			INTRSECTN																					
56.20			56.46			INTRSECTN																					
56.51			56.77			INTRSECTN																					
56.74			57.00			INTRSECTN																					
56.81			57.07																								
56.84			57.10			INTRSECTN																					
56.90			57.16			INTRSECTN																					
57.00			57.26			MP MARKER																					
57.61			57.87			INTRSECTN																					
57.62			57.88			INTRSECTN																					
57.99			58.25			MP MARKER																					
58.81			59.07																								
58.90			59.16			INTRSECTN																					
						INTRSECTN																					
59.00			59.26			MP MARKER																					
59.12			59.38			INTRSECTN																					
60.00			60.26			MP MARKER																					
60.13			60.39			BEG BRIDGE B																					
60.24			60.50			END BRIDGE B																					
60.38			60.64			INTRSECTN																					
						INTRSECTN																					
60.95			61.21			INTRSECTN																					
61.00			61.26			MP MARKER																					
61.05			61.31																								
61.07			61.33			INTRSECTN																					
61.08			61.34			INTRSECTN																					
						END CTLSEC																					
						END ROUTE																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
58.90			59.16	.02	12	.02	12				

SR 123 MAINLINE

STATE ROUTE - SRSH

COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
0.00B	0.00		BEG ROUTE			MAIN ROUTE SR 12 TO SR 410								1A	22B	1A				22	2	03			R2	50	R		
			BEG EQ			BEGIN BACK																							
			BEG CTLSEC			CONTROL SECTION 2112																							
			INTRSECTN	B		SR 12																							
0.01B	0.01		INTRSECTN	B		SR 12 WYE CONN																							
0.00	0.02		EQUATION			000.02B=000.00																							
0.01	0.03		ENT/EXIT	L		INFORMATION CENTER																							
0.18	0.20													1A	22B	1A				22	2	03			R2	50	M		
0.43	0.45													3A	22B	3A				22	2	03			R2	50	M		
0.60	0.62		BEG BRIDGE	B		SUMMIT CREEK								\$SW	28P	\$SW				28	2	03			R2	50	M		
			BRDG NUM			123/002																							
0.64	0.66		END BRIDGE	B		SUMMIT CREEK								3A	22B	3A				22	2	03			R2	50	M		
0.72	0.74													2A	20B	2A				20	2	03			R2	50	M		
0.99	1.01		MP MARKER	R		1																							
1.97	1.99		MP MARKER	R		2																							
2.23	2.25		INTRSECTN	R		FS RD #44																							
2.50	2.52		MISC FEATR	R		SGN ENT MT RAINIER NATL								2A	20A	2A				20	2	03			R2	50	M		
2.60	2.62		MISC FEATR	B		MT RAINIER NATL PARK BDR								2A	20A	2A				20	2	03			R2	45	M		
2.97	2.99		MP MARKER	R		3																							
3.50	3.52		INTRSECTN	R		PARK SERVICE RD																							
3.53	3.55													1	1	2A	15A	C	13S	\$C	15A	5G			30	2	03		
3.58	3.60													2	1	2A	23A	C	13S	C	15A	5G			38	2	03		
3.62	3.64		ENT/EXIT	L		OHANAPECOSH CAMPGROUND																							
3.71	3.73													1	1	\$\$\$	\$\$\$	\$	\$\$\$		2A	20A	2A			20	2	03	
3.88	3.90		TRAF RCDR	B		R040 1																							
4.00	4.02		MP MARKER	R		4																							
4.94	4.96		BEG BRIDGE	B		LAUGHING WATER CREEK								\$SW	28P	\$SW				28	2	03			R2	45	M		
			BRDG NUM			123/005																							
4.98	5.00		END BRIDGE	B		LAUGHING WATER CREEK								2A	20A	2A				20	2	03			R2	45	M		
			MP MARKER	R		5																							
5.42	5.44		INTRSECTN	L		STEVENS CANYON RD																							
5.47	5.49													1	1														
5.96	5.98		MP MARKER	R		6								1B	21B	1B				21	2	03			R2	45	M		
6.95	6.97		MP MARKER	R		7																							
7.50	7.52		LEAVE DIST			4																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGW	WD	LGW	WD	LGW	WD	LGW	WD
3.62	3.64		.03	12					.03	12
5.42	5.44		.02	10						

SR 123 MAINLINE

STATE ROUTE - SRSH

COUNTY LEWIS

DOT DISTRICT 4

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---						
					-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC	LFT		RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
					NBR	LFT	RHT	LFT	RHT	USE	TOT	A	SE	NBR	FC	D	IB	R	K	T	
					LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY							
					OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID						
7.50	7.52	END CTLSEC LEAVE CO		CONTROL SECTION 2112 LEWIS	1	1						1B	21B	1B	21	2	03		R2	45	M

SR 124 MAINLINE

STATE ROUTE - SRSH

COUNTY WALLA WALLA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	-----		-----		LEGAL		T	P	S											
:DIRECTION TO INVENTORY						-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S														
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T											
:						OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
0.00	0.00		BEG ROUTE			MAIN ROUTE			1	1					2B	22B	2B			22	3	01		R2		40	L								
			BEG CTLSEC			SR 12 TO SR 12/WAITSBURG																													
			INTRSECTN	B		SR 12																													
0.05	0.05		INTRSECTN	L		HOOD PARK RD																													
0.26	0.26		MISC FEATR	R		SGN ENT BURBANK HEIGHTS																													
0.31	0.31		INTRSECTN	L		SUNSET DR																													
1.00	1.00		MP MARKER	R		1																													
1.07	1.07		INTRSECTN	L		N LAKE RD																													
			INTRSECTN	R		S LAKE RD																													
1.13	1.13		MISC FEATR	L		SGN ENT BURBANK HEIGHTS																													
1.30	1.30		INTRSECTN	R		TUTTLE LN																													
1.56	1.56		INTRSECTN	R		GALLANT RD									2B	22B	2B			22	3	01		R2		60	L								
2.00	2.00		MP MARKER	R		2																													
2.06	2.06		INTRSECTN	L		CO RD																													
2.99	2.99		MP MARKER	R		3																													
3.99	3.99		MP MARKER	R		4																													
4.99	4.99		MP MARKER	R		5																													
5.23	5.23		INTRSECTN	L		ICE HARBOR RD																													
5.24	5.24		BEG SU LN	R		AUXILIARY									2B	22B	2B	10	32	3	01		R2		60	L									
5.26	5.26		BEG SU LN	L		AUXILIARY									2B	22B	2B	20	42	3	01		R2		60	L									
5.28	5.28		RR XING	B		NUM 844397U GRADE																													
5.29	5.29		END SU LN	R		AUXILIARY									2B	22B	2B	10	32	3	01		R2		60	L									
5.31	5.31		END SU LN	L		AUXILIARY									2B	22B	2B	\$\$\$	22	3	01		R2		60	L									
5.97	5.97		MP MARKER	R		6																													
7.02	7.02		MP MARKER	R		7																													
7.96	7.96		MP MARKER	R		8																													
8.50	8.50		INTRSECTN	L		SUN HARBOR RD																													
8.99	8.99		MP MARKER	R		9																													
9.66	9.66		INTRSECTN	R		ADKINS RD																													
9.73	9.73		INTRSECTN	B		ASH RD									2B	22B	2B			22	3	01		R2		65	L								
9.99	9.99		MP MARKER	R		10																													
10.99	10.99		MP MARKER	R		11																													
11.17	11.17																																		
11.98	11.98		MP MARKER	R		12									2B	24B	2B			24	3	01		R2		65	L								
12.00	12.00																																		
12.00	12.00														4B	24B	4B			24	3	01		R2		65	L								
12.97	12.97		MP MARKER	R		13																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00									
						.04	12			

SR 127 MAINLINE STATE ROUTE - SRSH COUNTY WHITMAN DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----										
				D	LR	DESCRIPTION	-BRIDGE	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
				:	:		-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	FC	D	IB	R	K	T		
				:	:		-XROAD-	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	NBR							
10.00	10.00	MP	MARKER	R		10									8A	24A	8A			24	2	01		R1	55	R	
10.15	10.15	INTRSECTN		R		CENTRAL FERRY RD	CO	Y																			
		INTRSECTN		L		CO RD	CO	Y																			
10.35	10.35	RR KING	B	B		NUM 871997T STRUCTURE									\$\$\$	40A	\$\$\$			40	2	01		R1	55	R	
		BEG BRIDGE	B	B		CAMAS PRAIRIE RR	ST																				
		BRDG NUM 127/101																									
10.40	10.40	END BRIDGE	B	B		CAMAS PRAIRIE RR									8A	24A	8A			24	2	01		R1	55	R	
10.51	10.51	INTRSECTN		R		HOPKINS RD	CO	N																			
11.00	11.00	MP	MARKER	R		11																					
11.03	11.03														4A	24A	4A			24	2	01		R1	55	R	
12.00	12.00	MP	MARKER	R		12																					
13.00	13.00	MP	MARKER	R		13																					
13.87	13.87	BEG SU LN		R		TRUCK CLIMBING SHOULD11A									4A	24A	\$\$\$	11	35	2	01		R1	55	R		
14.00	14.00	MP	MARKER	R		14																					
14.02	14.02	END SU LN		R		TRUCK CLIMBING SHOULD11A									4A	24A	4A	\$\$\$	24	2	01		R1	55	R		
15.00	15.00	MP	MARKER	R		15																					
16.00	16.00	MP	MARKER	R		16																					
17.00	17.00	MP	MARKER	R		17																					
18.00	18.00	MP	MARKER	R		18																					
19.00	19.00	MP	MARKER	R		19																					
19.53	19.53	INTRSECTN		L		BIG ALKALI RD	CO	N																			
20.00	20.00	MP	MARKER	R		20																					
20.44	20.44	INTRSECTN		R		PENNEWAWA RD	CO	N																			
21.00	21.00	MP	MARKER	R		21																					
22.00	22.00	MP	MARKER	R		22																					
22.40	22.40	BEG BRIDGE	B	B		BIG ALKALI CREEK	ST								\$\$\$	32A	\$\$\$			32	2	01		R1	55	R	
		BRDG NUM 127/104																									
22.41	22.41	END BRIDGE	B	B		BIG ALKALI CREEK									4A	24A	4A			24	2	01		R1	55	R	
22.90	22.90	INTRSECTN		L		ZARING CUT OFF RD	CO	N																			
23.00	23.00	MP	MARKER	R		23																					
23.50	23.50	INTRSECTN		R		LITTLE ALKALI RD	CO	N																			
24.00	24.00	MP	MARKER	R		24																					
25.00	25.00	MP	MARKER	R		25																					
26.00	26.00	MP	MARKER	R		26																					
27.00	27.00	MP	MARKER	R		27																					
27.05	27.05	INTRSECTN		B		SR 26	ST	RF	Y																		
		END CTLSEC				CONTROL SECTION 3812																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.15	10.15		.02	12		.03	12			

SR 129 MAINLINE

STATE ROUTE - SRSH

COUNTY ASOTIN

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	TOT											
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	MTCE	CITY	ST	LEGAL		T P S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
17.66	17.66		INTRSECTN	L		BOYD LN	CO		N	1	1				3G	22B	3G			22	4	02		R2		35	R
17.71	17.71		MISC FEATR	L		SGN ENT ANATONE				1	1				3G	22B	3G			22	4	02		R2		55	R
17.74	17.74									1	1				3B	22B	3G			22	4	02		R2		55	R
18.00	18.00		MP MARKER	R		18																					
19.00	19.00		MP MARKER	R		19																					
19.18	19.18		INTRSECTN	L		DAVIS RD	CO		N																		
			INTRSECTN	L		SANGSTER RD	CO		N																		
20.00	20.00		MP MARKER	R		20																					
20.15	20.15		INTRSECTN	R		MILL CR RD	CO		N	1	1				3G	22B	3G			22	4	02		R2		55	R
21.00	21.00		MP MARKER	R		21																					
21.40	21.40		INTRSECTN	L		SMYTH RD	CO		N																		
22.00	22.00		MP MARKER	R		22																					
22.82	22.82		INTRSECTN	L		ONSTOT RD	CO		N																		
23.00	23.00		MP MARKER	R		23																					
24.00	24.00		MP MARKER	R		24																					
25.00	25.00		MP MARKER	R		25																					
26.00	26.00		MP MARKER	R		26																					
26.99	26.99		MP MARKER	R		27																					
27.99	27.99		MP MARKER	R		28																					
28.99	28.99		MP MARKER	R		29																					
29.69	29.69		INTRSECTN	L		HOSTETLER RD	CO		N																		
30.00	30.00		MP MARKER	R		30																					
31.00	31.00		MP MARKER	R		31				1	1				3B	22B	3B			22	4	02		R2		55	M
32.00	32.00		MP MARKER	R		32																					
32.99	32.99		MP MARKER	R		33																					
33.62	33.62		BEG SU LN	L		CLIMBING	11B			1	1				3B	22B	3B	11		33	4	02		R2		55	M
33.76	33.76		END SU LN	L		CLIMBING	11B			1	1				3B	22B	3B	\$\$\$		22	4	02		R2		55	M
33.98	33.98		MP MARKER	R		34																					
34.26	34.26		INTRSECTN	R		CEMETERY RD	CO		N																		
34.94	34.94		BEG SU LN	L		CLIMBING	11B			1	1				3B	22B	3B	11		33	4	02		R2		55	M
34.98	34.98		MP MARKER	R		35																					
35.01	35.01		END SU LN	L		CLIMBING	11B			1	1				3B	22B	3B	\$\$\$		22	4	02		R2		55	M
35.69	35.69		ENTER CITY			ASOTIN				1	1				3B	22B	3B			22	4	02	0050	R2		25	R P
35.73	35.73		INTRSECTN	L		FAIRGROUNDS RD	CT		N																		
35.82	35.82		MISC FEATR	R		SGN ENT ASOTIN																					
35.83	35.83		INTRSECTN	R		RIVERVIEW DR	CT		Y																		
35.97	35.97		INTRSECTN	L		CITY ST	CT		N																		
35.98	35.98		MP MARKER	R		36																					
36.02	36.02		INTRSECTN	R		KINGS LN	CT		N																		
36.13	36.13		INTRSECTN	R		3RD ST	CT		N																		
36.18	36.18		BEG ST	I		WASHINGTON ST				1	1				3B	22B	3B			22	4	02	0050	R2		25	R P *
			INTRSECTN	R		WASHINGTON ST	CT		Y																		
36.22	36.22		INTRSECTN	B		2ND ST	CT		Y	1	1				\$\$\$	44A	\$\$\$			44	4	02	0050	R2		25	L P *

SR 129 MAINLINE

STATE ROUTE - SRSH

COUNTY ASOTIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:DIRECTION TO INVENTORY	-XING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
						: :LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	RDY	SHD	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	WID	WID									
36.24		36.24	END ST	I		WASHINGTON ST			1	1				C	44A		C	44	4	02	0050	R2	25	L	P	*	
36.28		36.28	BEG ST	I		FIRST ST			1	1				C	34A	10A		34	4	02	0050	R2	25	L	R	*	
			INTRSECTN	R		1ST ST	CT	AF	Y																		
36.32		36.32							1	1				10A	24A	10A		24	4	02	0050	R2	25	L	B	*	
36.36		36.36	INTRSECTN	R		CITY ST	CT		Y																		
36.43		36.43	INTRSECTN	R		MONROE ST	CT		Y																		
36.50		36.50	INTRSECTN	L		FILMORE ST	CT	Y	1	1				10A	23A	3A		23	4	02	0050	R2	25	L	P	*	
36.57		36.57	INTRSECTN	L		CLEVELAND ST	CT		Y																		
36.58		36.58	INTRSECTN	L		CLEVELAND ST WYE CONN	CT		Y																		
36.62		36.62	BEG BRIDGE	B		ASOTIN CREEK	ST		1	1				\$\$\$	26A	\$\$\$		26	4	02	0050	R2	25	L	P	*	
						BRDG NUM 129/010																					
36.64		36.64	END BRIDGE	B		ASOTIN CREEK			1	1				3A	24A	3A		24	4	02	0050	R2	35	L	P	*	
36.65		36.65	INTRSECTN	L		CITY ST	CT		Y																		
36.66		36.66	INTRSECTN	L		CITY ST WYE CONN	CT		Y																		
36.84		36.84	END ST	I		FIRST ST																					
			BEG ST	I		RIVERSIDE DR																					
			INTRSECTN	L		CLEMANS RD	CT		N																		
36.92		36.92	MISC FEATR	L		SGN ENT ASOTIN																					
36.95		36.95	LEAVE CITY			ASOTIN			1	1				3A	24A	3A		24	4	02	\$\$\$\$	R2	55	L	\$	*	
37.00		37.00	MP MARKER	R		37																					
38.00		38.00	MP MARKER	R		38																					
38.34		38.34	INTRSECTN	L		PEARCY ST	CO		N																		
38.42		38.42							1	1				4A	24A	4A		24	4	02		R2	55	L	*		
38.52		38.52							1	1				4A	22A	4A		22	4	02		R2	55	L	*		
38.59		38.59							1	1				4A	22A	4A		22	4	02		U2	55	L	*		
38.60		38.60	INTRSECTN	L		CRITCHFIELD RD	CO		Y																		
38.72		38.72							1	1				4A	24A	4A		24	4	02		U2	55	L	*		
38.99		38.99	MP MARKER	R		39																					
39.20		39.20	INTRSECTN	L		13TH ST	CO		Y																		
39.32		39.32							1	1				3A	24A	3A		24	4	02		U2	55	L	*		
39.57		39.57	INTRSECTN	L		POST LN	CO		N																		
39.71		39.71	BEG SU LN	C		TWO WAY TURN	12A		1	1				3A	24A	3A	12	36	4	02		U2	55	L	*		
39.73		39.73	INTRSECTN	R		RIVERLAWN DR	CO		N																		
39.92		39.92	INTRSECTN	L		24TH AVE	CO		N																		
39.98		39.98	MP MARKER	R		40																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
38.60		38.60	.04	10			.02	12			
39.20		39.20	.04	12			.03	12			

SR 142 MAINLINE

STATE ROUTE - SRSH

COUNTY KLICKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
				D	LR		DESCRIPTION	:LEFT/RIGHT INDICATOR		NBR	DECREAS/DIV			LFT	INCRS/UNDI			USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
								OW	TC		L	LNS	LFT		SHD	RDY	SHD									
25.92			INTRSECTN	L		CO		N	1	1				2B	22B	2B		22	4	01		R3		50	R	
25.97			INTRSECTN	L		CO		N																		
26.00			MP MARKER	R																						
27.00			MP MARKER	R																						
27.29			INTRSECTN	L		CO		N																		
27.32			INTRSECTN	L		CO		N																		
27.84			INTRSECTN	L		CO		N																		
27.99			MP MARKER	R																						
28.09			INTRSECTN	R		CO		N																		
28.31			INTRSECTN	R		CO		N																		
28.35			INTRSECTN	R		CO		N																		
29.00			MP MARKER	R																						
29.78			INTRSECTN	L		CO		N																		
29.86			INTRSECTN	L		CO		N																		
29.92			BEG BRIDGE	B		ST			1	1				\$\$\$	23B	\$\$\$		23	4	01		R3		50	R	
29.93			END BRIDGE	B					1	1				2B	22B	2B		22	4	01		R3		50	R	
30.01			MP MARKER	R																						
30.23			INTRSECTN	R		CO		N																		
30.32			INTRSECTN	R		CO		N																		
31.00			MP MARKER	R																						
31.77			INTRSECTN	L		CO		N																		
32.00			MP MARKER	R																						
32.48			INTRSECTN	R		CO		N																		
32.99			MP MARKER	R																						
33.37									1	1				4B	24B	4B		24	4	01		R3		50	R	
33.43									1	1				4A	24A	4A		24	4	01		R3		50	R	
33.54			BEG BRIDGE	B		ST			1	1				\$\$W	32P	\$\$W		32	4	01		R3		50	R	
33.56			END BRIDGE	B					1	1				5A	24A	5A		24	4	01		R3		50	R	
33.77			ENTER CITY						1	1				5A	24A	5A		24	4	01	0500	R3		25	L P	
			MISC FEATR	R																						
33.84			BEG ST	I					1	1				\$\$\$	40A	\$\$\$		40	4	01	0500	R3		25	L B *	
			INTRSECTN	B		CT		Y																		
33.94			INTRSECTN	B		CT		Y																		
34.00			MP MARKER	R																						
34.02			INTRSECTN	B		CT		Y																		
34.10			INTRSECTN	B		CT		Y																		
34.19			INTRSECTN	B		CT		Y																		
34.29			END ST	I					1	1				C	40A	C		40	4	01	0500	R3		25	L P *	
			BEG ST	I																						
			INTRSECTN	B		CT		RF	Y																	
34.38			INTRSECTN	R		CT		Y	1	1				C	40A	C		40	4	01	0500	R3		35	L P *	

SR 150 MAINLINE STATE ROUTE - SRSH COUNTY CHELAN DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----																			
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE		CITY	ST	LEGAL		T	P	S	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W	S	W	S	W	S	W	S	W	S	W	S	W	S
0.30	0.00		BEG ROUTE			MAIN ROUTE																	
			BEG CTLSEC			MANSON TO SR 97/CHELAN																	
			BEG ST	I		CONTROL SECTION 0433																	
						WAPATO WAY																	
0.31	0.01																						
0.33	0.03		INTRSECTN	R		CO RD																	
0.35	0.05		MISC FEATR	L		SGN ENT MANSON																	
0.36	0.06		INTRSECTN	L		HALE ST																	
0.39	0.09																						
0.51	0.21		INTRSECTN	B		QUETILQUASOON RD																	
0.55	0.25																						
0.76	0.46		INTRSECTN	R		SUNRISE DR																	
1.00	0.70		MP MARKER	R		1																	
1.05	0.75		INTRSECTN	R		MADELINE RD																	
1.06	0.76		INTRSECTN	L		MADELINE RD																	
1.54	1.24		INTRSECTN	B		WAPATO LAKE RD																	
2.02	1.72		MP MARKER	R		2																	
2.08	1.78		INTRSECTN	B		BENNET RD																	
2.59	2.29		INTRSECTN	L		SWARTOUT ST																	
2.67	2.37		INTRSECTN	L		WINESAP AVE																	
3.00	2.70		MP MARKER	R		3																	
4.00	3.70		MP MARKER	R		4																	
4.90	4.60		END ST	I		WAPATO WAY																	
4.92	4.62		INTRSECTN	L		CRYSTAL DR																	
4.93	4.63		MISC FEATR	R		SGN ENT CHELAN																	
4.94	4.64		ENTER CITY			CHELAN																	
5.00	4.70		MP MARKER	R		5																	
5.09	4.79		INTRSECTN	L		ELDORADO DR																	
5.22	4.92																						
5.40	5.10		BEG SU LN	R		CLIMBING																	
5.64	5.34		INTRSECTN	R		CITY ST																	
5.65	5.35		END SU LN	R		CLIMBING																	
			INTRSECTN	L		RIVIERA DR																	
5.84	5.54																						
5.85	5.55		INTRSECTN	L		MONTE CARLO DR																	
6.00	5.70		MP MARKER	R		6																	
6.14	5.84		INTRSECTN	L		BOYD RD																	

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD		
1.54	1.24	.01	13	.03	13						

SR 150 MAINLINE

STATE ROUTE - SRSH

COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
							OW TC L	D I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
6.15	5.85																									
6.26	5.96		INTRSECTN	R		DIETRICH RD	CT	N						6A	22A	6A			22	1	01	0195	R3	45	R	P
6.91	6.61													6A	22A	6A			22	1	01	0195	R3	35	R	P
6.95	6.65		INTRSECTN	L		NO SEEUM RD	CT	Y																		
7.01	6.71		MP MARKER	R		7																				
7.30	7.00		INTRSECTN	R		SPADER BAY RD	CT	Y																		
			INTRSECTN	L		PARKVIEW DR	CT	Y																		
7.41	7.11																									
7.47	7.17		INTRSECTN	L		CITY ST	CT	N						\$\$\$	54A	\$\$\$			54	1	01	0195	R3	35	R	P
7.50	7.20		INTRSECTN	L		HIGHLAND AVE	CT	Y	2	2				C	54A	C			54	1	01	0195	R3	25	R	P
7.58	7.28		INTRSECTN	L		GIBSON AVE	CT	Y																		
			ENT/EXIT	R		CITY PARK	CT	Y																		
7.64	7.34		INTRSECTN	L		NIXON AVE	CT	Y																		
			ENT/EXIT	R		CITY PARK	CT	Y																		
7.79	7.49		INTRSECTN	L		LAKE ST	CT	N																		
7.92	7.62		INTRSECTN	L		CEDAR ST	CT	Y																		
7.97	7.67		INTRSECTN	B		COLUMBIA ST	CT	SS	Y	2	2			C	75A	C			75	1	01	0195	R3	25	R	B
8.09	7.79		INTRSECTN	B		EMERSON ST	CT	Y																		
8.18	7.88		INTRSECTN	L		JOHNSON ST	CT	SS	Y																	
			INTRSECTN	L		SANDERS ST	CT	SS	Y																	
8.25	7.95		LEAVE CITY			CHELAN								\$	\$\$\$	\$			\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$	\$
			BEG COINCI			SR 097AR																				
			END CTLSEC			CONTROL SECTION 0433																				
			INTRSECTN	R		WOODIN AVE	CT	SG	Y																	
			INTRSECTN	L		SR 97AR (ALTERNATE)	ST	SG	Y																	
9.08	8.78		ENTER CITY			CHELAN								5A	24A	5A			24	1	01	0195	R3	45	R	B
			BEG CTLSEC			CONTROL SECTION 0439																				
			INTRSECTN	B		SR 97AR (ALTERNATE)	ST	SS	Y																	
			END COINCI			SR 097AR																				
9.10	8.80		INTRSECTN	L		SR 97AR (ALT) WYE CONN	ST	N																		
9.15	8.85		INTRSECTN	R		SR 97AR (ALT) WYE CONN	ST	N																		
9.17	8.87																									
9.76	9.46		INTRSECTN	R		ANDERSON RD	CT	N						3A	24A	3A			24	1	01	0195	R3	45	R	B
9.98	9.68		MP MARKER	L		10																				
10.13	9.83		INTRSECTN	R		HOWSER RD WYE CONN	CT	N	1	1				12B	23B	10B			23	1	01	0195	R3	45	R	B
10.15	9.85		INTRSECTN	R		HOWSER RD	CT	N																		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.09	7.79		.05	9			.04	9						
8.18	7.88				.02	14			.02	13				

SR 155 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----										
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	USE	MTCE	CITY	ST	LEGAL	T	P	S					
				:	:		-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S			
				:	:		-XROAD-	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE																					
			BEG CTLSEC			SR 2 TO SR 97/OMAK																					
			INTRSECTN	B		CONTROL SECTION 1330	ST	Y																			
0.07	0.07		INTRSECTN	R		SR 2	ST	Y																			
			INTRSECTN	L		SR 2 WYE CONN	CO	Y																			
0.13	0.13					PODEY RD																					
0.99	0.99		MP MARKER	R		1																					
1.99	1.99		MP MARKER	R		2																					
2.99	2.99		MP MARKER	R		3																					
3.98	3.98		MP MARKER	R		4																					
4.99	4.99		MP MARKER	R		5																					
5.42	5.42																										
5.87	5.87		ENT/EXIT	L		PUBLIC FISHING	ST	N																			
5.98	5.98		MP MARKER	R		6																					
6.98	6.98		MP MARKER	R		7																					
7.98	7.98		MP MARKER	R		8																					
8.76	8.76		BEG BRIDGE	B		LOWER LEWIS CREEK	ST		1	1																	
						BRDG NUM 155/004																					
8.77	8.77		END BRIDGE	B		LOWER LEWIS CREEK			1	1																	
8.87	8.87		ENT/EXIT	L		PUBLIC FISHING	ST	N																			
9.00	9.00		MP MARKER	R		9																					
10.00	10.00		MP MARKER	R		10																					
11.00	11.00		MP MARKER	R		11																					
12.00	12.00		MP MARKER	R		12																					
13.00	13.00		MP MARKER	R		13																					
14.00	14.00		MP MARKER	R		14																					
14.50	14.50		BEG BRIDGE	B		UPPER LEWIS CREEK	ST		1	1																	
						BRDG NUM 155/006																					
14.51	14.51		END BRIDGE	B		UPPER LEWIS CREEK			1	1																	
15.01	15.01		MP MARKER	R		15																					
15.55	15.55		ENT/EXIT	L		STEAMBOAT ROCK ST PARK	ST	N																			
16.01	16.01		MP MARKER	R		16																					
16.81	16.81		BEG BRIDGE	B		DEVILS CREEK	ST		1	1																	
						BRDG NUM 155/008																					
16.85	16.85		END BRIDGE	B		DEVILS CREEK			1	1																	
17.00	17.00		MP MARKER	R		17																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
15.55	15.55		.03	12						

SR 155 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID									
17.36		17.36																								
18.00		18.00	MP MARKER	R		18																				
18.90		18.90	INTRSECTN	R		CO RD	CO																			
18.93		18.93	INTRSECTN	L		NORTHRUP CANYON RD	CO																			
19.00		19.00	MP MARKER	R		19																				
19.12		19.12	BEG BRIDGE	B		NORTHRUP CREEK	ST		1	1																
						BRDG NUM 155/010																				
19.14		19.14	END BRIDGE	B		NORTHRUP CREEK			1	1																
20.00		20.00	MP MARKER	R		20																				
21.00		21.00	MP MARKER	R		21																				
21.25		21.25	INTRSECTN	R		COULEE VIEW RD	CO																			
22.00		22.00	MP MARKER	R		22																				
22.79		22.79	INTRSECTN	L		AIRPORT RD	CO																			
22.99		22.99	INTRSECTN	B		57.1 E	CO																			
23.00		23.00	MP MARKER	R		23																				
23.65		23.65																								
23.88		23.88	ENTER CITY			ELECTRIC CITY																				
23.91		23.91	MISC FEATR	R		SGN ENT ELECTRIC CITY																				
23.95		23.95	MP MARKER	R		24																				
23.96		23.96	INTRSECTN	L		CITY ST	CT																			
24.03		24.03	INTRSECTN	R		KENT ST	CT																			
24.07		24.07	INTRSECTN	L		KENT ST	CT																			
24.10		24.10	INTRSECTN	B		TAYLOR ST	CT																			
24.21		24.21	INTRSECTN	B		WESTERN AVE	CT																			
24.24		24.24	INTRSECTN	L		WESTERN AVE WYE CONN	CT																			
24.28		24.28	INTRSECTN	R		JACKSON AVE	CT																			
24.36		24.36	INTRSECTN	R		ELECTRIC BLVD	CT																			
24.45		24.45	INTRSECTN	L		LAKEVIEW BLVD WYE CONN	CT																			
24.46		24.46	INTRSECTN	L		LAKEVIEW BLVD	CT																			
24.47		24.47	INTRSECTN	R		MILLER ST	CT																			
24.56		24.56	INTRSECTN	R		HILLCREST DR	CT																			
24.67		24.67	MISC FEATR	L		SGN ENT ELECTRIC CITY																				
24.69		24.69	INTRSECTN	R		CITY ST	CT																			
24.70		24.70	LEAVE CITY			ELECTRIC CITY																				
24.97		24.97	MP MARKER	R		25																				
25.18		25.18	ENTER CITY			GRAND COULEE																				
25.30		25.30	INTRSECTN	B		SPOKANE BLVD	CT																			

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
25.30		25.30		.04	12						
						.03	12				

SR 155 MAINLINE

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID										
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
79.27			77.41						1	1																
79.29			77.43	MISC FEATR	R	SGN ENT OMAK								8A	24A	8A				24	3	01	R2	60	R	
79.31			77.45	ENTER CITY		OMAK			1	1				8A	24A	8A				24	3	01	0925	R2	35	R P
79.34			77.48	BEG SU LN	R	AUXILIARY			1	1				7A	24A	7A	12			36	3	01	0925	R2	35	R P *
				BEG ST	I	OMAK AVE																				
				INTRSECTN	L	JACKSON ST		CT		Y																
79.35			77.49	INTRSECTN	L	JACKSON ST WYE CONN		CT		Y																
79.36			77.50	BEG SU LN	L	AUXILIARY			1	1				7A	24A	7A	24			48	3	01	0925	R2	35	R P *
79.63			77.51	EQUATION		079.37 =079.63																				
79.66			77.54	RR XING	B	NUM 96305N GRADE																				
79.69			77.57	INTRSECTN	R	FIFTH AVE E		CT		Y																
79.71			77.59	END SU LN	L	AUXILIARY			1	1				7A	24A	7A	12			36	3	01	0925	R2	35	R P *
79.72			77.60	END SU LN	R	AUXILIARY			1	1				7A	24A	7A	\$\$\$			24	3	01	0925	R2	35	R P *
79.79			77.67	BEG SU LN	C	TWO WAY TURN			1	1				\$\$\$	35A	\$\$\$	11			46	3	01	0925	R2	35	R P *
				ENT/EXIT	R	EAST ELEMENTARY SCHOOL		PV		Y																
				INTRSECTN	L	HANFORD ST		CT		Y																
79.87			77.75	END SU LN	C	TWO WAY TURN			1	1				C	46A	C	\$\$\$			46	3	01	0925	R2	35	R P *
				INTRSECTN	L	GARFIELD ST		CT		Y																
				ENT FROM	R	EAST ELEMENTARY SCHOOL		PV		Y																
79.91			77.79	UXING	B	SR 97		ST																		
						BRDG NUM 097/533																				
79.95			77.83	INTRSECTN	B	FERRY ST		CT		Y																
79.96			77.84	BEG SU LN	C	TWO WAY TURN			1	1				C	35A	C	11			46	3	01	0925	R2	35	R P *
79.97			77.85	INTRSECTN	L	THIRD AVE E		CT		Y	1	1		C	44A	C	11			55	3	01	0925	R2	35	R B *
79.99			77.87	MP MARKER	R	80																				
80.04			77.92	INTRSECTN	L	EDMONDS ST		CT		Y																
80.15			78.03	END ST	I	OMAK AVE			1	1				4A	24A	4A	\$\$\$			24	3	01	0925	R2	35	R B *
				END SU LN	C	TWO WAY TURN																				
				BEG ST	I	DAYTON ST																				
				INTRSECTN	R	SECOND AVE E		CT		Y																
				INTRSECTN	R	SR 155 SPOMAK (SPUR)		ST		Y																
80.17			78.05	INTRSECTN	R	SR 155 SPUR WYE CONN		ST		Y																
80.25			78.13	INTRSECTN	B	THIRD AVE E		CT		Y																
80.34			78.22	INTRSECTN	L	FOURTH AVE E		CT		Y																
80.38			78.26	INTRSECTN	R	RAILROAD AVE		CT		N																
80.43			78.31	INTRSECTN	B	FIFTH AVE E		CT		Y																
80.46			78.34	INTRSECTN	L	SR 97 WYE CONN		ST		Y																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
79.95		77.83	.02	11						

SR 155 SPUR
OMAK

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---														
							-BRIDGE-			DECREAS/DIV			INCREAS/UNDI			SPC		L			CITY		ST		LEGAL							
:DIRECTION TO INVENTORY							NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
: :LEFT/RIGHT INDICATOR							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
80.15		0.00	BEG ROUTE			OMAK SR 155 TO SR 215	1	1									C	42A	C	11	53	3	01	0925	R2	25	R	B	*			
			ENTER CITY			OMAK																										
			BEG CTLSEC			CONTROL SECTION 2443																										
			BEG SU LN	C		TWO WAY TURN	11A																									
			BEG ST	I		OMAK AVE																										
			INTRSECTN	L		SR 155			ST	Y																						
80.17		0.02	INTRSECTN	L		SR 155 WYE CONN			ST	Y																						
80.26		0.11	INTRSECTN	B		COLUMBIA ST			CT	Y																						
80.33		0.18	END SU LN	C		TWO WAY TURN	11A				1	1					7A	37A	C	\$\$\$	37	3	01	0925	R2	25	R	P	*			
			INTRSECTN	L		BENTON ST			CT	Y																						
80.39		0.24	INTRSECTN	L		ASOTIN ST			CT	Y																						
80.40		0.25	BEG BRIDGE	B		OKANOGAN RIVER			ST		1	1					\$	C	20P	C	20	3	01	0925	R2	25	R	P	*			
			BRDG NUM			155/111SP																										
80.48		0.33	END BRIDGE	B		OKANOGAN RIVER					1	1									C	60A	C	60	3	01	0925	R2	25	R	L	*
80.52		0.37	END ST	I		OMAK AVE																										
			INTRSECTN	B		SR 215			ST	SG	Y																					
			END CTLSEC			CONTROL SECTION 2443																										
			END SECTN			OMAK																										

INTERSECTION DETAIL

-----TURN LANES-----		-----ACCELERATION LANES-----					
L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
80.52	0.37	.01	12				

SR 160 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
										WD/S	BR	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1					W	55P		W			55	2	01	1000	U2		40	R	P	*		
			ENTER CITY			SR 16 TO FERRY DOCK																											
			BEG CTLSEC			PORT ORCHARD																											
			BEG ST	I		CONTROL SECTION 1808																											
			BEG BRIDGE	B		SEDGWICK RD SE																											
						SR 16																											
						BRDG NUM 160/005																											
0.04	0.04		END BRIDGE	B		SR 16				1	1					8A	40A		8A			40	2	01	1000	U2		40	R	P	*		
0.09	0.09		OFF RAMP	L		SR 16																											
			ON RAMP	R		SR 16																											
0.16	0.16		INTRSECTN	R		BRAVO TERRACE																											
0.31	0.31									1	1					4A	24A		4A			24	2	01	1000	U2		40	R	P	*		
0.33	0.33		LEAVE CITY			PORT ORCHARD				1	1					4A	24A		4A			24	2	01	\$\$\$	U2		40	R	\$	*		
			MISC FEATR	L		SGN ENT PORT ORCHARD																											
0.44	0.44		INTRSECTN	B		GEIGER RD SE																											
0.69	0.69		INTRSECTN	L		RAMSEY RD SE																											
0.82	0.82		INTRSECTN	B		BETHEL RD SE																											
0.92	0.92									1	1					4G	24A		4G			24	2	01		U2		40	R		*		
1.00	1.00		MP MARKER	R		1																											
1.15	1.15		INTRSECTN	R		ESTONIA CT SE																											
1.23	1.23		INTRSECTN	R		KERRY LN SE																											
1.32	1.32		INTRSECTN	B		CONVERSE AVE SE																											
1.41	1.41		INTRSECTN	R		SHERLYN AVE SE																											
1.44	1.44		INTRSECTN	L		GRIFFITHS LN SE																											
1.47	1.47		INTRSECTN	R		DANA DRIVE SE																											
1.54	1.54		INTRSECTN	L		BRAME LN SE																											
1.57	1.57		INTRSECTN	R		BRASCH RD SE																											
1.68	1.68																																
1.81	1.81		INTRSECTN	L		JACKSON AVE SE WYE CONN																											
1.82	1.82		INTRSECTN	B		JACKSON AVE SE																											
1.92	1.92									1	1					4G	24A		4G			24	2	01		U2		45	R		*		
2.00	2.00		MP MARKER	R		2																											
2.04	2.04		INTRSECTN	B		PHILLIPS RD SE																											
2.16	2.16		INTRSECTN	L		AIKEN RD SE																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.09	0.09		.06	12						
0.16	0.16				.09	12				
0.82	0.82		.04	12		.04	12			
1.82	1.82		.03	12	.03	16	.04	12		

SR 160 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----									
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	LFT	RHT	USE	TOT			LEGAL		T P S								
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
2.36	2.36																										
2.54	2.54		INTRSECTN	B		LONG LAKE RD SE	CO	AF	Y	1	1		4A	24A	8A		24	2	01		U2		45	R	*		
2.55	2.55												8A	36A	8A		36	2	01		U2		45	R	*		
2.58	2.58		BEG SU LN	C		TWO WAY TURN	12A			1	1		8A	24A	8A	12	36	2	01		R2		45	R	*		
2.63	2.63		INTRSECTN	L		LAKEVIEW DR SE	CO		Y	1	1		2A	24A	6A	12	36	2	01		R2		45	R	*		
			INTRSECTN	R		LAKEVIEW PL SE	CO		Y																		
2.64	2.64		END SU LN	C		TWO WAY TURN	12A			1	1		2A	24A	6A	\$\$\$	24	2	01		R2		45	R	*		
2.74	2.74									1	1		6A	24A	3A		24	2	01		R2		45	R	*		
2.84	2.84		INTRSECTN	L		PEPPERMILL PL SE	CO		Y																		
2.90	2.90		INTRSECTN	R		LOVELY LN	PV		N	1	1		4G	24A	4G		24	2	01		R2		45	R	*		
3.00	3.00		MP MARKER	R		3																					
3.11	3.11		INTRSECTN	R		BODLE RD SE	CO		N																		
3.57	3.57		INTRSECTN	L		MAYVOLT RD SE	CO		N																		
			INTRSECTN	R		LAKE VALLEY RD SE	CO		N																		
3.78	3.78		INTRSECTN	L		LOCKER RD SE	CO		N																		
3.82	3.82		BEG BRIDGE	B		CURLEY CREEK	ST			1	1		\$\$\$	29A	\$\$\$		29	2	01		R2		45	R	*		
						BRDG NUM 160/010																					
3.83	3.83		END BRIDGE	B		CURLEY CREEK				1	1		4G	24A	4G		24	2	01		R2		45	R	*		
4.00	4.00		MP MARKER	R		4																					
4.59	4.59		INTRSECTN	R		ANDERBAR RD SE	CO		N																		
4.84	4.84		INTRSECTN	R		BANNER RD SE	CO		Y																		
4.96	4.96		INTRSECTN	L		BANNER RD SE	CO		N																		
5.00	5.00		MP MARKER	R		5																					
5.03	5.03		INTRSECTN	R		AMBERLY PL SE	CO		N																		
5.09	5.09		INTRSECTN	L		ARVICK RD SE	CO		N																		
5.18	5.18		INTRSECTN	L		WESTWAY DRIVE SE	CO		N																		
5.21	5.21		INTRSECTN	R		HOSKINS HILL LN SE	PV		N																		
5.30	5.30		INTRSECTN	L		EASTWAY DR SE	CO		N																		
5.45	5.45									1	1		6A	24A	4A		24	2	01		R2		45	R	*		
5.55	5.55		ENT/EXIT	L		SEDGWICK JR HIGH SCHOOL	CO		N																		
5.58	5.58		INTRSECTN	R		PETERSON RD SE	CO		N	1	1		4G	24A	4G		24	2	01		R2		45	R	*		
5.61	5.61		ENT/EXIT	R		SEDGWICK CEMETERY	CO		N																		
5.84	5.84		INTRSECTN	L		HARPER HILL RD SE	CO		N																		
6.00	6.00		MP MARKER	R		6																					
6.07	6.07		INTRSECTN	L		COTTONWOOD DR SE	CO		N	1	1		4G	24A	4G		24	2	01		R2		35	R	*		

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.54	2.54			.04	12			.04	12		
2.84	2.84			.03	11						
5.55	5.55			.05	12						

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
: :LEFT/RIGHT INDICATOR				-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
4.29	4.27		END BRIDGE	B		BRDG NUM 161/003		1	1			C	30A	C	30	1	02	0360	R2		50	R	P			
4.30	4.28		OHOP CREEK	B				1	1			4A	22A	4A	22	1	02	\$\$\$\$	R2		50	R	\$			
4.34	4.32		LEAVE CITY			EATONVILLE																				
4.99	4.97		MP MARKER	R		5																				
5.47	5.45		INTRSECTN	R		OROVILLE RD E	CO		N																	
5.64	5.62		MP MARKER	R		5																				
5.91	5.89		INTRSECTN	R		OHOP VALLEY RD	CO		N																	
5.94	5.92		MP MARKER	R		CAMPBELL LN E	CO		N																	
6.00	5.98		ENT/EXIT	R		SCENIC VIEWPOINT	CO		N																	
6.12	6.10		ENT/EXIT	R		SCENIC VIEWPOINT	CO		N																	
6.16	6.14		MP MARKER	R		6																				
6.68	6.66		INTRSECTN	L		BLAU RD	CO		N																	
7.00	6.98		INTRSECTN	L		EATONVILLE CUTOFF RD	CO		Y																	
7.75	7.73		MP MARKER	R		7		1	1			4A	22A	4A	22	1	02		R2		55	R				
8.00	7.98		MP MARKER	R		8		1	1			2A	22A	2A	22	1	02		R2		55	R				
8.12	8.10		MP MARKER	R		7																				
8.70	8.68		INTRSECTN	L		381ST ST E	CO		N																	
8.77	8.75		MP MARKER	R		8																				
8.83	8.81		INTRSECTN	R		376TH ST E	PV		N																	
8.94	8.92		MP MARKER	R		8																				
9.00	8.98		MP MARKER	R		8																				
9.03	9.01		INTRSECTN	R		JENSEN RD E	CO		N																	
9.08	9.06		MP MARKER	R		9																				
9.31	9.29		INTRSECTN	R		TREK DR E	CO		Y																	
9.52	9.50		MP MARKER	R		9																				
9.80	9.78		INTRSECTN	L		CLEAR LAKE RD S	CO		N																	
10.00	9.98		MP MARKER	R		10																				
10.09	10.07		INTRSECTN	R		W CLEAR LAKE RD E	CO		N																	
10.27	10.25		MP MARKER	R		10																				
11.00	10.98		INTRSECTN	R		W CLEAR LAKE RD E	CO		N																	
11.06	11.04		MP MARKER	R		11																				
11.31	11.29		INTRSECTN	L		CLEAR LAKE N RD E	CO		N																	
12.00	11.98		MP MARKER	R		12																				
13.00	12.98		INTRSECTN	L		352ND ST E	CO		N																	
			MP MARKER	R		13																				
			INTRSECTN	R		13																				

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
6.12	6.10			.02	12					.02	12
8.83	8.81					.02	12			.01	12

SR 161 MAINLINE STATE ROUTE - SRSH COUNTY PIERCE DOT DISTRICT 3

		:DIRECTION TO INVENTORY		-BRIDGE		-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---													
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR		DECREAS/DIV		INCRS/UNDI		SPC													
		:		-XROAD-		LNS		LFT		RHT		LFT		RHT		USE		TOT							
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	SHD W/S	RDY W/S	SHD W/S	MEDIAN- WD/S BR	SHD W/S	RDY W/S	SHD W/S	LNS	RDY WID	MTCE A SE	CITY NBR	ST FC	LEGAL SPEED D IB	T R	P K	S T			
13.06	13.04																								
13.17	13.15	INTRSECTN	L	304TH ST E	CO	SG	Y						3A	22A	3A			22	1	02		R2	55	R	
		INTRSECTN	R	KAPOWSIN HWY	CO	SG	Y																		
13.27	13.25																								
13.98	13.96	MP MARKER	R	14									4A	22A	4A			22	1	02		R2	55	R	
14.19	14.17	INTRSECTN	B	288TH ST E	CO		N																		
14.70	14.68	INTRSECTN	R	280TH ST E	CO		N																		
15.00	14.98	MP MARKER	R	15																					
15.09	15.07	INTRSECTN	L	274TH ST E	CO		N																		
15.70	15.68	INTRSECTN	R	264TH ST E	CO		Y																		
16.03	16.01	MP MARKER	R	16																					
16.13	16.11	BEG SU LN	R	CLIMBING	12A			1	1				4A	22A	8A	12	34	1	02		R2	55	R		
16.18	16.16	INTRSECTN	L	257TH ST CT E	CO		Y																		
16.30	16.28	INTRSECTN	R	255TH ST E	CO		N																		
16.39	16.37	BEG SU LN	L	CLIMBING	12A			1	1				8A	22A	8A	24	46	1	02		R2	55	R		
16.60	16.58	END SU LN	R	CLIMBING	12A			1	1				8A	22A	4A	12	34	1	02		R2	55	R		
16.65	16.63	INTRSECTN	L	249TH ST E	PV		Y																		
16.96	16.94	INTRSECTN	R	244TH ST E	CO		N																		
17.00	16.98	MP MARKER	R	17																					
17.32	17.30	INTRSECTN	R	238TH ST E	CO		Y																		
		INTRSECTN	L	PVT RD	PV		Y																		
17.42	17.40	END SU LN	L	CLIMBING	12A			1	1				4A	22A	4A	\$\$\$	22	1	02		R2	55	R		
17.48	17.46	MISC FEATR	R	SGN ENT GRAHAM																					
17.58	17.56	INTRSECTN	R	234TH ST E	CO		Y	1	1				4A	22A	4A		22	1	02		R2	40	R		
17.69	17.67							1	1				4A	22A	4A		22	1	02		U2	40	R		
17.70	17.68	INTRSECTN	L	232ND ST E	CO		Y																		
17.83	17.81	BEG ST	I	MERIDIAN	CO			1	1				4A	22A	4A		22	1	02		U2	40	R	*	
		INTRSECTN	R	229TH ST E	CO		N																		
17.89	17.87	RR XING	B	NUM 397139F GRADE																					
18.00	17.98	MP MARKER	R	18																					
18.12	18.10							1	1				8A	22A	8A		22	1	02		U2	40	R	*	
18.21	18.19	INTRSECTN	B	224TH ST E	CO	SG	Y																		
18.64	18.62	INTRSECTN	R	EUSTIS HUNT RD	CO		Y	1	1				8A	22A	8A		22	1	02		U2	50	R	*	
		ENT/EXIT	L	PIERCE CO FAIRGROUNDS	CO		Y																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
13.17	13.15	.03	12	.04	12	.09	12		
15.70	15.68			.03	12				
18.21	18.19	.03	12	.03	12				
18.64	18.62	.02	11	.03	11				

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
							BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																	
				:	:		-BRIDGE-	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T							
18.91	18.89							1	1					8A	22A	8A							22	1	02		U2		50	R	*				
19.00	18.98	MP	MARKER	R		19																													
19.47	19.45	INTRSECTN		L		204TH ST E	CO	Y																											
19.72	19.70	INTRSECTN		R		200TH ST E	CO	Y																											
20.00	19.98	MP	MARKER	R		20																													
20.04	20.02	INTRSECTN		R		GRAHAM RD E	CO	N	1	1				8A	22A	8A										22	1	01		U2		50	R	*	
20.08	20.06	INTRSECTN		B		194TH ST E	CO	Y																											
20.28	20.26	INTRSECTN		L		191ST ST E	PV	Y																											
20.38	20.36	INTRSECTN		L		189TH ST E	PV	Y																											
20.52	20.50	INTRSECTN		B		187TH ST E	CO	AF	Y																										
21.00	20.98	MP	MARKER	R		21																													
21.01	20.99	INTRSECTN		R		CO DUMP RD	CO	Y																											
21.20	21.18							1	1					8A	22A	8A										22	1	01		U2		45	R	*	
21.29	21.27							1	1					8A	36A	8A										36	1	01		U2		45	R	*	
21.32	21.30							1	2					6A	60A	8A										60	1	01		U2		45	R	*	
21.36	21.34	INTRSECTN		L		176TH ST E	CO	SG	Y	2	2			10A	60A	10A										60	1	01		U2		45	R	*	
		INTRSECTN		R		SUNRISE BLVD E	CO	SG	Y																										
21.37	21.35	INTRSECTN		L		176TH ST E WYE CONN	CO	Y																											
21.45	21.43	ENT/EXIT		L		FRED MEYER	PV	SG	Y																										
21.47	21.45	BEG SU LN		C		TWO WAY TURN	12A			2	2			10A	48A	10A	12	60	1	01						60	1	01		U2		45	R	*	
21.52	21.50							2	2					6A	48A	6A	12	60	1	01						60	1	01		U2		45	R	*	
21.71	21.69	END SU LN		C		TWO WAY TURN	12A			2	2			6A	60A	6A	\$\$\$	60	1	01						60	1	01		U2		45	R	*	
21.72	21.70	ENT/EXIT		R		THUN AIRPORT FIELD	CO	Y																											
21.78	21.76	BEG SU LN		C		TWO WAY TURN	12A			2	2			6A	48A	6A	12	60	1	01						60	1	01		U2		45	R	*	
22.00	21.98	MP	MARKER	R		22																													
22.04	22.02							2	2					6A	48A	10A	12	60	1	01						60	1	01		U2		45	R	*	
22.13	22.11							2	2					6A	48A	6A	12	60	1	01						60	1	01		U2		45	R	*	
22.17	22.15	END SU LN		C		TWO WAY TURN	12A			2	2			6A	60A	6A	\$\$\$	60	1	01						60	1	01		U2		45	R	*	
22.22	22.20	INTRSECTN		B		160TH ST E	CO	SG	Y																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
19.47	19.45		.03	12					.03	12
19.72	19.70				.03	11		.02	11	
20.08	20.06		.03	12						
20.52	20.50				.03	12				
21.36	21.34		.03	12			.06	12		
21.37	21.35					.08	12			
21.45	21.43		.04	12						
21.72	21.70				.03	12				
22.22	22.20		.03	12						

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	WID										
							OW TC L	D I	W/S	W/S	W/S	W/S	WID												
22.24		22.22																							
22.26		22.24	ENT FROM	L	BUSINESS		PV	Y						6A	60A	6A		60	1	01		U2	45	R	*
22.28		22.26	EXIT TO	L	BUSINESS		PV	Y																	
22.34		22.32	INTRSECTN	L	158TH ST E		CO	Y																	
22.35		22.33	BEG SU LN	C	TWO WAY TURN	12A								6A	48A	6A	12	60	1	01		U2	45	R	*
22.43		22.41	END SU LN	C	TWO WAY TURN	12A								6A	60A	6A	\$\$\$	60	1	01		U2	45	R	*
22.48		22.46	INTRSECTN	L	156TH ST E		CO	Y																	
22.49		22.47	BEG SU LN	C	TWO WAY TURN	12A								6A	48A	6A	12	60	1	01		U2	45	R	*
22.68		22.66	END SU LN	C	TWO WAY TURN	12A								6A	60A	6A	\$\$\$	60	1	01		U2	45	R	*
22.73		22.71	INTRSECTN	B	152ND ST E		CO	SG	Y					9A	60A	9A		60	1	01		U2	40	R	*
22.79		22.77	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
22.86		22.84	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
22.91		22.89	INTRSECTN	B	149TH ST E		CO	Y																	
22.97		22.95	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
23.00		22.98	MP MARKER	R	23																				
23.03		23.01	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
23.04		23.02	INTRSECTN	R	147TH ST E		CO	Y																	
23.10		23.08	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
23.18		23.16	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
23.23		23.21	INTRSECTN	B	144TH ST E		CO	SG	Y																
23.29		23.27	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
23.37		23.35	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
23.38		23.36	INTRSECTN	R	141ST ST E		CO	Y																	
23.45		23.43	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
23.69		23.67	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
23.74		23.72	INTRSECTN	B	136TH ST E		CO	SG	Y																
23.80		23.78	BEG SU LN	C	TWO WAY TURN	12A								9A	48A	9A	12	60	1	01		U2	40	R	*
23.95		23.93	END SU LN	C	TWO WAY TURN	12A								9A	60A	9A	\$\$\$	60	1	01		U2	40	R	*
23.98		23.96	INTRSECTN	R	132ND ST E		CO	Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
22.28		22.26								
22.34		22.32								
22.48		22.46	.03	12						
22.73		22.71	.03	12						
22.91		22.89	.03	12						
23.04		23.02								
23.23		23.21	.03	12						
23.38		23.36								
23.74		23.72	.03	12						

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----							
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				:LEFT/RIGHT INDICATOR		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
				:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S	
				:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID								
23.98	23.96	ENT/EXIT	L	APT COMPLEX	PV	Y 2 2							9A	60A	9A		60	1	01		U2	40	R	*
24.00	23.98	MP MARKER	R	24																				
24.05	24.03	BEG SU LN	C	TWO WAY TURN	12A	2 2							9A	48A	9A	12	60	1	01		U2	40	R	*
24.10	24.08					2 2							9A	48A	9A	12	60	1	01		U2	35	R	*
24.19	24.17	END SU LN	C	TWO WAY TURN	12A	2 2							9A	60A	9A	\$\$\$	60	1	01		U2	35	R	*
24.24	24.22	INTRSECTN	B	128TH ST E	CO SG Y	2 2							\$\$\$	59A	\$\$\$		59	1	01		U2	35	R	*
24.29	24.27	BEG SU LN	C	TWO WAY TURN	11A	2 2							C	48A	C	11	59	1	01		U2	35	R	*
24.51	24.49	INTRSECTN	R	123RD ST CT E	CO	Y																		
24.60	24.58	INTRSECTN	B	122ND ST E	CO	Y																		
24.68	24.66	END SU LN	C	TWO WAY TURN	11A	2 2							C	59A	C \$\$\$		59	1	01		U2	35	R	*
24.69	24.67	MISC FEATR	R	SGN ENT PUYALLUP																				
24.73	24.71	ENTER CITY		PUYALLUP		2 2							C	59A	C		59	1	01	1030	U2	35	R	P *
		INTRSECTN	R	47TH AVE SE	CT SG Y																			
		INTRSECTN	L	120TH ST E	CT SG Y																			
24.79	24.77	BEG SU LN	C	TWO WAY TURN	11A	2 2							C	48A	C	11	59	1	01	1030	U2	35	R	P *
24.87	24.85	ENT/EXIT	R	SHOPPING CENTER	PV	Y																		
		INTRSECTN	L	118TH ST E	CO	Y																		
24.93	24.91	END SU LN	C	TWO WAY TURN	11A	2 2							C	59A	C \$\$\$		59	1	01	1030	U2	35	R	P *
25.00	24.98	INTRSECTN	L	43RD AVE SW	CT SG Y																			
		INTRSECTN	R	43RD AVE SE	CT SG Y																			
25.06	25.04	BEG SU LN	C	TWO WAY TURN	11A	2 2							C	48A	C	11	59	1	01	1030	U2	35	R	P *
25.19	25.17	END SU LN	C	TWO WAY TURN	11A	2 2							C	59A	C \$\$\$		59	1	01	1030	U2	35	R	P *
25.22	25.20	INTRSECTN	L	39TH AVE SW WYE CONN	CT	Y																		
25.25	25.23	INTRSECTN	L	39TH AVE SW	CT SG Y																			
		INTRSECTN	R	39TH AVE SE	CT SG Y																			
25.28	25.26	INTRSECTN	L	39TH AVE SW WYE CONN	CT	Y 3 2							C	70A	C		70	1	01	1030	U2	35	R	P *
25.37	25.35	INTRSECTN	B	37TH AVE SE	CT SG Y																			
25.38	25.36	INTRSECTN	L	37TH AVE SE WYE CONN	CT	Y 3 3							C	94A	C		94	1	01	1030	U2	35	R	P *
		INTRSECTN	R	37TH AVE SE WYE CONN	CT	Y																		
25.49	25.47	INTRSECTN	R	35TH AVE SE WYE CONN	CT	Y																		
25.50	25.48	INTRSECTN	B	35TH AVE SE	CT SG Y	4 3							C	99A	C		99	1	01	1030	U2	35	R	P *

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
23.98	23.96		.02	12			.03	12	.02	10				
24.24	24.22		.03	11			.03	11						
24.73	24.71		.03	11			.03	11						
25.00	24.98		.03	11			.03	11						
25.25	25.23		.03	11			.05	11						
25.28	25.26								.02	11				
25.37	25.35		.04	11			.08	22						
25.50	25.48		.02	11			.06	11						

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----								
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S					
						:DIRECTION TO INVENTORY	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
						: :LEFT/RIGHT INDICATOR	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
25.52	25.50		INTRSECTN		R	35TH AVE SE WYE CONN	CT	Y	4	3						C	99A	C	99	1	01	1030	U2	35	R	P	*
25.58	25.56															C	99A	C	99	1	01	1030	U2	35	R	P	*
25.65	25.63		INTRSECTN		R	MERIDIAN ST WYE CONN	CT	Y																			
25.66	25.64		END ST		I	MERIDIAN			2	2	4A	22A		11A	UP	\$	22A	6A	44	1	01	1030	U2	35	R		\$
			INTRSECTN		R	MERIDIAN ST	CT	SG	Y																		
25.67	25.65		INTRSECTN		R	MERIDIAN ST WYE CONN	CT	Y																			
25.75	25.73		INTRSECTN		L	ON RAMP WYE CONN	ST	Y	1	1	\$\$\$	\$\$\$		\$\$\$	\$\$\$	5A	33A	6A	33	1	01	1030	U2	35	R		
			INTRSECTN		R	OFF RAMP WYE CONN	ST	Y																			
25.76	25.74		LEAVE CITY			PUYALLUP			1	1					5A	33A	6A	33	1	01	\$\$\$	U2	35	R			
			ON RAMP		L	SR 512	ST	SG	Y																		
			OFF RAMP		R	SR 512	ST	SG	Y																		
25.80	25.78		BEG BRIDGE		B	SR 512	ST		1	1					\$\$C	40A	\$\$C	40	1	01		U2	35	R			
						BRDG NUM 161/010																					
25.85	25.83		END BRIDGE		B	SR 512			\$	\$					\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$	\$	\$	\$
			BEG COINCI			SR 512																					
			END CTLSEC			MP008.74																					
28.69B	28.67		BEG EQ			BEGIN BACK																					
29.17B	29.15		BEG COINCI			SR 167																					
			END COINCI			MP005.98																					
29.43B	29.41		BEG COINCI			SR 512																					
			END COINCI			MP012.06																					
28.73	29.41		BEG COINCI			SR 167COPUYALP																					
			END COINCI			MP005.72																					
28.73	29.87		ENTER CITY			PUYALLUP			2	2					10A	93A	C	93	1	01	1030	U2	35	R	P	*	
			EQUATION			029.89B=028.73																					
			BEG CTLSEC			CONTROL SECTION 2736																					
			BEG ST		I	MERIDIAN N																					
			INTRSECTN		R	SR 167 COUPLET	ST	SG	Y																		
			END COINCI			SR 167COPUYALP																					
28.78	29.92		INTRSECTN		B	VALLEY AVE E WYE CONN	CT	Y	2	2					2A	72A	C	72	1	01	1030	U2	35	R	P	*	
28.80	29.94		INTRSECTN		B	VALLEY AVE E	CT	SG	Y	2	2				2A	60A	10A	60	1	01	1030	U2	35	R	P	*	
28.82	29.96		INTRSECTN		L	VALLEY AVE E WYE CONN	CT	Y																			
28.84	29.98								2	1					2A	50A	10A	50	1	01	1030	U2	35	R	P	*	
28.88	30.02								2	1					2A	36A	8A	36	1	01	1030	U2	35	R	P	*	
28.89	30.03								2	1					2A	36A	8A	36	1	01	1030	U2	40	R	P	*	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
25.65	25.63				.07	11								
25.66	25.64						.03	12						
25.76	25.74						.03	11						
28.78	29.92				.05	12								
28.80	29.94		.04	22			.04	11						

SR 161 MAINLINE STATE ROUTE - SRSH COUNTY PIERCE DOT DISTRICT 3

Table with columns: SRMP, B ARM, FEATURE, D LR, DESCRIPTION, -BRIDGE, -XROAD-OW TC L, DECREASE/DIV LNS D I, LFT W/S, RHT W/S, SHD W/S, MEDIAN-WD/S BR, INCREASE/UNDI LNS W/S, RHT W/S, SHD W/S, USE LNS WID, TOT RDY WID, MTCE A SE, CITY NBR, ST FC, LEGAL SPEED D IB, T P S R K T. Rows include various road features like MP MARKER, INTRSECTN, END BRIDGE, RR XING, and LEAVE CITY ENTER CITY.

INTERSECTION DETAIL table with columns: SRMP, B ARM, L NEAR LGT WD, R NEAR LGT WD, L FAR LGT WD, R FAR LGT WD, LEFT-- LGT WD, L-CNTR LGT WD, R-CNTR LGT WD, RIGHT-- LGT WD. Rows show intersection data for SR 29.03, 30.35, and 31.08.

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----														
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S									
				:	:	:	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
32.03	33.17		MP MARKER	R		32																									
32.09	33.23		INTRSECTN	R		8TH ST E	CT			SG	Y																				
			INTRSECTN	L		MILTON WAY (OLD SR 514)	CT			SG	Y																				
32.10	33.24		INTRSECTN	L		MILTON WAY WYE CONN	CT			Y	2	1																			
32.12	33.26		INTRSECTN	R		JOVITA BLVD E WYE CONN	CT			Y																					
32.13	33.27		INTRSECTN	R		JOVITA BLVD E	CT			SG	Y																				
			ENT/EXIT	L		SHOPPING CENTER	PV			SG	Y																				
32.18	33.32		ENT/EXIT	L		SHOPPING CENTER	PV			Y																					
32.20	33.34		BEG SU LN	C		TWO WAY TURN		11A			2	1			6A	34A	4A	11	45	1	01	0362	U2			40	R	P	*		
32.31	33.45		BEG SU LN	L		CLIMBING		11A			1	1			6A	23A	4A	22	45	1	01	0362	U2			40	R	P	*		
32.35	33.49										1	1			6A	23A	3A	22	45	1	01	0362	U2			40	R	P	*		
32.45	33.59		END SU LN	C		TWO WAY TURN		11A			1	1			11A	26A	4A	11	37	1	01	0362	U2			40	R	P	*		
32.48	33.62		INTRSECTN	R		MILITARY RD	CT			Y																					
32.53	33.67										1	1			11A	36A	6A	11	47	1	01	0362	U2			40	R	P	*		
32.55B	33.69		BEG EQ			BEGIN BACK																									
32.55	33.72		LEAVE DIST			3					1	1			11A	36A	6A	11	47	1	01	\$\$\$\$	U2			40	R	\$	*		
			LEAVE CITY			EDGEWOOD																									
			END CTLSEC			CONTROL SECTION 2736																									
			LEAVE CO			PIERCE																									

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----											
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-								
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
32.09	33.23		.04	11			.04	11										
32.13	33.27		.02	11			.04	11			.04	11						

SR 161 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		SPC USE TOT LNS RDY WID WID		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB		T P R K	
32.55	33.72		ENTER CO EQUATION BEG CTLSEC MISC FEATR			KING 032.58B=032.55 CONTROL SECTION 1731 SGN ENT KING CO			1	1					11A	36A	6A	11	47	4	02		U2	40	R	*
32.58	33.75		INTRSECTN	R		MILITARY RD S	CO	Y																		
32.68	33.85								1	1					11A	26A	4A	11	37	4	02		U2	40	R	*
32.76	33.93		END SU LN	L		CLIMBING	11A		1	1				11A	23A	4A	\$\$\$	23	4	02		U2	40	R	*	
32.80	33.97								1	1				11A	23A	4A		23	4	02		U2	45	R	*	
32.84	34.01								1	1				6A	23A	6A		23	4	02		U2	45	R	*	
32.93	34.10		INTRSECTN	B		28TH AVE S	CO	SG	Y																	
32.99	34.16		MP MARKER	R		33																				
33.05	34.22		INTRSECTN	L		S 377TH ST	CO	Y	1	1				3A	23A	7A		23	4	02		U2	45	R	*	
33.54	34.71		INTRSECTN	R		S 370TH ST	CO	Y																		
33.70	34.87								1	1				12A	22A	14A		22	4	02		U2	45	R	*	
33.75	34.92		INTRSECTN	L		19TH WAY S	CO	SG	Y																	
33.82	34.99								1	1				12A	22A	7A		22	4	02		U2	45	R	*	
33.86	35.03								1	1				8A	22A	10A		22	4	02		U2	45	R	*	
33.98	35.15		INTRSECTN	R		S 363RD PL	CO	N																		
33.99	35.16		MP MARKER	R		34																				
34.07	35.24								2	2				8A	56A	10A		56	4	02		U2	45	R	*	
34.10	35.27								2	2				\$\$\$	62A	\$\$\$		62	4	02		U2	45	R	*	
34.14	35.31		INTRSECTN	R		S 360TH ST	CO	SG	Y																	
			INTRSECTN	L		MILTON RD S	CO	SG	Y																	
34.20	35.37		ENTER CITY			FEDERAL WAY			2	2				C	62A	C		62	4	02	0443	U2	45	R	P	*
34.21	35.38		BEG SU LN	C		TWO WAY TURN	12P		2	2				C	62P	C	12	74	4	02	0443	U2	45	R	P	*
			BEG BRIDGE B			SR 5 BRDG NUM 161/102	ST																			
34.28	35.45		END BRIDGE B			SR 5			2	2				C	54A	C	12	66	4	02	0443	U2	45	R	P	*
			CHG SU LN	C		TWO WAY TURN	12A																			
34.29	35.46		MISC FEATR	R		SGN ENT FEDERAL WAY																				
34.44	35.61		END SU LN	C		TWO WAY TURN	12A		2	2				C	66A	C	\$\$\$	66	4	02	0443	U2	45	R	P	*
34.50	35.67		INTRSECTN	R		S 356TH ST	PV	SG	Y																	
			INTRSECTN	L		S 356TH ST	CT	SG	Y																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
32.58	33.75				.03	11								
32.93	34.10		.03	10	.03	10								
33.75	34.92		.05	12			.05	12						
34.14	35.31		.04	12			.04	12						
34.50	35.67		.04	12			.04	12						

SR 162 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----						
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	LFT	RHT	USE	A	SE	NBR	FC	D	IB	R	K	T
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	WID	WID	WID	WID
						:	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L	OW TC L
0.00	0.00		BEG ROUTE			MAIN ROUTE																	
						SR 410/SUMNER TO SR 165																	
			ENTER CITY			SUMNER																	
			BEG CTLSEC			CONTROL SECTION 2733																	
			INTRSECTN	L		87TH ST CT E	CT	N															
			BEG BRIDGE B			SR 410	ST																
						BRDG NUM 162/002																	
0.04	0.04		END BRIDGE B			SR 410																	
0.07	0.07		OFF RAMP	L		SR 410	ST	SG	Y	1	1												
0.08	0.08		ON RAMP	R		SR 410	ST	SG	Y	1	1												
0.11	0.11		BEG SU LN	C		TWO WAY TURN	11A																
0.17	0.17		INTRSECTN	L		74TH ST E	CT	N															
0.19	0.19		INTRSECTN	R		74TH ST CT E	CT	N															
0.29	0.29		INTRSECTN	R		75TH ST CT E	CT	N															
0.31	0.31		END SU LN	C		TWO WAY TURN	11A																
0.33	0.33		INTRSECTN	R		RIVER GROVE DR	CT	SG	Y	1	1												
0.45	0.45																						
0.51	0.51		BEG BRIDGE B			PUYALLUP RIVER	ST																
						BRDG NUM 162/004																	
0.53	0.53		LEAVE CITY			SUMNER																	
0.56	0.56		END BRIDGE B			PUYALLUP RIVER																	
0.58	0.58		INTRSECTN	R		80TH ST E	CO	N															
3.21	0.83		EQUATION			000.83 =003.21																	
			INTRSECTN	R		PIONEER WAY E	CO	Y															
			INTRSECTN	L		BOWMAN HILTON RD E	CO	Y															
3.23	0.85																						
3.69	1.31		MISC FEATR	R		SGN ENT ALDERTON																	
3.84	1.46																						
3.95	1.57		INTRSECTN	B		96TH ST E	CO	Y															
4.00	1.62		MP MARKER	R		4																	
4.05	1.67																						
4.09	1.71		MISC FEATR	L		SGN ENT ALDERTON																	
4.30	1.92																						
4.40	2.02		INTRSECTN	L		102ND ST E	PV	N															

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.07	0.07		.03	11						
0.33	0.33				.03	11				
3.21	0.83		.03	10	.03	10				
3.95	1.57		.04	12	.03	12				

SR 162 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B ARM	FEATURE	DIRECTION TO INVENTORY			---WIDTH AND SURFACE INFORMATION---										-----CLASSIFICATIONS---										
			D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
			:	:	:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
			:	:	:	OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	LMS	RDY	WID	WID	A SE	NBR	FC	D IB	R	K	T	
4.45	2.07	INTRSECTN	L		103RD ST E	CO	N	1	1				4A	22A	4A		22	1	01		U3		50	L		
4.65	2.27	INTRSECTN	L		106TH ST E	CO	N																			
5.00	2.62	MP MARKER	R		5																					
5.18	2.80	INTRSECTN	L		115TH ST E	CO	N																			
5.24	2.86	INTRSECTN	R		115TH ST CT E	CO	N																			
5.34	2.96	INTRSECTN	R		MILITARY RD E WYE CONN	CO	Y																			
5.35	2.97	INTRSECTN	R		MILITARY RD E	CO	Y	1	1				3A	23A	3A		23	1	01		U3		50	L		
5.36	2.98	INTRSECTN	R		MILITARY RD E WYE CONN	CO	Y																			
5.77	3.39	MISC FEATR	R		SGN ENT MCMILLIN																					
6.00	3.62	MP MARKER	R		6																					
6.11	3.73	INTRSECTN	B		128TH ST E	CO	N																			
6.56	4.18	INTRSECTN	R		136TH ST E	CO	Y																			
6.81	4.43	BEG BRIDGE B			PUYALLUP RIVER BRDG NUM 162/006	ST		1	1				\$\$C	22A	\$\$C		22	1	01		U3		50	L		
6.83	4.45							1	1					C	22A	C		22	1	01		R3		50	L	
6.85	4.47	END BRIDGE B			PUYALLUP RIVER			1	1					4A	22A	4A		22	1	01		R3		50	L	
7.00	4.62	MP MARKER	R		7																					
7.17	4.79	INTRSECTN	R		144TH ST E	CO	N																			
7.27	4.89	INTRSECTN	L		145TH ST E	CO	N																			
7.40	5.02	INTRSECTN	L		147TH ST CT E	CO	N																			
7.54	5.16	INTRSECTN	R		149TH ST CT E	PV	N																			
8.00	5.62	MP MARKER	R		8																					
8.06	5.68	ENTER CITY			ORTING			1	1				4A	22A	4A		22	1	01		0940	R3		50	L P	
8.77	6.39	INTRSECTN	R		OLD PIONEER WAY E	CT	Y																			
8.93	6.55	INTRSECTN	R		WHITEHAWK BLVD	CT	Y																			
9.23	6.85							1	1				4A	22A	4A		22	1	01		0940	R3		25	L P	
9.24	6.86	MISC FEATR	R		SGN ENT ORTING																					
9.34	6.96	BEG ST	I		N WASHINGTON AVE			1	1				4A	22A	4A		22	1	01		0940	R3		25	L P *	
		INTRSECTN	B		WHITESELL ST N	CT	Y																			
9.37	6.99	INTRSECTN	L		WHITESELL ST N WYE CONN	CT	N																			
9.44	7.06	INTRSECTN	B		LEBER ST	CT	Y	1	1				\$\$C	30A	5G		30	1	01		0940	R3		25	L B *	
9.49	7.11							1	1					C	30A	12A		30	1	01		0940	R3		25	L B *
9.54	7.16	INTRSECTN	B		CALISTOGA ST	CT	Y	1	1					C	44A	\$\$C		44	1	01		0940	R3		25	L B *

INTERSECTION DETAIL

SRMP	B ARM	-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.34	2.96			.04	12				
5.35	2.97				.07	12			
6.56	4.18				.03	11		.02	11
7.54	5.16				.02	14			
8.93	6.55				.05	12		.02	12
9.54	7.16				.03	13			

SR 163 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----											
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T				
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S			
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 16 UX TO FERRY TERM.		2	2					C	58A		C		58	1	02	1280	U1	35	L	P	*	
			ENTER CITY			TACOMA																						
			BEG CTLSEC			CONTROL SECTION 2742																						
			BEG ST	I		PEARL ST																						
			UXING	B		SR 16																						
						BRDG NUM 016/031																						
0.09	0.09		BEG SU LN	C		TWO WAY TURN		12A						C	46A		C	12	58	1	02	1280	U1	35	L	P	*	
			OFF RAMP	L		SR 16																						
0.12	0.12													C	60A		C	12	72	1	02	1280	U1	35	L	P	*	
0.16	0.16		END SU LN	C		TWO WAY TURN		12A						C	72A		C	\$\$\$	72	1	02	1280	U1	35	L	P	*	
0.20	0.20		INTRSECTN	B		N 11TH ST																						
0.24	0.24		BEG SU LN	C		TWO WAY TURN		12A						C	60A		C	12	72	1	02	1280	U1	35	L	P	*	
0.31	0.31		END SU LN	C		TWO WAY TURN		12A						C	24A		C	\$\$\$	48	1	02	1280	U1	35	L	P	*	
0.38	0.38													C	72A		C		72	1	02	1280	U1	35	L	P	*	
0.39	0.39		INTRSECTN	R		N 14TH ST																						
0.43	0.43		INTRSECTN	L		HIGHLANDS PARKWAY																						
0.44	0.44																											
0.58	0.58		INTRSECTN	C		MED XROAD																						
			INTRSECTN	R		N 18TH ST																						
0.69	0.69		INTRSECTN	R		N 21ST ST																						
			INTRSECTN	L		WESTGATE BLVD																						
			INTRSECTN	C		MED XROAD																						
0.83	0.83		BEG SU LN	C		TWO WAY TURN		12A						C	48A		C	12	60	1	02	1280	U1	35	L	P	*	
0.93	0.93		END SU LN	C		TWO WAY TURN		12A						C	60A		C	\$\$\$	60	1	02	1280	U1	35	L	P	*	
0.97	0.97		INTRSECTN	B		N 26TH ST								C	60A		C		60	1	02	1280	U1	35	R	P	*	
1.01	1.01		BEG SU LN	C		TWO WAY TURN		12P						C	48A		C	12	60	1	02	1280	U1	35	R	P	*	
1.04	1.04		ENT/EXIT	R		SHOPPING CENTER																						
1.10	1.10		INTRSECTN	L		N 28TH ST																						
1.11	1.11		ENT/EXIT	R		SHOPPING CENTER																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.09	0.09	.06	12								
0.20	0.20	.04	12	.05	14	.04	12				
0.39	0.39					.04	12	.01	14		
0.43	0.43	.04	12						.01	14	
0.58	0.58					.03	12				
0.69	0.69	.05	12			.04	12				
0.97	0.97	.04	12			.04	12				
1.04	1.04			.03	12						
1.11	1.11			.03	12						

SR 163 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
: :LEFT/RIGHT INDICATOR				-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC																							
:				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	MTCE	CITY	ST	LEGAL	T	P	S								
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
1.17	1.17		END SU LN	C		TWO WAY TURN																													
			INTRSECTN	B		N 30TH ST																													
							CT																												
1.23	1.23																																		
1.32	1.32		INTRSECTN	L		N 31ST ST																													
			INTRSECTN	C		MED XROAD																													
1.44	1.44		INTRSECTN	R		N 33RD ST																													
			INTRSECTN	C		MED XROAD																													
1.57	1.57		INTRSECTN	B		N 35TH ST																													
			INTRSECTN	C		MED XROAD																													
1.70	1.70		INTRSECTN	B		N 37TH ST																													
			INTRSECTN	C		MED XROAD																													
1.87	1.87		INTRSECTN	R		N 39TH ST																													
2.01	2.01		BEG SU LN	C		TWO WAY TURN																													
2.08	2.08		CHG SU LN	C		TWO WAY TURN																													
			INTRSECTN	B		N 42ND ST																													
2.14	2.14		INTRSECTN	R		N 43RD ST																													
2.20	2.20		INTRSECTN	R		N 44TH ST																													
2.26	2.26		END SU LN	C		TWO WAY TURN																													
			INTRSECTN	B		N 45TH ST																													
2.33	2.33		INTRSECTN	B		N 46TH ST																													
2.39	2.39		INTRSECTN	R		N 47TH ST																													
2.44	2.44		INTRSECTN	R		SEAVIEW ST																													
2.48	2.48		INTRSECTN	B		N 48TH ST																													
2.55	2.55		INTRSECTN	R		RUBY ST																													
2.58	2.58		INTRSECTN	L		N 49TH ST																													
2.61	2.61		INTRSECTN	R		N 49TH ST																													
2.64	2.64		INTRSECTN	R		N RUSTON WAY																													
2.70	2.70		INTRSECTN	B		N 50TH ST																													
2.83	2.83		INTRSECTN	B		N 51ST ST																													
2.85	2.85		LEAVE CITY			TACOMA																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.17	1.17				.06	12				
1.32	1.32		.04	12						
1.44	1.44				.03	12				
1.57	1.57		.03	12						
1.70	1.70		.04	12	.02	12				
2.26	2.26				.03	12				
2.33	2.33		.03	12	.04	12				
2.83	2.83		.03	10	.03	10				

SR 163 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																	
							:DIRECTION TO INVENTORY			-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC	USE	TOT	MTCE	CITY	ST	LEGAL											
							:LEFT/RIGHT INDICATOR	-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	RHT	LNS	SHD	RDY							RHT	LNS	RDY	RHT	WID	WID	A	SE	NBR	FC	SPEED	T
:	:	:	:	:	:	:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID															
2.85	2.85		ENTER CITY			RUSTON																														
2.91	2.91		INTRSECTN	R		N 52ND ST	CT		Y																											
3.00	3.00		INTRSECTN	R		N 53RD ST	CT		Y																											
3.04	3.04																																			
3.06	3.06		INTRSECTN	L		PARK WAY	CT		Y																											
3.08	3.08		LEAVE CITY			RUSTON																														
			END ST	I		PEARL ST																														
			ENTER CITY			TACOMA																														
			ENT FROM	L		POINT DEFIANCE PARK	CT	RF	Y																											
			INTRSECTN	L		N PARK AVE	CT	RF	Y																											
			INTRSECTN	R		N 54TH ST	CT	RF	Y																											
3.09	3.09		EXIT TO	L		POINT DEFIANCE PARK	CT	Y	1	1	C	18A	C	22S																						
3.18	3.18		INTRSECTN	C		MED XROAD	ST		Y																											
			ENT/EXIT	R		PARK AND RIDE LOT	CT		Y																											
3.25	3.25		ENT FROM	L		POINT DEFIANCE PARK	CT	Y	1	2	C	14A	C	5S																						
			EXIT TO	R		BOAT LAUNCH HOLDING LN	CT		Y																											
			INTRSECTN	C		MED XROAD	ST		Y																											
3.34	3.34		INTRSECTN	B		WATERFRONT DR	CT	Y	1	1	\$	\$\$\$	\$	\$\$\$\$																						
3.37	3.37		TRAF RCDR	B		FY09 0																														
			FERRY TERM	B		POINT DEFIANCE LANDING																														
			END CTLSEC			OWNER WSF																														
			END ROUTE			CONTROL SECTION 2742																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.25	3.25		.02	10						

SR 164 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---										
							-BRIDGE-	DECREAS-	DIV	INCRS/UNDI	SPC	---	---	---	---	---	---	---	---	---	---	---	---				
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	---	LFT	RHT	USE	TOT	---	---	---	---	---	---	---	---	---	---		
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S			
						:	OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
0.31	0.00		BEG ROUTE			MAIN ROUTE																					
						SR 18 TO SR 410/ENUMCLAW																					
			ENTER CITY			AUBURN																					
			BEG CTLSEC			CONTROL SECTION 1718																					
			BEG ST	I		AUBURN WAY S																					
			UXING	B		SR 18																					
						BRDG NUM 018/010																					
0.37	0.06		INTRSECTN	L		ON RAMP WYE CONN																					
0.38	0.07		INTRSECTN	R		6TH ST																					
			ON RAMP	L		SR 18																					
			OFF RAMP	L		SR 18																					
0.41	0.10		INTRSECTN	L		OFF RAMP WYE CONN																					
0.44	0.13		BEG SU LN	C		TWO WAY TURN	12A																				
			INTRSECTN	R		7TH ST																					
0.49	0.18		INTRSECTN	R		8TH ST SE																					
0.54	0.23		INTRSECTN	B		D ST SE																					
0.58	0.27		INTRSECTN	R		E ST SE																					
0.62	0.31		INTRSECTN	L		9TH ST SE																					
0.66	0.35		INTRSECTN	L		F ST SE																					
0.75	0.44		MISC FEATR	B		PED XING																					
0.86	0.55		END SU LN	C		TWO WAY TURN	12A																				
0.90	0.59		INTRSECTN	R		12TH ST SE WYE CONN																					
0.91	0.60		INTRSECTN	B		12TH ST SE																					
0.92	0.61		INTRSECTN	L		12TH ST SE WYE CONN																					
0.93	0.62		BEG SU LN	C		TWO WAY TURN	11A																				
0.98	0.67		INTRSECTN	R		J ST SE																					
0.99	0.68		MP MARKER	R		1																					
1.14	0.83		END SU LN	C		TWO WAY TURN	11A																				
1.18	0.87		INTRSECTN	L		M ST SE WYE CONN																					
1.20	0.89		INTRSECTN	B		M ST SE																					
1.23	0.92		INTRSECTN	R		HOWARD RD																					
			INTRSECTN	L		17TH ST SE																					
1.25	0.94		INTRSECTN	R		R ST CONN																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.38	0.07	.04	11			.04	11				
0.91	0.60	.02	11			.03	11				
1.20	0.89	.02	10								
1.23	0.92					.02	10				
1.25	0.94					.02	10				

SR 164 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
							OW	TC	L	I	W	S	W	S	W	S	W	S	W	S	W	S	W	S
3.05			2.74																					
3.14			2.83																					
3.82			3.51	INTRSECTN	L	32ND ST SE	CT		Y															
4.00			3.69	MP MARKER	R	4																		
4.36			4.05	INTRSECTN	L	ACADEMY DR SE WYE CONN	CT		Y															
4.37			4.06	INTRSECTN	L	ACADEMY DR SE	CT	SG	Y	1	1													
				INTRSECTN	R	PVT RD			Y															
4.42			4.11	INTRSECTN	R	CITY ST	CT		Y															
4.48			4.17	INTRSECTN	L	CITY ST	CT		Y															
4.59			4.28																					
4.71			4.40	LEAVE CITY		AUBURN																		
				END ST	I	AUBURN WAY S																		
				BEG ST	I	AUBURN-ENUMCLAW RD																		
				MISC FEATR	L	SGN ENT AUBURN																		
4.72			4.41	INTRSECTN	L	SE 368TH PL	CO		Y															
5.00			4.69	MP MARKER	R	5																		
5.84			5.53	MISC FEATR	B	PED XING																		
6.00			5.69	MP MARKER	R	6																		
6.06			5.75	INTRSECTN	L	SE 380TH PL	CO		N															
6.30			5.99																					
6.65			6.34	INTRSECTN	R	158TH AVE SE	CO		N															
6.91			6.60	MISC FEATR	B	PED XING																		
6.92			6.61	INTRSECTN	B	SE 392ND ST	CO		Y															
7.00			6.69	MP MARKER	R	7																		
7.51			7.20	INTRSECTN	L	SE 400TH ST	CO		Y															
8.01			7.70	MP MARKER	R	8																		
8.07			7.76	INTRSECTN	B	SE 408TH ST	CO		N	1	1													
8.62			8.31	INTRSECTN	L	SE 416TH ST	CO		N															
8.73			8.42	INTRSECTN	B	180TH AVE SE	CO		N															
9.02			8.71	MP MARKER	R	9																		
9.51			9.20	INTRSECTN	B	188TH AVE SE	CO		N															
10.00			9.69	MP MARKER	R	10																		
10.23			9.92	INTRSECTN	B	196TH AVE SE	CO		N															

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.82		3.51	.03	12										
4.37		4.06	.04	12		.03	12	.03	12					
6.06		5.75	.03	12						.03	12			
6.92		6.61	.03	12	.03	13	.03	12	.03	13				
7.51		7.20	.03	12						.01	12			

SR 164 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S										
							OW	TC	L	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
10.31	10.00		INTRSECTN	R	SE	436TH ST	CO	N	1	1					7A	22P	7A							22	4	01			R2		55	R		*			
10.39	10.08														6A	21A	6A							21	4	01			R2		55	R		*			
10.98	10.67		INTRSECTN	B	208TH	AVE SE	CO	N	1	1				6A	22A	6A							22	4	01			R2		55	R		*				
10.99	10.68		MP MARKER	R	11																																
11.23	10.92		INTRSECTN	L	212TH	AVE SE	CO	N																													
11.49	11.18		INTRSECTN	R	216TH	AVE SE	CO	N																													
12.00	11.69		MP MARKER	R	12																																
12.04	11.73									1	1				6A	22A	6A							22	4	01			R2		45	R		*			
12.24	11.93		INTRSECTN	B	228TH	AVE SE	CO	N																													
12.75	12.44		INTRSECTN	B	236TH	AVE SE	CO	N	1	1					8A	22A	8A							22	4	01			R2		45	R		*			
12.86	12.55		INTRSECTN	L	SE	436TH ST	CO	N																													
13.00	12.69		MP MARKER	R	13																																
13.11	12.80		INTRSECTN	R	241ST	PL SE	CO	N																													
13.29	12.98		INTRSECTN	L	244TH	AVE SE WYE CONN	CO	Y																													
13.30	12.99		INTRSECTN	B	244TH	AVE SE	CO	SG	Y																												
13.31	13.00		INTRSECTN	R	244TH	AVE SE WYE CONN	CO	Y																													
13.42	13.11									1	1				8A	22A	8A							22	4	01			U2		45	R		*			
13.45	13.14		INTRSECTN	R	SE	440TH ST	CO	Y																													
13.49	13.18									1	1				\$\$\$	33A	6A							33	4	01			U2		45	R		*			
13.51	13.20									1	1				C	33A	6A							33	4	01			U2		35	R		*			
13.57	13.26		END ST	I	AUBURN-ENUMCLAW RD					1	1				C	44A	\$\$\$							44	4	01	0410	U2		35	R	B	*				
			ENTER CITY		ENUMCLAW																																
			BEG ST	I	GRIFFIN AVE																																
			INTRSECTN	L	HIGH POINT ST		CT	Y																													
13.58	13.27		MISC FEATR	R	SGN ENT	ENUMCLAW																															
13.62	13.31		BEG SU LN	C	TWO WAY	TURN	13A			1	1				C	31A	C	13					44	4	01	0410	U2		35	R	B	*					
13.69	13.38		INTRSECTN	B	FARRELLY	ST	CT	Y																													
13.77	13.46		INTRSECTN	L	GOSSARD	ST	CT	Y																													
13.81	13.50		INTRSECTN	R	SEMANSKI	ST	CT	Y																													
			INTRSECTN	L	CLOVERCREST	ST	CT	Y																													
13.93	13.62		INTRSECTN	B	FLORENCE	ST	CT	Y																													
14.00	13.69		MP MARKER	R	14																																
			INTRSECTN	L	LORAIN	ST	CT	Y																													
14.04	13.73		INTRSECTN	B	GARFIELD	ST	CT	Y																													
14.11	13.80		END SU LN	C	TWO WAY	TURN	13A			1	1				C	44A	C	\$\$\$						44	4	01	0410	U2		35	R	B	*				
			INTRSECTN	B	HARDING	ST	CT	Y																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.24	11.93				.04	12				
13.30	12.99		.03	12						
14.11	13.80				.02	12				

SR 164 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																									
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV					INCRS/UNDI					SPC					-----CLASSIFICATIONS---								
:LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							D	I	W/S	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
14.18	13.87		INTRSECTN	B		PIONEER ST	CT	Y	1	1						C	32A	C		32	4	01	0410	U2	25	R	P	*	
14.25	13.94		INTRSECTN	B		LAFROMBOISE ST	CT	Y																					
14.34	14.03		INTRSECTN	R		MONTGOMERY AVE	CT	Y																					
14.37	14.06		INTRSECTN	L		FELL ST	CT	Y																					
14.42	14.11		INTRSECTN	B		FRANKLIN ST	CT	Y																					
14.47	14.16		INTRSECTN	B		MARION ST	CT	Y																					
14.52	14.21		INTRSECTN	L		SR 169	ST	SG	Y	1	1					C	42A	C		42	4	01	0410	U2	25	R	B	*	
			INTRSECTN	R		PORTER ST	CT	SG	Y																				
14.57	14.26		INTRSECTN	B		WELLS ST	CT	Y																					
14.63	14.32		INTRSECTN	B		COLE ST	CT	SG	Y																				
14.68	14.37		INTRSECTN	B		RAILROAD ST	CT	Y																					
14.75	14.44		INTRSECTN	B		FIRST ST	CT	Y																					
14.83	14.52		INTRSECTN	B		SECOND ST	CT	Y																					
14.88	14.57		INTRSECTN	R		THIRD ST	CT	Y																					
14.94	14.63		INTRSECTN	R		BLAKE ST	CT	Y																					
			INTRSECTN	L		RAINIER AVE	CT	Y																					
15.01	14.70		MP MARKER	R		15																							
15.10	14.79		INTRSECTN	L		CEDAR ST	CT	Y																					
15.13	14.82		END ST	I		GRIFFIN AVE																							
			INTRSECTN	B		SR 410	ST	SG	Y																				
			END CTLSEC			CONTROL SECTION 1718																							
			END ROUTE																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L	R	L	R	L	R	R	R
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.52		14.21	.03	10			.03	10		

SR 166 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

			-----WIDTH AND SURFACE INFORMATION-----																																			
			:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV						INCRS/UNDI						-----CLASSIFICATIONS---																			
			:LEFT/RIGHT INDICATOR		-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT		MTCE		CITY		ST		LEGAL		T P S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	WD/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.02		0.00	BEG ROUTE			MAIN ROUTE				1	1																											
			BEG CTLSEC			SR 16 TO PRT ORCHARD ECL																																
			INTRSECTN	B		SR 16																																
0.12		0.10	INTRSECTN	R		SR 16 CONN-ANDERSON HILL																																
0.19		0.17	MISC FEATR	L		U TURN ROUTE																																
0.21		0.19	MISC FEATR	L		U TURN ROUTE				1	1												14A	24A	10A				24	2	01			U2	50	R		
0.35		0.33	UXING	B		SR 16				1	1												8A	24A	8A				24	2	01			U2	50	R		
						BRDG NUM 015/005N																																
0.42		0.40								1	1												5A	24A	5A				24	2	01			U2	50	R		
0.57		0.55	ENTER CITY			PORT ORCHARD				1	1												5A	24A	5A				24	2	01		1000	U2	50	R	P	
			MISC FEATR	R		SGN ENT PORT ORCHARD																																
1.00		0.98	MP MARKER	R		1																																
2.01		1.99	MP MARKER	R		2				1	1												5A	24A	5A				24	2	01		1000	U2	35	R	P	
2.03		2.01	INTRSECTN	R		WILKINS PL			CT		N																											
2.16		2.14	INTRSECTN	R		WILKINS DR			CT		N																											
2.24		2.22	INTRSECTN	R		SHORT AVE			CT		N																											
2.30		2.28	INTRSECTN	R		GRANT AVE			CT		Y																											
2.38		2.36								1	1												5A	24A	5A				24	2	01		1000	U2	25	R	P	
2.54		2.52	INTRSECTN	R		PORT ORCHARD BLVD			CT	Y	1	1										3A	22A	3A				22	2	01		1000	U2	25	R	B		
2.57		2.55	BEG SU LN			TWO WAY TURN			11A		1	1										3A	22A	3A	11			33	2	01		1000	U2	25	R	P		
			INTRSECTN	R		DEKALB ST			CT		N																											
2.62		2.60	INTRSECTN	R		KITSAP ST			CT		Y																											
2.66		2.64	INTRSECTN	R		CLINE AVE			CT	Y	1	1										3A	25A	\$\$\$C	11			36	2	01		1000	U2	25	R	P		
2.70		2.68	BEG ST	I		BAY ST				1	1											3A	25A	C	11			36	2	01		1000	U2	25	R	P		
			INTRSECTN	R		BANK ST			CT	Y																												
2.75		2.73	END SU LN			TWO WAY TURN			11A		1	1										3A	36A	C \$\$\$				36	2	01		1000	U2	25	R	P		
2.78		2.76	INTRSECTN	L		CITY ST			CT	Y	1	1										\$\$\$C	56A	C				56	2	01		1000	U2	25	R	B		
2.82		2.80	INTRSECTN	B		FREDRICK AVE			CT		Y																											
2.90		2.88	INTRSECTN	B		SIDNEY AVE			CT	SG	Y																											
2.97		2.95	INTRSECTN	L		HARRISON AVE			CT	Y	1	1										C	38A	C				38	2	01		1000	U2	25	R	P		
2.99		2.97	BEG SU LN			TWO WAY TURN			11A		1	1										C	27A	C	11			38	2	01		1000	U2	25	R	P		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.21		0.19	.02	12						
2.54		2.52			.02	11				
2.78		2.76	.02	12						
2.82		2.80	.02	12	.02	12				
2.90		2.88	.05	12	.03	12				
2.97		2.95	.04	12			.04	11		

SR 166 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	LFT	RDY	SHD	LNS	RDY	USE	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID											
3.01	2.99								1	1							C 27A	C	11	38	2	01	1000	U2	25	R	P	*				
3.04	3.02		MISC FEATR	B		PED XING																										
3.09	3.07		INTRSECTN	R		SEATTLE ST	CT	Y																								
3.17	3.15		END SU LN	C		TWO WAY TURN			11A								C 38A	C	\$\$\$	38	2	01	1000	U2	25	R	P	*				
			INTRSECTN	R		ROCKWELL AVE	CT	Y																								
3.19	3.17		BEG SU LN	C		TWO WAY TURN			11A								C 27A	C	11	38	2	01	1000	U2	25	R	P	*				
3.24	3.22		MISC FEATR	B		PED XING																										
3.33	3.31		END SU LN	C		TWO WAY TURN			11A								C 36A	C	\$\$\$	36	2	01	1000	U2	25	R	P	*				
			MISC FEATR	B		PED XING																										
3.36	3.34		BEG BRIDGE	B		BLACKJACK CREEK											C 49A	C		49	2	01	1000	U2	25	R	P	*				
						BRDG NUM 166/021	ST																									
3.37	3.35		END BRIDGE	B		BLACKJACK CREEK											C 36A	C		36	2	01	1000	U2	25	R	P	*				
3.38	3.36		INTRSECTN	L		BAY ST WYE CONN	CT	Y																								
3.40	3.38		END ST	I		BAY ST											C 36A	C		36	2	01	1000	U2	25	R	P	\$				
			INTRSECTN	L		BAY ST	CT	SG	Y																							
3.41	3.39		INTRSECTN	R		MAPLE AVE	CT	Y	1	1							\$ 34A	2A		34	2	01	1000	U2	35	R	P					
3.42	3.40		BEG SU LN	C		TWO WAY TURN			11A								C 23A	2A	11	34	2	01	1000	U2	35	R	P					
3.82	3.80		END SU LN	C		TWO WAY TURN			11A								C 34A	2A	\$\$\$	34	2	01	1000	U2	35	R	P					
3.85	3.83		BEG ST	I		MILE HILL DR											C 28A	5A		28	2	01	1000	U2	35	R	P	*				
3.88	3.86		INTRSECTN	L		SR 166 COORCHRD (CPLT)	ST	Y	\$	1							C 18A	\$\$C		18	2	01	1000	U2	35	R	P	*				
			MISC FEATR	D		COUplet - COORCHRD																										
3.91	3.89		INTRSECTN	L		SR 166 COUplet CONNECT	ST	YS	Y	1							C 36A	C		36	2	01	1000	U2	35	R	P	*				
3.92	3.90		EXIT TO	R		BETHEL AVE	CT	Y																								
3.93	3.91		ENT FROM	R		BETHEL AVE	CT	Y																								
3.94B	3.92		BEG EQ			BEGIN BACK											C 16A	C		16	2	01	1000	U2	35	R	P	*				
			INTRSECTN	L		SR 166 COUplet CONNECT	ST	Y																								
3.97B	3.95		EXIT TO	R		BUSINESS	PV	Y																								
3.98B	3.96		ENT FROM	R		BUSINESS	PV	Y																								
3.94	3.97		EQUATION			003.99B=003.94 ``											C 28A	4A		28	2	01	1000	U2	35	R	P	*				
			INTRSECTN	L		SR 166 COORCHRD (CPLT)	ST	Y																								
			MISC FEATR	D		COUplet - COORCHRD																										
3.95	3.98								1	2							C 28A	4A		28	2	01	1000	U2	35	R	P	*				
3.96	3.99								1	2							C 46A	4A		46	2	01	1000	U2	35	R	P	*				
3.97	4.00		UXING	B		MITCHELL RD	ST																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----											
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	LGT	WD	LGT	WD	LGT	WD	LGT	WD
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.17	3.15					.02	11												
3.40	3.38			.06	10			.03	10										
3.41	3.39					.01	11												
3.98B	3.96											.02	12						

SR 166 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----									
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT														
: :				-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T	
3.97	4.00					BRDG NUM 166/024																				
4.01	4.04		MP MARKER	R		4																				
4.02	4.05		MISC FEATR	L		SGN ENT PORT ORCHARD																				
4.07	4.10		INTRSECTN	L		PLISCO LN																				
			ENT/EXIT	R		SHOPPING CENTER	CT		Y	1	2															
			ENT/EXIT	R		SHOPPING CENTER	PV			Y																
4.15	4.18		ENT/EXIT	R		SHOPPING CENTER	PV		SG	Y																
			ENT/EXIT	L		CITY PARK	CT		SG	Y																
4.19	4.22		BEG SU LN	C		TWO WAY TURN		10A			1	2														
4.30	4.33		END SU LN	C		TWO WAY TURN		10A			1	2														
4.35	4.38		INTRSECTN	L		RETSIL RD																				
			INTRSECTN	R		KARCHER RD	CT		SG	Y																
4.40	4.43		BEG SU LN	C		TWO WAY TURN		10A			1	2														
4.50	4.53		END SU LN	C		TWO WAY TURN		10A			1	2														
4.54	4.57		INTRSECTN	R		ROOSEVELT AVE																				
			INTRSECTN	L		PVT RD	CT			Y																
4.59	4.62		ENT/EXIT	L		BUSINESS	PV			N																
4.60	4.63		BEG SU LN	C		TWO WAY TURN		10A			1	2														
4.64	4.67		INTRSECTN	R		HIGGINS RD																				
			ENT/EXIT	L		BUSINESS	PV			Y																
4.68	4.71		END SU LN	C		TWO WAY TURN		10A			1	2														
4.69	4.72		INTRSECTN	R		KIDD AVE																				
4.73	4.76		INTRSECTN	R		JACKSON AVE																				
			INTRSECTN	L		OLNEY RD	CT		SG	Y																
4.77	4.80		BEG SU LN	L		AUXILIARY		15A			1	2														
4.79	4.82		END SU LN	L		AUXILIARY		15A			1	2														
			ENT FROM	L		SHOPPING CENTER	PV			Y																
4.81	4.84		EXIT TO	L		SHOPPING CENTER	PV			Y	1	2														
4.83	4.86		BEG SU LN	L		AUXILIARY		15A			1	2														
4.86	4.89		INTRSECTN	R		PAYSENO LN																				
4.89	4.92		END SU LN	L		AUXILIARY		15A			1	2														
			ENT FROM	L		SHOPPING CENTER	PV			Y																

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.07	4.10			.03	11	.02	11				
4.15	4.18			.03	11	.03	11				
4.35	4.38			.03	10	.02	10				
4.54	4.57			.03	10	.03	10				
4.59	4.62							.02	12		
4.73	4.76			.05	10	.02	10	.04	12		
4.81	4.84							.02	12		

SR 166 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---													
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC																							
: :LEFT/RIGHT INDICATOR				NBR	LFT	RHT	LFT	RHT	USE	TOT																							
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
4.91	4.94		EXIT TO	L		SHOPPING CENTER	PV	Y	1	2							C	34A	3A					34	2	01	1000	U2		35	R	*	
4.95	4.98		END ST	I		MILE HILL DR																											
			END CTLSEC			CONTROL SECTION 1807																											
			END ROUTE																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.91	4.94										
								.04	15		

SR 167 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----													
					-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL		T	P	S						
				:	:DIRECTION TO INVENTORY		NBR	LFT	RHT		LFT	RHT	USE															
				:	:LEFT/RIGHT INDICATOR		LNS	SHD	RDY	SHD	SHD	RDY	RDY	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S					
				:	:		D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00	BEG ROUTE		MAIN ROUTE			1						C	24A	C	24	1	01	1280	U1	35	L	P					
		ENTER CITY		TACOMA																								
		BEG CTLSECT		CONTROL SECTION 2707																								
		UXING	I	SR 5																								
0.02	0.02	INTRSECTN	R	FRONTAGE RD-E 28TH ST		ST	RF	Y	1																			
		OFF RAMP	RC	SR 5		ST	RF	Y																				
0.10	0.10	INTRSECTN	L	CITY ST		CT		Y																				
0.16	0.16	BEG BRIDGE	I	EAST T ST		ST			1																			
				BRDG NUM 167/011E-N																								
0.20	0.20	END BRIDGE	I	EAST T ST					1																			
0.25	0.25								1																			
0.27	0.27	ON RAMP	RC	SR 5		ST		Y	2																			
0.28	0.28	UXING	D	SR 5 SB		ST			2	2	C	26A	8A	200S														
		OFF RAMP	LC	SR 5		ST		Y																				
		OFF RAMP	L	BAY ST		ST		Y																				
0.30	0.30	UXING	D	SR 5 NB		ST																						
				BRDG NUM 005/456E																								
0.35	0.35	ENT/EXIT	R	CHIEF LESCHI SCHOOL K-12		OT	Y	2	2	C	28A	\$\$\$	1000															
		INTRSECTN	C	MEDIAN XROAD		ST		Y																				
0.43	0.43								2	2	\$	\$\$\$	\$	\$\$\$														
0.57	0.57	INTRSECTN	R	GRANDVIEW ST		CT		Y																				
0.61	0.61	BEG ST	I	RIVER RD					2	2																		
		INTRSECTN	R	PIONEER WAY		CT	SG	Y																				
0.64	0.64	RR XING	B	NUM 85710X STRUCTURE					2	2																		
		BEG BRIDGE	B	BN RR		ST																						
				BRDG NUM 167/013																								
0.68	0.68	END BRIDGE	B	BN RR					2	2																		
0.76	0.76	LEAVE CITY		TACOMA					2	2																		
0.89	0.89	BEG SU LN	C	TWO WAY TURN	11A				2	2																		
1.02	1.02	MP MARKER	R	1																								
1.03	1.03	END SU LN	C	TWO WAY TURN	11A				2	2																		
		INTRSECTN	R	30TH AVE E		CO		N																				
1.10	1.10	BEG SU LN	C	TWO WAY TURN	11A				2	2																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.02	0.02	.02	12						
1.03	1.03			.03	11				

SR 167 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE- -UXING- -XROAD- OW TC L	NBR LNS D I	---WIDTH AND SURFACE INFORMATION---			INCREAS/UNDI SPC			-----CLASSIFICATIONS---								
									DECREAS/DIV LFT RHT W/S W/S W/S	MEDIAN- WD/S BR	LFT W/S	RDY W/S	RHT W/S	USE LNS	TOT RDY	MTCE A SE	CITY NBR	ST FC	LEGAL SPEED D IB	T R	P K	S T	
1.19	1.19		END SU LN INTRSECTN	C		TWO WAY TURN 31ST AVE CT E	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
1.25	1.25		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
1.70	1.70		END SU LN INTRSECTN	C		TWO WAY TURN GRATZER RD	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
1.76	1.76		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
2.00	2.00		MP MARKER	B		2																	
2.38	2.38		END SU LN INTRSECTN	C		TWO WAY TURN GAY RD	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
2.44	2.44		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
2.48	2.48		END SU LN INTRSECTN	C		TWO WAY TURN 50TH AVE E	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
2.54	2.54		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
2.87	2.87		END SU LN INTRSECTN	C		TWO WAY TURN 40TH ST E	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
			INTRSECTN	R		56TH AVE E		CO	FS	Y													
2.93	2.93		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
3.00	3.00		MP MARKER	B		3																	
3.07	3.07		END SU LN INTRSECTN	C		TWO WAY TURN 58TH AVE	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
3.14	3.14		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
3.28	3.28		END SU LN INTRSECTN	C		TWO WAY TURN 44TH ST E	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
			INTRSECTN	R		62ND AVE E		CO		Y													
3.38	3.38		BEG SU LN	C		TWO WAY TURN	11A		2	2		6A	44A	6A	11	55	1	01		U1	50	L	*
3.44	3.44		END SU LN	C		TWO WAY TURN	11A		2	2		6A	55A	6A	\$\$\$	55	1	01		U1	50	L	*
3.58	3.58		END SU LN	C		TWO WAY TURN																	
3.66	3.66		INTRSECTN	R		48TH ST E		CO	SG	Y													
			INTRSECTN	B		66TH AVE E		CO	SG	Y													
3.69	3.69		BEG BRIDGE	B		CLARK CREEK		ST				\$\$C	69A	\$\$C		69	1	01		U1	50	L	*

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
1.19	1.19				.03	11				
1.70	1.70				.03	11				
2.38	2.38				.03	11				
2.48	2.48				.03	11				
2.87	2.87				.03	11				
3.07	3.07				.03	11				
3.28	3.28				.03	11				
3.38	3.38				.03	11				
3.66	3.66		.03	13	.03	13				

SR 167 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR			LFT			RHT		USE		TOT																	
: :				-XROAD-		LNS			SHD			RDY		SHD		LNS		RDY															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S			
															WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
5.70B	5.70																																
5.73B	5.73		END SU LN	C		TWO WAY TURN																											
5.79B	5.79		INTRSECTN	B		7TH ST NW																											
5.82B	5.82		BEG SU LN	C		TWO WAY TURN																											
5.84B	5.84																																
5.92B	5.92		END SU LN	C		TWO WAY TURN																											
5.96B	5.96		INTRSECTN	B		4TH ST NW																											
6.02B	6.02		MP MARKER	B		6 B																											
6.03B	6.03		ENT/EXIT	L		SHOPPING CENTER																											
6.08B	6.08		ENT/EXIT	L		SHOPPING CENTER																											
6.16B	6.16		INTRSECTN	L		SR 167 WYE CONN																											
6.18B	6.18		END ST	I		RIVER RD																											
			BEG ST	I		N MERIDIAN																											
			INTRSECTN	R		MERIDIAN ST																											
6.19B	6.19		INTRSECTN	L		SR 167 WYE CONN																											
			INTRSECTN	R		CITY ST																											
6.33B	6.33																																
6.36B	6.36		INTRSECTN	R		CITY ST																											
6.38B	6.38		INTRSECTN	R		CITY ST WYE CONN																											
6.40B	6.40		BEG BRIDGE	D		PUYALLUP RIVER																											
						BRDG NUM 167/020W																											
6.41B	6.41		BEG BRIDGE	I		PUYALLUP RIVER																											
						BRDG NUM 167/020E																											
6.42B	6.42																																
6.49B	6.49		END BRIDGE	I		PUYALLUP RIVER																											
6.50B	6.50		END BRIDGE	D		PUYALLUP RIVER																											
6.52B	6.52		INTRSECTN	B		N LEVEE RD																											
5.26	6.54		END ST	I		N MERIDIAN																											
			EQUATION			006.54B=005.26																											
			INTRSECTN	L		SR 167 COUPLET																											
			MISC FEATR	D		COUPLET - COPUYALP																											
5.39	6.67																																
5.50	6.78		LEAVE CITY			PUYALLUP																											

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.79B	5.79			.03	11			.03	11		
5.96B	5.96			.04	11	.03	12	.05	11		
6.03B	6.03									.03	12
6.08B	6.08			.04	11						
6.18B	6.18			.06	11	.06	12			.03	12

SR 167 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----									
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
						:	-XROAD-	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
						:	OW	TC	L			WD/S	BR														
26.22	27.54	MISC FEATR	R			GORE (SR 405 P500237)		2	2	10A	24A		16A	JE		24A	10A	24	72	4	02	1070	U1	45	L	P	
26.28	27.60	UXING	B			SR 405 BRDG NUM 405/015	ST																				
26.30	27.62							2	2	10A	24A		16A	JE		24A	10A	24	72	4	01	1070	U1	45	L	P	
26.34	27.66	END SU LN ON RAMP	L			AUXILIARY 12A SR 405	ST	Y					16A	JE		24A	10A	12	60	4	01	1070	U1	45	L	P	
26.37	27.69	MISC FEATR END SU LN OFF RAMP	R			GORE (SR 405 R500226) AUXILIARY 12A SR 405	ST	Y					16A	JE		24A	10A	\$\$\$	48	4	01	1070	U1	45	L	P	
26.39	27.71	MISC FEATR MISC FEATR	R			GORE (SR 405 S500236) GORE (SR 405 S100214)																					
26.40	27.72	ON RAMP OFF RAMP	R			SR 405 SR 405	ST	Y	3	3	10A	36A	16A	JE		36A	10A		72	4	01	1070	U1	45	L	P	
26.44	27.76								3	3	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	10A	78A	10A		78	4	01	1070	U1	45	L	P
26.47	27.79	INTRSECTN	B			S GRADY WAY WYE CONN	CT	Y																			
26.48	27.80	INTRSECTN	B			S GRADY WAY	CT	SG	Y	3	3				\$\$\$	84A	\$\$\$		84	4	01	1070	U1	45	L	P	
26.49	27.81	INTRSECTN	B			S GRADY WAY WYE CONN	CT	Y																			
26.57	27.89	INTRSECTN	L			HARDIE AVE SW	CT	Y																			
26.58	27.90	INTRSECTN	L			HARDIE AVE SW WYE CONN	CT	Y																			
26.61	27.93	ENT/EXIT	R			BUSINESS	PV	Y																			
26.70	28.02	INTRSECTN	B			SW 7TH ST WYE CONN	CT	Y																			
26.71	28.03	INTRSECTN	B			SW 7TH ST	CT	SG	Y	3	2				C	72A	C		72	4	01	1070	U1	45	L	P	
26.72	28.04	INTRSECTN	R			SW 7TH ST WYE CONN	CT	Y																			
26.77	28.09								3	2					C	88A	C		88	4	01	1070	U1	45	L	P	
26.78	28.10	BEG SU LN	C			TWO WAY TURN 18A			3	2					C	70A	C	18	88	4	01	1070	U1	45	L	P	
26.86	28.18	END SU LN ENT/EXIT	C			TWO WAY TURN 18A			3	2					C	88A	C	\$\$\$	88	4	01	1070	U1	45	L	P	
26.89	28.21					SHOPPING CENTER	PV	Y							C	70A	C		70	4	01	1070	U1	45	L	P	
26.90	28.22	UXING	B			BN RR BRDG NUM 167/139	ST																				
26.94	28.26	RR XING INTRSECTN	B			NUM 91686M STRUCTURE S 4TH PL	CT	SG	Y	3	3				C	84A	C		84	4	01	1070	U1	45	L	P	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
26.48	27.80		.07	12			.10	12						
26.61	27.93						.01	10						
26.71	28.03		.05	11			.04	11						
26.86	28.18						.01	12						
26.94	28.26						.06	12						

SR 167 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	LFT		RHT	USE	TOT	MTCE	CITY	ST	LEGAL		T	P	S	
				:DIRECTION TO INVENTORY			-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S						
				:LEFT/RIGHT INDICATOR			-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	MTCE	CITY	ST	D	IB	R	K	T					
				:			OW	TC	L	D	I	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
26.96	28.28	BEG	SU LN	C		TWO WAY TURN		12A																			
27.04	28.36	END	SU LN	C		TWO WAY TURN		12A																			
27.08	28.40	INTRSECTN		B		S 3RD PL																					
27.12	28.44																										
27.16	28.48	INTRSECTN		B		SR 900 WYE CONN																					
27.17	28.49	INTRSECTN		B		SR 900																					
27.18	28.50	INTRSECTN		L		SR 900 WYE CONN																					
27.21	28.53	INTRSECTN		L		W HARRIS ST																					
27.27	28.59	INTRSECTN		R		SR 900 COUplet WYE CONN																					
27.28	28.60	INTRSECTN		R		SR 900 CO2NDST (COUplet)																					
		END CTLSEC				CONTROL SECTION 1765																					
		END ROUTE																									

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
27.08	28.40		.06	12										
27.17	28.49		.06	22										
27.18	28.50								.02	12				

SR 167 COUPLET
PUYALP

STATE ROUTE - SRSH COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT	-CLASSIFICATIONS---		LEGAL	
5.72	0.00		BEG ROUTE			PUYALP MILWAUKEE AVE TO SR 167																				
			BEG CTLSEC			CONTROL SECTION 2707																				
			MISC FEATR I			MILWAUKEE AVE OXING WPS																				
5.94	0.22		ENTER CITY			PUYALLUP																				
6.12	0.40																									
6.18	0.46		INTRSECTN	R		SR 161	ST	SG	Y	3	2	10A	39A	12A	CU	\$\$\$	26A	10A	65	1	01	1030	U2	35	L	P
6.22	0.50																									
6.26	0.54		INTRSECTN	L		SR 167 MAINLINE NB	ST	SG	Y	2	2	10A	26A	12A	CU		26A	10A	52	1	01	1030	U2	35	L	P
			END CTLSEC			CONTROL SECTION 2707																				
			END SECTN			PUYALP																				

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
6.18	0.46										
6.26	0.54					.03	12				

SR 169 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	L		CITY		LEGAL		T	P	S	
:DIRECTION TO INVENTORY						-BRIDGE-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
:						OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE																			
						SR 164 TO SR 405/RENTON																			
			ENTER CITY			ENUMCLAW																			
			BEG CTLSEC			CONTROL SECTION 1734																			
			BEG ST	I		PORTER ST																			
			INTRSECTN	B		SR 164	ST	SG	Y																
0.04	0.04		INTRSECTN	B		MYRTLE AVE	CT	Y	1 1					C 34A	C			34	4	01	0410	U2		25	R L *
0.11	0.11		INTRSECTN	B		MARSHALL AVE	CT	Y	1 1					C 34A	C			34	4	01	0410	U2		25	R B *
0.17	0.17		INTRSECTN	B		WASHINGTON AVE	CT	AF	Y 1 1					C 32A	C			32	4	01	0410	U2		25	R B *
0.22	0.22		INTRSECTN	R		JEFFERSON AVE	CT	Y																	
0.28	0.28		INTRSECTN	R		ADAMS AVE	CT	Y																	
			INTRSECTN	L		SORENSON AVE	CT	Y																	
0.34	0.34		INTRSECTN	L		HILLCREST AVE	CT	Y	1 1					C 32A	C			32	4	01	0410	U2		25	R R *
			INTRSECTN	R		BATTERSBY AVE	CT	Y																	
0.41	0.41		INTRSECTN	B		KIBLER AVE	CT	Y	1 1					C 42A	C			42	4	01	0410	U2		35	R R *
0.46	0.46		INTRSECTN	R		DAVIS AVE	CT	Y	1 1					C 42A	C			42	4	01	0410	U2		35	R B *
0.49	0.49		INTRSECTN	L		WILSON AVE	CT	Y																	
0.52	0.52		INTRSECTN	R		CHINOOK AVE	CT	Y																	
0.55	0.55		INTRSECTN	L		LOWELL AVE	CT	Y																	
0.61	0.61		INTRSECTN	R		MERRITT AVE	CT	Y																	
0.67	0.67		END ST	I		PORTER ST			1 1					4A 22A	4A			22	4	01	0410	U2		35	R P *
			BEG ST	I		264TH AVE SE																			
			INTRSECTN	L		MCHUGH AVE	CT	Y																	
			INTRSECTN	R		SE 432ND ST	CT	Y																	
0.85	0.85		LEAVE CITY			ENUMCLAW			1 1					4A 22A	4A			22	4	01	\$\$\$\$	R2		35	R \$ *
0.98	0.98		INTRSECTN	R		SE 427TH ST	CO	N																	
0.99	0.99		MP MARKER	R		1																			
1.04	1.04		INTRSECTN	L		SE 426TH ST	CO	N																	
1.17	1.17		INTRSECTN	L		SE 424TH ST	CO	N	1 1					4A 22A	4A			22	4	01		R2		50	R *
1.51	1.51		BEG BRIDGE	B		NEWAUKAM CREEK	ST		1 1					\$\$W 41A	\$\$W			41	4	01		R2		50	R *
						BRDG NUM 169/004																			
1.52	1.52		END BRIDGE	B		NEWAUKAM CREEK			1 1					4A 22A	4A			22	4	01		R2		50	R *
1.67	1.67		INTRSECTN	B		SE 416TH ST	CO	Y	1 1					8A 22A	8A			22	4	01		R2		50	R *
1.68	1.68								1 1					8A 20P	8A			20	4	01		R2		50	R *
1.90	1.90		MP MARKER	R		2																			
2.67	2.67		INTRSECTN	B		SE 400TH ST	CO	AF	Y																
2.77	2.77								1 1					8A 22A	8A			22	4	01		R2		50	R *

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00				.02	10					

SR 169 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	MTC		CITY	ST	LEGAL	T	P	S				
							-XING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	NBR	FC	SPEED	T	P	S		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
9.09	9.09		LEAVE CITY			BLACK DIAMOND		1	1			11A	20P	8A		20	4	01	\$\$\$\$	R2		50	R	\$	*	
9.13	9.13		MISC FEATR	L		SGN ENT BLACK DIAMOND		1	1			8A	20P	8A		20	4	01		R2		50	R	\$	*	
9.98	9.98		MP MARKER	R		10																				
10.02	10.02		END ST	I		THIRD AVE		1	1			8A	20P	8B		20	4	01		R2		50	R	\$		
			INTRSECTN	L		SE 288TH ST	CO	N																		
10.19	10.19		ENTER CITY			MAPLE VALLEY		1	1			8A	20P	8B		20	4	01	0739	R2		50	R	P		
10.33	10.33							1	1			8A	20P	8A		20	4	01	0739	R2		50	R	P		
10.41	10.41		RR XING	B		NUM 85171L STRUCTURE		1	1			\$\$W	40P	\$\$W		40	4	01	0739	R2		50	R	P		
			BEG BRIDGE	B		BN RR	ST																			
						BRDG NUM 169/012																				
10.44	10.44		END BRIDGE	B		BN RR		1	1			8A	20P	8A		20	4	01	0739	R2		50	R	P		
10.49	10.49							1	1			8A	20P	8B		20	4	01	0739	R2		50	R	P		
10.94	10.94							1	1			8A	20P	8B		20	4	01	0739	R2		40	R	P		
11.00	11.00		MP MARKER	R		11																				
11.16	11.16							1	1			6A	24A	6A		24	4	01	0739	R2		40	R	P		
11.23	11.23		BEG SU LN	C		TWO WAY TURN	13A		1	1		12A	26A	9A	13	39	4	01	0739	R2		40	R	P		
11.25	11.25							1	1			\$\$C	38A	8A	13	51	4	01	0739	R2		40	R	P		
11.31	11.31		ENT/EXIT	L		SHOPPING CENTER	PV	Y																		
11.34	11.34							1	1			C	46A	\$\$C	13	59	4	01	0739	R2		40	R	P		
11.35	11.35		ENT/EXIT	R		SHOPPING CENTER	PV	N																		
11.36	11.36		ENT/EXIT	L		SHOPPING CENTER	PV	Y																		
11.38	11.38		END SU LN	C		TWO WAY TURN	13A		1	1		C	59A	C	\$\$\$	59	4	01	0739	R2		40	R	P		
11.39	11.39							1	1			C	54A	C		54	4	01	0739	R2		40	R	P		
11.44	11.44		INTRSECTN	R		KENT KANGLEY RD	CT	SG	Y																	
			INTRSECTN	L		SR 516	ST	SG	Y																	
11.51	11.51							1	1			10A	22A	10A		22	4	01	0739	R2		40	R	P		
11.53	11.53							1	1			8A	20P	8A		20	4	01	0739	R2		40	R	P		
11.54	11.54							1	1			6A	20P	6A		20	4	01	0739	R2		40	R	P		
11.61	11.61							1	1			8A	24A	8A		24	4	01	0739	R2		40	R	P		
11.71	11.71		INTRSECTN	L		SE 264TH ST	CT	Y																		
11.77	11.77							1	1			6A	20P	6A		20	4	01	0739	R2		40	R	P		
11.88	11.88		INTRSECTN	R		SE 261ST PL	CT	Y																		
11.94	11.94		INTRSECTN	R		SE 260TH ST	PV	N	1	1		6A	20P	6A		20	4	01	0739	R2		50	R	P		
11.96	11.96		INTRSECTN	R		SE 259TH PL	CT	N	1	1		6A	20A	6A		20	4	01	0739	R2		50	R	P		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.31	11.31										.05	12		
11.36	11.36										.02	12		
11.44	11.44		.03	12	.02	14	.03	12						
11.71	11.71		.04	12							.02	12		

SR 169 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

			:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----							-----CLASSIFICATIONS----																			
			: LEFT/RIGHT INDICATOR		-UXING-		DECREAS/DIV		INCREAS/UNDI			SPC																					
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	W/S	MTCE	CITY	ST	LEGAL	T	P	S	
12.00	12.00	MP MARKER	R		12				1	1				6A	20A	6A			20	4	01	0739	R2					50	R	P			
12.02	12.02								1	1				8A	20A	8A			20	4	01	0739	R2					50	R	P			
12.03	12.03								1	1				8A	24A	8A			24	4	01	0739	R2					50	R	P			
12.09	12.09	INTRSECTN	R	SE	258TH ST			PV		N																							
12.12	12.12	BEG SU LN	C		TWO WAY TURN			12A		1	1			8A	24A	8A	12		36	4	01	0739	R2				50	R	P				
12.13	12.13	ENT/EXIT	R		ROCK CRK ELEM SCHOOL			CT		Y																							
12.20	12.20	ENT/EXIT	R		ROCK CRK ELEM SCHOOL			CT		Y																							
12.38	12.38	INTRSECTN	B	SE	253RD PL			CT		Y																							
12.44	12.44	END SU LN	C		TWO WAY TURN			12A		1	1			8A	24A	8A	\$\$\$		24	4	01	0739	R2				50	R	P				
12.53	12.53	INTRSECTN	R		SE 251ST ST			CT		Y																							
12.63	12.63								1	1				6A	20P	6A			20	4	01	0739	R2					50	R	P			
12.81	12.81								1	1				6A	21A	9A			21	4	01	0739	R2					50	R	P			
12.99	12.99								1	1				9A	21A	9A			21	4	01	0739	R2					50	R	P			
13.01	13.01	MP MARKER	R		13																												
13.02	13.02	INTRSECTN	R	SE	244TH ST			CT		Y																							
13.06	13.06								1	1				9A	21A	7A			21	4	01	0739	R2					50	R	P			
13.14	13.14	INTRSECTN	L		231ST AVE SE			CT		N																							
13.27	13.27								1	1				8A	21A	8A			21	4	01	0739	R2					50	R	P			
13.29	13.29								1	1				6A	21A	6A			21	4	01	0739	R2					50	R	P			
13.33	13.33								1	1				6A	20P	6A			20	4	01	0739	R2					50	R	P			
13.37	13.37	INTRSECTN	L		228TH AVE SE			CT		Y																							
13.53	13.53	INTRSECTN	L		SE 240TH ST			CT		Y																							
13.58	13.58								1	1				6A	20P	6A			20	4	01	0739	R2					40	R	P			
13.63	13.63	MISC FEATR	R		SGN ENT MAPLE VALLEY																												
13.64	13.64	INTRSECTN	R		225TH AVE SE			CT		N																							
13.67	13.67								1	1				8A	20P	6A			20	4	01	0739	R2					40	R	P			
13.68	13.68								1	1				4A	24A	4A			24	4	01	0739	R2					40	R	P			
13.73	13.73	BEG SU LN	C		TWO WAY TURN			12A		1	1			\$\$C	28A	4A	12		40	4	01	0739	R2					40	R	P			
13.80	13.80	END SU LN	C		TWO WAY TURN			12A		1	1				C	40A	4A	\$\$\$		40	4	01	0739	R2					40	R	P		
13.86	13.86	INTRSECTN	B		WITTE RD			CT	SG	Y	1	1		8A	24A	8A			24	4	01	0739	R2					40	R	P			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.13	12.13			.02	13				
12.38	12.38			.02	13			.08	12
12.53	12.53			.02	12	.03	12		
13.02	13.02			.02	14	.05	12	.08	12
13.14	13.14	.03	12					.08	12
13.37	13.37	.03	12					.06	12
13.53	13.53	.03	12					.03	12
13.86	13.86	.03	13	.03	13	.04	12		

SR 169 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----												
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC							LEGAL										
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LDNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
13.91	13.91		BEG SU LN	C		TWO WAY TURN											8A	24A	8A			24	4	01	0739	R2	40	R	P
13.92	13.92		BEG SU LN	C		TWO WAY TURN	12A										8A	24A	8A	12		36	4	01	0739	R2	40	R	P
13.96	13.96		INTRSECTN	R		PVT RD	PV		N																				
13.97	13.97		END SU LN	C		TWO WAY TURN	12A										8A	24A	8A	\$\$\$		24	4	01	0739	R2	40	R	P
14.03	14.03		MP MARKER	R		14																							
14.04	14.04		ENT/EXIT	R		BUSINESS PARK	PV		SG	Y																			
			INTRSECTN	L		SE WAX RD	CT		SG	Y																			
14.12	14.12		LEAVE CITY			MAPLE VALLEY											8A	24A	8A			24	4	01	\$\$\$\$	R2	40	R	\$
14.14	14.14		INTRSECTN	L		SE 231ST ST WYE CONN	CO		Y																				
14.17	14.17		BEG ST	I		MAPLE VALLEY HWY											8A	24A	8A			24	4	01		R2	40	R	*
			INTRSECTN	B		SE 231ST ST	CO		SG	Y																			
14.24	14.24		ENT/EXIT	L		PARK AND RIDE LOT	ST		Y																				
14.27	14.27		ENT/EXIT	L		PARK AND RIDE LOT	ST		Y																				
14.31	14.31																9A	24A	8A			24	4	01		R2	40	R	*
14.72	14.72																8A	24A	8A			24	4	01		R2	40	R	*
14.93	14.93																8A	24A	8A			24	4	01		R2	35	R	*
14.95	14.95		INTRSECTN	R		WITTE RD SE	CO		N	1	1					8A	24A	16A			24	4	01		R2	35	R	*	
			INTRSECTN	L		SE BAIN RD	CO		N																				
14.99	14.99		MP MARKER	R		15																							
15.00	15.00		BEG BRIDGE	B		CEDAR RIVER #1	ST			1	1					\$\$W	48P	\$\$W			48	4	01		R2	35	R	*	
						BRDG NUM 169/018																							
15.05	15.05		END BRIDGE	B		CEDAR RIVER #1				1	1					8A	24A	16A			24	4	01		R2	35	R	*	
15.07	15.07		INTRSECTN	L		SE 218TH ST	CO		SG	Y	1	1				10A	24A	8A			24	4	01		R2	35	R	*	
			INTRSECTN	R		SE 216TH WAY	CO		SG	Y																			
15.13	15.13		BEG SU LN	C		TWO WAY TURN	11A			1	1					10A	24A	8A	11		35	4	01		R2	35	R	*	
15.15	15.15		END SU LN	C		TWO WAY TURN	11A			1	1					10A	24A	8A	\$\$\$		24	4	01		R2	35	R	*	
15.16	15.16		MISC FEATR	L		BUS TURNOUT																							
15.18	15.18		MISC FEATR	R		BUS TURNOUT																							
15.21	15.21		UXING	B		SR 18	ST			1	1					10A	24A	8A			24	4	01		R1	35	R	*	
						BRDG NUM 018/028																							
15.23	15.23		INTRSECTN	L		SE 216TH PL	CO		N	1	1					8A	24A	8A			24	4	01		R1	35	R	*	
15.34	15.34		INTRSECTN	L		SE 214TH ST	CO		N	1	1					8A	22A	8A			22	4	01		R1	35	R	*	
15.41	15.41		INTRSECTN	R		CO RD	CO		N																				

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.04	14.04			.04	12	.02	12	.03	12	.06	12
14.17	14.17			.06	12			.02	12	.04	11
14.24	14.24			.01	12						
14.95	14.95			.01	12			.01	12		
15.07	15.07			.02	12			.03	12		

SR 169 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	12A	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
			D LR	:LEFT/RIGHT INDICATOR			-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID									
22.08	22.08	BEG SU LN	C	TWO WAY TURN																						
		INTRSECTN	L	152ND AVE SE																						
22.19	22.19	INTRSECTN	R	150TH LN SE																						
22.25	22.25	END SU LN	C	TWO WAY TURN																						
22.32	22.32	INTRSECTN	R	149TH AVE SE																						
		ENT/EXIT	L	MOBILE HOME PARK																						
22.40	22.40	BEG SU LN	C	TWO WAY TURN																						
22.85	22.85	END SU LN	C	TWO WAY TURN																						
22.96	22.96	INTRSECTN	L	140TH WAY SE																						
22.99	22.99	INTRSECTN	L	140TH WAY SE WYE CONN																						
23.00	23.00	INTRSECTN	L	CEDAR RIVER #3																						
23.13	23.13	BEG BRIDGE	B	BRDG NUM 169/024																						
23.16	23.16	END BRIDGE	B	CEDAR RIVER #3																						
23.28	23.28	INTRSECTN	L	131ST AVE SE																						
23.34	23.34	INTRSECTN	R	MAPLEWOOD GOLF COURSE																						
		ENT/EXIT	R	RENTON																						
23.36	23.36	ENTER CITY		RENTON																						
23.41	23.41	MISC FEATR	R	SGN ENT RENTON																						
23.43	23.43	INTRSECTN	R	MAPLEWOOD AVE SE																						
23.80	23.80	INTRSECTN	R	SE 7TH ST																						
23.86	23.86	INTRSECTN	R	MONROE AVE SE																						
23.99	23.99	MP MARKER	R	24																						
24.03	24.03	BEG SU LN	C	TWO WAY TURN																						
24.05	24.05	BEG SU LN	C	TWO WAY TURN																						
24.16	24.16	END SU LN	C	TWO WAY TURN																						
24.20	24.20	INTRSECTN	R	5TH AVE SE																						
		ENT/EXIT	L	CITY PARK																						
24.30	24.30																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
		LGT	WD	LGT	WD	LGT	WD	LGT	WD		
22.08	22.08	.03	12			.03	12				
22.32	22.32	.03	12	.07	12	.03	12				
22.99	22.99	.11	12								
23.00	23.00					.06	12				
23.34	23.34	.03	12			.03	12				
23.86	23.86					.05	12				
23.99	23.99	.03	12			.03	12				
24.20	24.20	.03	12			.03	12				

SR 171 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
						:	-UXING-		NBR	LFT	RHT	LFT	RHT	USE																			
						:	-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
0.00	0.00		BEG ROUTE			MAIN ROUTE				1						C	18A	C		18	2	02	0805	U1		40	L	P					
			ENTER CITY			MOSES LAKE																											
			BEG CTLSEC			CONTROL SECTION 1340																											
			BEG BRIDGE	I		SR 90																											
						BRDG NUM 171/005																											
0.05	0.05		END BRIDGE	I		SR 90										4A	16A	7A		16	2	02	0805	U1		40	L	P					
0.09	0.09		MISC FEATR	RC		GORE (S117568)										6A	26A	\$\$C		26	2	02	0805	U1		40	L	P					
0.10	0.10															6A	26A	C		26	2	02	0805	U1		40	L	R					
0.12	0.12		OFF RAMP	L		SR 90										6A	41A	C		41	2	02	0805	U1		40	L	R					
0.19	0.19															6A	41A	C		41	2	02	0805	U1		40	L	B					
0.20	0.20		BEG ST	I		W BROADWAY										\$\$C	72A	C		72	2	02	0805	U1		40	L	B	*				
			INTRSECTN	B		MELVA LN																											
			INTRSECTN	L		MELVA LN WYE CONN																											
0.23	0.23																																
0.25	0.25		BEG SU LN	C		TWO WAY TURN				10A						C	72A	C		72	2	02	0805	U1		40	L	B	*				
0.28	0.28		INTRSECTN	B		INTERLAKE RD										C	62A	C	10	72	2	02	0805	U1		40	L	B	*				
0.38	0.38		INTRSECTN	R		WAPATO DR																											
0.51	0.51		INTRSECTN	R		YAKIMA AVE																											
0.75	0.75		INTRSECTN	L		BURRESS AVE																											
0.79	0.79		INTRSECTN	R		BURRESS AVE																											
0.91	0.91		INTRSECTN	R		SCHNIERLA AVE																											
1.02	1.02		INTRSECTN	R		BARBARA AVE																											
1.28	1.28		INTRSECTN	L		LEE ST																											
1.36	1.36		INTRSECTN	R		LOCUST LN																											
1.40	1.40		INTRSECTN	L		MARLO AVE																											
1.49	1.49		INTRSECTN	L		GIBBY RD																											
1.56	1.56		END SU LN	C		TWO WAY TURN				10A						C	72A	C	\$\$\$	72	2	02	0805	U1		40	L	B	*				
			INTRSECTN	L		COMMERCE WAY																											
1.60	1.60		RR XING	B		NUM 396976R GRADE																											
1.61	1.61		BEG SU LN	C		TWO WAY TURN				10A						C	62A	C	10	72	2	02	0805	U1		40	L	B	*				
			INTRSECTN	R		MILWAUKEE AVE																											
1.66	1.66		INTRSECTN	L		MILWAUKEE AVE																											
1.69	1.69		INTRSECTN	R		WESTERN AVE																											
2.00	2.00																																
2.02	2.02		END SU LN	C		TWO WAY TURN				10A						C	72A	C	\$\$\$	72	2	02	0805	U1		25	L	B	*				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.20	0.20	.02	11								
0.21	0.21				.03	11				.02	22

SR 171 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS----						
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S				
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID
2.02	2.02		INTRSECTN	B		3RD AVE																		
2.06	2.06		BEG SU LN	C		TWO WAY TURN	12A																	
			INTRSECTN	R		3RD AVE WYE CONN				CT	SG	Y												
2.15	2.15		INTRSECTN	L		MARINA DR WYE CONN				CT		Y												
2.18	2.18		INTRSECTN	L		MARINA DR				CT		Y												
2.25	2.25		INTRSECTN	R		HOLLY ST				CT		Y												
2.32	2.32		INTRSECTN	R		GUMWOOD ST				CT		Y												
2.39	2.39		INTRSECTN	R		FIR ST				CT		Y												
2.53	2.53		INTRSECTN	B		DOGWOOD ST				CT		Y												
2.60	2.60		INTRSECTN	B		CEDAR ST				CT		Y												
2.67	2.67		INTRSECTN	R		BEECH ST				CT		Y												
2.74	2.74		INTRSECTN	B		ASH ST				CT	SG	Y												
2.82	2.82		END SU LN	C		TWO WAY TURN	12A																	
			INTRSECTN	R		DIVISION ST				CT		Y												
2.89	2.89		INTRSECTN	L		STRATFORD RD				CT	SG	Y	2	2										
			INTRSECTN	R		ALDER ST				CT	SG	Y												
2.94	2.94		BEG SU LN	C		TWO WAY TURN	12A																	
2.96	2.96		INTRSECTN	B		BALSAM ST				CT		Y	2	2										
2.99	2.99		END SU LN	C		TWO WAY TURN	12A																	
3.02	3.02		INTRSECTN	R		PIONEER WAY				CT	SS	Y	1	1										
3.04	3.04		INTRSECTN	L		CITY ST				CT		Y												
3.12	3.12		INTRSECTN	B		DATE ST				CT		Y												
3.18	3.18		INTRSECTN	B		ELDER ST				CT		Y												
3.25	3.25		INTRSECTN	B		FIG ST				CT		Y												
3.34	3.34		BEG SU LN	C		TWO WAY TURN	12A																	
			INTRSECTN	R		BLOCK ST				CT		Y												
3.46	3.46		INTRSECTN	R		THIRD AVE				CT		Y												
3.56	3.56		MISC FEATR	L		SGN ENT MOSES LAKE																		
3.61	3.61		END SU LN	C		TWO WAY TURN	12A																	
3.63	3.63																							
3.79	3.79		LEAVE CITY			MOSES LAKE																		
3.82	3.82		END ST	I		W BROADWAY																		
			INTRSECTN	B		SR 17																		

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
2.02	2.02				.03	11					
2.82	2.82				.02	11					
2.89	2.89		.04	11	.03	11	.03	10			
2.96	2.96		.01	12	.02	12					
3.02	3.02		.02	11							

SR 171 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

			:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS---																									
			: :LEFT/RIGHT INDICATOR		NBR		DECREAS/DIV		INCRS/UNDI		SPC																											
			:		LFT		LFT		LFT		RHT		USE		TOT																							
			:		LNS		SHD RDY SHD		SHD RDY SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S															
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	NBR	FC	SPEED	D	IB	R	K	T
3.82	3.82	END CTLSEC END ROUTE			CONTROL SECTION 1340				1	1								10A	24A	10A							24	2	02			U2		35	L			\$

SR 181 MAINLINE STATE ROUTE - SRSH COUNTY KING DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																							
			: :LEFT/RIGHT INDICATOR		-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC		LEGAL			T P S																					
			D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN- WD/S BR	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S						
6.27	0.95	END SU LN	C		TWO WAY TURN																																		
6.30	0.98																																						
6.32	1.00	BEG SU LN	R		TRANSIT																																		
		INTRSECTN	R		S 234TH ST																																		
		INTRSECTN	L		LANDING WAY																																		
6.34	1.02	MISC FEATR	R		METRO BUS TURNOUT																																		
6.35	1.03	END SU LN	R		TRANSIT																																		
6.36	1.04	BEG SU LN	C		TWO WAY TURN																																		
6.60	1.28	END SU LN	C		TWO WAY TURN																																		
6.66	1.34	BEG SU LN	L		TRANSIT																																		
6.70	1.38	BEG SU LN	R		TRANSIT																																		
		END SU LN	L		TRANSIT																																		
		INTRSECTN	B		S 228TH ST																																		
6.74	1.42	END SU LN	R		TRANSIT																																		
6.78	1.46	BEG SU LN	C		TWO WAY TURN																																		
6.86	1.54	RR XING	B		NUM 872094K GRADE																																		
6.94	1.62	ENT/EXIT	L		LANDING CENTER IND PARK																																		
6.95	1.63	BEG SU LN	R		TRANSIT																																		
		INTRSECTN	R		S 224TH ST																																		
6.96	1.64	ENT/EXIT	L		LANDING CENTER IND PARK																																		
6.98	1.66	END SU LN	R		TRANSIT																																		
7.02	1.70	MISC FEATR	L		METRO BUS TURNOUT																																		
7.03	1.71	MP MARKER	R		7																																		
7.12	1.80	ENT/EXIT	L		KENT CENTRE BUSINESS PK																																		
7.16	1.84	END SU LN	C		TWO WAY TURN																																		
7.21	1.89	BEG SU LN	R		TRANSIT																																		
		INTRSECTN	B		S 220TH ST																																		
7.23	1.91	MISC FEATR	L		METRO BUS TURNOUT																																		
7.24	1.92	END SU LN	R		TRANSIT																																		
7.25	1.93	BEG SU LN	C		TWO WAY TURN																																		
7.30	1.98	INTRSECTN	L		S 219TH ST																																		
7.34	2.02	MISC FEATR	B		CANAL OXING																																		
7.39	2.07	INTRSECTN	R		S 217TH ST																																		
7.41	2.09	BEG SU LN	L		TRANSIT																																		
		END SU LN	C		TWO WAY TURN																																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.32	1.00	.03	12	.02	12				
6.70	1.38	.08	12	.08	12	.02	12		
7.21	1.89	.03	12	.06	12				

SR 181 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----						
				D	LR		-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
				: :LEFT/RIGHT INDICATOR			NBR	LFT	RHT	LFT	RHT	USE	RDY	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T
				: :			LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	RDY	WID	WID	WID	WID	WID	WID	WID
				: :			OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
7.45	2.13		END SU LN	L	TRANSIT	10A																		
			INTRSECTN	B	S 216TH ST		CT	Y																
7.56	2.24		BEG SU LN	L	TRANSIT	10A																		
7.66	2.34		BEG SU LN	R	TRANSIT	10A																		
7.71	2.39		BEG SU LN	L	TRANSIT	10A																		
			END SU LN	L	TRANSIT	10A																		
			INTRSECTN	B	S 212TH ST		CT	SG	Y															
7.75	2.43		END SU LN	R	TRANSIT	10A																		
7.90	2.58		BEG SU LN	L	TRANSIT	10A																		
7.91	2.59		BEG SU LN	R	TRANSIT	10A																		
7.96	2.64		BEG SU LN	L	TRANSIT	10A																		
			END SU LN	R	TRANSIT	10A																		
			INTRSECTN	B	S 208TH ST		CT	SG	Y															
7.99	2.67		END SU LN	R	TRANSIT	10A																		
			MP MARKER	R	8																			
8.03	2.71		BEG SU LN	C	TWO WAY TURN	12A																		
8.11	2.79		END SU LN	C	TWO WAY TURN	12A																		
8.16	2.84		BEG BRIDGE	B	SLOUGH		ST																	
			BRDG NUM 181/011																					
8.17	2.85		END BRIDGE	B	SLOUGH																			
8.20	2.88		BEG SU LN	L	TRANSIT	10A																		
			BEG SU LN	R	TRANSIT	10A																		
			INTRSECTN	B	S 204TH ST		CT	SG	Y															
8.24	2.92		END SU LN	L	TRANSIT	10A																		
			END SU LN	R	TRANSIT	10A																		
8.28	2.96		BEG BRIDGE	B	DRAINAGE DITCH		ST																	
			BRDG NUM 181/012																					
8.29	2.97		END BRIDGE	B	DRAINAGE DITCH																			
			BEG SU LN	C	TWO WAY TURN	12A																		
8.42	3.10		END SU LN	C	TWO WAY TURN	12A																		
8.49	3.17		INTRSECTN	L	S 200TH ST		CT	SG	Y															
			ENT/EXIT	R	BUSINESS ACCESS		PV	SG	Y															
8.55	3.23		BEG SU LN	C	TWO WAY TURN	12A																		
8.63	3.31		END SU LN	C	TWO WAY TURN	12A																		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
7.45	2.13		.03	12	.08	12	.06	12						
7.71	2.39		.15	24			.12	24						
8.20	2.88		.06	12			.05	24						
8.49	3.17		.04	12			.03	12						

SR 181 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S								
10.32	5.00		BEG SU LN	C		TWO WAY TURN		2	2															
10.36	5.04		BEG SU LN	R		SGN ENT TUKWILA	12A	2	2															
10.39	5.07		MISC FEATR	R		AUXILIARY																		
10.49	5.17		BEG SU LN	R		AUXILIARY	10A	2	2															
10.50	5.18		BEG SU LN	C		TWO WAY TURN	12A	2	2															
10.51	5.19		BEG SU LN	L		AUXILIARY	10A																	
			END SU LN	R		AUXILIARY	10A																	
			RR XING	B		NUM 400106A GRADE																		
10.53	5.21		END SU LN	L		AUXILIARY	10A	2	2															
			BEG SU LN	C		TWO WAY TURN	12A																	
10.59	5.27							2	2															
10.67	5.35		END SU LN	C		TWO WAY TURN	12A	2	2															
10.68	5.36		ENT/EXIT	R		BUSINESS	PV	Y																
10.74	5.42							2	2															
10.82	5.50							2	2															
10.87	5.55		INTRSECTN	B		STRANDER BLVD	CT	SG	Y															
10.88	5.56		INTRSECTN	R		STRANDER BLVD WYE CONN	CT	YS	Y	2	2													
10.91	5.59							3	2															
10.93	5.61		BEG SU LN	C		TWO WAY TURN	12A	3	2															
10.99	5.67		MP MARKER	R		11																		
11.01	5.69							3	2															
11.07	5.75							3	2															
11.11	5.79		END SU LN	C		TWO WAY TURN	12A	3	2															
11.18	5.86		INTRSECTN	R		LONGACRES WAY	CT	SG	Y	3	2													
			INTRSECTN	L		PVT RD	PV	SG	Y															
11.22	5.90							3	2															
11.27	5.95		INTRSECTN	L		SR 405 RAMP WYE CONN	ST	Y	2	2														
11.29	5.97		ON/OFF RMP	L		NB SR 405	ST	SG	Y	2	2													
			INTRSECTN	R		S 156TH ST	CT	SG	Y															
11.37	6.05		END ST	I		W VALLEY HWY																		
			UXING	B		SR 405	ST																	
						BRDG NUM 405/011																		
						CONTROL SECTION 1779																		
						END CTLSEC																		
						END ROUTE																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
10.68	5.36				.02	12					
10.87	5.55		.03	11		.03	11			.05	14
11.18	5.86		.03	12	.08	14	.03	12			
11.29	5.97		.04	12	.01	12	.03	12			

SR 182 MAINLINE

INTERSTATE - ISSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
6.04	6.04		ENTER CO ENTER CITY BEG CTLSEC			FRANKLIN PASCO CONTROL SECTION 1111				3	3	W	52P	W	760			W	52P	W				104	3	01	0960	U5			70	R	P		
6.24	6.24		END BRIDGE	D		COLUMBIA RIVER				3	3	10A	36P	6A	76S	DE		W	52P	W				88	3	01	0960	U5			70	R	P		
6.25	6.25		END BRIDGE	I		COLUMBIA RIVER				3	3	10A	36P	6A	76S	DE		7A	36P	10A				72	3	01	0960	U5			70	R	P		
6.34	6.34		TRAF RCDR	B		R081 0																													
6.54	6.54		MISC FEATR	R		SGN ENT PASCO																													
6.74	6.74		MED XING	C		OFFICIAL																													
6.76	6.76									3	3	10A	36P	6A	76S	DE		7A	36P	10A				72	3	01	0960	U5			70	L	P		
6.78	6.78		ON RAMP	L		RD 100	ST	Y																											
6.95	6.95		OFF RAMP	R		RD 100	ST	Y																											
6.96	6.96		MP MARKER	B		7																													
7.07	7.07		MISC FEATR	L		GORE (S100678)																													
			MISC FEATR	R		GORE (P100695)																													
7.31	7.31		UXING	B		RD 100	ST																												
						BRDG NUM 182/017																													
7.55	7.55		MISC FEATR	L		GORE (R100764)																													
7.63	7.63		MISC FEATR	R		GORE (Q100791)																													
7.64	7.64		OFF RAMP	L		RD 100	ST	Y																											
7.91	7.91		ON RAMP	R		RD 100	ST	Y																											
7.96	7.96		MP MARKER	B		8																													
8.27	8.27		MED XING	C		OFFICIAL																													
8.36	8.36		ON RAMP	L		RD 68	ST	Y																											
8.96	8.96		MP MARKER	B		9																													
			OFF RAMP	R		RD 68	ST	Y																											
8.98	8.98		MISC FEATR	L		GORE (S100836)																													
9.08	9.08		MISC FEATR	R		GORE (P100896)																													
9.33	9.33		UXING	B		RD 68	ST																												
						BRDG NUM 182/018																													
9.57	9.57		MISC FEATR	L		GORE (R100969)																													
9.61	9.61		MISC FEATR	R		GORE (Q500995)																													
9.69	9.69		OFF RAMP	L		RD 68	ST	Y																											
9.95	9.95		ON RAMP	R		RD 68	ST	Y																											
9.96	9.96		MP MARKER	B		10																													
10.65	10.65		MED XING	C		OFFICIAL																													
10.80	10.80		BEG BRIDGE	I		ARGENT RD	ST			3	3	10A	36P	6A	76S	DE		\$\$	W	52P	\$\$				88	3	01	0960	U5			70	R	P	
						BRDG NUM 182/019S																													
10.81	10.81		BEG BRIDGE	D		ARGENT RD	ST			3	3	\$\$	W	52P	\$\$	W	760	\$\$		W	52P	W				104	3	01	0960	U5			70	R	P
						BRDG NUM 182/019N																													
10.82	10.82		END BRIDGE	I		ARGENT RD				3	3	W	52P	W	76S	DE		7A	36P	10A						88	3	01	0960	U5			70	R	P
10.84	10.84		END BRIDGE	D		ARGENT RD				3	3	10A	36P	6A	76S	DE		7A	36P	10A						72	3	01	0960	U5			70	R	P
10.96	10.96		MP MARKER	B		11																													
11.40	11.40		ON RAMP	L		SR 395	ST	Y		3	3	10A	36P	6A	76S	DE		7A	36P	10A						72	3	01	0960	U5			60	R	P

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY WHITMAN DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S	
								WD/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T	
29.99		28.14	MP MARKER	R		30																						
30.74		28.89	INTRSECTN	L		HAMILTON RD	CO	Y							8A	24A	8A											
			INTRSECTN	R		ALBION RD #5640	CO	Y																				
30.98		29.13	MP MARKER	R		31																						
31.98		30.13	MP MARKER	R		32																						
32.23		30.38	INTRSECTN	L		HOFER RD	CO	Y																				
32.98		31.13	MP MARKER	R		33																						
33.03		31.18	INTRSECTN	R		SHAWNEE RD	CO	Y																				
33.46		31.61	INTRSECTN	L		PRUNE ORCHARD RD	CO	N																				
33.98		32.13	MP MARKER	R		34																						
34.38		32.53													2A	36A	8A											
34.90		33.05													4A	36A	7A											
34.99		33.14	MP MARKER	R		35																						
35.01		33.16	INTRSECTN	R		PARVIN RD	CO	Y																				
35.07		33.22	BEG SU LN	C		TWO WAY TURN			12A						4A	36A	7A	12										
35.12		33.27	END SU LN	C		TWO WAY TURN			12A						4A	36A	7A	\$\$\$										
35.86		34.01	INTRSECTN	L		BENNETT RD #8040	CO	N																				
35.87		34.02													4A	36A	7A											
35.99		34.14	MP MARKER	R		36																						
36.60		34.75													4A	36A	7A											
36.91		35.06	ENTER CITY			COLFAX									4A	36A	7A											
36.92		35.07													4A	36A	7A											
36.95		35.10	MISC FEATR	R		SGN ENT COLFAX																						
36.97		35.12	MP MARKER	R		37																						
37.10		35.25																										
37.15		35.30													\$\$\$	40A	4A											
37.20		35.34	EQUATION			037.19 =037.20									C	44A	\$\$\$											
37.21		35.35	INTRSECTN	L		F ST	CT	N																				
37.25		35.39	BEG ST	I		JAMES ST									C	44A	C											
			INTRSECTN	R		POPLAR ST	CT	N																				
37.26		35.40													C	59A	C											
37.32		35.46													C	40A	C											
37.39		35.53	INTRSECTN	B		MILL ST	CT	Y																				
37.40		35.54	INTRSECTN	R		WAWAWAI ST	CT	Y																				
37.41		35.55													C	63A	C											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
30.74		28.89	.03	14						
33.03		31.18			.03	14				
35.01		33.16			.04	11				

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY WHITMAN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	CT	Y	2	1	-----WIDTH AND SURFACE INFORMATION-----					-----CLASSIFICATIONS----											
											INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
:DIRECTION TO INVENTORY						-BRIDGE	DECREAS/DIV																				
:LEFT/RIGHT INDICATOR						-UXING-	NBR	LFT	RHT																		
:						-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	LFT	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
:						OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
37.44	35.58		INTRSECTN	L		MAIN ST	CT	Y	2	1					C	63A	C	63	2	01	0230	R1	25	R	P	*	
37.46	35.60		END ST	I		JAMES ST				2	1				C	60A	C	60	2	01	0230	R1	25	R	P	*	
			BEG ST	I		MAIN ST																					
			INTRSECTN	L		MAIN ST WYE CONN	CT	Y																			
			BEG BRIDGE	B		SPRING FLAT CREEK	ST																				
						BRDG NUM 195/022																					
37.47	35.61		END BRIDGE	B		SPRING FLAT CREEK				2	1				C	56A	C	56	2	01	0230	R1	25	R	P	*	
37.49	35.63		INTRSECTN	B		THORN ST	CT	Y	2	2					C	56A	C	56	2	01	0230	R1	25	R	X	*	
37.53	35.67		RR XING	B		NUM 807797N GRADE																					
37.54	35.68		INTRSECTN	B		COOPER ST	CT	Y																			
37.55	35.69		BEG BRIDGE	B		S FORK PALOUSE RIVER	ST			2	2				C	44A	C	44	2	01	0230	R1	25	R	P	*	
						BRDG NUM 195/023																					
37.57	35.71		END BRIDGE	B		S FORK PALOUSE RIVER				2	2				C	56A	C	56	2	01	0230	R1	25	R	X	*	
37.63	35.77		INTRSECTN	R		S PALOUSE RIVER RD	CT																				
			INTRSECTN	L		GOLGOTHA ST	CT																				
37.68	35.82		INTRSECTN	R		ROCK ST	CT	Y																			
37.75	35.89		INTRSECTN	B		STEVENS ST	CT	Y																			
37.81	35.95		INTRSECTN	L		CANYON ST	CT	SG	Y																		
			INTRSECTN	R		SR 272	ST	SG	Y																		
37.89	36.03		INTRSECTN	B		SPRING ST	CT	SG	Y																		
37.95	36.09		INTRSECTN	B		WALL ST	CT	SG	Y																		
38.03	36.17		INTRSECTN	B		UPTON ST	CT	Y																			
38.09	36.23		INTRSECTN	B		ISLAND ST	CT	Y	2	2					C	56A	C	56	2	01	0230	R1	25	R	P	*	
			BEG BRIDGE	B		S FORK PALOUSE RIVER	ST																				
						BRDG NUM 195/024																					
38.14	36.28		END BRIDGE	B		S FORK PALOUSE RIVER																					
38.17	36.31		INTRSECTN	B		NORTH ST	CT	Y																			
38.23	36.37		INTRSECTN	B		LAST ST	CT	Y																			
38.28	36.42		BEG BRIDGE	B		S FORK PALOUSE RIVER	ST			2	2				C	44A	C	44	2	01	0230	R1	25	R	P	*	
						BRDG NUM 195/025																					
38.30	36.44		END BRIDGE	B		S FORK PALOUSE RIVER				2	2				C	48A	C	48	2	01	0230	R1	25	R	X	*	
38.37	36.51		INTRSECTN	R		HARRISON ST	CT	Y																			
38.38	36.52		RR XING	B		NUM 810209G GRADE																					
38.41	36.55		INTRSECTN	R		TYLER ST	CT	Y	2	2					C	36A	C	36	2	01	0230	R1	25	R	X	*	
38.46	36.60									2	1				C	36A	C	36	2	01	0230	R1	25	R	X	*	
38.47	36.61		END ST	I		MAIN ST				2	1				C	36A	C	36	2	01	0230	R1	25	R	X	\$	

INTERSECTION DETAIL

SRMP		B		ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	NEAR	R	NEAR	L	FAR	R	FAR	LEFT--	L	CNTR	R	CNTR	RIGHT-
LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
37.49	35.63						.02	14					
38.37	36.51						.03	11					
38.41	36.55						.01	11					

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY WHITMAN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
							CT	Y	2	1	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
:DIRECTION TO INVENTORY							-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	-----CLASSIFICATIONS----												
: :LEFT/RIGHT INDICATOR							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	-----CLASSIFICATIONS----												
:							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
:							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
38.47	36.61		INTRSECTN	R		FIRST ST	CT	Y	2	1					C	36A	C	36	2	01	0230	R1	25	R	X		
38.48	36.62		INTRSECTN	L		SR 26 SPCOLFAX (SPUR)	ST	Y	1	1					C	36A	C	36	2	01	0230	R1	25	R	P		
38.50	36.64		BEG BRIDGE	B		N FORK PALOUSE RIVER	ST		1	1					C	26A	C	26	2	01	0230	R1	25	R	P		
						BRDG NUM 195/027																					
38.55	36.69		END BRIDGE	B		N FORK PALOUSE RIVER			1	1					4A	20A	4A	20	2	01	\$\$\$\$	R1	35	R	\$		
						LEAVE CITY																					
						COLFAX																					
38.58	36.72		INTRSECTN	L		SR 26	ST	N	1	1					4A	22A	8A	22	2	01		R1	35	R			
38.60	36.74		INTRSECTN	L		SR 26 WYE CONN	ST	N	1	1					4A	22A	8A	22	2	02		R1	35	R			
39.03	37.17		MP MARKER	R		39																					
39.04	37.18		BEG SU LN	R		CLIMBING	12A		1	1					4A	22A	8A	12	34	2	02		R1	35	R		
39.08	37.22		INTRSECTN	R		CEDAR ST	CO	Y																			
39.10	37.24								1	1					4A	22A	8A	12	34	2	02		R1	55	R		
39.70	37.84		EXIT TO	R		SCENIC VIEWPOINT	ST	N																			
39.78	37.92		ENT FROM	R		SCENIC VIEWPOINT	ST	N																			
40.03	38.17		MP MARKER	R		40																					
40.04	38.18								1	1					8A	22A	6A	12	34	2	02		R1	55	R		
40.50	38.64								1	1					8A	22A	6A	12	34	2	02		R1	60	R		
40.99	39.13		MP MARKER	R		41																					
41.76	39.90		EXIT TO	R		GRAIN ELEVATOR	PV	N																			
41.82	39.96		END SU LN	R		CLIMBING	12A		1	1					8A	22A	6A	\$\$\$	22	2	02		R1	60	R		
41.88	40.02		ENT FROM	R		GRAIN ELEVATOR	PV	N	1	1					7A	23A	7A		23	2	02		R1	60	R		
41.99	40.13		MP MARKER	R		42																					
42.43	40.57		INTRSECTN	R		CRUMBAKER RD	CO	N																			
42.81	40.95		INTRSECTN	L		BILL WILSON RD	CO	N																			
43.00	41.14		MP MARKER	R		43																					
43.33	41.47		INTRSECTN	L		DANAHER RD	CO	N																			
43.37	41.51		INTRSECTN	R		CO RD	CO	N																			
43.58	41.72		BEG SU LN	C		TWO WAY TURN	12A		1	1					7A	23A	7A	12	35	2	02		R1	60	R		
43.77	41.91		END SU LN	C		TWO WAY TURN	12A		1	1					7A	23A	7A	\$\$\$	23	2	02		R1	60	R		
43.85	41.99		ENT/EXIT	R		D.O.T. MAINTENANCE AREA	ST	Y																			
43.94	42.08		ENT/EXIT	R		D.O.T. MAINTENANCE AREA	ST	Y																			
43.99	42.13		MP MARKER	R		44																					
44.24	42.38		BEG BRIDGE	B		DRY CREEK	ST		1	1					\$\$W	37A	\$\$W		37	2	02		R1	60	R		
						BRDG NUM 195/030																					

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
38.47	36.61				.02	.11					
38.48	36.62		.02	.12							
39.08	37.22				.02	.12					
43.85	41.99				.11	.14					

SR 195 MAINLINE

U.S. ROUTE - USSH COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
							OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
44.25	42.39		END BRIDGE	B		DRY CREEK								7A	23A	7A		23	2	02					R1		60	R
44.41	42.55													9B	24P	9B		24	2	02					R1		60	R
44.64	42.78		INTRSECTN	R		DRY CREEK RD	CO	N																				
45.00	43.14		MP MARKER	R		45																						
45.10	43.24		INTRSECTN	R		ROBERT SCHOLZ RD	CO	N																				
45.99	44.13		MP MARKER	R		46																						
46.99	45.13		MP MARKER	R		47																						
47.80	45.94		MISC FEATR	R		SGN ENT STEPTOE								10A	24A	10A		24	2	02					R1		60	R
47.99	46.13		INTRSECTN	L		SR 23	ST	Y																				
			INTRSECTN	R		ROBERT SCHOLZ RD	CO	Y																				
48.00	46.14		MP MARKER	R		48																						
48.16	46.30													9B	24P	9B		24	2	02					R1		60	R
48.19	46.33		MISC FEATR	L		SGN ENT STEPTOE																						
48.45	46.59		BEG BRIDGE	B		OLD BN RR	ST							\$\$\$	31P	\$\$\$		31	2	02					R1		60	R
						BRDG NUM 195/034																						
48.48	46.62		END BRIDGE	B		OLD BN RR								9A	24P	9A		24	2	02					R1		60	R
48.97	47.11		INTRSECTN	L		TOLLETT RD	CO	N																				
			INTRSECTN	R		TENNESSEE FLAT RD	CO	N																				
49.00	47.14		MP MARKER	R		49																						
49.76	47.90		INTRSECTN	L		MCMEEKIN RD	CO	N																				
50.00	48.14		MP MARKER	R		50																						
51.00	49.14		MP MARKER	R		51																						
51.04	49.18		INTRSECTN	L		G FELLER RD	CO	N																				
51.90	50.04		INTRSECTN	B		CASHUP FLATS RD	CO	N																				
52.00	50.14		MP MARKER	R		52																						
52.62	50.76		ENT FROM	L		WEIGH STATION	ST	Y																				
52.79	50.93		EXIT TO	L		WEIGH STATION	ST	Y																				
53.00	51.14		MP MARKER	R		53																						
53.37	51.51		INTRSECTN	L		BARNES CUT-OFF RD	CO	N																				
			INTRSECTN	R		KLAVEANO RD	CO	N																				
53.55	51.69		BEG BRIDGE	B		OLD BN RR	ST							\$\$\$	30P	\$\$\$		30	2	02					R1		60	R
						BRDG NUM 195/038																						
53.60	51.74		END BRIDGE	B		OLD BN RR								9B	24P	9B		24	2	02					R1		60	R
54.00	52.14		MP MARKER	R		54																						
55.00	53.14		MP MARKER	R		55																						
55.10	53.24		INTRSECTN	L		OLD THORNTON HWY RD	CO	N																				
			INTRSECTN	R		OAKESDALE RD	CO	N																				

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
47.99	46.13			.04	13	.04	13				

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY WHITMAN DOT DISTRICT 6

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
:LEFT/RIGHT INDICATOR				-BRIDGE	DECREAS/DIV		INCREAS/UNDI			SPC																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							-XROAD-	LNS	SHD	RDY	SHD	RDY	SHD	RDY	SHD	RHT	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	WID	WID												
55.22	53.36								1	1					9B	24P	9B		24	2	02	R1	60	R						
55.78	53.92	BEG	BRIDGE	B		THORN CREEK	ST		1	1					\$\$\$	44P	\$\$\$		44	2	02	R1	60	R						
55.81	53.95	END	BRIDGE	B		THORN CREEK			1	1					10B	24P	10B		24	2	02	R1	60	R						
55.84	53.98	INTRSECTN		R		FINCH RD	CO	Y																						
		INTRSECTN		L		RALPH HENNING RD	CO	Y																						
56.00	54.14	MP	MARKER	R		56																								
56.55	54.69								1	1					10A	24P	10B		24	2	02	R1	60	R						
56.66	54.80	BEG	SU LN	L		CLIMBING	12A		1	1					10A	24P	10B	12	36	2	02	R1	60	R						
57.00	55.14	MP	MARKER	R		57																								
57.09	55.23	END	SU LN	L		CLIMBING	12A		1	1					10A	24P	10B	\$\$\$	24	2	02	R1	60	R						
57.16	55.30								1	1					10B	24P	10B		24	2	02	R1	60	R						
57.41	55.55	INTRSECTN		L		THORNTON BYPASS RD	CO	N																						
		INTRSECTN		R		TRESTLE CREEK RD	CO	N																						
58.00	56.14	MP	MARKER	R		58																								
58.99	57.13	MP	MARKER	R		59																								
59.96	58.10	INTRSECTN		L		CACHE CREEK RD	CO	N																						
		INTRSECTN		R		BAIRD RD	CO	N																						
60.00	58.14	MP	MARKER	R		60																								
60.34	58.48								1	1					10B	24P	10A		24	2	02	R1	60	R						
60.50	58.64	REST	AREA	L		HORN SCHOOL CS 380391 P641 MAJOR																								
		ENT/EXIT		L		REST AREA	ST	Y																						
		INTRSECTN		R		BLANK RD	CO	Y																						
		INTRSECTN		L		OLD THORNTON HWY	CO	Y																						
61.00	59.14	MP	MARKER	R		61			1	1					10B	24P	10B		24	2	02	R1	60	R						
61.08	59.22								1	1					8A	24P	10B		24	2	02	R1	60	R						
61.20	59.34	BEG	SU LN	L		CLIMBING	12A		1	1					8A	24P	10B	12	36	2	02	R1	60	R						
62.00	60.14	MP	MARKER	R		62																								
62.15	60.29								1	1					8A	24A	10A	12	36	2	02	R1	60	R						
62.30	60.44	OFF	RAMP	R		SR 271	ST	Y	1	1					8A	24A	6A	12	36	2	02	R1	60	R						
62.34	60.48	END	SU LN	L		CLIMBING	12A		1	1					8A	24A	6A	\$\$\$	24	2	02	R1	60	R						
		ON	RAMP	L		SR 271	ST	N																						
62.36	60.50								1	1					10A	24A	6A		24	2	02	R1	60	R						
62.42	60.56	MISC	FEATR	R		GORE (P106230)																								
62.48	60.62	MISC	FEATR	L		GORE (S106234)																								
62.64	60.78	UXING		B		SR 271	ST																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
60.50	58.64			.03	12	.03	12				

SR 195 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
66.22	64.36		ENTER CO BEG CTLSEC			SPOKANE CONTROL SECTION 3204										10A	24A	6A						R1		60	R							
66.97	65.11		MP MARKER	R		67																												
67.14	65.28		BEG BRIDGE	B		PINE CREEK BRDG NUM 195/101	ST									\$SW	40P	\$SW						R1		60	R							
67.17	65.31		END BRIDGE	B		PINE CREEK										10A	24A	6A						R1		60	R							
67.89	66.03		UXING	B		BABB RD BRDG NUM 195/103	ST																											
67.97	66.11		MP MARKER	R		68																												
69.94	68.08		ON RAMP	L		PLAZA RD	ST		Y																									
69.97	68.11		MP MARKER	R		70																												
70.43	68.34		EQUATION			070.20 =070.43																												
70.46	68.37		MISC FEATR	L		GORE (S106994)																												
70.78	68.69		BEG BRIDGE	B		PLAZA RD BRDG NUM 195/105	ST									\$SW	40A	\$SW						R1		60	R							
70.81	68.72		END BRIDGE	B		PLAZA RD										10A	24A	6A						R1		60	R							
71.02	68.93		OFF RAMP	R		PLAZA RD	ST		Y																									
71.06	68.97		MISC FEATR	L		GORE (R107114)																												
71.14	69.05		OFF RAMP	L		PLAZA RD	ST		Y																									
71.18	69.09		MISC FEATR	R		GORE (Q107135)																												
71.21	69.12		MP MARKER	R		71																												
71.35	69.26		ON RAMP	R		PLAZA RD	ST		Y																									
71.63	69.54		BEG BRIDGE	B		DRAKE RD BRDG NUM 195/106	ST									\$SW	40A	\$SW						R1		60	R							
71.67	69.58		END BRIDGE	B		DRAKE RD										10A	24A	6A						R1		60	R							
72.21	70.12		MP MARKER	R		72																												
73.21	71.12		MP MARKER	R		73																												
73.53	71.44		BEG BRIDGE	B		POWERS RD BRDG NUM 195/107	ST									\$SW	40A	\$SW						R1		60	R							
73.55	71.46		END BRIDGE	B		POWERS RD										10A	24A	6A						R1		60	R							
74.21	72.12		MP MARKER	R		74																												
75.18	73.09		MP MARKER	R		75																												
75.41	73.32		BEG BRIDGE	B		DAVIS RD BRDG NUM 195/108	ST									\$SW	40A	\$SW						R1		60	R							
75.43	73.34		END BRIDGE	B		DAVIS RD										10A	24A	6A						R1		60	R							
76.21	74.12		MP MARKER	R		76																												
76.44	74.35		ON/OFF RMP	L		BRADSHAW RD	ST		N																									
76.55	74.46		BEG BRIDGE	B		BRADSHAW RD BRDG NUM 195/109	ST									\$SW	40A	\$SW						R1		60	R							
76.58	74.49		END BRIDGE	B		BRADSHAW RD										10A	24A	6A						R1		60	R							
77.21	75.12		MP MARKER	R		77																												
78.21	76.12		MP MARKER	R		78																												
78.93	76.84		INTRSECTN	B		CHENEY SPANGLE RD	CO		Y																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
78.93	76.84		.04	13		.04	13			

SR 195 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS-----																				
							OW	TC	L	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S														
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S											
							OW	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
93.74		91.12							2	2	10A	24P	4A	42S	DE	4B	24A	10B	48	1	01	1220	U1	55	R	P									
93.83		91.21	INTRSECTN	B		CHENEY-SPOKANE RD	CT	Y																											
			INTRSECTN	C		MEDIAN XROAD	ST	Y																											
93.84		91.22							2	2	10A	24P	4A	42S	DE	4A	24A	10A	48	1	01	1220	U1	55	R	P									
93.95		91.33							2	2	10A	24P	4A	42S	DE	4A	24P	10A	48	1	01	1220	U1	55	R	P									
93.98		91.36	MP MARKER	B		94																													
94.16		91.54	UXING	I		BN RR	ST		2	2	10A	24P	4A	54S	DE	4A	24P	10A	48	1	01	1220	U1	55	R	P									
			UXING	D		BRDG NUM 195/118S																													
			UXING	D		BRDG NUM 195/118N																													
			RR XING	B		NUM 65965P STRUCTURE																													
94.27		91.65							2	2	10A	24P	4A	72S	DE	4A	24P	10A	48	1	01	1220	U1	55	R	P									
94.30		91.68	INTRSECTN	B		INLAND EMPIRE HWY	CT	Y																											
			INTRSECTN	C		MEDIAN XROAD	ST	Y																											
94.52		91.90							2	2	10A	24P	4A	40S	DE	4A	24P	10A	48	1	01	1220	U1	55	R	P									
94.94		92.32	INTRSECTN	R		CHESTNUT ST	CT	AF	Y																										
			INTRSECTN	L		THORP RD	CT	AF	Y																										
			INTRSECTN	C		MEDIAN XROAD	ST	AF	Y																										
95.00		92.38	MP MARKER	B		95																													
95.55		92.93	INTRSECTN	B		16TH AVE	CT	Y																											
			INTRSECTN	C		MEDIAN XROAD	ST	Y																											
95.63		93.01							2	2	10A	24P	4A	40S	DE	4B	24P	10B	48	1	01	1220	U1	55	R	P									
95.68		93.06							2	2	10B	24P	4B	40S	DE	4B	24P	10B	48	1	01	1220	U1	55	R	P									
95.74		93.12	OFF RAMP	R		SR 90	ST	Y	2	2	10B	24P	4B	40S	DE	4A	24A	10A	48	1	01	1220	U1	55	R	P									
95.79		93.17	ON RAMP	L		SR 90	ST	Y	2	2	10A	24A	4A	40S	DE	4A	24A	10A	48	1	01	1220	U1	55	R	P									
95.84		93.22							1	1	10A	14A	4A	40S	DE	4A	24A	10A	38	1	01	1220	U1	55	R	P									
95.85		93.23	MISC FEATR	R		GORE (SR 90 Q127953)																													
			MISC FEATR	L		GORE (SR 90 P127920)																													
95.95		93.33	BEG BRIDGE	I		SR 90	ST		1	1	\$\$C	20P	\$\$C	400	\$\$	\$\$C	20P	\$\$C	40	1	01	1220	U1	55	R	P									
			BEG BRIDGE	D		BRDG NUM 195/124E																													
			BEG BRIDGE	D		SR 90	ST																												
			BEG BRIDGE	D		BRDG NUM 195/124W																													
95.99		93.37	END BRIDGE	I		SR 90																													
			END BRIDGE	D		SR 90																													

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
93.83		91.21	.05	12			.03	12						
94.30		91.68	.07	12			.04	12						
94.94		92.32	.04	12			.04	12			.11	12		
95.55		92.93	.04	12			.04	12						

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---													
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				NBR		LFT	RHT		LFT	RHT		USE	TOT						LEGAL														
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
95.99		93.37	MP MARKER END CTLSEC END ROUTE	R		96 CONTROL SECTION 3204	1	1		C	20P		C	400			C	20P		C					40	1	01	1220	U1		55	R	P

SR 197 MAINLINE

U.S. ROUTE - USSH COUNTY KLICKITAT

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
:DIRECTION TO INVENTORY						-BRIDGE	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S	
:						OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
0.00	0.00		BEG ROUTE			MAIN ROUTE																		
			BEG CTLSEC			OREGON ST LINE TO SR 14																		
			RR XING	B		CONTROL SECTION 2008																		
			BEG BRIDGE	B		NUM 90180V STRUCTURE																		
						COLUMBIA RIVER	ST																	
						BRDG NUM 197/001																		
0.42	0.42		MISC FEATR	R		SGN ENT WASHINGTON																		
0.63	0.63		END BRIDGE	B		COLUMBIA RIVER																		
			END CTLSEC			CONTROL SECTION 2008																		
			BEG CTLSEC			CONTROL SECTION 2009																		
0.74	0.74		MISC FEATR	R		SGN WELCOME TO WASHINGTN																		
0.80	0.80		INTRSECTN	L		DALLESPORT RD	CO	N																
0.87	0.87		ENT/EXIT	R		DAM VIEWPOINT	ST	N	1	1														
0.89	0.89																							
1.00	1.00		MP MARKER	R		1																		
1.08	1.08		ENT/EXIT	R		HESS PARK	OT	N																
1.15	1.15		INTRSECTN	R		DOCK RD	CO	N	1	1														
1.63	1.63		INTRSECTN	R		DOW RD	CO	N																
1.99	1.99		INTRSECTN	L		CO RD	CO	N																
2.00	2.00		MP MARKER	R		2																		
2.02	2.02		BEG SU LN	R		CLIMBING																		
2.28	2.28		END SU LN	R		CLIMBING	12B																	
2.29	2.29		INTRSECTN	L		CO RD	CO	N	1	1														
2.91	2.91																							
3.00	3.00		MP MARKER	R		3																		
3.14	3.14		INTRSECTN	B		SR 14 WYE CONN	ST	N																
3.18	3.18		INTRSECTN	B		SR 14	ST	SS	Y															
			END CTLSEC			CONTROL SECTION 2009																		
			END ROUTE																					

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----					
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.80	0.80								.02	12		

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---																				
							:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC	L		R		USE	TOT	M		C		L											
						: :LEFT/RIGHT INDICATOR	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S													
						: :	-XROAD-	LNS	SHD	RDY	SHD	W/S	RDY	SHD	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T										
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
0.00	0.00		BEG ROUTE			MAIN ROUTE			1	1				C	63P	C		63	5	01	1469	U2		35	R	P											
			ENTER CITY			WOODINVILLE																															
			BEG CTLSEC			CONTROL SECTION 1710																															
			BEG BRIDGE	B		SR 522					ST																										
						BRDG NUM 202/032																															
0.05	0.05		END BRIDGE	B		SR 522			1	1				C	63A	C		63	5	01	1469	U2		35	R	P											
0.07	0.07		BEG SU LN	C		TWO WAY TURN		12A	2	1				C	50A	C	12	62	5	01	1469	U2		35	R	P											
			ON RAMP	R		SR 522					ST	SG	Y																								
			OFF RAMP	L		SR 522					ST	SG	Y																								
0.10	0.10		INTRSECTN	R		ON RAMP WYE CONN					ST	Y	2	2			C	50A	C	12	62	5	01	1469	U2		35	R	P								
0.16	0.16		END SU LN	C		TWO WAY TURN		12A	2	2				C	62A	C	\$\$\$	62	5	01	1469	U2		35	R	P											
0.24	0.24		INTRSECTN	L		NE 177TH PL					CT	SG	Y																								
			INTRSECTN	R		NE 177TH ST					CT	SG	Y																								
0.26	0.26		UXING	B		BN RR					ST																										
						BRDG NUM 202/033																															
			RR XING	B		NUM 91798L STRUCTURE																															
0.31	0.31		BEG SU LN	R		AUXILIARY		12A	1	1				C	60A	C	12	72	5	01	1469	U2		35	R	P											
			INTRSECTN	L		131ST AVE NE					CT	SG	Y																								
			INTRSECTN	L		NE 175TH ST					CT	SG	Y																								
0.39	0.39		BEG SU LN	L		AUXILIARY		12A																													
			END SU LN	R		AUXILIARY		12A																													
			RR XING	B		NUM 91797E GRADE																															
0.44	0.44		END SU LN	L		AUXILIARY		12A	1	1				C	26P	C	\$\$\$	26	5	01	1469	U2		35	R	P											
			BEG BRIDGE	B		SAMMAMISH RIVER					ST																										
						BRDG NUM 202/035																															
0.47	0.47		END BRIDGE	B		SAMMAMISH RIVER			1	1				6A	22A	6A		22	5	01	1469	U2		35	R	P											
0.51	0.51		INTRSECTN	R		128TH PL NE					CT	Y																									
0.54	0.54		RR XING	B		NUM 92050F GRADE																															
0.55	0.55		INTRSECTN	R		WOODINVILLE-REDMOND WYE					CT	Y																									
0.56	0.56		BEG ST	I		WOODINVILLE-REDMOND RD			1	1				5A	22A	8A		22	5	01	1469	U2		35	R	P	*										
			INTRSECTN	R		NE WOODINVILLE DR					CT	SS	Y																								
			INTRSECTN	R		WOODINVILLE-REDMND RD NE					CT	SS	Y																								
0.65	0.65		RR XING	B		NUM 91796X GRADE																															

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----					
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00	0.00				.03	23						
0.07	0.07		.01	11			.02	14				
0.24	0.24		.03	12			.01	12				
0.31	0.31		.03	12			.03	11				

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P
							NBR	LFT	RHT	MEDIAN-	LFT	RDY	SHD	RHT	USE	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T	
2.65	2.65																									
2.67	2.67		INTRSECTN	L		148TH AVE NE		CT	SG	Y																
			INTRSECTN	L		NE 145TH ST		CT	SG	Y																
2.68	2.68		INTRSECTN	L		NE 145TH ST WYE CONN		CT		Y																
2.76	2.76		BEG SU LN	C		TWO WAY TURN	12A																			
2.80	2.80		INTRSECTN	L		NE 144TH ST		CT		N																
2.81	2.81		LEAVE CITY			WOODINVILLE																				
			END SU LN	C		TWO WAY TURN	12A																			
3.03	3.03		MP MARKER	R		3																				
3.78	3.78		ENT/EXIT	R		GOLF DRIVING RANGE		PV		Y																
4.00	4.00		MP MARKER	R		4																				
4.04	4.04		INTRSECTN	L		156TH AVE NE		CO		Y																
4.22	4.22																									
4.27	4.27		INTRSECTN	B		NE 124TH ST		CO	SG	Y																
4.38	4.38		ENT/EXIT	L		BUSINESS		PV		N																
4.49	4.49		ENTER CITY			REDMOND																				
			MISC FEATR	R		SGN ENT REDMOND																				
4.77	4.77		INTRSECTN	L		NE 116TH ST		CT		Y																
4.93	4.93		INTRSECTN	L		NE 113TH CT		CT		Y																
4.98	4.98		MP MARKER	R		5																				
5.07	5.07																									
5.17	5.17		INTRSECTN	R		154TH PL NE WYE CONN		CT																		
5.18	5.18		INTRSECTN	L		NE 109TH ST		CT	SG	Y	1															
			INTRSECTN	R		154TH PL NE		CT	SG	Y																
5.40	5.40																									
5.50	5.50		INTRSECTN	L		NE 106TH ST		CT		Y	1															
5.55	5.55																									
5.66	5.66		MISC FEATR	B		TRAIL XING																				
5.70	5.70		INTRSECTN	L		NE 101ST CT		CT		Y																

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.67	2.67		.03	11	.05	12	.06	12						
2.68	2.68								.03	12				
3.78	3.78				.03	12	.03	11						
4.04	4.04		.03	12							.01	12		
4.27	4.27		.03	13	.03	13	.06	13						
4.38	4.38		.02	12							.02	12		
4.77	4.77		.04	12										
5.18	5.18		.02	13			.03	13						
5.70	5.70		.03	12					.02	12				

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY			-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
			D LR	DESCRIPTION	-BRIDGE- -UXING- -XROAD- OW TC L	NBR LNS D I	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							LFT	RHT	W/S	SHD	RDY	SHD										W/S	W/S	W/S	LNS
5.72	5.72						1	1				6A	22A	4A		22	5	01	1065	U2		40	R	P	*
5.95	5.95	INTRSECTN	L	NE 98TH ST	CT	Y																			
6.01	6.01	MP MARKER	R	6																					
6.34	6.34	INTRSECTN	R	NE 90TH ST	CT	SG Y	1	1				\$\$C	44A	\$\$C		44	5	01	1065	U2		40	R	P	*
6.50	6.50						1	1				C	44A	C		44	5	01	1065	U2		40	R	L	*
6.56	6.56	INTRSECTN	R	NE 87TH ST	CT	Y	1	2				C	44A	C		44	5	01	1065	U2		30	R	P	*
6.65	6.65	END ST BEG ST INTRSECTN	I I B	WOODINVILLE-REDMOND RD 164TH AVE NE 85TH ST																					
6.69	6.69				CT	SG Y																			
6.78	6.78	INTRSECTN	L	NE 83RD ST	CT	SG Y						C	44A	C		44	5	01	1065	U2		30	R	P	*
6.86	6.86	INTRSECTN	R	NE 81ST ST	CT	Y																			
6.87	6.87						2	1				C	44A	C		44	5	01	1065	U2		30	R	P	*
6.90	6.90	INTRSECTN	B	NE 80TH ST	CT	SG Y	1	1				C	36A	C		36	5	01	1065	U2		30	R	P	*
6.93	6.93	INTRSECTN	R	GILMAN ST	CT	Y																			
6.97	6.97	INTRSECTN	L	SR 202 COREDMND (COUPLT)	ST	SG Y	1	1				C	42A	C		42	5	01	1065	U2		30	R	B	*
		INTRSECTN	R	SR 908 COREDMND (COUPLT)	ST	SG Y																			
		MISC FEATR	D	COUPLT - COREDMND		SG Y																			
7.03	7.03	END ST BEG ST INTRSECTN	I I R	164TH AVE CLEVELAND 164TH AVE NE								C	44A	C		44	5	01	1065	U2		30	R	X	*
		INTRSECTN	R	SR 908	CT	SG Y																			
7.08	7.08						2					C	44A	C		44	5	01	1065	U2		30	R	X	*
7.17	7.17	INTRSECTN	B	166TH AVE NE	CT	SG Y																			
7.18	7.18	INTRSECTN	R	166TH AVE NE WYE CONN	CT	Y																			
7.20	7.20						3					C	44A	C		44	5	01	1065	U2		30	R	X	*
7.24	7.24						2					C	44A	C		44	5	01	1065	U2		30	R	X	*
7.27	7.27						2					C	42A	C		42	5	01	1065	U2		30	R	P	*
7.29	7.29	INTRSECTN	L	168TH AVE NE	CT	Y																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
5.95	5.95	.03	13						.02	13
6.34	6.34			.03	12					
6.56	6.56				.09	11				
6.65	6.65				.04	11				
6.90	6.90			.03	11	.02	12			
6.97	6.97				.03	12				
7.17	7.17				.03	12				
7.18	7.18								.02	12
7.29	7.29	.05	16							

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----															
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCREAS/UNDI				SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																	
:				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
10.28	10.26		INTRSECTN	R		SAHALEE WAY WYE CONN	CO	Y	1	1								3A	22A	3A					22	5	01		U2		55	R	*		
10.55	10.53		BEG BRIDGE	B		EVANS CR DRAINAGE SL	ST		1	1								\$\$\$C	24A	\$\$\$C					24	5	01		U2		55	R	*		
10.56	10.54		END BRIDGE	B		EVANS CR DRAINAGE SL			1	1								3A	23A	3A					23	5	01		U2		55	R	*		
10.91	10.89		INTRSECTN	R		NE 50TH ST	CO			N																									
10.94	10.92		INTRSECTN	L		218TH AVE NE	CO			N																									
11.00	10.98		MP MARKER	R		11																													
11.48	11.46		INTRSECTN	R		224TH AVE NE	CO			N																									
11.75	11.73		INTRSECTN	L		228TH AVE NE	CO	AF	Y																										
			ENT/EXIT	R		BUSINESS	PV	AF	Y																										
11.98	11.96		MP MARKER	R		12																													
11.99	11.97								1	1								8A	34A	5A					34	5	01		U2		55	R	*		
12.10	12.08		ENT/EXIT	L		SHOPPING CENTER	PV			N																									
12.18	12.16		ENT/EXIT	L		SHOPPING CENTER	PV			N																									
12.22	12.20		ENT/EXIT	L		SHOPPING CENTER	PV			Y																									
12.26	12.24		INTRSECTN	L		236TH AVE NE	CO	SG	Y																										
			INTRSECTN	R		PVT RD	PV	SG	Y																										
12.32	12.30								1	1								3A	22A	3A					22	5	01		U2		55	R	*		
12.99	12.97		MP MARKER	R		13			1	1								3A	22A	3A					22	5	01		R2		55	R	*		
13.00	12.98		INTRSECTN	R		244TH AVE NE	CO			Y																									
13.69	13.67		INTRSECTN	L		NE AMES LAKE RD	CO	Y	1	1								5A	23A	5A					23	5	01		R2		55	R	*		
13.88	13.86		INTRSECTN	L		NE AMES LAKE RD WYE CONN	CO			Y																									
14.05	14.03		MP MARKER	R		14																													
14.45	14.43		INTRSECTN	R		264TH AVE NE	CO			N																									
14.99	14.97		MP MARKER	R		15																													
15.50	15.48		INTRSECTN	L		TOLT HILL RD WYE CONN	CO			Y																									
15.60	15.58		INTRSECTN	L		TOLT HILL RD	CO			Y																									
16.01	15.99		MP MARKER	R		16																													
17.00	16.98		MP MARKER	R		17																													
17.21	17.19		INTRSECTN	L		SE 8TH ST	CO			N																									
17.53	17.51								1	1								6A	22A	6A					22	5	01		R2		55	R	*		
17.97	17.95		MP MARKER	R		18																													
18.25	18.23		INTRSECTN	R		292ND AVE SE	CO			Y																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----					
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.10	12.08			.03	12			.02	12				
12.18	12.16			.05	12								
12.26	12.24			.04	12								
13.00	12.98					.06	12	.03	12				
18.25	18.23					.11	12	.03	12				

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---																					
: :LEFT/RIGHT INDICATOR				-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC						LEGAL																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S			
																			WD/S	BR																
18.41	18.39									1	1										6A	22A	6A		22	5	01		R2	55	R	*				
18.48	18.46									1	1										5A	23A	5A		23	5	01		R2	55	R	*				
18.89	18.87		INTRSECTN	R		300TH AVE SE	CO		N																											
18.99	18.97		MP MARKER	R		19																														
19.06	19.04		INTRSECTN	L		SE 31ST ST	CO		N																											
19.23	19.21		BEG BRIDGE	B		PATTERSON CREEK BRDG NUM 202/054	ST		1	1																										
19.24	19.22		END BRIDGE	B		PATTERSON CREEK			1	1																										
19.45	19.43		INTRSECTN	B		308TH AVE SE	CO		N																											
20.00	19.98		MP MARKER	R		20																														
20.49	20.47		INTRSECTN	R		SE 40TH ST	CO		N																											
20.58	20.56		INTRSECTN	R		323RD AVE SE	CO		N																											
20.64	20.62		INTRSECTN	B		324TH AVE SE	CO		N																											
20.73	20.71								1	1																										
20.82	20.80		INTRSECTN	R		CHIEF KANIM MIDDLE SCHL	CO		Y																											
20.93	20.91								1	1																										
20.97	20.95		MISC FEATR	R		SGN ENT FALL CITY																														
21.01	20.99		MP MARKER	R		21																														
21.15	21.13		INTRSECTN	R		332ND AVE SE	CO		N	1	1																									
21.36	21.34		INTRSECTN	R		334TH PL SE	CO		Y																											
21.44	21.42		INTRSECTN	R		SE 42ND ST	CO		Y	1	1																									
21.47	21.45		INTRSECTN	R		335TH PL SE	CO		Y																											
21.53	21.51		INTRSECTN	R		336TH PL SE	CO		Y	1	1																									
21.60	21.58		INTRSECTN	R		337TH PL SE	CO		Y																											
21.67	21.65		INTRSECTN	R		338TH PL SE	CO		Y	1	1																									
21.70	21.68		INTRSECTN	R		PRESTON-FALL CITY RD WYE	CO		Y																											
21.71	21.69		END ST	I		REDMOND-FALL CITY RD																														
			BEG ST	I		FALL CITY-SNOQUALMIE RD																														
			INTRSECTN	R		PRESTON-FALL CITY RD S	CO		Y																											
21.74	21.72		BEG BRIDGE	B		SNOQUALMIE RIVER BRDG NUM 202/056	ST		1	1																										
21.82	21.80		END BRIDGE	B		SNOQUALMIE RIVER			1	1																										
21.83	21.81		INTRSECTN	L		SR 203	ST	SG	Y																											
21.89	21.87								1	1																										
21.99	21.94		EQUATION			021.96 =021.99																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
20.82	20.80				.03	12			.02	12
21.71	21.69				.04	15				
21.83	21.81		.04	15						

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							-BRIDGE	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S					
:DIRECTION TO INVENTORY						-BRIDGE	DECREAS/DIV	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
:LEFT/RIGHT INDICATOR						-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
:						-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
:						OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
26.04	25.99		ENTER CITY			SNOQUALMIE																				
26.08	26.03		END BRIDGE	B		SNOQUALMIE RIVER																				
26.11	26.06		INTRSECTN	R		POWER HOUSE RD	CT	N																		
26.30	26.25		BEG BRIDGE	B		KIMBALL CREEK	ST																			
						BRDG NUM 202/061																				
26.32	26.27		END BRIDGE	B		KIMBALL CREEK																				
26.40	26.35		RR XING	B		NUM 92022C GRADE																				
			MISC FEATR	B		RR XING (VACATED)																				
26.55	26.50																									
26.57	26.52		END ST	I		FALL CITY-SNOQUALMIE RD																				
			BEG ST	I		RAILROAD AVE																				
			INTRSECTN	R		BRUCE ST	CT	Y																		
26.70	26.65		INTRSECTN	R		FIR ST	CT	Y																		
26.77	26.72																									
26.82	26.77		INTRSECTN	B		KING ST	CT	Y	1	1																
26.95	26.90		INTRSECTN	B		RIVER ST	CT	Y	1	1																
26.98	26.93		MP MARKER	R		27																				
27.07	27.02		INTRSECTN	B		NEWTON ST	CT	Y	1	1																
27.20	27.15		INTRSECTN	B		BETA ST	CT	Y	1	1																
27.32	27.27		INTRSECTN	L		DELTA ST	CT	Y																		
27.39	27.34																									
27.50	27.45		INTRSECTN	L		SE 89TH PL	CT	Y																		
27.55	27.50																									
27.61	27.56		END ST	I		RAILROAD AVE																				
			INTRSECTN	B		MEADOWBROOK WAY	CT	SG	Y																	
27.63	27.58																									
27.70	27.65		INTRSECTN	R		394TH AVE SE	CT	N	1	1																
27.95	27.90																									
27.99	27.94		MP MARKER	R		28																				
28.28	28.23		LEAVE CITY			SNOQUALMIE																				
			ENTER CITY			NORTH BEND																				
28.32	28.27		BEG ST	I		NORTH BEND BLVD																				
			MISC FEATR	R		SGN ENT NORTH BEND																				
			MISC FEATR	L		SGN ENT SNOQUALMIE																				
28.93	28.88		INTRSECTN	B		NW 14TH ST	CT	N																		
29.00	28.95		MP MARKER	R		29																				
29.18	29.13		INTRSECTN	L		BOALCH AVE NW	CT	Y																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
27.61	27.56		.03	11	.03	11				

SR 202 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																								
: :LEFT/RIGHT INDICATOR				-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC						LEGAL																					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	W/S	BR	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	RDY	MTCE	CITY	ST	SPEED	T	P	S	
29.25		29.20								1	1											4A	22A	4A			22	5	01	0875	R2		50	R	P	*		
29.35		29.30	BEG BRIDGE	B		OVERFLOW CHANNEL BRDG NUM 202/065	ST			1	1											\$\$\$	22A	\$\$\$			22	5	01	0875	R2		50	R	P	*		
29.37		29.32	END BRIDGE	B		OVERFLOW CHANNEL				1	1											5A	23A	5A			23	5	01	0875	R2		50	R	P	*		
29.46		29.41	INTRSECTN	R		NW 8TH ST WYE CONN	CT		N																													
29.48		29.43	INTRSECTN	R		NW 8TH ST	CT		N																													
29.50		29.45	BEG BRIDGE	B		S FK SNOQUALMIE RIVER BRDG NUM 202/066	ST			1	1											\$\$\$	24A	\$\$\$			24	5	01	0875	R2		50	R	P	*		
29.59		29.54	END BRIDGE	B		S FK SNOQUALMIE RIVER				1	1											4A	22A	4A			22	5	01	0875	R2		50	R	P	*		
29.60		29.55								1	1												4A	22A	4A			22	5	01	0875	R2		30	R	P	*	
29.67		29.62	INTRSECTN	B		SYDNEY AVE N	CT		Y																													
29.72		29.67	INTRSECTN	L		W 4TH ST WYE CONN	CT		Y																													
29.73		29.68	INTRSECTN	L		W 4TH ST	CT		Y	1	1											\$\$\$	34A	\$\$\$			34	5	01	0875	R2		30	R	B	*		
29.74		29.69	INTRSECTN	L		W 4TH ST WYE CONN	CT		Y																													
29.79		29.74	INTRSECTN	B		W 3RD ST	CT		Y																													
29.82		29.77								1	1												C	45A	C			45	5	01	0875	R2		30	R	B	*	
29.86		29.81	INTRSECTN	B		W 2ND ST	CT		Y																													
29.92		29.87	INTRSECTN	B		OLD SR 90-NORTH BEND WAY	CT	SG	Y	1	1												C	45A	C			45	5	01	0875	R2		30	R	R	*	
29.95		29.90	INTRSECTN	L		W MCCLELLAN ST	CT		Y																													
29.96		29.91	RR XING	B		NUM 0000000 GRADE				1	1												C	45A	C			45	5	01	0875	R2		30	R	B	*	
30.04		29.99	INTRSECTN	B		W PARK ST	CT		Y	1	1												C	45A	C			45	5	01	0875	R2		30	R	P	*	
30.15		30.10	BEG BRIDGE	B		S FK SNOQUALMIE RIVER BRDG NUM 202/070	ST			1	1												C	44P	C			44	5	01	0875	R2		40	R	P	*	
30.17		30.12	END BRIDGE	B		S FK SNOQUALMIE RIVER				1	1												10A	24A	10A			24	5	01	0875	R2		40	R	P	*	
30.20		30.15								1	1	9A	24A			17S	CU					\$\$\$	24A	9A			48	5	01	0875	R2		40	R	P	*		
30.26		30.21								1	1	\$\$\$	\$\$\$			\$\$\$	\$\$\$	\$\$\$					9A	48A	9A			48	5	01	0875	R2		40	R	P	*	
30.29		30.24								2	2												9A	48A	9A			48	5	01	0875	R2		40	R	P	*	
30.32		30.27	INTRSECTN	B		SOUTH FORK AVE	CT	SG	Y	2	2												9A	48A	10A			48	5	01	0875	R2		40	R	P	*	
30.49		30.44	INTRSECTN	B		MT SI BLVD	CT	SG	Y	2	2	9A	24A			12S	CU					\$\$\$	27A	8A			51	5	01	0875	R2		40	R	P	*		
30.50		30.45	INTRSECTN	R		MT SI BLVD WYE CONN	CT		Y																													
30.52		30.47								2	2	\$\$\$	\$\$\$			\$\$\$	\$\$\$	\$\$\$					13A	48A	13A			48	5	01	0875	R2		40	R	P	*	
30.54		30.49	ON RAMP	L		SR 90	ST		Y																													
			OFF RAMP	R		SR 90	ST		Y																													
30.58		30.53	UXING	B		SR 90 WB BRDG NUM 090/081N	ST																															

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD
29.92		29.87					.02
30.32		30.27	.04	14	.04	12	.02
30.49		30.44	.03	14	.09	14	.01

SR 203 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S											
:DIRECTION TO INVENTORY						-BRIDGE-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T							
:						OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
12.65	12.70		INTRSECTN	R		NOVELTY RD WYE CONN	CO	Y	1	1					4A	22A	4A		22	3	02		R2		55	R	*					
12.77	12.82		BEG BRIDGE	B		CATTLE KING	ST		1	1					\$\$\$	36A	\$\$\$		36	3	02		R2		55	R	*					
12.78	12.83		END BRIDGE	B		CATTLE KING			1	1					4A	22A	4A		22	3	02		R2		55	R	*					
12.99	13.04		MP MARKER	R		13																										
13.58	13.63		INTRSECTN	L		NE 137TH ST	CO	N							4A	23A	4A		23	3	02		R2		55	R	*					
13.78	13.83								1	1					4A	23A	4A		23	3	02		R2		55	R	*					
13.79	13.84		INTRSECTN	R		NE BIG ROCK RD	CO	N																								
13.80	13.85		ENTER CITY			DUVALL			1	1					4A	23A	4A		23	3	02	0335	R2		55	R	P	*				
14.00	14.05		MP MARKER	R		14																										
14.09	14.14		INTRSECTN	R		NE 143RD PL	CT	N							4A	23A	4A		23	3	02	\$\$\$\$	R2		55	R	\$	*				
14.21	14.26		LEAVE CITY			DUVALL			1	1					4A	23A	4A		23	3	02	\$\$\$\$	R2		55	R	\$	*				
14.25	14.30		MISC FEATR	R		SGN ENT DUVALL																										
14.26B	14.31		BEG EQ			BEGIN BACK																										
14.26	14.33		EQUATION			014.28B=014.26																										
14.27	14.34		ENTER CITY			DUVALL			1	1					4A	23A	4A		23	3	02	0335	R2		30	R	P	*				
14.45	14.52		END ST	I		CARNATION-DUVALL RD																										
			BEG ST	I		MAIN ST																										
			INTRSECTN	R		KENNEDY DR	CT	Y																								
14.63	14.70		INTRSECTN	R		VALLEY ST	CT	Y																								
14.74	14.81		INTRSECTN	R		NE RING ST	CT	Y																								
14.75	14.82		BEG SU LN	C		TWO WAY TURN	12A		1	1					\$\$\$	32A	\$\$\$	12	44	3	02	0335	R2		30	R	P	*				
14.78	14.85		END SU LN	C		TWO WAY TURN	12A		1	1					C	56A	C	\$\$\$	56	3	02	0335	R2		30	R	B	*				
			INTRSECTN	R		STEPHENS ST	CT	Y																								
14.83	14.90		INTRSECTN	B		STELLA ST	CT	Y																								
14.88	14.95		INTRSECTN	B		CHERRY ST	CT	Y																								
14.94	15.01		INTRSECTN	R		STEWART ST	CT	Y																								
14.99	15.06		MP MARKER	R		15																										
			INTRSECTN	L		WOODINVILLE-DUVALL RD	CT	SG	Y																							
15.00	15.07		END ST	I		MAIN ST			1	1					C	56A	C		56	3	02	0335	R2		30	R	B	\$				
			INTRSECTN	R		VIRGINIA ST	CT	SG	Y																							
15.05	15.12		LEAVE CITY			DUVALL			1	1					4A	23A	4A		23	3	02	\$\$\$\$	R2		30	R	\$					
15.09	15.16		MISC FEATR	L		SGN ENT DUVALL																										
15.11	15.18		INTRSECTN	R		NE CHERRY VALLEY RD	CO	N	1	1					4A	22A	4A		22	3	02		R2		30	R						
15.20	15.27								1	1					4A	22A	4A		22	3	02		R2		55	R						
15.24	15.31		ENT/EXIT	L		PUBLIC FISHING	ST	N																								

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----										
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-							
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
14.78	14.85																
14.99	15.06		.04	12					.02	12							

SR 205 MAINLINE

INTERSTATE - ISSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
							D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
26.59		0.00	BEG ROUTE			MAIN ROUTE OREGON ST LINE TO SR 5 VANCOUVER		4	4	W	68P	W	12P	JE	W	68P	W	136	1	01	1350	U5	60	R	P				
			ENTER CITY																										
			BEG CTLSEC			CONTROL SECTION 0606																							
			TRAF RCDR	B		OR04 0																							
			MISC FEATR	B		BEGIN ON BRIDGE																							
			BEG BRIDGE	B		COLUMBIA RIVER-SR 14	ST																						
						BRDG NUM 205/001																							
26.84		0.25	ON RAMP	L		SR 14	ST																						
26.90		0.31	OFF RAMP	R		SR 14	ST																						
27.09		0.50	END BRIDGE	B		COLUMBIA RIVER-SR 14		3	4	10W	36P		\$	22A	JE		\$	48P	10A		84	1	01	1350	U5	60	R	P	
			END CTLSEC			CONTROL SECTION 0606																							
			BEG CTLSEC			CONTROL SECTION 0607																							
27.10		0.51						3	4	10A	36P			32A	JE			48P	10A		84	1	01	1350	U5	60	R	P	
27.15		0.56	MISC FEATR	L		GORE (S502684)																							
			MISC FEATR	R		GORE (P502690)																							
27.23		0.64	UXING	B		S-E RAMP	ST																						
						BRDG NUM 205/003S-E																							
27.24		0.65	BEG BRIDGE	B		E-N RAMP	ST	3	4	\$W	46P			32P	JE			58P	\$W		104	1	01	1350	U5	60	R	P	
						BRDG NUM 205/003																							
27.25		0.66	END BRIDGE	B		E-N RAMP		3	4	10A	36P			32A	JE			48P	10A		84	1	01	1350	U5	60	R	P	
27.36		0.77						3	4	10A	36P	10A		40S	JE			10A	48P	10A		84	1	01	1350	U5	60	R	P
27.48		0.89	MISC FEATR	L		GORE (R102765)																							
27.50		0.91	MISC FEATR	R		GORE (Q102778)																							
27.55		0.96						3	4	10A	36P	10A		44S	DE			10A	48P	10A		84	1	01	1350	U5	60	R	P
27.58		0.99						3	4	10A	36P	10A		46S	DE			10A	48P	10A		84	1	01	1350	U5	60	R	P
27.65		1.06	BEG SU LN	L		AUXILIARY	12P	3	4	10A	36P	10A		46S	DE			10A	48P	10A	12	96	1	01	1350	U5	60	R	P
			OFF RAMP	L		SR 14	ST																						
27.78		1.19	ON RAMP	R		SR 14	ST																						
27.83		1.24	UXING	B		SE 10TH ST	ST	3	4	10A	36P	10A		52S	DE			10A	48P	10A	12	96	1	01	1350	U5	60	R	P
						BRDG NUM 205/006																							
27.89		1.30	OFF RAMP	R		MILL PLAIN RD	ST	Y	3	3	10A	36P	10A	52S	DE			10A	36P	10A	12	84	1	01	1350	U5	60	R	P
27.93		1.34	END SU LN	L		AUXILIARY	12P	3	3	10A	36P	10A		52S	DE			10A	36P	10A	\$\$\$	72	1	01	1350	U5	60	R	P
			ON RAMP	L		MILL PLAIN RD	ST	Y																					
28.00		1.41	MP MARKER	R		28																							
28.01		1.42	MISC FEATR	R		GORE (P102789)		3	3	10A	36P	10A		52S	DE			10A	36P	24A		72	1	01	1350	U5	60	R	P
28.12		1.53	MISC FEATR	L		GORE (S102793)																							
28.14		1.55						3	3	10A	36P	10A		66S	DE			10A	36P	24A		72	1	01	1350	U5	60	R	P
28.33		1.74	UXING	B		SE MILL PLAIN RD	ST	3	3	10A	36P	6A		80S	DE			6A	36P	20A		72	1	01	1350	U5	60	R	P
						BRDG NUM 205/008																							
28.38		1.79	MISC FEATR	L		GORE (S502793)																							
			MISC FEATR	R		GORE (P502789)																							
28.39		1.80						3	3	10A	36P	6A		80S	DE			6A	36P	10A		72	1	01	1350	U5	60	R	P
28.53		1.94	MISC FEATR	L		GORE (R102866)		3	3	10A	36P	6A		100S	DE			6A	36P	10A		72	1	01	1350	U5	60	R	P

SR 205 MAINLINE

INTERSTATE - ISSH

COUNTY CLARK

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---																				
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																								
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
28.55	1.96		MISC FEATR	R		GORE (Q102883)						3	3	10A	36P	6A	100S	DE	6A	36P	10A			72	1	01	1350	U5	60	R	P					
28.66	2.07		OFF RAMP	L		MILL PLAIN RD																														
28.83	2.24		UXING	B		NE 9TH ST						3	3	10A	36P	6A	128S	DE	6A	36P	10A			72	1	01	1350	U5	60	R	P					
			ON RAMP	R		MILL PLAIN RD																														
29.00	2.41		MP MARKER	R		29																														
29.09	2.50		TRAF RCDR	B		R051 1																														
			MISC FEATR	D		SPEED SITE #36																														
29.34	2.75		UXING	B		NE 18TH ST						3	3	10A	36P	6A	78S	DE	6A	36P	10A			72	1	01	1350	U5	60	R	P					
			BRDG NUM 205/014																																	
29.57	2.98		MED KING	C		OFFICIAL																														
29.79	3.20		BEG BRIDGE	I		BURTON RD						3	3	\$\$\$	52P	\$\$W	1140	\$\$	\$\$\$	52P	\$\$\$W			104	1	01	1350	U5	60	R	P					
			BRDG NUM 205/016E																																	
			BEG BRIDGE	D		BURTON RD																														
			BRDG NUM 205/016W																																	
29.82	3.23		END BRIDGE	I		BURTON RD						3	3	10A	36P	6A	126S	DE	6A	36P	10A			72	1	01	1350	U5	60	R	P					
			END BRIDGE	D		BURTON RD																														
30.00	3.41		MP MARKER	R		30																														
30.05	3.46		OFF RAMP	R		NBCD LANE																														
30.25	3.66		ON RAMP	L		SBCD LANE																														
30.55	3.96		MISC FEATR	R		GORE (CI03005)						3	3	14A	36P	6A	126S	DE	6A	36P	14A			72	1	01	1350	U5	60	R	P					
30.59	4.00		MISC FEATR	L		GORE (CD03165)																														
30.90	4.31		UXING	B		SR 500																														
			BRDG NUM 500/006																																	
31.00	4.41		MP MARKER	R		31																														
31.11	4.52		UXING	B		NE FOURTH PLAIN BLVD																														
			BRDG NUM 205/020																																	
31.16	4.57		MISC FEATR	R		GORE (CI03037)																														
31.25	4.66		LEAVE CITY			VANCOUVER						3	3	14A	36P	6A	126S	DE	6A	36P	14A			72	1	01	\$\$\$	U5	60	R	\$					
31.27	4.68		MISC FEATR	L		GORE (CD03165)																														
31.49	4.90		ON RAMP	R		NBCD LANE						ST	Y	3	3	14A	36P	6A	126S	DE	6A	36P	10A		72	1	01		U5	60	R					
31.62	5.03																									48	1	01		U5	60	R				
31.65	5.06		OFF RAMP	L		SBCD LANE						ST	Y	2	2	10A	24P	6A	100S	DE	6A	24P	10A		48	1	01		U5	60	R					
31.79	5.20		UXING	B		NE 63RD ST						ST	Y	2	2	10A	24P	4A	100S	DE	4A	24P	10A		48	1	01		U5	60	R					
			BRDG NUM 205/024																																	
31.99	5.40		MP MARKER	R		32																														
32.58	5.99		ON RAMP	L		NE 83RD ST						ST	Y																							
32.61	6.02		UXING	B		NE 78TH ST						ST	Y	2	2	10A	24P	4A	140S	DE	4A	24P	10A		48	1	01		U5	60	R					
			BRDG NUM 205/028																																	
32.65	6.06		OFF RAMP	R		NE 83RD ST						ST	Y																							
32.75	6.16																																			
32.77	6.18		MISC FEATR	R		GORE (P103265)																														
32.87	6.28		ON RAMP	L		NE 83RD ST						ST	Y	2	2	10A	24P	4A	140S	DE	4A	24P	14A		48	1	01		U5	60	R					

SR 206 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																								
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI			SPC																													
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																						
: :				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		LEGAL		T P S																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	T	P	S									
0.00	0.00		BEG ROUTE			MAIN ROUTE																				U1														
			BEG CTLSEC			SR 2 TO MT SPOKANE ST PK																																		
			INTRSECTN	B		SR 2																																		
0.03	0.03																																							
0.04	0.04		INTRSECTN	R		MARKET ST																																		
0.09	0.09		BEG SU LN	C		TWO WAY TURN				13A																														
			INTRSECTN	L		CHRIS CT																																		
0.14	0.14																																							
0.17	0.17																																							
0.28	0.28																																							
0.29	0.29		END SU LN	C		TWO WAY TURN				13A																														
			INTRSECTN	L		YALE RD																																		
0.40	0.40																																							
0.52	0.52		UXING	B		BNSF RR																																		
			RR XING	B		BRDG NUM 206/003																																		
0.70	0.70		INTRSECTN	L		LOWE RD																																		
0.87	0.81		EQUATION			000.81 =000.87 ``																																		
0.99	0.93		MP MARKER	R		1																																		
1.00	0.94																																							
1.20	1.14		INTRSECTN	L		FAIRVIEW DR																																		
1.37	1.31		BEG SU LN	C		TWO WAY TURN				12A																														
1.39	1.33		END SU LN	C		TWO WAY TURN				12A																														
1.45	1.39		BEG SU LN	L		AUXILIARY				12A																														
			ENT/EXIT	L		MT SPOKANE HIGH SCHOOL																																		
1.58	1.52		END SU LN	L		AUXILIARY				12A																														
			ENT/EXIT	L		MT SPOKANE HIGH SCHOOL																																		
2.00	1.94		MP MARKER	R		2																																		
2.37	2.31		INTRSECTN	B		BRUCE RD																																		
2.59	2.53																																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-			
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00											
0.04	0.04											
0.09	0.09		.01	13	.03	13	.03	13				
0.70	0.70		.03	12								
1.45	1.39		.04	12					.08	12		
1.58	1.52		.08	12								
2.37	2.31				.07	12						

SR 215 MAINLINE

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE																
:				-XROAD-		LNS SHD RDY SHD			LNS SHD RDY SHD			LNS RDY																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S	
1.18	1.18																											
1.34	1.34		INTRSECTN	L		JUNE ST																						
1.46	1.46		ENT/EXIT	R		CITY PARK																						
1.50	1.50																											
1.53	1.53		ENT/EXIT	R		CITY PARK																						
1.59	1.59		INTRSECTN	L		HARLEY ST																						
1.62	1.62		ENT/EXIT	R		CITY PARK																						
1.70	1.70		BEG SU LN	C		TWO WAY TURN																						
1.71	1.71		INTRSECTN	L		GRETA ST																						
1.73	1.73		EXIT TO	R		CITY PARK																						
2.12	2.12		INTRSECTN	R		NOLAN ST																						
2.15	2.15																											
2.38	2.38		INTRSECTN	R		JOHN ST																						
2.55	2.55		INTRSECTN	R		VALLEY ST																						
2.75	2.75		INTRSECTN	R		RIVER ST																						
2.99	2.99		INTRSECTN	L		CITY ST																						
3.00	3.00		MP MARKER	R		3																						
3.07	3.07		END SU LN	C		TWO WAY TURN																						
3.33	3.33		LEAVE CITY			OKANOGAN																						
			END ST	I		2ND AVE N																						
3.38	3.38		MISC FEATR	L		SGN ENT OKANOGAN																						
			MISC FEATR	R		SGN ENT OMAK																						
3.54	3.54																											
3.64	3.64		INTRSECTN	L		JASMINE ST S																						
3.66	3.66		BEG SU LN	C		TWO WAY TURN																						
			INTRSECTN	L		JASMINE ST S WYE CONN																						
3.68	3.68		ENTER CITY			OMAK																						
3.73	3.73		LEAVE CITY			OMAK																						
3.76	3.76		ENTER CITY			OMAK																						
3.96	3.96		INTRSECTN	B		EMERY ST																						
4.00	4.00		MP MARKER	R		4																						
4.25	4.25		BEG ST	I		OKOMA DR																						
			INTRSECTN	B		SIXTH AVE W																						
4.27	4.27		INTRSECTN	L		FIR ST S																						
4.34	4.34		INTRSECTN	L		HEMLOCK ST S																						
4.49	4.49																											
4.50	4.50		INTRSECTN	R		CITY ST																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.64	3.64			.03	12						

SR 215 MAINLINE

STATE ROUTE - SRSH

COUNTY OKANOGAN

DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																						
:				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL			T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
4.51	4.51																																		
4.54	4.54		INTRSECTN	B		CEDAR ST S																													
4.55	4.55		END ST	I		OKOMA DR	CT																												
			BEG ST	I		FOURTH AVE W																													
			INTRSECTN	L		FOURTH AVE W	CT																												
4.59	4.59		INTRSECTN	B		BIRCH ST S	CT																												
4.66	4.66		INTRSECTN	B		ASH ST S	CT																												
4.70	4.70		INTRSECTN	R		CITY ST	CT																												
4.73	4.73		END ST	I		FOURTH AVE W																													
			BEG ST	I		MAIN ST S																													
			INTRSECTN	R		MAIN ST	CT																												
4.81	4.81		INTRSECTN	L		THIRD AVE W	CT																												
4.87	4.87		INTRSECTN	L		SECOND AVE W	CT																												
4.96	4.96		INTRSECTN	L		1ST ST	CT																												
5.00	5.00		END SU LN	C		TWO WAY TURN	12A																												
5.05	5.05		INTRSECTN	R		SR 155 SPOMAK (SPUR)	ST	SG	Y																										
			INTRSECTN	L		CENTRAL AVE	CT																												
5.11	5.11		BEG SU LN	C		TWO WAY TURN	12A																												
5.16	5.16		INTRSECTN	R		APPLE AVE E	CT																												
			INTRSECTN	L		APPLE AVE W	CT																												
5.23	5.23		INTRSECTN	L		BARTLETT AVE W	CT																												
			INTRSECTN	R		BARTLETT AVE E	CT																												
5.29	5.29		INTRSECTN	L		CHERRY AVE W	CT																												
			INTRSECTN	R		CHERRY AVE E	CT																												
5.30	5.30		END ST	I		MAIN ST S																													
			BEG ST	I		RIVERSIDE DR																													
			INTRSECTN	L		MAIN ST N	CT																												
5.35	5.35		INTRSECTN	L		DEWBERRY AVE W	CT																												
5.41	5.41		INTRSECTN	B		JUNIPER ST N	CT																												
5.61	5.61		INTRSECTN	B		LOCUST ST N	CT																												
5.70	5.70		INTRSECTN	R		MAPLE ST N	CT																												
5.85	5.85		INTRSECTN	L		GRAPE AVE E	CT																												
5.88	5.88		INTRSECTN	B		OAK ST N	CT																												
5.96	5.96		MP MARKER	R		6																													
6.00	6.00		INTRSECTN	L		CITY ST	CT																												
6.01	6.01		INTRSECTN	R		PINE ST	CT																												
6.11	6.11		INTRSECTN	L		QUINCE ST	CT																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.05	5.05			.03	12	.02	12	.03	12		

SR 223 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE	DECREAS/DIV	INCRS/UNDI			SPC	LEGAL		T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S			
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID							
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	1																
			BEG CTLSEC			SR 22 TO SR 82/GRANGER																			
			INTRSECTN	B		CONTROL SECTION 3936	ST		Y																
0.41	0.41					SR 22																			
0.44	0.44		INTRSECTN	L	S	TRACK RD WYE CONN	CO		N																
0.47	0.47		INTRSECTN	B	S	TRACK RD	CO		Y																
0.48	0.48		INTRSECTN	R	S	TRACK RD WYE CONN	CO		N																
0.50	0.50		BEG SU LN	R	AUXILIARY	14A																			
0.51	0.51		BEG SU LN	L	AUXILIARY	14A																			
			END SU LN	R	AUXILIARY	14A																			
			RR XING	B	NUM 104520Y	GRADE																			
0.53	0.53		END SU LN	L	AUXILIARY	14A																			
0.60	0.60																								
0.73	0.73		INTRSECTN	L	CONNIE RD		CO		N																
1.00	1.00		MP MARKER	R	1																				
1.98	1.98		MP MARKER	R	2																				
2.10	2.09		EQUATION		002.09 =002.10																				
2.27	2.26		INTRSECTN	B	INDIAN CHURCH RD		CO		N																
2.47	2.46		BEG BRIDGE	B	YAKIMA RIVER		ST																		
						BRDG NUM 223/005																			
2.62	2.61		END BRIDGE	B	YAKIMA RIVER																				
2.81	2.80		ENTER CITY		GRANGER																				
2.83	2.82		INTRSECTN	L	MAIN ST		CT		Y																
2.87	2.86		MISC FEATR	R	SGN ENT GRANGER																				
3.00	2.99		MP MARKER	R	3																				
3.03	3.02																								
3.15	3.14		INTRSECTN	L	S THIRD ST		CT		Y																
			INTRSECTN	R	EMERALD RD		CT		Y																
3.37	3.36		RR XING	B	NUM 98574M	STRUCTURE																			
			BEG BRIDGE	B	BN RR		ST																		
						BRDG NUM 223/007																			
3.41	3.40		END BRIDGE	B	BN RR																				
3.63	3.62																								
3.68	3.67		INTRSECTN	L	BAILEY AVE		CT		Y																
3.74	3.73		OFF RAMP	R	SR 82		ST		Y	1	1														

INTERSECTION DETAIL

SRMP		B		ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	R	L	R	L	R	L	R	L	R	L	R	L	R
NEAR	NEAR	L	FAR	R	FAR	LEFT	L	CNTR	R	CNTR	RIGHT	L	R
LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.47	0.47											.05	12
0.48	0.48											.04	12

SR 224 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	LNS	RDY	SHD	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
8.73	8.96		INTRSECTN	L		KINGSTON RD	CT	N	2	2		8A	56A	8A		56	3	01	1080	U2						40	R	P	*			
8.74	8.97		BEG SU LN	C		TWO WAY TURN		12A				8A	44A	8A	12	56	3	01	1080	U2						40	R	P	*			
8.79	9.02		END SU LN	C		TWO WAY TURN		12A				8A	56A	8A	\$\$\$	56	3	01	1080	U2						40	R	P	*			
8.85	9.08		INTRSECTN	L		GOMER RD	CT		N																							
8.86	9.09		BEG SU LN	C		TWO WAY TURN		12A				8A	44A	8A	12	56	3	01	1080	U2						40	R	P	*			
9.00	9.23		MP MARKER	R		9																										
9.04	9.27		END SU LN	C		TWO WAY TURN		12A				8A	56A	8A	\$\$\$	56	3	01	1080	U2						40	R	P	*			
9.10	9.33		INTRSECTN	L		JONES RD	CT		Y																							
9.13	9.36		INTRSECTN	R		JONES RD	CT		Y																							
9.19	9.42		BEG SU LN	C		TWO WAY TURN		12A				8A	44A	8A	12	56	3	01	1080	U2						40	R	P	*			
9.40	9.63		END SU LN	C		TWO WAY TURN		12A				8A	56A	8A	\$\$\$	56	3	01	1080	U2						40	R	P	*			
9.43	9.66		BEG BRIDGE	B		CHANNEL OVERFLOW BRDG NUM 224/010	ST					\$\$\$	72P	\$\$\$	72	3	01	1080	U2						40	R	P	*				
9.44	9.67		END BRIDGE	B		CHANNEL OVERFLOW						8A	56A	8A		56	3	01	1080	U2					40	R	P	*				
9.47	9.70		INTRSECTN	L		BUCKSKIN LOOP RD	CT		N																							
9.48	9.71		BEG SU LN	C		TWO WAY TURN		12A				8A	44A	8A	12	56	3	01	1080	U2						40	R	P	*			
9.62	9.85		INTRSECTN	R		HALL RD	CT		Y																							
9.68	9.91		END SU LN	C		TWO WAY TURN		12A				8A	56A	8A	\$\$\$	56	3	01	1080	U2						40	R	P	*			
9.74	9.97		INTRSECTN	L		BUCKSKIN LOOP RD	CT		N																							
9.75	9.98		BEG SU LN	C		TWO WAY TURN		12A				6A	46A	6A	12	58	3	01	1080	U2						40	R	P	*			
9.78	10.01		END SU LN	C		TWO WAY TURN		12A				6A	58A	6A	\$\$\$	58	3	01	1080	U2						40	R	P	*			
9.86	10.09		INTRSECTN	L		TERMINAL DR	CT		Y																							
9.87B	10.10		BEG EQ			BEGIN BACK																										
9.87	10.12		EQUATION			009.89B=009.87																										
			RR XING	B		NUM 310386F GRADE																										
9.88	10.13		INTRSECTN	R		SR 240 WYE CONN	ST	Y	2	2		6A	70A	\$\$C		70	3	01	1080	U2					40	R	P	*				
9.90	10.15		END ST	I		W VAN GIESEN ST																										
			INTRSECTN	B		SR 240	ST	SG	Y																							
			END CTLSEC			CONTROL SECTION 0336																										
			END ROUTE																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.73	8.96		.03	12						
8.85	9.08		.03	12						
9.10	9.33		.03	12						
9.13	9.36				.03	12				
9.47	9.70		.03	12						
9.74	9.97		.03	12						
9.86	10.09		.02	24						
9.90	10.15		.06	24						

SR 231 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S
							-XROAD-	LNS	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S
							OW TC L	D I	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
15.71		15.63							1	1					2A	22A	2A		22	1	01		R3		55	R
15.72		15.64							1	1					2A	22A	2A		22	1	01		R3		25	R
15.76		15.66	EQUATION			015.74 =015.76			1	1				3A	22A	9A		22	1	01		R3		25	R	
			INTRSECTN	R		CO RD	CO	Y																		
15.77		15.67	INTRSECTN	L		CO RD	CO	Y																		
15.83		15.73	INTRSECTN	R		3RD ST S	CO	Y																		
15.91		15.81	INTRSECTN	R		CO RD	CO	Y																		
15.97		15.87	INTRSECTN	R		CO RD	CO	Y																		
15.98		15.88	BEG BRIDGE B			CRAB CREEK	ST		1	1				\$\$\$	37P	\$\$\$		37	1	01		R3		25	R	
			BRDG NUM 231/016			CRAB CREEK			1	1				10A	22A	10A		22	1	01		R3		25	R	
15.99		15.89	END BRIDGE B			CRAB CREEK			1	1				10A	22A	10A		22	1	01		R3		25	R	
			INTRSECTN	R		CO RD	CO	Y																		
16.00		15.90	INTRSECTN	L		BLUESTEM RD	CO	Y																		
16.05		15.95	INTRSECTN	L		CO RD	CO	Y	1	1				2A	22A	2A		22	1	01		R3		25	R	
16.12		16.02	INTRSECTN	R		CO RD	CO	Y	1	1				2A	22A	2A		22	3	01		R3		25	R	
16.30		16.20	RR XING	B		NUM 58658Y GRADE			1	1				2B	22B	2B		22	3	01		R3		25	R	
16.31		16.21	INTRSECTN	L		CO RD WYE CONN	CO	N																		
16.34		16.24	INTRSECTN	L		CO RD	CO	N																		
16.35		16.25	MISC FEATR	L		SGN ENT EDWALL			1	1				2B	22B	2B		22	3	01		R3		55	R	
16.99		16.89	MP MARKER	R		17																				
17.81		17.71	INTRSECTN	R		CLOVERDALE RD	CO	N																		
17.97		17.87	MP MARKER	R		18																				
18.92		18.82	INTRSECTN	B		CO RD	CO	N																		
18.99		18.89	MP MARKER	R		19																				
19.97		19.87	MP MARKER	R		20																				
19.98		19.88	INTRSECTN	B		CO RD	CO	N																		
20.97		20.87	MP MARKER	R		21																				
21.09		20.99	INTRSECTN	B		CO RD	CO	N																		
21.97		21.87	MP MARKER	R		22																				
22.11		22.01							1	1				2A	24A	2A		24	3	01		R3		55	R	
22.46		22.36	INTRSECTN	B		CO RD	CO	N																		
22.94		22.84	MP MARKER	R		23																				
23.47		23.37	INTRSECTN	B		CO RD	CO	N																		
23.94		23.84	MP MARKER	R		24																				
24.92		24.82	MP MARKER	R		25																				
25.27		25.17	INTRSECTN	L		CO RD	CO	N																		
25.93		25.83	MP MARKER	R		26																				
26.42		26.32	INTRSECTN	L		CO RD	CO	N																		
26.92		26.82	MP MARKER	R		27																				
26.93		26.83	INTRSECTN	R		CO RD	CO	N																		
27.92		27.82	INTRSECTN	B		CO RD	CO	N																		
27.93		27.83	MP MARKER	R		28																				
28.11		28.01	BEG COINCI			SR 002					MP261.09			\$\$\$	\$\$\$	\$\$\$		\$\$\$	\$	\$\$\$		\$\$		\$\$	\$	\$

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
							-BRIDGE-	DECREAS/DIV	LFT		RHT		MEDIAN-		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL		T	P	S
OW	TC	L	LNS	SHD	RDY	SHD	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	WID	WID	A	SE				NBR	FC			
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 24 TO SR 395/KENNEWCK			1	1				4B	23B	4B			23	3	01		R2		65	R
			BEG CTLSEC			CONTROL SECTION 0338																				
			INTRSECTN	R		SR 24						ST	N													
			ENT/EXIT	L		HANFORD RESERVATION						PV	N													
1.00	1.00		MP MARKER	R		1																				
1.69	1.69								1	1				4B	23B	4B			23	3	01		R2		65	L
2.00	2.00		MP MARKER	R		2																				
3.00	3.00		MP MARKER	R		3																				
3.99	3.99		MP MARKER	R		4																				
4.99	4.99		MP MARKER	R		5																				
5.98	5.98		MP MARKER	R		6																				
6.98	6.98		MP MARKER	R		7																				
7.02	7.02								1	1				4B	23B	4B			23	3	01		R2		65	R
7.78	7.78								1	1				8A	23B	4B			23	3	01		R2		65	R
7.95	7.95		INTRSECTN	L		BELOIT RD						PV	Y													
7.97	7.97		INTRSECTN	L		BELOIT RD WYE CONN						PV	Y													
7.98	7.98		MP MARKER	R		8																				
8.19	8.19								1	1				4B	23B	4B			23	3	01		R2		65	R
8.98	8.98		MP MARKER	R		9																				
9.44	9.44								1	1				4B	23B	4B			23	3	01		R2		65	L
9.97	9.97		MP MARKER	R		10																				
10.00	10.00		BEG SU LN	B		SLOW VEHICLE								\$\$\$	23B	\$\$\$	60		83	3	01		R2		65	L
10.06	10.06		END SU LN	B		SLOW VEHICLE		30B						4B	23B	4B	\$\$\$		23	3	01		R2		65	L
11.03	11.03		MP MARKER	R		11																				
11.97	11.97		MP MARKER	R		12																				
12.98	12.98		MP MARKER	R		13																				
13.96	13.96		MP MARKER	R		14																				
14.96	14.96		MP MARKER	R		15																				
15.20	15.20								1	1				4B	23B	4B			23	3	01		R2		65	R
15.26	15.26		BEG SU LN	R		SLOW VEHICLE		25B						4B	23B	\$\$\$	25		48	3	01		R2		65	R
15.33	15.33		END SU LN	R		SLOW VEHICLE		25B						4B	23B	4B	\$\$\$		23	3	01		R2		65	R
16.02	16.02		MP MARKER	R		16																				
16.17	16.17		BEG SU LN	L		SLOW VEHICLE		25B						\$\$\$	23B	4B	25		48	3	01		R2		65	R
16.25	16.25		END SU LN	L		SLOW VEHICLE		25B						4B	23B	4B	\$\$\$		23	3	01		R2		65	R
16.97	16.97		MP MARKER	R		17																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
7.95	7.95		.04	12					.05	12
7.97	7.97					.03	12			

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	MTCE		CITY	ST	LEGAL		T	P	S								
							-UXING-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	TOT	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID			
17.27			17.27						1	1						4B	23B	4B			23	3	01		R2		65	R					
17.96			17.96			MP MARKER			R	18																							
18.96			18.96			MP MARKER			R	19																							
19.96			19.96			MP MARKER			R	20																							
20.25			20.25																														
20.48			20.48			INTRSECTN	L				CO			N																			
						INTRSECTN	R				SR			225																			
20.49			20.49			INTRSECTN	L				CO			N																			
20.99			20.99			MP MARKER			R	21																							
21.43			21.43																														
21.81			21.81			MISC FEATR	R																										
21.93			21.93			INTRSECTN	R				CO			N																			
21.96			21.96			MP MARKER			R	22																							
22.36			22.36			ENTER CITY																											
23.00			23.00			BEG SU LN	B				25B			1	1																		
						MP MARKER			R	23																							
23.05			23.05			END SU LN	B				25B			1	1																		
23.99			23.99			MP MARKER			R	24																							
24.01			24.01			INTRSECTN	L				CT			N																			
24.98			24.98			MP MARKER			R	25																							
25.13			25.13			INTRSECTN	B				CT			N																			
25.90			25.90			MP MARKER			R	26																							
26.35			26.35																														
26.64			26.64																														
26.83			26.83																														
26.90			26.90			INTRSECTN	B				CT		Y																				
26.91			26.91			INTRSECTN	B				CT		Y																				
26.93			26.93			INTRSECTN	B				CT		Y																				
27.02			27.02																														
27.08			27.08			MP MARKER			R	27																							
27.18			27.18																														
27.78			27.78			INTRSECTN	L				CT		Y																				
27.79			27.79																														
27.84			27.84																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
20.49		20.49									
26.90		26.90									
26.91		26.91	.04	12							
26.93		26.93			.02	14					
							.09	12			
					.05	12			.05	12	
						.03	12			.11	14

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S												
							-XROAD-	NBR	LFT	RHT	W/S	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T				
27.98			MP MARKER	R		28		1	1											8B	24B	8B				24	3	01	1080	U2			55	L	P		
28.22			MISC FEATR	B		AEC BOUNDARY																															
28.27			INTRSECTN	R		HAGEN RD	CT	Y																													
			INTRSECTN	L		ROBERTSON DR	CT	Y																													
28.29									1	1											2B	24B	2B				24	3	01	1080	U2			55	L	P	
28.32									1	1											8B	24B	8B				24	3	01	1080	U2			55	L	P	
28.51			BEG SU LN	R		AUXILIARY			1	1	12A										4B	23B	4B	12			35	3	01	1080	U2			55	L	P	
28.52									1	1											4A	23A	4A	12			35	3	01	1080	U2			55	L	P	
28.54			BEG SU LN	L		AUXILIARY					12A																										
			END SU LN	R		AUXILIARY					12A																										
			RR XING	B		NUM 310401F GRADE																															
28.57			END SU LN	L		AUXILIARY			1	1	12A										4A	23A	4A	\$\$\$			23	3	01	1080	U2			55	L	P	
28.62									1	1											3A	23A	3A				23	3	01	1080	U2			55	L	P	
28.71									1	1											8A	24A	10A				24	3	01	1080	U2			55	L	P	
28.83			INTRSECTN	L		STEVENS DR WYE CONN	CT	Y																													
30.63			EQUATION			028.86 =030.63			2	2	8A 24A		16A	UP	\$\$\$	24A 11A					48	3	01			1080	U1							55	L	P	
			INTRSECTN	L		COAST ST	CT	SG	Y																												
			INTRSECTN	L		STEVENS DR	CT	SG	Y																												
30.81									2	2	8A 24A		16A	JE		24A 11A					48	3	01			1080	U1							55	L	P	
31.01			MP MARKER	B		31																															
31.40									2	2	8A 24A		16A	UP		24A 11A					48	3	01			1080	U1							55	L	P	
31.43			INTRSECTN	R		AIRPORT RD	CT	SG	Y																												
31.56									2	2	8A 24A		16A	JE		24A 11A					48	3	01			1080	U1							55	L	P	
31.92									2	2	8A 24A		16A	UP		24A 11A					48	3	01			1080	U1							55	L	P	
31.99			MP MARKER	B		32																															
			INTRSECTN	L		VAN GIESEN ST WYE CONN	CT	Y																													
32.02			INTRSECTN	L		VAN GIESEN ST	CT	SG	Y	2	2	10A 24A		16A	UP	24A 11A					48	3	01			1080	U1							55	L	P	
			INTRSECTN	R		SR 224	ST	SG	Y																												
32.04			INTRSECTN	R		SR 224 WYE CONN	ST	Y																													
32.27									2	2	10A 24A		16A	JE		24A 11A					48	3	01			1080	U1							55	L	P	
32.89									2	2	10A 24A		16A	UP		24A 11A					48	3	01			1080	U1							55	L	P	
33.00			MP MARKER	R		33																															
33.02			INTRSECTN	L		SWIFT BLVD	CT	SG	Y																												
			INTRSECTN	R		CEMETERY RD	CT	SG	Y																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
30.63		28.86	.03	.10	.09	.16				
31.43		29.66		.02	.03	.15				
32.02		30.25	.06	.08	.08	.24	.02	.12		
33.02		31.25	.04	.16		.16				

SR 240 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																			
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S													
						:DIRECTION TO INVENTORY	-XROAD-	NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
						:LEFT/RIGHT INDICATOR	OW TC L	D I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
33.05			31.28						2	2	10A	24A			16A	UP				24A	11A			48	3	01	1080	U1			55	L	P			
33.12			31.35						2	2	10A	24A			16A	JE				24A	11A			48	3	01	1080	U1			55	L	P			
33.74			31.97						2	2	10A	24A			16A	UP				24A	11A			48	3	01	1080	U1			55	L	P			
33.86			32.09			INTRSECTN	L																													
						INTRSECTN	R																													
33.97			32.20						2	2	10A	24A			16A	JE				24A	11A			48	3	01	1080	U1			55	L	P			
34.01			32.24			MP MARKER	R		3	2	10A	36A			16A	JE				24A	10A			60	3	01	1080	U1			55	L	P			
34.31			32.54						3	2	10A	36A			16A	JE				24A	10A			60	3	01	1080	U1			55	L	P			
34.57			32.80			OFF RAMP	R																													
34.58			32.81			ON RAMP	L																													
34.65			32.88			MISC FEATR	L																													
34.68			32.91			MISC FEATR	R																													
34.71			32.94						1	2	8A	14A			16A	UP				24A	10A			38	3	01	1080	U1			55	L	P			
34.76			32.99			INTRSECTN	L																													
						INTRSECTN	R																													
34.80			33.03			BEG BRIDGE	B																													
									1	2	\$\$\$	22A			13A	JE				33A	\$\$\$			55	3	01	1080	U1			55	L	P			
34.87			33.10			END BRIDGE	B																													
						LEAVE CITY																														
						BEG COINCI																														
						END CTLSEC																														
36.05			34.22			ENTER CITY			1	2	C	38A			12A	JE				34A	C			72	3	01	1080	U1			55	L	P			
						EQUATION																														
						BEG CTLSEC																														
						BEG BRIDGE	B																													
						END COINCI																														
36.13			34.30			END BRIDGE	B																													
						ON RAMP	L																													
36.21			34.38			MISC FEATR	L																													
36.24			34.41			UXING	B																													
36.25			34.42			MISC FEATR	R																													
36.41			34.58			MISC FEATR	L																													
36.45			34.62			ON RAMP	R																													
36.47			34.64			BEG BRIDGE	B																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--		
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	
33.86			32.09				.05	16			.05	16
34.76			32.99				.02	12			.02	12

SR 243 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID								
0.00	0.00		BEG ROUTE			MAIN ROUTE			1	1				6B	24B	6B		24	2	02		R2	60	R	
			BEG CTLSEC			SR 24/VERNITA TO SR 26																			
			INTRSECTN	R		SR 24			ST	Y															
0.02	0.02		INTRSECTN	R		SR 24 WYE CONN			ST	Y															
0.61	0.61		INTRSECTN	R		L SW			CO	N															
0.81	0.81										1	1			3B	23B	3B		23	2	02		R2	60	R
1.00	1.00		MP MARKER	R		1																			
2.00	2.00		MP MARKER	R		2																			
2.99	2.99		MP MARKER	R		3																			
3.76	3.76		INTRSECTN	R		O SW			CO	N															
3.99	3.99		MP MARKER	R		4																			
4.99	4.99		MP MARKER	R		5																			
5.99	5.99		MP MARKER	R		6																			
6.98	6.98		MP MARKER	R		7																			
7.17	7.17		INTRSECTN	R		R SW			CO	N															
7.98	7.98		MP MARKER	R		8																			
8.55	8.55		INTRSECTN	L		S SW			CO	N	1	1		5B	23B	6B		23	2	02		R2	60	R	
8.67	8.67		INTRSECTN	L		ORCHARD DR			CO	N															
8.94	8.94		MP MARKER	R		9																			
9.89	9.89		INTRSECTN	B		DESERT AIRE DR			CO	Y	1	1		6B	23B	5B		23	2	02		R2	60	R	
9.94	9.94		MP MARKER	R		10																			
10.93	10.93		MP MARKER	R		11																			
11.90	11.90		INTRSECTN	B		26 SW			CO	N															
11.96	11.96		MP MARKER	R		12																			
12.32	12.32		INTRSECTN	R		RD TO REFUSE BOX			CO	N	1	1		6B	23B	6B		23	2	02		R2	60	R	
12.95	12.95		MP MARKER	R		13																			
13.94	13.94		INTRSECTN	B		24 SW			CO	Y															
13.96	13.96		MP MARKER	R		14																			
14.98	14.98		MP MARKER	R		15																			
15.11	15.11		INTRSECTN	L		23 SW			CO	N															
15.95	15.95		MP MARKER	R		16																			
16.94	16.94		MP MARKER	R		17																			
17.94	17.94		MP MARKER	R		18																			
18.98	18.95		EQUATION			018.95 =018.98																			
			MP MARKER	R		19																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.89	9.89		.03	11			.03	11						
13.94	13.94		.03	11			.03	11						

SR 243 MAINLINE STATE ROUTE - SRSH COUNTY GRANT DOT DISTRICT 2

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																					
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE			TOT																						
: :				-XROAD-		SHD RDY SHD			SHD RDY SHD			LNS			RDY																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S							
															WD/S	BR	W/S	W/S	W/S					A	SE	NBR	FC	D	IB	R	K	T					
19.00	18.97																																				
19.60	19.57	BEG	BRIDGE	B		CRAB CREEK	ST																														
						BRDG NUM 243/010																															
19.63	19.60	END	BRIDGE	B		CRAB CREEK																															
19.95	19.92	MISC	FEATR	R		SGN ENT SCHAWANA																															
19.98	19.95	MP	MARKER	R		20																															
20.03	20.00	INTRSECTN		B		MORRISON RD	CO																														
20.13	20.10	INTRSECTN		B		D ST	CO																														
20.23	20.20	INTRSECTN		B		C ST	CO																														
20.34	20.31	INTRSECTN		B		B ST	CO																														
20.44	20.41	INTRSECTN		R		A ST	CO																														
20.97	20.94	MP	MARKER	R		21																															
21.04	21.01	INTRSECTN		R		LOWER CRAB CREEK RD	CO																														
21.23	21.20	UXING		B		MILW RR	ST																														
						BRDG NUM 243/015																															
						RR XING	B																														
21.79	21.76	INTRSECTN		R		BEVERLY-BURKE RD	CO																														
21.96	21.93	MP	MARKER	R		22																															
22.23	22.20	INTRSECTN		R		15.8 SW	CO																														
22.94	22.91	INTRSECTN		R		WANAPUM VILLAGE LANE SW	CO																														
22.97	22.94	MP	MARKER	R		23																															
23.07	23.04	INTRSECTN		R		VILLAGE LOOP SW	CO																														
23.18	23.15	INTRSECTN		R		VILLAGE LOOP SW	CO																														
23.28	23.25	INTRSECTN		R		CO RD	CO																														
23.84	23.81																																				
23.99	23.96	MP	MARKER	R		24																															
24.22	24.19	INTRSECTN		L		WANAPUM DAM RD	CO																														
24.48	24.45	INTRSECTN		L		WANAPUM DAM RD	CO																														
24.61	24.58	INTRSECTN		R		VISTA POINT RD	CO																														
24.98	24.95	MP	MARKER	R		25																															
25.98	25.95	MP	MARKER	R		26																															
26.94	26.91	MP	MARKER	R		27																															
27.98	27.95	MP	MARKER	R		28																															
28.23	28.20	INTRSECTN		L		SR 26 WYE CONN	ST																														
28.26	28.23	INTRSECTN		B		SR 26	ST																														
						END CTLSEC																															
						END ROUTE																															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
24.22	24.19			.03	12						

SR 260 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	MTCE		CITY	ST	LEGAL		T	P	S														
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1			2B	22B	2B											R3						55	R			
			BEG CTLSEC			SR 17 TO SR 26/WASHTUCNA																															
			INTRSECTN	B		CONTROL SECTION 1130					ST	SS	N																								
0.78	0.78					SR 17								5B	22B	5B																					
0.99	0.99		MP MARKER	R		1																															
1.48	1.48		INTRSECTN	R		AUBERT RD	CO		N	1	1			4G	22B	3G																					
1.99	1.99		MP MARKER	R		2																															
2.04	2.04		INTRSECTN	B		DILLING LN	CO		N	1	1			4G	22B	4G																					
2.99	2.99		MP MARKER	R		3																															
3.05	3.05		INTRSECTN	B		WAREHOUSE LN	CO		N																												
3.07	3.07		BEG BRIDGE	B		IRRIGATION CANAL	ST			1	1			\$\$\$	36B	\$\$\$																					
						BRDG NUM 260/003																															
3.08	3.08		END BRIDGE	B		IRRIGATION CANAL				1	1			3G	22B	4G																					
3.99	3.99		MP MARKER	R		4																															
4.06	4.06		INTRSECTN	L		BUEHLER LN	CO		N	1	1			4G	22B	4G																					
			INTRSECTN	R		CO RD #18-20	CO		N																												
4.99	4.99		MP MARKER	R		5																															
5.06	5.06		INTRSECTN	L		MOON RD	CO		N	1	1			3G	22B	3G																					
5.39	5.39		ENT/EXIT	L		ACCESS RD	CO		N																												
5.56	5.56		INTRSECTN	L		WELCH RD	CO		N	1	1			8B	22B	8B																					
5.82	5.82		INTRSECTN	L		W CLARK ST	CO		Y																												
6.01	6.01		MP MARKER	R		6																															
6.33	6.33		BEG BRIDGE	B		ESQUATZEL COULEE	ST			1	1			\$\$\$	40P	\$\$\$																					
						BRDG NUM 260/006																															
6.38	6.38		END BRIDGE	B		ESQUATZEL COULEE				1	1			8B	22B	8B																					
6.48	6.48		RR XING	B		NUM 89690C STRUCTURE				1	1			\$\$\$	40P	\$\$\$																					
			BEG BRIDGE	B		BN RR	ST																														
						BRDG NUM 260/008																															
6.51	6.51		END BRIDGE	B		BN RR				1	1			8B	22B	8B																					
			ENTER CITY			CONNELL																															
6.68	6.68		INTRSECTN	B		FIR ST	CT		Y																												
7.00	7.00													8B	22B	8B																					
7.04	7.04		MP MARKER	R		7																															
7.20	7.20		INTRSECTN	B		S COLUMBIA AVE	CT		Y	1	1			8A	24A	8A																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.82	5.82		.03	12						
6.68	6.68		.03	12		.03	12			
7.20	7.20		.02	12		.03	12			

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----												
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT															
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE																						
						SR 195/PULLMAN TO IDAHO																						
			BEG CTLSEC			CONTROL SECTION 3831																						
			INTRSECTN	B		SR 195																						
0.06	0.06		OFF RAMP	L		SR 195 NB																						
0.70	0.70		ENTER CITY			PULLMAN																						
0.76	0.76		MISC FEATR	R		SGN ENT PULLMAN																						
0.85	0.85		INTRSECTN	R		GOLDEN HILLS DR																						
0.99	0.99		INTRSECTN	R		CITY ST																						
1.16	1.16																											
1.22	1.22		BEG ST	I		DAVIS WAY																						
			INTRSECTN	R		CORY LN																						
1.44	1.44		INTRSECTN	R		PARK WEST DR																						
1.57	1.57		BEG SU LN	L		CLIMBING																						
			INTRSECTN	R		WAWAWAI RD																						
2.00	2.00		MP MARKER	R		2																						
2.03	2.03		INTRSECTN	R		OLSEN ST																						
2.11	2.11																											
2.16	2.16		INTRSECTN	L		TRANSIT AREA																						
2.19	2.19		END SU LN	L		CLIMBING																						
			INTRSECTN	L		STATE ST																						
2.25	2.25		INTRSECTN	L		SR 27 WYE CONN																						
2.27	2.27		END ST	I		DAVIS WAY																						
			BEG ST	I		GRAND																						
			INTRSECTN	L		SR 27																						
			INTRSECTN	L		OLSON ST																						
2.33	2.33		INTRSECTN	L		SR 270 WB WYE CONN																						
2.34	2.34		INTRSECTN	L		SR 270 WB																						
			INTRSECTN	R		MAIN ST																						
			MISC FEATR	D		COUPLER - PULLMN																						
2.40	2.40		END ST	I		GRAND																						
			BEG ST	I		PARADISE																						
			INTRSECTN	R		SR 27-GRAND AVE																						
2.43	2.43		INTRSECTN	B		HIGH ST																						
2.48	2.48																											
2.51	2.51		INTRSECTN	B		KAMIAKEN ST																						

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.85	0.85					.03	11				
2.27	2.27					.04	10				

SR 282 MAINLINE

STATE ROUTE - SRSH

COUNTY GRANT

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
						:DIRECTION TO INVENTORY	-XING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
						:	OW	TC	L	D	I	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	
0.00	0.00		BEG ROUTE			MAIN ROUTE																				
						SR 28/EPHRATA TO SR 17																				
			ENTER CITY			EPHRATA																				
			BEG CTLSEC			CONTROL SECTION 1342																				
			INTRSECTN	B		SR 28	ST	SS	Y																	
0.01	0.01		INTRSECTN	R		SR 28 WYE CONN	ST		Y																	
0.09	0.09		RR XING	B		NUM 65780H STRUCTURE																				
			BEG BRIDGE	B		BN RR	ST																			
						BRDG NUM 282/002																				
0.12	0.12		END BRIDGE	B		BN RR																				
0.20	0.20		LEAVE CITY			EPHRATA																				
0.26	0.26																									
0.29	0.29		INTRSECTN	R		DODSON RD	CO	Y	1	1																
			INTRSECTN	L		A ST SE	CO		Y																	
0.31	0.31		MISC FEATR	L		SGN ENT EPHRATA																				
1.00	1.00		MP MARKER	R		1																				
1.06	1.06		INTRSECTN	B		SOUTHEAST BLVD	CO		Y																	
1.08	1.08		INTRSECTN	L		SOUTHEAST BLVD WYE CONN	CO		Y																	
1.58	1.58																									
1.99	1.99		MP MARKER	R		2																				
2.68	2.68		INTRSECTN	R		A NW RD	CO	RS	N																	
2.98	2.98		MP MARKER	R		3																				
3.98	3.98		MP MARKER	R		4																				
4.85	4.85		INTRSECTN	L		SR 17 WYE CONN	ST		Y																	
4.87	4.87		INTRSECTN	L		SR 17 S BND	ST		Y																	
4.88	4.88		INTRSECTN	L		SR 17 WYE CONN	ST		Y																	
4.92	4.92		INTRSECTN	L		SR 17 N BND	ST		Y																	
			END CTLSEC			CONTROL SECTION 1342																				
			END ROUTE																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.29	0.29		.04	12	.02	12	.03	12						
1.08	1.08								.06	12				
4.88	4.88		.02	14							.04	21		

SR 285 MAINLINE

STATE ROUTE - SRSH

COUNTY CHELAN

DOT DISTRICT 2

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----												
					:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT W/S W/S W/S		USE LNS	TOT RDY	MTCE A SE	CITY NBR	ST FC	LEGAL SPEED D IB	T R	P K	S T				
1.73	1.73	INTRSECTN	B	PALOUSE ST	CT	SG	Y	3							C 50A	C		50	1	01	1405	U1	30	L	B	*	
1.83	1.83	INTRSECTN	B	FIRST ST	CT	SG	Y																				
1.93	1.93	INTRSECTN	B	SECOND ST	CT	SG	Y																				
2.06	2.06	INTRSECTN	L	WHITMAN WAY	CT		Y																				
2.09	2.09	INTRSECTN	R	WHITMAN WAY	CT		Y																				
2.15	2.15	INTRSECTN	R	FOURTH ST	CT		Y																				
2.21	2.21	INTRSECTN	B	FIFTH ST	CT	SG	Y																				
2.38	2.38	INTRSECTN	B	SEVENTH ST	CT	SG	Y																				
2.56	2.56	INTRSECTN	B	NINTH ST	CT	SG	Y																				
2.78	2.78							3							C 50A	C		50	1	01	1405	U1	30	L	P	*	
2.80	2.80							2							C 50A	C		50	1	01	1405	U1	30	L	P	*	
2.86	2.86	END ST	I	MISSION ST				2	2						C 56A	C	12	68	1	01	1405	U1	30	L	L	*	
		BEG SU LN	C	TWO WAY TURN			12A																				
		BEG ST	I	MILLER ST																							
		INTRSECTN	L	SR 285 COWENTCH (COUPLT)	ST	SG	Y																				
		MISC FEATR	D	COUPLT - COWENTCH				SG	Y																		
3.00	3.00							2	2						C 56A	C	12	68	1	01	1405	U1	30	L	P	*	
3.01	3.01	INTRSECTN	R	WENATCHEE AVE WYE CONN	CT		Y																				
3.02	3.02	END SU LN	C	TWO WAY TURN			12A								C 68A	C	\$\$\$	68	1	01	1405	U1	30	L	P	*	
3.05	3.05	END ST	I	MILLER ST				3	2						C 78A	C		78	1	01	1405	U1	30	L	P	*	
		BEG ST	I	WENATCHEE AVE																							
		INTRSECTN	R	WENATCHEE AVE	CT	SG	Y																				
		INTRSECTN	R	MILLER ST	CT	SG	Y																				
3.16	3.16	INTRSECTN	B	MAPLE ST	CT	SG	Y	3	2						C 78A	C		78	1	01	1405	U1	35	L	P	*	
3.17	3.17	INTRSECTN	L	MAPLE ST WYE CONN	CT		Y																				
3.21	3.21	BEG SU LN	C	TWO WAY TURN			11A								C 51A	C	11	62	1	01	1405	U1	35	L	P	*	
3.47	3.47	INTRSECTN	L	MCKITTRICK ST	CT		Y																				
3.68	3.68	END SU LN	C	TWO WAY TURN			11A								C 62A	C	\$\$\$	62	1	01	1405	U1	35	L	P	*	
		INTRSECTN	R	HAWLEY ST	CT	SG	Y																				
3.71	3.71	BEG SU LN	C	TWO WAY TURN			11A								C 51A	C	11	62	1	01	1405	U1	35	L	P	*	
3.73	3.73	INTRSECTN	L	WALNUT ST	CT		Y																				
3.96	3.96	END SU LN	C	TWO WAY TURN			11A								C 62A	C	\$\$\$	62	1	01	1405	U1	35	L	P	*	
4.03	4.03	INTRSECTN	L	MAIDEN LN	CT	SG	Y																				
		ENT/EXIT	R	BUSINESS	PV	SG	Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
2.86	2.86	.06	12						
3.05	3.05			.04	13				
3.16	3.16	.04	13	.04	13				
3.68	3.68			.03	11				
4.03	4.03	.04	11	.04	11	.04	12		

SR 285 MAINLINE

STATE ROUTE - SRSH

COUNTY CHELAN

DOT DISTRICT 2

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---								
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S		
						:DIRECTION TO INVENTORY	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
						:LEFT/RIGHT INDICATOR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
						:	OW	TC	L	WD	S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
4.04	4.04		INTRSECTN	B		HORSE LAKE RD	CT	SG	Y																
4.17	4.17																								
4.25	4.25		LEAVE CITY			WENATCHEE																			
4.36	4.36		END ST	I		WENATCHEE AVE																			
			BEG BRIDGE	I		WENATCHEE RIVER	ST																		
						BRDG NUM 285/020E																			
			BEG BRIDGE	D		WENATCHEE RIVER	ST																		
						BRDG NUM 285/020W																			
4.37	4.37		RR XING	B		NUM 065842D STRUCTURE																			
4.48	4.48		END BRIDGE	I		WENATCHEE RIVER																			
			END BRIDGE	D		WENATCHEE RIVER																			
			ON RAMP	L		PENNY RD	ST																		
4.58	4.58		OFF RAMP	R		EASY ST	ST																		
4.65	4.65		MISC FEATR	R		GORE(P100458)																			
4.80	4.80		ON RAMP	L		SR 2	ST	Y																	
4.81	4.81		MISC FEATR	L		GORE(S100448)																			
4.89	4.89		BEG BRIDGE	B		PENNY RD	ST																		
						BRDG NUM 285/025																			
4.92	4.92		END BRIDGE	B		PENNY RD																			
4.93	4.93		OFF RAMP	R		SR 2 EB	ST	Y																	
			MISC FEATR	L		GORE(SR2 R511892)																			
4.99	4.99		MISC FEATR	L		GORE (SR 2 Q511892)																			
5.02	5.02		MISC FEATR	R		GORE (SR 2 Q111898)																			
5.04	5.04		MISC FEATR	B		SR 2 OXING EPS (END RTE)																			
			END CTLSEC			CONTROL SECTION 0422																			
			END ROUTE																						

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.17	4.17		.05	11	.06	15	.03	11	.04	12				

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL	T	P	S	
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
0.00B	0.00		BEG ROUTE			MAIN ROUTE SR 2/SPOKANE TO IDAHO																				
			ENTER CITY			SPOKANE																				
			BEG EQ			BEGIN BACK																				
			BEG CTLSEC			CONTROL SECTION 3234																				
			BEG ST	I		MAIN AVE																				
0.10B	0.10		LEAVE CITY			SPOKANE																				
			END ST	I		MAIN AVE																				
			BEG COINCI			SR 002																				
			END CTLSEC			CONTROL SECTION 3234																				
			INTRSECTN	B		SR 2-DIVISION ST																				
0.00	0.18		ENTER CITY			SPOKANE																				
			EQUATION			000.18B=000.00																				
			BEG CTLSEC			CONTROL SECTION 3234																				
			BEG ST	I		TRENT AVE																				
			INTRSECTN	B		SR 2-DIVISION ST																				
			END COINCI			SR 002																				
0.09	0.27		INTRSECTN	L		RIVERPOINT BLVD																				
			INTRSECTN	R		PINE ST																				
0.14	0.32																									
0.18	0.36		INTRSECTN	R		BUSINESS																				
0.24	0.42																									
0.25	0.43		BEG SU LN	C		TWO WAY TURN																				
0.34	0.52		END SU LN	C		TWO WAY TURN																				
			INTRSECTN	R		FRONT ST																				
0.40	0.58		INTRSECTN	L		RIVERPOINT BLVD																				
0.47	0.65		BEG BRIDGE	B		SPOKANE RIVER																				
						BRDG NUM 290/004																				
0.56	0.74		END BRIDGE	B		SPOKANE RIVER																				
0.66	0.84		INTRSECTN	L		CINCINNATI ST																				
			INTRSECTN	R		BUSINESS																				
0.74	0.92		INTRSECTN	L		HAMILTON ST																				
			INTRSECTN	R		SR 290 SPHAMLTN (SPUR)																				

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.18		.04	12			.04	12						
0.34	0.52						.01	16						
0.40	0.58		.03	16										
0.66	0.84		.03	12			.02	12						
0.74	0.92		.05	12	.06	12	.04	12						

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----											
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T						
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S					
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
7.75	7.93								2	2				4A	44A	4A		44	1	02		U1	50	L	*				
7.83	8.01		INTRSECTN	L		LOCKWOOD RD	CO	Y																					
7.99	8.17		MP MARKER	R		8																							
8.08	8.26		INTRSECTN	L		STEGNER RD	CO	Y																					
8.18	8.36		INTRSECTN	L		PIT RD	CO	Y																					
8.42	8.60		INTRSECTN	R		SR 27 WYE CONN	ST	Y																					
8.43	8.61		INTRSECTN	L		PINES RD	CO	SG	Y																				
			INTRSECTN	R		SR 27-PINES RD	ST	SG	Y																				
8.45	8.63								2	2				4A	48A	4A		48	1	02		U1	50	L	*				
8.47	8.65								2	2				8A	44A	8A		44	1	02		U1	50	L	*				
8.53	8.71		BEG SU LN	R		AUXILIARY	11A		2	2				8A	44A	8A	11	55	1	02		U1	50	L	*				
8.58	8.76								2	2	4A	24A		17A	CU	\$\$\$	24A	4A	11	59	1	02		U1	50	L	*		
8.59	8.77		RR XING	B		NUM 66250W GRADE																							
8.62	8.80		END SU LN	R		AUXILIARY	11A		2	2	4A	24A		17A	CU		24A	4A	\$\$\$	48	1	02		U1	50	L	*		
8.65	8.83		BEG BRIDGE I			SPOKANE RIVER	ST		2	2	\$\$\$	32P	C	170	\$\$		C	32A	\$\$\$	64	1	02		U1	50	L	*		
			BEG BRIDGE D			BRDG NUM 290/015S																							
			BEG BRIDGE D			SPOKANE RIVER	ST																						
			BEG BRIDGE D			BRDG NUM 290/015N																							
8.74	8.92		END BRIDGE I			SPOKANE RIVER			2	2	4A	24A		\$	17A	CU		\$	24A	4A		48	1	02		U1	50	L	*
			END BRIDGE D			SPOKANE RIVER																							
8.86	9.04								2	2	\$\$\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$		8A	48A	8A		48	1	02		U1	50	L	*
8.91	9.09		INTRSECTN	L		WOODLAWN RD	CO	Y																					
9.00	9.18		MP MARKER	R		9																							
9.02	9.20		INTRSECTN	L		MCDONALD RD	CO	Y																					
9.42	9.60		INTRSECTN	L		AVALON RD	CO	Y																					
9.51	9.69		INTRSECTN	B		EVERGREEN RD	CO	SG	Y																				
9.76	9.94		INTRSECTN	L		BEST RD	CO	Y																					
9.87	10.05		INTRSECTN	L		ELLEN RD	CO	Y																					
9.95	10.13		MP MARKER	R		10																							
10.02	10.20		INTRSECTN	L		ADAMS RD	CO	Y																					
10.14	10.32		INTRSECTN	L		BURNS RD	CO	Y																					
10.27	10.45		INTRSECTN	L		PROGRESS RD	CO	Y																					
10.33	10.51		ON RAMP	L		SULLIVAN RD	ST	Y																					
10.35	10.53		OFF RAMP	R		SULLIVAN RD	ST	Y																					
10.42	10.60		MISC FEATR	R		GORE (P101035)																							
10.43	10.61		MISC FEATR	L		GORE (S101033)																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.43	8.61		.04	13		.04	12			
9.51	9.69		.04	13		.03	13			

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----						
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S		
:DIRECTION TO INVENTORY						NBR	LFT	RHT	LFT	RHT	USE	TOT	A	SE	NBR	FC	D	IB	R	K	T		
:LEFT/RIGHT INDICATOR						LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
:						D I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
:						OW	TC	L	WD	S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
10.44																							
10.45																							
10.53			UXING		B	SULLIVAN RD																	
						BRDG NUM 290/018																	
10.59																							
10.63			MISC FEATR		R	GORE (Q101074)																	
10.64			MISC FEATR		L	GORE (R101074)																	
10.74			ON RAMP		R	SULLIVAN RD																	
			OFF RAMP		L	SULLIVAN RD																	
11.00			MP MARKER		R	11																	
11.12			INTRSECTN		L	LILLIAN RD																	
11.54			INTRSECTN		B	FLORA RD																	
11.69																							
12.00			MP MARKER		R	12																	
12.24			INTRSECTN		L	MONTE DELREY DR																	
12.50			INTRSECTN		R	BARKER RD																	
12.53			INTRSECTN		L	OLD SR 290																	
12.61																							
12.85			UXING		I	OLD SR 290																	
						BRDG NUM 290/021																	
12.93																							
12.94																							
12.95			MP MARKER		R	13																	
13.00																							
13.57																							
13.58			INTRSECTN		L	CAMPBELL RD																	
14.00			MP MARKER		R	14																	
14.63			INTRSECTN		B	HARVARD RD																	
14.94			MP MARKER		R	15																	
15.16			INTRSECTN		L	LYNDEN RD																	
15.28			INTRSECTN		R	MCKINZIE RD																	
15.96			MP MARKER		R	16																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.54			.03	12	.03	12								
12.24			.04	12										
12.50					.08	12	.04	12						
13.58			.03	12										
14.63			.03	12	.03	12	.03	12						
15.28					.03	12	.03	12						

SR 290 SPUR
HAMLTN

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	-XROAD-		MEDIAN-		INCRS/UNDI		USE	TOT	LEGAL		T	P	S	
:DIRECTION TO INVENTORY							-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
: :LEFT/RIGHT INDICATOR							OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T
: :																											
0.74	0.00		BEG ROUTE			HAMLTN SR 290 TO SR 90 UX WB		2	2	C	52A	C	3P	C	29A	C		81	1	02	1220	U1	25	R	P	*	
			ENTER CITY			SPOKANE																					
			BEG CTLSEC			CONTROL SECTION 3220																					
			BEG ST	I		HAMILTON ST																					
			INTRSECTN	B		SR 290	ST																				
			INTRSECTN	C		MEDIAN XROAD	ST																				
0.75	0.01					SPOKANE RIVER		2	2	W	52A	W	3P	W	29A	W		81	1	02	1220	U1	25	R	P	*	
0.82	0.08		BEG BRIDGE	B		SPOKANE RIVER	ST	2	2	W	40P	W	8P	JE	W	28P	W	68	1	02	1220	U1	25	R	P	*	
						BRDG NUM 290/004.5																					
0.96	0.22							2	2	W	32P	W	6P	JE	W	32P	W	64	1	02	1220	U1	25	R	P	*	
1.00	0.26		MP MARKER	L		1																					
1.08	0.34		END BRIDGE	B		SPOKANE RIVER		3	1	8A	38A	4A	6A	JE	\$	13A	\$	51	1	02	1220	U1	25	R	P	*	
			OFF RAMP	R		2ND AVE	ST																				
			OFF RAMP	RC		SR 90 WB	ST																				
1.11	0.37							3	1	8A	38A	4A	6A	JE	6A	13A		51	1	02	1220	U1	25	R	P	*	
1.14	0.40							3	1	8A	38A	4A	6A	JE	6A	12A	8A	50	1	02	1220	U1	25	R	P	*	
1.15	0.41		ON RAMP	L		2ND AVE	ST	Y	2	1	8A	27A	4A	6A	JE	6A	12A	8A	39	1	02	1220	U1	25	R	P	*
1.17	0.43		ON RAMP	L		SR 90 WB	ST	Y	1	1	8A	13A	8A	6A	JE	6A	12A	8A	25	1	02	1220	U1	25	R	P	*
1.18	0.44		MISC FEATR	RC		GORE (SR 90 S128118)		1	1	8A	13A	8A	6A	JE	5A	16A	8A	29	1	02	1220	U1	25	R	P	*	
1.20	0.46		MISC FEATR	R		GORE (P100108S)																					
1.21	0.47							1	1	8A	13A	8A	2000	\$\$	5A	16A	8A	29	1	02	1220	U1	25	R	P	*	
1.23	0.49							1	1	8A	13A	8A	2500		5A	16A	8A	29	1	02	1220	U1	25	R	P	*	
1.25	0.51		BEG BRIDGE	I		2ND AVE	ST	1	1	8A	13A	8A	3000		\$\$W	28P	\$\$W	41	1	02	1220	U1	25	R	P	*	
						BRDG NUM 290/4.6E-E																					
1.28	0.54		END BRIDGE	I		2ND AVE		1	1	8A	13A	8A	3250		C	22A	8A	35	1	02	1220	U1	25	R	P	*	
1.29	0.55		BEG BRIDGE	D		2ND AVE	ST	1	1	\$\$W	64P	\$\$W	3500		C	22A	8A	86	1	02	1220	U1	25	R	P	*	
						BRDG NUM 290/004.6N																					
1.30	0.56							1	1	W	26P	W	3750		C	22A	8A	48	1	02	1220	U1	25	R	P	*	
1.34	0.60		END BRIDGE	D		2ND AVE		\$	1	\$	\$\$\$	\$	\$\$\$		C	22A	8A	22	1	02	1220	U1	25	R	P	*	
1.37	0.63		UXING	I		E-W RAMP	ST																				
						BRDG NUM 290/4.7E-W																					
1.41	0.67		END ST	I		HAMILTON ST																					
			UXING	I		SR 90 WB	ST																				
						BRDG NUM 090/562N																					
			END CTLSEC			CONTROL SECTION 3220																					
			END SECTN			HAMLTN																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.74	0.00				.17	12				

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																					
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																				
						:DIRECTION TO INVENTORY	-XING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	MTCE	CITY	ST	LEGAL	T	P	S																	
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S															
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T								
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 2/SPOKANE TO SR 231		2	2	C	37P			2P	CU			24P		C			61	1	02	1220	U1			35	R	P	*					
			ENTER CITY			SPOKANE																																
			BEG CTLSEC			CONTROL SECTION 3236																																
			BEG ST	I		FRANCIS ST																																
			INTRSECTN	B		SR 2																																
0.06	0.06																																					
0.07	0.07		INTRSECTN	B		ATLANTIC ST																																
0.13	0.13		BEG SU LN	C		TWO WAY TURN	12A																															
			INTRSECTN	B		NORMANDIE ST																																
0.19	0.19		INTRSECTN	B		CALISPEL ST																																
0.26	0.26		INTRSECTN	B		WHITEHOUSE ST																																
0.32	0.32		INTRSECTN	B		WASHINGTON ST																																
0.38	0.38		INTRSECTN	B		STEVENS ST																																
0.44	0.44		END SU LN	C		TWO WAY TURN	12A																															
			INTRSECTN	B		HOWARD ST																																
0.50	0.50		INTRSECTN	B		WALL ST																																
0.56	0.56		INTRSECTN	L		POST ST																																
0.57	0.57		BEG SU LN	C		TWO WAY TURN	11A																															
0.60	0.60		INTRSECTN	L		LINCOLN ST																																
0.61	0.61		END SU LN	C		TWO WAY TURN	11A																															
0.66	0.66		INTRSECTN	B		MONROE ST																																
0.72	0.72		INTRSECTN	L		BUFFALO ST																																
0.76	0.76		INTRSECTN	B		MADISON ST																																
0.79	0.79		BEG SU LN	C		TWO WAY TURN	13A																															
0.83	0.83		INTRSECTN	L		JEFFERSON ST																																
0.89	0.89		INTRSECTN	L		ADAMS ST																																
0.99	0.99		INTRSECTN	B		CEDAR ST																																
1.06	1.06		INTRSECTN	L		WALNUT ST																																
1.09	1.09		END SU LN	C		TWO WAY TURN	13A																															
1.12	1.12		INTRSECTN	B		MAPLE ST																																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00				.09	.24				
0.13	0.13		.02	12						
0.44	0.44				.01	11				
0.50	0.50		.03	11	.03	11				
0.56	0.56		.02	11						
0.66	0.66		.03	11	.05	11				
0.76	0.76		.03	11						
1.12	1.12				.05	11				

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT														
:				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T		P		S		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
1.16	1.16																															
1.18	1.18		INTRSECTN	B		ASH ST	CT																									
1.20	1.20		BEG SU LN	C		TWO WAY TURN	13A																									
1.25	1.25		INTRSECTN	L		OAK ST	CT																									
1.30	1.30		INTRSECTN	L		ELM ST	CT																									
1.36	1.36		INTRSECTN	L		CANNON ST	CT																									
1.40	1.40		INTRSECTN	R		ELGIN ST	CT																									
1.44	1.44		INTRSECTN	L		ELGIN ST	CT																									
1.50	1.50		INTRSECTN	B		BELT ST	CT																									
1.72	1.72		END SU LN	C		TWO WAY TURN	13A																									
1.77	1.77		INTRSECTN	B		ALBERTA ST	CT																									
1.80	1.80		BEG SU LN	C		TWO WAY TURN	12A																									
1.88	1.88		INTRSECTN	R		LINDEKE ST	CT																									
2.00	2.00		INTRSECTN	B		A ST	CT																									
2.13	2.13		INTRSECTN	L		C ST	CT																									
2.20	2.20		END SU LN	C		TWO WAY TURN	12A																									
2.21	2.21		INTRSECTN	R		INDIAN TRAIL RD	CT																									
2.27	2.27																															
2.30	2.30		INTRSECTN	L		G ST	CT																									
2.44	2.44		INTRSECTN	B		FOTHERINGHAM ST	CT																									
2.70	2.70		INTRSECTN	B		WINSTON DR	CT																									
2.82	2.82		INTRSECTN	L		SUTHERLIN ST	CT																									
			INTRSECTN	R		TAFT DR	CT																									
2.89	2.89		INTRSECTN	B		GREENWOOD BLVD	CT																									
2.95	2.95		INTRSECTN	B		FOREST BLVD	CT																									
2.97	2.97																															
3.00	3.00		INTRSECTN	B		ASSEMBLY ST	CT																									
3.06	3.06		INTRSECTN	L		NINE MILE RD WYE CONN	CT																									
3.07	3.07		END ST	I		FRANCIS ST																										
			BEG ST	I		NINE MILE RD																										
			INTRSECTN	L		NINE MILE RD	CT																									
3.10	3.10		INTRSECTN	L		NINE MILE RD WYE CONN	CT																									
3.18	3.18																															
3.41	3.41		INTRSECTN	L		ROYAL DR	CT																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.18	1.18			.05	11						
1.77	1.77			.03	11		.03	11			
2.21	2.21						.02	11			
3.00	3.00			.05	10						
3.07	3.07			.06	10						
3.41	3.41			.03	12						

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----											
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV				INCRS/UNDI				SPC													
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT													
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
3.42	3.42		BEG SU LN	C		TWO WAY TURN	12A									C 40A	C	12	52	1	02	1220	U1	35	R	P	*
3.52	3.52		END SU LN	C		TWO WAY TURN	12A									C 52A	C	\$\$\$	52	1	02	1220	U1	35	R	P	*
3.57	3.57		INTRSECTN	L		LYONS RD		CT	Y																		
3.58	3.58		BEG SU LN	C		TWO WAY TURN	12A									C 40A	C	12	52	1	02	1220	U1	35	R	P	*
3.64	3.64		INTRSECTN	L		WOODSIDE ST		CT	Y	2	2					C 40A	C	12	52	1	02	1220	U1	50	R	P	*
3.79	3.79		END SU LN	C		TWO WAY TURN	12A									C 52A	C	\$\$\$	52	1	02	1220	U1	50	R	P	*
3.85	3.85		INTRSECTN	B		RIFLE CLUB RD		CT	Y																		
3.91	3.91		BEG SU LN	C		TWO WAY TURN	12A									C 40A	C	12	52	1	02	1220	U1	50	R	P	*
3.93	3.93		ENT/EXIT	R		SANITARY LANDFILL		CT	N																		
3.96	3.96		END SU LN	C		TWO WAY TURN	12A									C 52A	C	\$\$\$	52	1	02	1220	U1	50	R	P	*
4.25	4.25		INTRSECTN	L		WINDRIVER DR		CT	Y																		
4.60	4.60		LEAVE CITY			SPOKANE			2	2						C 52A	C		52	1	02	\$\$\$\$	U1	50	R	\$	*
4.63	4.63		MISC FEATR	L		SGN ENT SPOKANE																					
4.69	4.69		INTRSECTN	R		WENGER RD		CO	N																		
4.98	4.98		MP MARKER	R		5																					
5.00	5.00		INTRSECTN	L		PARKWAY RD		CO	Y																		
			INTRSECTN	R		PINEMEADOW RD		CO	Y																		
5.16	5.16								2	2						C 64A	C		64	1	02		U1	50	R	*	
5.22	5.22		INTRSECTN	L		SEVEN MILE RD		CO	Y	1	2					6A 42A	6A		42	1	02		U2	50	R	*	
			INTRSECTN	R		LOWELL RD		CO	Y																		
5.24	5.24								1	1						6A 42A	6A		42	1	02		U2	50	R	*	
5.26	5.26		BEG SU LN	C		TWO WAY TURN	14A			1	1					10A 34A	6A	14	48	1	02		U2	50	R	*	
5.35	5.35								1	1						8A 24A	8A	14	38	1	02		U2	50	R	*	
5.53	5.53		INTRSECTN	L		BURCHWOOD AVE		CO	Y																		
			INTRSECTN	R		BURCHWOOD CT		CO	Y																		
5.65	5.65		INTRSECTN	L		DOGWOOD AVE		CO	Y																		
5.72	5.72		INTRSECTN	L		JOHANSEN AVE		CO	Y																		
6.00	6.00		MP MARKER	R		6																					
6.16	6.16		INTRSECTN	L		KENDICK RD		CO	Y																		
6.33	6.33		END SU LN	C		TWO WAY TURN	14A			1	1					8A 38A	8A	\$\$\$	38	1	02		U2	50	R	*	
			INTRSECTN	L		RIDGECREST AVE		CO	Y																		
6.45	6.45								1	1						8A 24A	8A		24	1	02		U2	50	R	*	
6.96	6.96		MP MARKER	R		7																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.57	3.57			.02	12						
3.85	3.85			.02	12		.04	12			
3.93	3.93					.12	12				
4.25	4.25			.03	11			.03	11		
5.22	5.22			.02	12		.02	12			

SR 302 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T		
5.01	5.01		ENTER CO BEG CTLSEC			PIERCE CONTROL SECTION 2739				1	1				3A	22A	3A			22	2	01		R2			40	R				
5.42	5.42									1	1				3A	22A	3A			22	2	01		R2			50	R				
6.00	6.00		MP MARKER		R	6																										
6.32	6.32		INTRSECTN		L	ROCKY CREEK RD	CO		N																							
7.00	7.00		MP MARKER		R	7																										
7.14	7.14		INTRSECTN		R	BLISS COCHRAN RD	CO		Y																							
7.65	7.65		INTRSECTN		R	WRIGHT BLISS RD WYE CONN	CO		Y	1	1				8G	23A	8G			23	2	01		R2			50	R				
7.69	7.69		BEG ST	I		ELGIN CLIFTON RD KPN				1	1				8G	23A	8G			23	2	01		R2			50	R		*		
			INTRSECTN		L	WRIGHT BLISS RD	CO		Y																							
			INTRSECTN		R	WRIGHT BLISS RD(OLD 302)	CO		Y																							
8.00	8.00		MP MARKER		R	8																										
8.21	8.21		INTRSECTN		R	128TH ST KPN	CO		N																							
8.31	8.31									1	1				8G	23A	6A			23	2	01		R2			50	R		*		
8.38	8.38									1	1				8G	23A	8G			23	2	01		R2			50	R		*		
8.49	8.49									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
8.60	8.60									1	1				8G	23A	8G			23	2	01		R2			50	R		*		
8.65	8.65									1	1				8G	23A	6A			23	2	01		R2			50	R		*		
8.69	8.69									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
8.80	8.80									1	1				8G	23A	8G			23	2	01		R2			50	R		*		
9.00	9.00		MP MARKER		R	9																										
9.01	9.01									1	1				8G	23A	6A			23	2	01		R2			50	R		*		
9.04	9.04									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
9.33	9.33		INTRSECTN		B	150TH AVE KPN	CO		Y	1	1				8G	23A	8G			23	2	01		R2			50	R		*		
9.56	9.56		INTRSECTN		L	146TH AVE KPN	CO		Y																							
9.63	9.63									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
9.68	9.68		INTRSECTN		R	144TH RD	PV		N	1	1				8G	23A	8G			23	2	01		R2			50	R		*		
9.77	9.77									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
9.82	9.82									1	1				8G	23A	8G			23	2	01		R2			50	R		*		
9.95	9.95		INTRSECTN		L	140TH AVE KPN	CO		Y																							
9.96	9.96		INTRSECTN		R	140TH NW RD	PV		N																							
10.00	10.00		MP MARKER		R	10																										
10.01	10.01									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
10.09	10.09									1	1				6A	23A	8G			23	2	01		R2			50	R		*		
10.10	10.10		INTRSECTN		L	138TH AVE KPN	CO		Y	1	1				8G	23A	8G			23	2	01		R2			50	R		*		
10.24	10.24									1	1				6A	23A	6A			23	2	01		R2			50	R		*		
10.28	10.28									1	1				6A	23A	8G			23	2	01		R2			50	R		*		
10.36	10.36		INTRSECTN		B	134TH AVE KPN	CO		N	1	1				8G	23A	8G			23	2	01		R2			50	R		*		
10.55	10.55		INTRSECTN		L	SR 302 WYE CONN	ST		Y	1	1				4A	23A	4A			23	2	01		R2			50	R		*		
10.57	10.57		END ST	I		ELGIN CLIFTON RD KPN				1	1				5A	23A	5A			23	2	01		R2			50	R		\$		
			INTRSECTN		R	KPN HWY (OLD SR 302)	CO	SS	Y																							
10.60	10.60		INTRSECTN		L	SR 302 WYE CONN	ST		Y	1	1				3A	34A	5A			34	2	01		R2			50	R				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.60	10.60											
									.04	11		

SR 302 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S			
							NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
15.73	15.73						1	1			C	20P	C	20	2	01		R2			40	R			
15.79	15.79	END BRIDGE	B			PURDY CREEK	1	1			8A	24A	9A	24	2	01		R2			40	R			
15.83	15.83	INTRSECTN	R			SR 302 WYE CONN	ST	Y																	
15.84	15.84	INTRSECTN	L			SR 302 SPUR WYE CONN	ST	Y																	
15.85	15.85	BEG ST	I			PURDY DR			1	1	11A	36A	5A	36	2	01		R2			40	R	*		
		INTRSECTN	L			SR 302 SPPURDY (SPUR)	ST	SG	Y																
15.87	15.87	INTRSECTN	R			SR 302 WYE CONN	ST	Y	1	2	11A	48A	3A	48	2	01		R2			40	R	*		
15.93	15.93								1	2	6A	42A	3A	42	2	01		R2			40	R	*		
16.00	16.00	MP MARKER	R			16			1	2	6A	42A	3A	42	2	01		R2			50	R	*		
16.04	16.04	INTRSECTN	L			GOODNOUGH DR NW	CO	Y	1	2	7A	33A	3A	33	2	01		R2			50	R	*		
16.37	16.37								1	1	7A	36A	3A	36	2	01		R2			50	R	*		
16.47	16.47								1	1	12A	36A	3A	36	2	01		R2			50	R	*		
16.51	16.51	ENT/EXIT	R			PARK AND RIDE LOT	ST	Y	1	1	10A	38A	10A	38	2	01		R2			50	R	*		
16.55	16.55								1	1	10A	50A	10A	50	2	01		R2			50	R	*		
16.57	16.57	ENT/EXIT	R			PARK AND RIDE LOT	ST	Y																	
16.60	16.60	END ST	I			PURDY DR			1	1	10A	50A	10A	50	2	01		R2			50	R	\$		
		INTRSECTN	R			BURNHAM DR NW	CO	Y																	
		INTRSECTN	L			GOODNOUGH DR NW	CO	Y																	
16.61	16.61	MISC FEATR	L			SGN ENT PURDY																			
16.63	16.63								1	1	10A	12A	10A	UP	\$\$\$	12A	10A	24	2	01		R2		50	R
16.72	16.72	MISC FEATR	I			SR 16 EB RAMP AHEAD			1	\$	9A	14A	5A	\$\$\$	\$\$\$	\$\$\$	14	2	01		R2			50	R
16.85	16.85	UXING	D			SR 16 EB	ST																		
						BRDG NUM 016/150W																			
16.87	16.87	UXING	D			SR 16 WB	ST																		
						BRDG NUM 016/150E																			
		END CTLSEC				CONTROL SECTION 2739																			
		END ROUTE																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
15.85	15.85				.08	12								
16.51	16.51				.03	12			.01	12				
16.60	16.60		.03	12	.03	12	.03	12						

SR 303 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---											
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
				:	:	:	-UXING-	NBR	LFT	RHT	LFT	RHT	USE															
				:	:	:	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
				:	:	:	OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T			
9.07	9.23		INTRSECTN	R		OFF RAMP WYE CONN	ST	Y	1	2					8A	45A	8A			45	2	01		U1	35	R		
9.08	9.24		ON RAMP	L		SR 3	ST	SG	Y																			
			OFF RAMP	R		SR 3	ST	SG	Y																			
9.12	9.28		BEG BRIDGE	B		SR 3	ST			1	2				\$\$W	52A	\$\$W			52	2	01		U1	35	R		
						BRDG NUM 003/135																						
9.16	9.32		END BRIDGE	B		SR 3																						
			END CTLSEC			CONTROL SECTION 1830																						
			END ROUTE																									

INTERSECTION DETAIL

SRMP B ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	R	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.08	9.24			.06	12				

SR 304 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI		SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S	
							-XROAD-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
							OW TC L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	2	W	38P	W	1000		4A	24A	8A			62	2	01		U1	45	L
			BEG CTLSEC			SR 3/BREM TO FERRY DOCK																				
			MISC FEATR I			CONTROL SECTION 1803																				
			BEG BRIDGE D			SR 3 GORE																				
						SR 3																				
						BRDG NUM 304/001W-S																				
0.06	0.06		END BRIDGE D			SR 3		2	2	10A	26A	5A	1000		4A	24A	8A			50	2	01		U1	45	L
0.12	0.12		MISC FEATR R			GORE (SR 3 Q103668)																				
0.19B	0.19		BEG EQ			BEGIN BACK		2	2	10A	26A	5A	1000		4A	24A	8A			50	2	01		U1	45	\$
			OFF RAMP L			SR 3																				
			INTRSECTN L			CO RD																				
0.23B	0.23		INTRSECTN L			CO RD																				
0.19	0.24		EQUATION			000.24B=000.19		2	2	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$		8A	56A	8A			56	2	01		U1	45	L
0.20	0.25		BEG SU LN			TWO WAY TURN	11A	2	2						8A	45A	8A	11		56	2	01		U1	45	L
0.24	0.29							2	2						5A	45A	5A	11		56	2	01		U1	45	L
0.38	0.43		INTRSECTN L			CO RD																				
0.40	0.45		INTRSECTN L			CHARLESTON BEACH RD																				
0.75	0.80		ENTER CITY			BREMERTON		2	2						5A	45A	5A	11		56	2	01	0115	U1	25	R P
			INTRSECTN L			CHARLESTON BEACH RD																				
			MISC FEATR R			SGN ENT BREMERTON																				
0.78	0.83		END SU LN			TWO WAY TURN	11A	2	2						5A	55A	5A	\$\$\$		55	2	01	0115	U1	25	R P
0.79	0.84		ENT/EXIT R			NATIONAL MONUMENT									8A	48A	8A			48	2	01	0115	U1	25	R P
0.96	1.01		BEG ST I			S CAMBRIAN ST		2	2						\$\$C	54A	\$\$C			54	2	01	0115	U1	25	R L *
			INTRSECTN L			PREBLE ST																				
1.01	1.06		INTRSECTN L			PORTER ST																				
1.11	1.16		END ST I			S CAMBRIAN ST		2	2						C	54A	C			54	2	01	0115	U1	25	R P *
			BEG ST I			FARRAGUT ST																				
			INTRSECTN L			S CAMBRIAN AVE																				
			INTRSECTN L			FARRAGUT ST																				
1.16	1.21		INTRSECTN L			S WYCOFF AVE																				
1.20	1.25		END ST I			FARRAGUT ST		2	2						C	44A	C			44	2	01	0115	U1	25	R P *
			BEG ST I			CALLOW AVE																				
			INTRSECTN R			FARRAGUT ST																				
1.29	1.34		INTRSECTN B			RODGERS ST																				
1.42	1.47		INTRSECTN B			COONTZ ST																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.23B	0.23				.02	13			
0.79	0.84		.03	12	.02	11			
1.16	1.21	.03							
1.20	1.25	.03							

SR 304 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
: :LEFT/RIGHT INDICATOR				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC						LEGAL								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	A	NBR	FC	D	IB	R	K	T	
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID							
1.44	1.49								2	2					C	44A	C		44	2	01	0115	U1	25	R P *
1.55	1.60		INTRSECTN	B		1ST ST	CT	Y																	
1.67	1.72		END ST	I		CALLOW AVE																			
			BEG ST	I		BURWELL ST																			
			INTRSECTN	L		SR 310-N CALLOW AVE	ST	SG	Y																
			INTRSECTN	L		BURWELL ST	CT	SG	Y																
1.72	1.77		INTRSECTN	B		N MONTGOMERY AVE	CT	SG	Y																
1.77	1.82		INTRSECTN	R		RAINIER AVE	CT	Y																	
1.81	1.86		INTRSECTN	L		BRYAN AVE	CT	Y																	
1.83	1.88		INTRSECTN	R		BLOOMINGTON AVE	CT	Y																	
1.86	1.91		INTRSECTN	L		OLYMPIC AVE	CT	Y																	
1.88	1.93		INTRSECTN	L		OLYMPIC PL	CT	Y																	
			INTRSECTN	R		OLYMPIC AVE	CT	Y																	
1.94	1.99		INTRSECTN	R		ARVON AVE	CT	Y																	
2.00	2.05		INTRSECTN	B		NAVAL AVE	CT	SG	Y	2	1			C	44A	C		44	2	01	0115	U1	25	R P *	
2.03	2.08																								
2.12	2.17		INTRSECTN	B		HEWITT AVE	CT	Y	1	1				C	44A	C		44	2	01	0115	U1	25	R P *	
2.25	2.30		INTRSECTN	B		HIGH AVE	CT	Y																	
2.33	2.38		INTRSECTN	B		ANOKA AVE	CT	Y																	
2.42	2.47		INTRSECTN	B		STATE AVE	CT	Y																	
2.50	2.55		INTRSECTN	B		CHESTER AVE	CT	Y																	
2.51	2.56		BEG SU LN	C		TWO WAY TURN			10A		1	1		C	34A	C	10	44	2	01	0115	U1	25	R B *	
2.60	2.65		END SU LN	C		TWO WAY TURN			10A		1	1		C	44A	C	\$\$\$	44	2	01	0115	U1	25	R B *	
2.63	2.68		INTRSECTN	R		WARREN AVE	CT	SG	Y																
			INTRSECTN	L		SR 303	ST	SG	Y																
2.75	2.80		INTRSECTN	L		PARK AVE	CT	Y																	
2.91	2.96		INTRSECTN	B		PACIFIC AVE	CT	SG	Y																
2.99	3.04										1	1		C	44A	C		44	2	01	0115	U1	25	R P *	
3.34	3.07		END ST	I		BURWELL ST					2	2		C	44A	C		44	2	01	0115	U1	25	R P *	
			EQUATION			003.02 =003.34																			
			BEG ST	I		WASHINGTON AVE																			
			INTRSECTN	L		OLD SR 303 SPUR MANETT	CT	SG	Y																
3.40	3.13		INTRSECTN	B		2ND ST	CT	Y	2	1				C	44A	C		44	2	01	0115	U1	25	R B *	
3.41	3.14		END ST	I		WASHINGTON AVE																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
2.00	2.05		.02	10		.03	10			
2.63	2.68		.02	11						
2.91	2.96				.02	11				
3.34	3.07		.02	11		.03	11			

SR 305 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----																																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI			SPC		-----CLASSIFICATIONS---																							
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S												
							OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T									
3.69	3.67																																			
4.00	3.98		MP MARKER	R		4																														
4.27	4.25		INTRSECTN	R		E DAY RD WYE CONN	CT		Y																											
4.28	4.26		INTRSECTN	L		W DAY RD	CT		SG	Y																										
			INTRSECTN	R		E DAY RD	CT		SG	Y																										
4.29	4.27		INTRSECTN	L		W DAY RD WYE CONN	CT		Y																											
5.00	4.98		MP MARKER	R		5																														
5.22	5.20		INTRSECTN	B		HIDDEN COVE RD	CT		Y																											
5.32	5.30		INTRSECTN	R		MANUAL RD	CT		N																											
5.75	5.73		INTRSECTN	L		SEABOLD CHURCH RD	CT		N																											
6.00	5.98		MP MARKER	R		6																														
6.01	5.99		INTRSECTN	L		SEABOLD RD	CT		Y																											
			INTRSECTN	R		W PORT MADISON RD	CT		Y																											
6.20	6.18		INTRSECTN	R		AGATEWOOD RD NE	CT		Y																											
6.67	6.65		INTRSECTN	R		REITAN RD	CT		N																											
6.73	6.71																																			
6.82	6.80		LEAVE CITY			BAINBRIDGE ISLAND																														
			END CTLSEC			CONTROL SECTION 1831																														
			BEG CTLSEC			CONTROL SECTION 1835																														
			BEG BRIDGE B			AGATE PASS	ST																													
						BRDG NUM 305/010																														
7.05	7.03		END BRIDGE B			AGATE PASS																														
			END CTLSEC			CONTROL SECTION 1835																														
			BEG CTLSEC			CONTROL SECTION 1833																														
			MP MARKER	R		7																														
7.09	7.07		ENT/EXIT	R		PARK AND RIDE LOT	ST		Y																											
7.15	7.13		ENT/EXIT	R		PARK AND RIDE LOT	ST		Y																											
7.19	7.17		INTRSECTN	R		SUQUAMISH WAY NE	CO		SG	Y																										
			INTRSECTN	L		PVT RD	PV		SG	Y																										
7.33	7.31																																			
7.48	7.46		INTRSECTN	R		LAURA LOOP RD	CO		N																											
7.63	7.61		INTRSECTN	L		SANDY HOOK RD	CO		Y																											
			ENT/EXIT	R		MINI MART	PV		Y																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.28	4.26			.03	12						
5.22	5.20			.03	12						
6.01	5.99			.03	12						
6.20	6.18										
7.19	7.17			.03	12	.03	12			.01	10
7.63	7.61			.03	12						

SR 305 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S							
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LNS		RDY		FC		D I B		R K T							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W/S	RDY	W/S	SHD	W/S	RDY	W/S	RDY	W/S	FC	D	I	B	R	K	T		
12.03	12.01		MP MARKER	R		12							6A	24A	6A		24	2	01	1010	U1			40	R	P	
12.34	12.32		INTRSECTN	R		LITTLE VALLEY RD	CT	SG	Y	1	1		6A	24A	10A		24	2	01	1010	U1			40	R	P	
12.36	12.34		LEAVE CITY			POULSBO				1	1		6A	24A	10A		24	2	01	\$\$\$\$	U1			40	R	\$	
12.38	12.36		MISC FEATR	L		SGN ENT POULSBO																					
12.46	12.44									1	1		6A	24A	6A		24	2	01		U1			40	R		
12.72	12.70									1	1		6A	24A	6A		24	2	01		U1			35	R		
12.81	12.79		ENTER CITY			POULSBO				1	1		6A	24A	6A		24	2	01	1010	U1			35	R	P	
12.82	12.80		INTRSECTN	R		SR 307-BOND RD	ST	SG	Y	1	2		8A	72A	8A		72	2	01	1010	U1			35	R	P	
			INTRSECTN	L		BOND RD	CT	SG	Y																		
12.86	12.84									2	2		8A	72A	8A		72	2	01	1010	U1			35	R	P	
12.98	12.96									2	2		8A	48A	8A		48	2	01	1010	U1			35	R	P	
13.00	12.98		MP MARKER	R		13																					
13.30	13.28		LEAVE CITY			POULSBO				2	2		8A	48A	8A		48	2	01	\$\$\$\$	U1			35	R	\$	
13.31	13.29		INTRSECTN	B		OLD ALIGN SR 3-VIKING WY	CO	SG	Y	1	2		8A	48A	8A		48	2	01		U1			35	R		
13.32	13.30									1	2		8A	48A	8A		48	2	01		R1			35	R		
13.34	13.32									2	2		8A	60A	8A		60	2	01		R1			35	R		
13.41	13.39		INTRSECTN	L		ON RAMP WYE CONN	ST		Y	1	1		8A	32A	8A		32	2	01		R1			35	R		
13.43	13.41		INTRSECTN	R		OFF RAMP WYE CONN	ST		Y	1	1		8A	24A	8A		24	2	01		R1			35	R		
13.45	13.43		ON RAMP	L		SR 3 N BND	ST		Y																		
			OFF RAMP	R		SR 3 N BND	ST		Y																		
13.47	13.45									1	1	8A	14A		6A	CU	\$\$\$	14A	8A		28	2	01		R1	35	R
13.51	13.49		UXING	B		SR 3 N BND	ST																				
						BRDG NUM 003/150E																					
13.52	13.50		UXING	B		SR 3 S BND	ST																				
						BRDG NUM 003/150W																					
			END CTLSEC			CONTROL SECTION 1833																					
			END ROUTE																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
12.34	12.32					.04	12				
12.82	12.80			.02	12	.02	12	.16	12	.04	12
13.31	13.29			.04	12	.04	12	.03	12		
13.43	13.41					.02	12				

SR 308 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC	-XROAD-		MEDIAN-		INCREAS/UNDI		USE	TOT	CITY		ST	LEGAL		T
							NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE		2	2			10A	62A	10A			62	2	01			U3			50	R	
			BEG CTLSEC			SR 3 TO NAVAL RES BDRY																					
			UXING	B		CONTROL SECTION 1810																					
0.01	0.01		UXING	B		SR 3 SB																					
						BRDG NUM 003/140W																					
0.02	0.02		UXING	B		N-W RAMP																					
						BRDG NUM 003/140N-W																					
0.09	0.09		ON RAMP	R		SR 3 NB																					
			OFF RAMP	L		BRDG NUM 003/140E																					
0.17	0.17					SR 3																					
0.45	0.45		INTRSECTN	B		SR 3																					
1.00	1.00		MP MARKER	R		VINCENT RD																					
1.01	1.01		INTRSECTN	L		1																					
1.24	1.24		INTRSECTN	L		COX AVE																					
						VIKING WAY																					
1.53	1.53		INTRSECTN	R		SILVERDALE WAY																					
						SCANDIA RD																					
1.74	1.74		INTRSECTN	R		CENTRAL VALLEY RD																					
2.00	2.00		MP MARKER	R		2																					
2.26	2.26		INTRSECTN	L		VIRGINIA LOOP RD																					
2.84	2.84		INTRSECTN	R		HAWK AVE NE																					
2.87	2.87		INTRSECTN	R		NE TAGHOLM RD																					
3.00	3.00		INTRSECTN	R		BROWNSVILLE HWY NE																					
3.01	3.01		INTRSECTN	R		BROWNSVILLE HWY NE WY CN																					
3.04	3.04					1																					
3.06	3.06		BEG BRIDGE	B		DOG FISH BAY																					
						BRDG NUM 308/051																					
3.08	3.08		END BRIDGE	B		DOG FISH BAY																					
3.18	3.18		INTRSECTN	R		NAVAL UNDERSEA MUSEUM																					
3.27	3.27		INTRSECTN	L		NE HARVARD AVE																					

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.09	0.09		.05	14										
0.45	0.45		.03	14		.03	14							
1.01	1.01		.03	14										
1.24	1.24		.03	14		.03	14		.03	12				
1.53	1.53		.03	12		.03	12							
3.18	3.18					.02	11				.02	11		

SR 310 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																					
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																				
						:DIRECTION TO INVENTORY	-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 3 TO SR 304			2	2								10A	68A	10A					68	2	01	0115	U1			35	R	P	*			
			ENTER CITY			BREMERTON																																
			BEG CTLSEC			CONTROL SECTION 1811																																
			BEG ST	I		KITSAP WAY																																
			UXING	B		SR 3 SB																																
						BRDG NUM 003/118W																																
0.01	0.01		UXING	B		SR 3 NB																																
						BRDG NUM 003/118E																																
0.04	0.04		OFF RAMP	L		SR 3 NB																																
			ON RAMP	R		SR 3 NB																																
0.05	0.05		INTRSECTN	L		OFF RAMP WYE CONN												\$S	C	72A	10A				72	2	01	0115	U1			35	R	P	*			
			INTRSECTN	R		ON RAMP WYE CONN																																
0.10	0.10		INTRSECTN	R		ARSENAL WAY WYE CONN																																
0.11	0.11		INTRSECTN	L		SHOREWOOD DR																																
			INTRSECTN	R		ARSENAL WAY																																
0.12	0.12		INTRSECTN	L		SHOREWOOD DR WYE CONN																																
0.17	0.17		BEG SU LN	C		TWO WAY TURN																																
0.24	0.24		CHG SU LN	C		TWO WAY TURN																																
0.26	0.26																																					
0.28	0.28		INTRSECTN	L		WESLON PL																																
0.30	0.30		END SU LN	C		TWO WAY TURN																																
0.32	0.32		BEG SU LN	C		TWO WAY TURN																																
0.41	0.41		END SU LN	C		TWO WAY TURN																																
0.43	0.43		BEG SU LN	C		TWO WAY TURN																																
0.46	0.46		INTRSECTN	L		LOWER OYSTER BAY AVE																																
0.50	0.50																																					
0.54	0.54		END SU LN	C		TWO WAY TURN																																
			INTRSECTN	R		OYSTER BAY AVE																																
0.60	0.60		BEG SU LN	C		TWO WAY TURN																																
0.63	0.63		INTRSECTN	L		FORREST AVE																																
0.65	0.65		ENT/EXIT	R		SHOPPING CENTER																																
0.66	0.66		MISC FEATR	B		PED XING																																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LG	WD	LG	WD	LG	WD	LG	WD
0.04	0.04		.03	12						
0.05	0.05									.03 16
0.11	0.11		.04	12						.03 12
0.12	0.12									.05 12
0.54	0.54				.03	12				.03 14

SR 310 MAINLINE

STATE ROUTE - SRSH

COUNTY KITSAP

DOT DISTRICT 3

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---													
			D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
			:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE																
			:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T			
			:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID												
1.71	1.71	INTRSECTN	L		CALLOW AVE	CT	SG	Y	1	1					C	44P	C			44	2	01	0115	U1	25	L	P	*
		INTRSECTN	L		6TH ST	CT	SG	Y																				
1.73	1.73								1	1					C	44P	C			44	2	01	0115	U1	25	L	B	*
1.77	1.77	MISC FEATR	B		PED XING																							
1.81	1.81								1	1					C	44P	C			44	2	01	0115	U1	25	L	L	*
1.84	1.84	END ST	I		CALLOW AVE																							
		INTRSECTN	R		BURWELL ST	CT	SG	Y																				
		INTRSECTN	L		SR 304-BURWELL ST	ST	SG	Y																				
		END CTLSEC			CONTROL SECTION 1811																							
		END ROUTE																										

INTERSECTION DETAIL

SRMP B ARM		-----TURN LANES-----				-----ACCELERATION LANES-----			
L	R	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-
LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.71	1.71	.02	12						

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID							
						:	OW TC L																		
15.56	22.32		INTRSECTN	C		MEDIAN XROAD	ST	SG	Y	2	2	10A	24A	16A	UP	24A	10A	48	3	01	0610	U1	50	R	P
15.70	22.46									2	2	10A	24A	16A	JE	24A	10A	48	3	01	0610	U1	50	R	P
16.02	22.78		MP MARKER	B		16																			
16.04	22.80									2	2	10A	24A	16A	UP	24A	10A	48	3	01	0610	U1	50	R	P
16.05	22.81									2	2	10A	24A	16A	UP	24A	10A	48	3	01	0610	U1	35	R	P
16.17	22.93		INTRSECTN	B		W 10TH AVE	CT	SG	Y	2	2	\$\$C	26A	16A	UP	26A	\$\$C	52	3	01	0610	U1	35	R	P
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																
16.18	22.94									2	2	C	26A	16A	CU	26A	C	52	3	01	0610	U1	35	R	P
16.42	23.18		INTRSECTN	B		W 7TH AVE	CT	SG	Y																
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																
16.50	23.26									2	2	C	26A	16A	JE	26A	C	52	3	01	0610	U1	35	R	P
16.68	23.44		BEG BRIDGE	B		W 4TH AVE	ST			2	2	C	26P	16P	JE	26P	C	52	3	01	0610	U1	35	R	P
						BRDG NUM 395/011																			
16.70	23.46		END BRIDGE	B		W 4TH AVE				2	2	C	26A	16A	JE	26A	C	52	3	01	0610	U1	35	R	P
16.75	23.51									2	2	C	26A	16A	CU	26A	C	52	3	01	0610	U1	35	R	P
16.80	23.56		INTRSECTN	L		W 2ND AVE	CT		Y																
16.92	23.68		INTRSECTN	B		W KENNEWICK AVE	CT	SG	Y																
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																
17.00	23.76		MP MARKER	B		17																			
17.09	23.85		INTRSECTN	R		VISTA WAY WYE CONN	CT		Y																
17.11	23.87		INTRSECTN	C		MEDIAN XROAD	ST	SG	Y	2	2	C	38A	16A	CU	26A	C	64	3	01	0610	U1	35	R	P
			INTRSECTN	R		VISTA WAY	CT	SG	Y																
			INTRSECTN	L		W CLEARWATER AVE	CT	SG	Y																
17.24	24.00		INTRSECTN	L		N ELY ST	CT	Y	2	2	C	26A	16A	JE	26A	C	52	3	01	0610	U1	45	R	P	
			INTRSECTN	R		DENNIS ST	CT		Y																
17.55	24.31									2	2	C	26A	16A	UP	26A	C	52	3	01	0610	U1	45	R	P
17.59	24.35		INTRSECTN	B		YELM ST	CT	SG	Y																
			INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																
17.60	24.36		INTRSECTN	R		YELM ST WYE CONN	CT		Y																
17.72	24.48									2	2	C	26A	16A	JE	32A	C	58	3	01	0610	U1	45	R	P

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
15.56	22.32	.06	16								
16.17	22.93	.06	16	.02	14	.05	16	.02	14		
16.42	23.18	.03	16			.05	16				
16.80	23.56	.03	14								
16.92	23.68	.05	14	.03	13	.05	14				
17.11	23.87	.05	14			.09	14	.13	14		
17.59	24.35	.03	14			.08	14	.04	13		
17.60	24.36									.10	14

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S							
							W	W	W	W	W	W	W	WD/S	BR	W/S	W/S	W/S	WID	WID	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
18.93	25.69		ENTER CO ENTER CITY BEG CTLSEC			FRANKLIN PASCO CONTROL SECTION 1104	2	2			W	26P		C	4P	JE							52	3	01	0960	U1		55	L	P					
19.01	25.77		MP MARKER	B		19																														
19.07	25.83		END BRIDGE	B		COLUMBIA RIVER	2	2	10A	24A		4A	4A	JE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.11	25.87		OFF RAMP		RC	LEWIS ST								ST		Y																				
19.15	25.91		ON RAMP		LC	LEWIS ST								ST		Y																				
19.18	25.94						2	2	10A	24A		4A	38S	DE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.19	25.95		MISC FEATR		RC	GORE (P101911)																														
19.20	25.96						2	2	10A	24A		4A	150S	DE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.26	26.02		MISC FEATR		LC	GORE (S101908)																														
19.33	26.09		BEG BRIDGE	I		LEWIS ST BRDG NUM 395/101N-E	2	2	10A	24A		4A	2500	\$\$	\$\$C	26A	\$\$C					50	3	01	0960	U1		55	L	P						
19.36	26.12						2	2	10A	24A		4A	250S	DE	C	26A	C					50	3	01	0960	U1		55	L	P						
19.37	26.13		END BRIDGE	I		LEWIS ST	2	2	10A	24A		4A	250S	DE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.44	26.20		OFF RAMP		R	SYLVESTER ST								ST		Y																				
19.50	26.26		MISC FEATR		R	GORE (P501944)	2	2	10A	24A		4A	37S	DE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.51	26.27		UXING	B		SYLVESTER ST BRDG NUM 395/102	2	2	10A	24A		4A	23S	DE	4A	24A	10A					48	3	01	0960	U1		55	L	P						
19.56	26.32						2	2	10A	24A		\$\$\$	15A	GR	\$\$\$	24A	10A					48	3	01	0960	U1		55	L	P						
19.80	26.56		ON RAMP		L	COURT ST								ST		Y																				
19.84	26.60		OFF RAMP		R	COURT ST								ST		Y																				
19.91	26.67		MISC FEATR		L	GORE (S101980)																														
			MISC FEATR		R	GORE (P101984)																														
19.92	26.68		ON RAMP		L	COURT ST								ST		Y																				
20.00	26.76		MP MARKER		B	20																														
20.04	26.80		UXING	B		COURT ST BRDG NUM 395/103								ST																						
20.07	26.83		MISC FEATR		L	GORE (S501992)																														
20.14	26.90		MISC FEATR		R	GORE (Q102019)	2	2	10A	24A			15A	JE		24A	10A					48	3	01	0960	U1		55	L	P						
20.17	26.93						2	2	10A	24A			15A	JE		24A	10A					48	3	01	0960	U1		55	L	\$						
20.19	26.95		BEG SU LN		R	AUXILIARY								14A		24A	10A					62	3	01	0960	U1		55	L							
			ON RAMP		R	COURT ST									ST		Y																			
20.20	26.96		MISC FEATR		L	GORE (R102031)																														
20.28	27.04		END SU LN		R	AUXILIARY								14A		24A	10A					48	3	01	0960	U1		55	L							
			OFF RAMP		R	SR 182 EB									ST		Y																			
20.31	27.07		OFF RAMP		L	COURT ST								ST		Y																				
20.39	27.15		ON RAMP		L	SR 182 EB	Y	1	2	10A	12A			15A	JE		24A	10A				36	3	01	0960	U1		55	L							
20.40	27.16		MISC FEATR		R	GORE (SR 182 Q101240)																														
20.43	27.19						1	2	10A	12A			15S	JE		24A	10A					36	3	01	0960	U1		55	L							
20.44	27.20		MISC FEATR		L	GORE (SR 182 P101204)	1	2	10A	12A			20S	JE		24A	10A					36	3	01	0960	U1		55	L							
20.47	27.23						1	2	10A	12A		4A	36S	DE	4A	24A	10A					36	3	01	0960	U1		55	L							
20.54	27.30		BEG BRIDGE	I		SR 182	1	2	\$\$W	26P	\$\$W		540	\$\$	\$\$W	38P	\$\$W					64	3	01	0960	U1		55	L							

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	LNS	RDY	USE	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S				
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
20.54		27.30	BEG BRIDGE	D		BRDG NUM 182/020N-W SR 182	ST		1	2	W	26P	W	540		W	38P	W		64	3	01	0960	U1		55	L				
20.59		27.35	END BRIDGE I END BRIDGE D LEAVE CITY BEG COINCI END CTLSEC			BRDG NUM 182/020W-S SR 182 PASCO SR 182 MP012.24 CONTROL SECTION 1104			\$	\$		\$	\$\$\$		\$	\$\$\$\$		\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$
22.72		29.48	ENTER CITY BEG CTLSEC BEG SU LN BEG SU LN ON RAMP OFF RAMP BEG BRIDGE B			PASCO CONTROL SECTION 1101 AUXILIARY 14P AUXILIARY 14P SR 182 SR 182 SR 182-SR 12 BRDG NUM 395/105 SR 182 MP014.37			2	2						W	68P	W	28	96	3	01	0960	U1		45	L	P			
22.78		29.54	END COINCI END BRIDGE B END SU LN END SU LN ON RAMP OFF RAMP			SR 182-SR 12 AUXILIARY 14P AUXILIARY 14P SR 12 SR 182 WB			2	2	10A	24A		4A	UP	\$	24A	10A	28	76	3	01	0960	U1		45	L	P			
22.81		29.57	MISC FEATR MISC FEATR			GORE (SR 182 R501432) GORE (SR 182 S501442)			2	2	10A	24A	4A	25S	DE	4A	24A	10A		48	3	01	0960	U1		45	L	P			
22.96		29.72	MP MARKER	B		23			2	2	10A	24A	4A	25S	DE	4A	24A	10A		48	3	01	0960	U1		45	L	P			
23.00		29.76	MISC FEATR	R		GORE (SR 182 R101461)			2	2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	01	0960	U1		45	L	P			
23.05		29.81	MISC FEATR	L		GORE (SR 182 S101413)																									
23.15		29.91	OFF RAMP	L		SR 182	ST	Y																							
23.30		30.06	ON RAMP	R		SR 12-SR 182	ST	Y																							
23.50		30.26	INTRSECTN	R		HILLSBORO ST WYE CONN	CT	Y																							
23.53		30.29	INTRSECTN	B		HILLSBORO ST	CT	SG	Y																						
23.55		30.31	INTRSECTN	C		MEDIAN XROAD	ST	SG	Y																						
23.63		30.39	INTRSECTN	L		HILLSBORO ST WYE CONN	CT	Y																							
24.00		30.76	MP MARKER	B		24			2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01	0960	U1		45	L	P			
24.03		30.79	MP MARKER	B		24			2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01	0960	U1		60	L	P			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
23.53		30.29	.13	12	.13	12					

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
:DIRECTION TO INVENTORY							NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	MTCE	CITY	ST	SPEED	T	P	S					
: :LEFT/RIGHT INDICATOR							LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	D	IB	R	K	T			
: :							OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC							
32.84	39.60		WEIGH STA	L		NUMBER 55		2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1	70	R		
32.94	39.70		EXIT TO	L		WEIGH STATION	ST	Y																			
33.00	39.76		MP MARKER	B		33																					
33.27	40.03		ENT FROM	R		WEIGH STATION	ST	Y																			
34.00	40.76		MP MARKER	B		34																					
34.15	40.91		INTRSECTN	C		MEDIAN XROAD	ST																				
35.00	41.76		MP MARKER	B		35																					
36.00	42.76		MP MARKER	B		36																					
36.14	42.90		INTRSECTN	R		E ELM RD	CO	Y	2	2	8A	24A	6A	75S	DE	4A	24P	10A		48	3	01		R1	70	R	
			INTRSECTN	C		MEDIAN XROAD	ST	Y																			
36.24	43.00		TRAF RCDR	B		R061 1																					
37.00	43.76		MP MARKER	B		37																					
37.37	44.13		INTRSECTN	L		ELTOPIA W RD	CO	Y	2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1	70	R	
			INTRSECTN	R		BLANTON RD	CO	Y																			
			INTRSECTN	C		MEDIAN XROAD	ST	Y																			
38.01	44.77		MP MARKER	B		38																					
39.00	45.76		MP MARKER	B		39																					
39.09	45.85									2	2	10A	24A	4A	75S	DE	4A	24P	10A		48	3	01		R1	70	R
39.33	46.09									2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1	70	R
39.99	46.75		MP MARKER	B		40																					
40.40	47.16		MED XING	C		OFFICIAL																					
41.00	47.76		MP MARKER	B		41																					
41.62	48.38									2	2	10A	24A	8A	225S	\$\$	4A	24P	10A		48	3	01		R1	70	R
42.00	48.76		MP MARKER	B		42																					
42.02	48.78									2	2	10A	24A	8A	620S	DE	4A	24P	10A		48	3	01		R1	70	R
42.50	49.26									2	2	10A	24A	8A	225S	DE	4A	24P	10A		48	3	01		R1	70	R
42.75	49.51									2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1	70	R
43.00	49.76		MP MARKER	B		43																					
44.01	50.77		MP MARKER	B		44																					
44.13	50.89		MED XING	C		OFFICIAL																					
44.30	51.06		BEG BRIDGE	I		OLD MAID COULEE	ST		2	2	\$\$W	42P	\$\$W	600	\$\$	\$\$W	38P	\$\$W		80	3	01		R1	70	R	
			BEG BRIDGE	D		OLD MAID COULEE	ST																				
			BRDG NUM			395/115E																					
			BRDG NUM			395/115W																					
44.32	51.08		END BRIDGE	I		OLD MAID COULEE			2	2	10A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1	70	R	

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP		B ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
-----		-----		LGT	WD	LGT	WD	LGT	WD	LGT	WD	-----	
34.15	40.91			.04	12			.04	12				
36.14	42.90							.04	12				
37.37	44.13			.03	12			.04	12			.04	12

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---														
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S								
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT		LFT	RHT	USE		A	SE	NBR	FC	D	IB	R	K	T									
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD									
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID												
55.49		62.05																															
55.73		62.29	ON RAMP	R		SR 260	ST	Y				2	2	10B	24B	8B	75S	DE	4A	24P	10A		48	3	01	0265	R1		70	R	P		
55.92		62.48	BEG BRIDGE	D		NORDHEIM RD BRDG NUM 395/120	ST					2	2	\$\$C	40P	\$\$C	750	\$\$	4A	24P	10A		64	3	01	0265	R1		70	R	P		
55.94		62.50	END BRIDGE	D		NORDHEIM RD						2	2	10B	24B	10B	75S	DE	4A	24P	10A		48	3	01	0265	R1		70	R	P		
56.00		62.56	MP MARKER	B		56																											
56.26		62.82	LEAVE CITY			CONNELL						2	2	10B	24B	10B	75S	DE	4A	24P	10A		48	3	01	\$\$\$\$	R1		70	R	\$		
56.66		63.22	INTRSECTN	B		LIND RD	CO	Y																									
			INTRSECTN	C		MED XROAD	ST	Y																									
56.68		63.24	INTRSECTN	R		LIND RD WYE CONN	CO	Y																									
57.00		63.56	MP MARKER	B		57																											
58.00		64.56	MP MARKER	B		58																											
59.00		65.56	MP MARKER	B		59																											
60.00		66.56	MP MARKER	B		60																											
61.00		67.56	MP MARKER	B		61																											
61.12		67.68	INTRSECTN	C		MED XROAD	ST	Y																									
			INTRSECTN	B		MUSE RD	CO	Y																									
61.21		67.77										2	2	8A	24A	8A	75S	DE	4A	24P	10A		48	3	01		R1		70	R			
61.24		67.80	LEAVE DIST			5																											
			END CTLSEC			CONTROL SECTION 1101																											
			LEAVE CO			FRANKLIN																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
56.66		63.22	.04	12			.04	12		
61.12		67.68	.03	12			.03	12		

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							-BRIDGE-	DECREAS-	DIV	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	LEGAL	T	P	S						
							LNS	SHD	RDY	SHD	MEDIAN-	LFT	RDY	SHD	LNS	RDY	MTCE	CITY	LEGAL	T	P	S			
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
130.71			ENTER CO			SPOKANE																			
156.74	163.24		EQUATION			156.68 =156.74 ``																			
156.75	163.25		END COINCI			SR 090																			
159.06B	165.56		BEG COINCI			SR 002																			
159.06	165.60		BEG EQ			BEGIN BACK																			
159.06	165.60		EQUATION			159.10B=159.06 ``																			
164.50	169.27		ENTER CITY			SPOKANE																			
			EQUATION			162.73 =164.50																			
			BEG CTLSEC			CONTROL SECTION 3209																			
			INTRSECTN	R		SR 2																			
			INTRSECTN	C		MEDIAN XROAD																			
			END COINCI			SR 002																			
164.51	169.28		INTRSECTN	R		SR 2 WYE CONN																			
164.60	169.37		INTRSECTN	B		COUNTRY HOMES BLVD																			
			INTRSECTN	C		MEDIAN XROAD																			
164.66	169.43		INTRSECTN	L		HOERNER AVE																			
164.68	169.45		BEG SU LN			TWO WAY TURN																			
164.80	169.57		END SU LN			TWO WAY TURN																			
164.82	169.59		INTRSECTN	B		HOLLAND AVE																			
164.84	169.61		BEG SU LN			TWO WAY TURN																			
164.93	169.70		MISC FEATR	L		SGN ENT SPOKANE																			
164.95	169.72		INTRSECTN	B		WESTVIEW AVE																			
164.96	169.73		LEAVE CITY			SPOKANE																			
165.04	169.81		END SU LN			TWO WAY TURN																			
165.07	169.84		INTRSECTN	B		GRAVES RD																			
165.08	169.85		BEG SU LN			TWO WAY TURN																			
165.27	170.04		END SU LN			TWO WAY TURN																			
165.32	170.09		INTRSECTN	B		HAWTHORNE RD																			
165.35	170.12		BEG SU LN			TWO WAY TURN																			
165.40	170.17		INTRSECTN	R		HUMBOLT ST																			
165.41	170.18																								
165.48	170.25																								
165.76	170.53																								

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
164.60	169.37		.05	14			.02	14						
164.66	169.43		.02	15										
164.82	169.59		.02	15			.02	15						
165.07	169.84		.03	14			.01	14						
165.32	170.09		.05	13			.03	13						

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	LNS	RDY	WID	WID							
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S								
169.43			174.22																					
170.00			174.79	MP	R	170																		
170.04			174.83	INTRSECTN	L	BALLARD RD	CO	Y	1	1														
170.32			175.11	INTRSECTN	R	DIVISION RD	CO																	
171.00			175.79	MP	R	171																		
171.04			175.83	INTRSECTN	L	MONROE RD	CO	Y																
171.57			176.36	INTRSECTN	R	FENDER RD	CO																	
171.94			176.73	MP	R	172																		
172.09			176.88	BEG SU LN	R	SLOW VEHICLE	16A																	
172.16			176.95	END SU LN	R	SLOW VEHICLE	16A																	
172.31			177.10																					
172.45			177.24	BEG SU LN	L	CLIMBING	12A																	
173.00			177.79	MP	R	173																		
173.09			177.88	INTRSECTN	B	HALF MOON RD	CO	Y																
173.70			178.49	ENT/EXIT	R	BUSINESS	PV	Y																
174.00			178.79	MP	R	174																		
174.10			178.89	INTRSECTN	B	WILD ROSE RD	CO	Y																
174.63			179.42	INTRSECTN	R	NORTH RD	CO																	
174.72			179.51	END SU LN	L	CLIMBING	12A																	
174.87			179.66	INTRSECTN	L	S DRAGON DR	CO																	
175.00			179.79	MP	R	175																		
175.04			179.83	INTRSECTN	R	CO RD	CO																	
				INTRSECTN	L	N DRAGON DR	CO																	
175.10			179.89	BEG SU LN	R	CLIMBING	12A																	
175.20			179.99																					
175.31			180.10	INTRSECTN	R	NORTH RD	CO																	
175.94			180.73	MP	R	176																		
176.32			181.11	INTRSECTN	L	STALEY RD	CO	Y																
				INTRSECTN	R	DENNISON-CHATTAROY RD	CO	Y																
176.63			181.42	INTRSECTN	B	DENISON RD	CO																	
176.75			181.54	END SU LN	R	CLIMBING	12A																	
176.92			181.71	INTRSECTN	B	HAMILTON RD	CO																	
177.00			181.79	MP	R	177																		
177.19			181.98	INTRSECTN	R	NORTH RD	CO																	

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
171.04			.03	12						
173.09			.03	12						
173.70				.09	12	.03	12			
176.32			.03	14			.03	14		

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
				D	LR	DESCRIPTION	-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S		
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE		A	SE	NBR	FC	D	IB	R	K	T	
182.21		187.00																							
182.82		187.61	INTRSECTN	B		SPOTTED RD		CO	Y																
182.85		187.64	BEG SU LN	R		CLIMBING		12A																	
183.00		187.79	MP MARKER	R		183																			
183.16		187.95	BEG SU LN	L		CLIMBING		12A																	
183.50		188.29	END SU LN	R		CLIMBING		12A																	
183.63		188.42	END SU LN	L		CLIMBING		12A																	
183.69		188.48	END CTLSEC LEAVE CO			CONTROL SECTION 3209 SPOKANE																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
182.82		187.61	.03	12	.03	12				

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS---													
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCRS/UNDI				SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT															
:				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
183.69	188.48		ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			STEVENS CONTROL SECTION 3301 SGN ENT STEVENS COUNTY SGN ENT SPOKANE COUNTY			1	1								8A	22A	8A					22	4	01		R1		55	R	
183.71	188.50								1	1								7A	24A	7A					24	4	01		R1		55	R	
183.94	188.73		INTRSECTN	B		WALLBRIDGE RD			CO		N																						
184.00	188.79		MP MARKER	R		184																											
184.54	189.33		INTRSECTN	R		RAILROAD RD			CO		Y																						
185.00	189.79		MP MARKER	R		185																											
185.23	190.02		INTRSECTN	B		SWENSON RD			CO		N																						
185.60	190.39		INTRSECTN	B		WILLIAMS VALLEY RD			CO		Y																						
186.00	190.79		MP MARKER	R		186																											
186.09	190.88		INTRSECTN	R		RAILROAD RD			CO		N																						
186.65	191.44		INTRSECTN	R		CO RD			CO		N																						
186.90	191.69		INTRSECTN	B		STEPHENSON RD			CO		N																						
187.00	191.79		MP MARKER	R		187																											
187.30	192.09		INTRSECTN	L		GROTE RD			CO		N																						
187.37	192.16		UXING	B		BN RR			ST																								
			RR XING	B		BRDG NUM 395/503 NUM 59315V STRUCTURE																											
187.39	192.18		BEG SU LN	R		CLIMBING		12A		1	1							7A	24A	7A	12	36	4	01			R1		55	R			
187.99	192.78		MP MARKER	R		188																											
188.30	193.09		INTRSECTN	L		LARSON BEACH RD			CO		Y																						
188.86	193.65		INTRSECTN	L		GRANITE POINT RD			CO		Y																						
188.93	193.72		END SU LN	R		CLIMBING		12A		1	1							7A	24A	7A	\$\$\$	24	4	01			R1		55	R			
189.01	193.80		MP MARKER	R		189																											
189.54	194.33		INTRSECTN	L		SUNSET BAY RD			CO		N																						
190.00	194.79		MP MARKER	R		190																											
190.14	194.93		INTRSECTN	R		STATE RD			CO		N																						
			INTRSECTN	L		SUNSET BAY RD			CO		N																						
190.29	195.08		TRAF RCDR	B		R063 0																											
190.40	195.19									1	1							8A	24A	8A					24	4	01		R1		55	R	
190.58	195.37		INTRSECTN	L		SR 292			ST		Y																						
			INTRSECTN	R		GARDEN SPOT RD			CO		Y																						

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
184.54	189.33					.03	12				
185.60	190.39			.03	12	.03	12				
188.30	193.09			.03	12						
188.86	193.65			.03	12						
190.58	195.37			.05	12	.04	12				

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----										
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT															
:				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
190.72			195.51																								
190.99			195.78			MP MARKER																					
192.00			196.79			MP MARKER																					
192.10			196.89			INTRSECTN																					
						INTRSECTN																					
192.99			197.78			MP MARKER																					
193.66			198.45			INTRSECTN																					
194.00			198.79			MP MARKER																					
195.00			199.79			MP MARKER																					
196.04			200.83			MP MARKER																					
196.78			201.57			INTRSECTN																					
197.03			201.82			MP MARKER																					
197.39			202.18			BEG SU LN																					
197.84			202.63			END SU LN																					
197.96			202.75			INTRSECTN																					
						INTRSECTN																					
198.00			202.79			MP MARKER																					
198.52			203.31			INTRSECTN																					
						INTRSECTN																					
199.03			203.82			MP MARKER																					
200.01			204.80			MP MARKER																					
200.15			204.94			INTRSECTN																					
200.52			205.31			BEG SU LN																					
200.84			205.63			INTRSECTN																					
201.03			205.82			MP MARKER																					
201.62			206.41			INTRSECTN																					
202.02			206.81			MP MARKER																					
202.43			207.22			CHG SU LN																					
						INTRSECTN																					
202.65			207.44			END SU LN																					
202.69			207.48			INTRSECTN																					
202.99			207.78			MP MARKER																					
203.30			208.09			BEG BRIDGE B																					
						COLVILLE RIVER																					
						BRDG NUM 395/512																					
203.32			208.11			END BRIDGE B																					
203.93			208.72			INTRSECTN																					
203.99			208.78			MP MARKER																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
198.52			203.31	.03	12	.03	12				

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC					LEGAL		T	P	S												
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT					D	I	B	R	K	T											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED									
207.72	212.51		LEAVE CITY			CHEWELAH							8A	24A	8A				24	4	01	\$\$\$\$	R1		35	R	\$	*					
207.80	212.59												7A	24A	7A				24	4	01		R1		35	R	*						
207.81	212.60		END ST	I		PARK ST							7A	24A	7A				24	4	01		R1		35	R	\$						
			INTRSECTN	L		2ND ST	CO		Y																								
			INTRSECTN	R		SAND CANYON RD	CO		Y																								
207.83	212.62		MISC FEATR	L		SGN ENT CHEWELAH							7A	24A	7A				24	4	02		R1		35	R							
207.87	212.66												7A	24A	7A				24	4	02		R1		55	R							
208.00	212.79		MP MARKER	R		208																											
208.26	213.05		INTRSECTN	L		PINEBROOK DR	CO		N																								
209.00	213.79		MP MARKER	R		209																											
209.56	214.35		INTRSECTN	R		KRAMER RD	CO		N																								
			INTRSECTN	L		CHEWELAH CREEK RD	CO		N																								
209.99	214.78		MP MARKER	R		210																											
210.67	215.46												7A	23A	7A				23	4	02		R1		55	R							
211.00	215.79		MP MARKER	R		211																											
211.81	216.60		INTRSECTN	L		DUNCAN RD	CO		N																								
212.00	216.79		MP MARKER	R		212																											
212.62	217.41												7A	24A	7A				24	4	02		R1		55	R							
212.65	217.44												8A	24A	8A				24	4	02		R1		55	R							
212.83	217.62		INTRSECTN	R		IMMEL RD	CO		N																								
212.99	217.78		MP MARKER	R		213																											
213.10	217.89		INTRSECTN	L		BLUE CREEK RD	CO		Y																								
213.99	218.78		MP MARKER	R		214																											
215.00	219.79		MP MARKER	R		215																											
215.54	220.33		INTRSECTN	L		ADDY-GIFFORD RD	CO		Y																								
215.63	220.40		EQUATION			215.61 =215.63																											
215.65	220.42		MISC FEATR	R		SGN ENT ADDY																											
215.76	220.53		INTRSECTN	L		BRIDGE ST	CO		N																								
215.83	220.60		INTRSECTN	L		MILL ST	CO		N																								
215.89	220.66		INTRSECTN	L		HALL ST	CO		N																								
215.94	220.71		INTRSECTN	L		NORTH ST	CO		N																								
215.99	220.76		INTRSECTN	L		ADDY MAIN ST	CO		N																								
216.01	220.78		MP MARKER	R		216																											
216.09	220.86		MISC FEATR	L		SGN ENT ADDY																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
207.81	212.60			.02	12					
212.83	217.62			.03	12					
213.10	217.89		.02		12					
215.54	220.33		.04		12					

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

			:DIRECTION TO INVENTORY		-BRIDGE		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---																			
			: :LEFT/RIGHT INDICATOR		-UXING-		NBR		LFT		RHT		INCRS/UNDI		SPC																					
			:		-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
229.66		234.43	BEG SU LN	C		TWO WAY TURN													C	76A	C				76	4	02	0250	R1		25	R	B	*		
229.67		234.44	BEG SU LN	C		TWO WAY TURN													C	64A	C	12			76	4	02	0250	R1		25	R	B	*		
229.71		234.48	INTRSECTN	L		4TH AVE W	CT		Y																											
229.74		234.51	INTRSECTN	R		4TH AVE E	CT		Y																											
229.74		234.51	END SU LN	C		TWO WAY TURN													C	76A	C	\$\$\$			76	4	02	0250	R1		25	R	B	*		
229.76		234.53	END ST	I		MAIN ST													C	60A	C				60	4	02	0250	R1		25	R	P	\$		
229.76		234.53	INTRSECTN	R		MAIN ST N	CT		AF	Y																										
229.79		234.56	BEG ST	I		5TH AVE W													C	60A	C				60	4	02	0250	R1		25	R	P	*		
229.79		234.56	INTRSECTN	R		5TH AVE E	CT		AF	Y																										
229.80		234.57	BEG SU LN	C		TWO WAY TURN													C	48A	C	12			60	4	02	0250	R1		25	R	P	*		
229.83		234.60	INTRSECTN	B		WYNNE ST	CT		Y	1	1								C	36A	C	12			48	4	02	0250	R1		25	R	P	*		
229.90		234.67	INTRSECTN	B		WASHINGTON ST	CT		Y																											
229.94		234.71	END ST	I		5TH AVE W													C	36A	C	12			48	4	02	0250	R1		25	R	P	\$		
229.94		234.71	INTRSECTN	L		5TH AVE W	CT		Y																											
229.99		234.76	INTRSECTN	B		LINCOLN ST	CT		Y																											
230.18		234.95	LEAVE CITY			COLVILLE													6A	28A	C	12			40	4	02	\$\$\$\$	R1		35	R	B			
230.18		234.95	INTRSECTN	L		CITY ST	CT		Y																											
230.19		234.96	INTRSECTN	R		7TH AVE W	CT		Y	1	1								6A	28A	C	12			40	4	02		R1		35	R	\$			
230.19		234.96	MISC FEATR	L		SGN ENT COLVILLE																														
230.30		235.07	END SU LN	C		TWO WAY TURN													8A	24A	8A	\$\$\$			24	4	02		R1		35	R				
230.30		235.07	INTRSECTN	R		8TH AVE W	CO		Y																											
230.38		235.15	ENT/EXIT	R		WAL MART	PV		Y																											
230.45		235.22	BEG SU LN	C		TWO WAY TURN													8A	24A	8A	12			36	4	02		R1		35	R				
230.48		235.25	ENTER CITY			COLVILLE													8A	24A	8A	12			36	4	02	0250	R1		35	R	P			
230.53		235.30																	8A	40A	\$\$\$C	12			52	4	02	0250	R1		35	R	P			
230.60		235.37	END SU LN	C		TWO WAY TURN													8A	49A	8A	\$\$\$			49	4	02	0250	R1		35	R	P			
230.60		235.37	INTRSECTN	B		CANNING DR	PV		SG	Y																										
230.73		235.50	ENT/EXIT	R		BUSINESS	PV		Y																											
230.78		235.55	EXIT TO	R		BUSINESS	PV		Y	1	1								8A	24A	8A				24	4	02	0250	R1		35	R	P			
230.80		235.57	ENT FROM	R		BUSINESS	PV		Y																											
230.91		235.68	LEAVE CITY			COLVILLE													8A	24A	8A				24	4	02	\$\$\$\$	R1		35	R	\$			
230.91		235.68	INTRSECTN	R		BUENA VISTA DR	CO		N																											
230.92		235.69																	8A	24A	8A				24	4	02		R1		55	R				
231.00		235.77	MP MARKER	R		231																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
230.30		235.07			.03	12					
230.38		235.15		.05	12	.04	12				
230.60		235.37		.06	12	.03	12	.09	12		
230.73		235.50		.13	12	.03	12				
230.78		235.55		.05	12						

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																					
:LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																			
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
238.42	243.19																																
238.45	243.22		INTRSECTN	L		JUNIPER ST	CT		Y																								
238.52	243.29		ENT/EXIT	R		BOISE CASCADE	PV		N																								
238.55	243.32		END SU LN	C		TWO WAY TURN	12A																										
238.66	243.43		UXING	B		BN RR	ST																										
						BRDG NUM 395/535																											
						NUM 59043K STRUCTURE																											
238.82	243.59		RR XING	B																													
238.82	243.59		ENT FROM	L		WEIGH STATION	ST		Y																								
238.83	243.60		ENT/EXIT	R		BOISE CASCADE	PV		N	1	1																						
238.93	243.70		INTRSECTN	R		LAKEVIEW DR	CT		N	1	1																						
238.96	243.73		LEAVE CITY			KETTLE FALLS																											
			EXIT TO	L		WEIGH STATION	ST		Y																								
239.00	243.77		MP MARKER	R		239																											
239.04	243.81																																
239.06	243.83		MISC FEATR	L		SGN ENT KETTLE FALLS																											
239.11	243.88		WEIGH STA	L		NUMBER																											
239.13	243.90		INTRSECTN	R		SR 25 WYE CONN	ST		Y																								
239.14	243.91		INTRSECTN	B		SR 25	ST		Y																								
239.15	243.92		INTRSECTN	L		SR 25 WYE CONN	ST		Y																								
239.28	244.05																																
239.40	244.17																																
239.62	244.39																																
239.74	244.51																																
239.95	244.72		BEG SU LN	L		CLIMBING	12A																										
240.01	244.78		MP MARKER	R		240																											
240.51	245.28		INTRSECTN	R		PINE BLUFF RD	CO		N																								
241.00	245.77		MP MARKER	R		241																											
241.02	245.79		ENT/EXIT	L		GENERATING STATION	PV		Y																								
			INTRSECTN	R		FUMI CIRCLE RD	CO		Y																								
241.24	246.01		INTRSECTN	L		PEACHCREST RD	CO		Y																								
241.26	246.03		INTRSECTN	R		ST PAUL'S MISSION RD	PV		Y																								
241.27	246.04		END SU LN	L		CLIMBING	12A																										

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
				---	---	---	---	---	---	---	---
238.82	243.59							.09	12		
238.96	243.73										
239.13	243.90				.02	13					
239.14	243.91			.04	12		.06	12			
239.15	243.92									.02	13
241.02	245.79			.04	11						

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY BENTON

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S				
						:DIRECTION TO INVENTORY		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	WD/S BR	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WID	WID	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE							5A	24A	5A			24	3	01		U3		50	L	*
			BEG CTLSEC			PIERT ROAD TO SR 182																				
			BEG ST	I		CONTROL SECTION 0340																				
			INTRSECTN	B		CHEMICAL DR																				
0.04	0.04		INTRSECTN	L		PIERT RD	CO	SS	N																	
0.13	0.13		RR XING	B		PIERT RD WYE CONN	CO		N																	
0.60	0.60		INTRSECTN	R		NUM 090041A GRADE																				
0.91	0.91		RR XING	B		LECHELT RD	CO		N																	
0.95	0.95		INTRSECTN	R		NUM 090046J GRADE																				
0.98	0.98		INTRSECTN	R		GAME FARM RD WYE CONN	CO		Y																	
0.99	0.99		MP MARKER	R		GAME FARM RD	CO		N	1	1		8A	24A	8A			24	3	01		U3		50	L	*
1.22	1.22		INTRSECTN	L		1																				
1.25	1.25		INTRSECTN	L		FINLEY RD WYE CONN	CO		Y																	
1.27	1.27		INTRSECTN	R		FINLEY RD	CO		Y																	
1.69	1.69		INTRSECTN	R		FINLEY RD WYE CONN	CO		Y																	
1.71	1.71		INTRSECTN	R		COCHRAN RD WYE CONN	CO		Y																	
1.71	1.71		INTRSECTN	B		COCHRAN RD	CO		Y																	
1.73	1.73		INTRSECTN	L		COCHRAN RD WYE CONN	CO		Y																	
1.98	1.98		MP MARKER	R		2																				
2.36	2.36		INTRSECTN	R		BOWLES RD WYE CON	CO		Y																	
2.38	2.38		INTRSECTN	B		BOWLES RD	CO		Y																	
2.40	2.40		INTRSECTN	L		BOWLES RD WYE CONN	CO		Y																	
2.81	2.81		INTRSECTN	B		HANEY RD	CO		Y																	
2.99	2.99		MP MARKER	R		3																				
3.13	3.13		INTRSECTN	R		PERKINS RD WYE CONN	CO		Y																	
3.15	3.15		INTRSECTN	B		PERKINS RD	CO		Y																	
3.17	3.17		INTRSECTN	L		PERKINS RD WYE CONN	CO		Y																	
3.79	3.79		INTRSECTN	R		BRYSON BROWN RD WYE CONN	CO		Y																	
3.81	3.81		INTRSECTN	R		BRYSON BROWN RD	CO		Y																	
3.90	3.90		INTRSECTN	R		E 26TH AVE	CO		N																	
3.99	3.99		MP MARKER	R		4																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.98	0.98				.02	12				
1.25	1.25		.05	12	.05	12				
1.71	1.71		.03	12	.03	12				
2.38	2.38		.03	12	.03	12				
2.81	2.81		.03	12	.03	12	.03	11		
3.15	3.15		.03	12	.05	12				
3.81	3.81				.02	12				

SR 397 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 5

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----													
			D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
			:	:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T					
			:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	RDY	RDY	RDY	RDY	RDY	RDY	RDY	RDY	RDY				
			:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID	WID				
8.80	8.80	INTRSECTN	L		SR 397 WYE CONN	ST	Y	2	2					C	48A	C		48	3	01	0960	U1		45	L	P	*		
8.98	8.98	MP MARKER	R		9																								
9.01	9.01	RR XING	B		NUM ? GRADE																								
9.18	9.18	RR XING	B		NUM ? GRADE																								
9.36	9.36	INTRSECTN	R		E A ST WYE CONN	CT	Y																						
9.39	9.39	INTRSECTN	B		E A ST	CT	SG	Y	2	2				C	62A	C		62	3	01	0960	U1		45	L	B	*		
9.53	9.53	INTRSECTN	L		E HOLDEN ST	CT	Y																						
9.60	9.60	INTRSECTN	B		E LYTLE ST	CT	Y																						
9.67	9.67	INTRSECTN	B		E MARVIN ST	CT	Y																						
9.74	9.74	INTRSECTN	B		E HAGERMAN ST	CT	Y																						
9.81	9.81	INTRSECTN	B		E COLUMBIA ST	CT	Y																						
9.89	9.89	END ST	I		S OREGON AVE																								
		BEG ST	I		N OREGON AVE																								
		INTRSECTN	B		E LEWIS ST	CT	SG	Y																					
9.96	9.96	INTRSECTN	B		E CLARK ST	CT	Y																						
9.98	9.98	MP MARKER	R		10																								
10.03	10.03																												
10.25	10.25	INTRSECTN	R		E BROADWAY ST	CT	Y																						
10.39	10.39	INTRSECTN	R		E SPOKANE AVE	CT	Y																						
10.46	10.46	INTRSECTN	R		E DULUTH ST	CT	Y																						
10.78	10.78	ENT/EXIT	L		CITY VIEW CEMETERY	CT	Y																						
10.99	10.99	MP MARKER	R		11																								
11.02	11.02	INTRSECTN	R		E JAMES ST	CT	Y	2	2																				
11.05	11.05	OFF RAMP	R		SR 182	ST	Y							10A	52A	10A		52	3	01	0960	U1		45	L	B	*		
		ON RAMP	L		SR 182	ST	Y																						
11.10	11.10	MISC FEATR	R		GORE (SR 182 Q101462)																								
11.11	11.11	MISC FEATR	L		GORE (SR 182 P101411)																								
11.19	11.19	MISC FEATR	R		GORE (SR 182 P501443)																								
11.20	11.20	MISC FEATR	L		GORE (SR 182 Q501433)																								
11.23	11.23	END ST	I		N OREGON AVE																								
		ON RAMP	R		SR 182	ST	Y																						
		OFF RAMP	L		SR 182	ST	Y																						
		MISC FEATR	B		SR 182 OXING SPS																								
		END CTLSEC			CONTROL SECTION 1147																								
		END ROUTE																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
9.89	9.89	.03	12	.03	12				

SR 401 MAINLINE

STATE ROUTE - SRSH

COUNTY PACIFIC

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S			
							NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 101/MEGLER TO SR 4	1	1			8A	26A	8A		26	3	02		R1			40	L		
			BEG CTLSEC INTRSECTN	R		CONTROL SECTION 2530 SR 101	ST	Y																	
0.01	0.01		TRAF RCDR	B		S841 2																			
0.20	0.20							1	1		1A	23A	6A		23	3	02		R1			40	L		
0.92	0.92		EXIT TO	R		REST AREA	ST	Y	1	1	7A	23A	7A		23	3	02		R1			40	L		
0.94	0.94		REST AREA	R		MEGLER FERRY LANDING CS 253091 V457 MAJOR																			
0.95	0.95		ENT FROM	R		REST AREA	ST	Y																	
1.00	1.00		MP MARKER	R		1		1	1		8A	22A	8A		22	3	02		R1			40	L		
1.11	1.11		ENT/EXIT	R		REST AREA	ST	Y																	
1.14	1.14							1	1		8A	22A	8A		22	3	02		R1			55	L		
2.00	2.00		MP MARKER	R		2																			
3.00	3.00		MP MARKER	R		3																			
4.00	4.00		MP MARKER	R		4																			
4.70	4.70							1	1		8A	22A	8A		22	3	02		R1			55	R		
5.00	5.00		MP MARKER	R		5																			
6.00	6.00		MP MARKER	R		6																			
6.87	6.87		BEG BRIDGE	B		BEAN CREEK BRDG NUM 401/005	ST	1	1		\$\$W	29P	\$\$W		29	3	02		R1			55	R		
6.89	6.89		END BRIDGE	B		BEAN CREEK		1	1		8A	22A	8A		22	3	02		R1			55	R		
7.01	7.01		MP MARKER	R		7																			
8.00	8.00		MP MARKER	R		8																			
9.00	9.00		MP MARKER	R		9																			
9.23	9.23		INTRSECTN	R		KNAPPTON RD	CO	N																	
9.60	9.60		BEG BRIDGE	B		DAVIS CREEK BRDG NUM 401/008	ST	1	1		\$\$C	38P	\$\$C		38	3	02		R1			55	R		
9.62	9.62		END BRIDGE	B		DAVIS CREEK		1	1		8A	22A	8A		22	3	02		R1			55	R		
10.01	10.01		MP MARKER	R		10																			
11.00	11.00		MP MARKER	R		11		1	1		6A	24A	6A		24	3	02		R1			55	R		
11.07	11.07		MISC FEATR	R		SGN ENT NASELLE																			
11.20	11.20							1	1		6A	24A	10A		24	3	02		R1			55	R		
11.27	11.27		INTRSECTN	R		S VALLEY RD	CO	N																	
			INTRSECTN	L		PARPALA RD	CO	N																	
11.37	11.37		BEG BRIDGE	B		NASELLE RIVER BRDG NUM 401/010	ST	1	1		\$\$C	26P	\$\$C		26	3	02		R1			55	R		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00													

.04 15

SR 405 MAINLINE

INTERSTATE - ISSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	LEGAL			T	P	S							
							NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S			
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
14.59	14.58		MISC FEATR	L		GORE (S101453)	3	3	10A	36A		16S	JE	8P	36P	10P	24	96	5	01	0075	U5	60	R	P
14.64	14.63		CHG SU LN	L		HIGH OCCUPANCY VEHICL12P	3	3	\$\$\$	56P	W	400	\$\$	\$\$\$	68P	\$\$\$	24	148	5	01	0075	U5	60	R	P
14.68	14.67		BEG BRIDGE	I		N-W RAMP																			
						BRDG NUM 405/045E																			
			BEG BRIDGE	D		N-W RAMP																			
						BRDG NUM 405/045W																			
14.73	14.72		END BRIDGE	I		N-W RAMP	3	3	10A	36A	6A	40S	JE	8P	36P	10P	24	96	5	01	0075	U5	60	R	P
			END BRIDGE	D		N-W RAMP																			
			CHG SU LN	L		HIGH OCCUPANCY VEHICL13P																			
14.76	14.75		UXING	B		E-N RAMP																			
						BRDG NUM 520/018E-N																			
14.83	14.82		CHG SU LN	L		HIGH OCCUPANCY VEHICL12P	3	4	\$\$\$	56P	\$\$\$	400	\$\$	\$\$\$	68P	\$\$\$	24	148	5	01	0075	U5	60	R	P
			BEG BRIDGE	I		SR 520																			
						BRDG NUM 405/046E																			
			BEG BRIDGE	D		SR 520																			
						BRDG NUM 405/046W																			
14.87	14.86		END BRIDGE	I		SR 520	3	4	10A	36A	6A	40S	JE	8P	48P	10P	24	108	5	01	0075	U5	60	R	P
			END BRIDGE	D		SR 520																			
			CHG SU LN	L		HIGH OCCUPANCY VEHICL13P																			
14.88	14.87		ON RAMP	L		SR 520																			
14.90	14.89		MISC FEATR	L		GORE (S501488)																			
14.92	14.91		CHG SU LN	L		HIGH OCCUPANCY VEHICL12P	3	4	\$\$\$	56P	\$\$\$	400	\$\$	\$\$\$	80P	\$\$\$	24	160	5	01	0075	U5	60	R	P
			BEG BRIDGE	I		NORTHUP WAY																			
						BRDG NUM 405/047E																			
			BEG BRIDGE	D		NORTHUP WAY																			
						BRDG NUM 405/047W																			
14.95	14.94		END BRIDGE	I		NORTHUP WAY	3	4	10A	36A	6A	40S	JE	8P	48P	10P	24	108	5	01	0075	U5	60	R	P
			END BRIDGE	D		NORTHUP WAY																			
			CHG SU LN	L		HIGH OCCUPANCY VEHICL13P																			
14.99	14.98		MP MARKER	B		15																			
15.00	14.99		BEG BRIDGE	I		NP RR	3	4	10A	36A	6A	40S	JE	\$\$\$	66P	\$\$\$	25	127	5	01	0075	U5	60	R	P
						BRDG NUM 405/048E																			
			RR XING	I		NUM 91772J STRUCTURE																			
15.01	15.00		CHG SU LN	L		HIGH OCCUPANCY VEHICL12P	3	4	\$\$\$	56P	\$\$\$	400	\$\$	W	80P	W	24	160	5	01	0075	U5	60	R	P
			RR XING	D		NUM 91772J STRUCTURE																			
			BEG BRIDGE	D		NP RR																			
						BRDG NUM 405/048W																			
15.06	15.05		END BRIDGE	I		NP RR	3	4	10A	36A	6A	40S	JE	8P	48P	10P	24	108	5	01	0075	U5	60	R	P
			END BRIDGE	D		NP RR																			
			CHG SU LN	L		HIGH OCCUPANCY VEHICL13P																			
15.09	15.08		MISC FEATR	L		GORE (R101594)																			
15.17	15.16		MISC FEATR	R		GORE (Q101548)	3	4	10A	36A	\$\$\$	16P	JE	\$\$\$	48P	10A	25	109	5	01	0075	U5	60	R	P

SR 405 MAINLINE

INTERSTATE - ISSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
25.02		25.00	ENTER CO BEG CTLSEC MP MARKER MISC FEATR MISC FEATR			SNOHOMISH CONTROL SECTION 3111 B 25 R SGN ENT SNOHOMISH COUNTY L SGN ENT KING COUNTY	2	2	12A	24A	6A			48S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
25.07		25.05					2	2	12A	24A	6A			48S	GR	6A	24A	12A			48	5	02	0110	U5		60	R	P	
25.32		25.30					2	2	12A	24A	6A			48S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
25.62		25.60					2	2	12A	24A	6A			260S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
25.97		25.95					2	2	12A	24A	6A			68S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
26.00		25.98	MED XING		C	OFFICIAL																								
26.02		26.00	MP MARKER		B	26																								
26.25		26.23	ON RAMP		L	SR 527																								
26.31		26.29	BEG BRIDGE	I		228TH ST SE BRDG NUM 405/103E	ST	Y																						
26.33		26.31	BEG BRIDGE	D		228TH ST SE BRDG NUM 405/103W	ST		2	2	\$\$\$	48A	\$\$\$	680	\$\$	C	38A	C			86	5	02	0110	U5		60	R	P	
26.37		26.35	END BRIDGE	I		228TH ST SE			2	2	C	38A	C	68S	DE	6A	24A	12A			62	5	02	0110	U5		60	R	P	
26.39		26.37	END BRIDGE	D		228TH ST SE			2	2	12A	24A	6A	68S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
26.48		26.46	MISC FEATR	R		GORE (P102637)																								
26.65		26.63	MISC FEATR	L		GORE (S502625)																								
26.75		26.73	UXING	B		SR 527	ST																							
26.87		26.85	MISC FEATR	R		BRDG NUM 527/104 GORE (Q502720)																								
26.92		26.90	MISC FEATR	L		GORE (R102703)																								
26.99		26.97	MP MARKER	B		27																								
27.03		27.01	OFF RAMP	L		SR 527	ST	Y																						
27.12		27.10	BEG BRIDGE	D		9TH AVE SE BRDG NUM 405/105W	ST		2	2	\$\$\$	38A	\$\$\$	68S	DE	6A	24A	12A			62	5	02	0110	U5		60	R	P	
27.13		27.11	BEG BRIDGE	I		9TH AVE SE BRDG NUM 405/105E	ST		2	2	C	38A	C	680	\$\$	\$\$\$	48A	\$\$\$			86	5	02	0110	U5		60	R	P	
27.15		27.13	END BRIDGE	D		9TH AVE SE			2	2	12A	24A	6A	68S	DE	C	48A	C			72	5	02	0110	U5		60	R	P	
27.16		27.14	END BRIDGE	I		9TH AVE SE			2	2	12A	24A	6A	68S	DE	6A	24A	12A			48	5	02	0110	U5		60	R	P	
27.20		27.18	ON RAMP	R		SR 527	ST	Y																						
28.00		27.98	LEAVE CITY			BOTHELL			2	2	12A	24A	6A	68S	DE	6A	24A	12A			48	5	02	\$\$\$\$	U5		60	R	\$	
28.02		28.00	MP MARKER	B		28																								
28.05		28.03	MISC FEATR	L		SGN ENT BOTHELL																								
28.42		28.40					2	2	12A	24A	6A			265S	DE	6A	24A	12A			48	5	02		U5		60	R		
28.68		28.66	MED XING	C		OFFICIAL																								
28.82		28.80					2	2	12A	24A	6A			68S	DE	6A	24A	12A			48	5	02		U5		60	R		
28.99		28.97	TRAF RCDR	B		S824 0																								
29.00		28.98	BEG BRIDGE	I		DAMSON RD BRDG NUM 405/108E	ST		2	2	\$\$\$	38A	\$\$\$	680	\$\$	\$\$\$	38A	\$\$\$			76	5	02		U5		60	R		

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S							
							OW	TC	L	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
10.40	1.56		LEAVE CITY UXING		B	SUMNER SR 162 BRDG NUM 162/002	ST			2	2	10A	24A	4A	40S	DE	4A	24A	10A			48	1	01	\$\$\$\$	U2	55	L	\$	
10.42	1.58		MISC FEATR		L	SGN ENT SUMNER																								
10.52	1.68		MISC FEATR		R	GORE (Q101079)				2	2	10A	24A	4A	40S	DE	4A	24A	8A			48	1	01		U2	55	L		
			MISC FEATR		L	GORE (R101065)																								
10.65	1.81		OFF RAMP		L	SR 162	ST		Y																					
10.79	1.95		ON RAMP		R	SR 162	ST		Y																					
10.86	2.02									2	2	10A	24A	8A	40S	DE	4A	24A	10A			48	1	01		U2	55	L		
11.00	2.16		MP MARKER		B	11																								
11.07	2.23		ON RAMP		L	166TH AVE E	ST		Y																					
11.27	2.43		OFF RAMP		R	166TH AVE E	ST		Y																					
11.37	2.53		MISC FEATR		L	GORE (S101107)																								
11.38	2.54		MISC FEATR		R	GORE (P101127)																								
11.46	2.62		BEG BRIDGE I			166TH AVE E BRDG NUM 410/039S	ST			2	2	\$\$\$	32A	\$\$\$	400	\$\$	\$\$\$	38P	\$\$\$			70	1	01		U2	55	L		
			BEG BRIDGE D			166TH AVE E BRDG NUM 410/039N	ST																							
11.48	2.64		END BRIDGE I			166TH AVE E				2	2	C	38A	C	40S	DE	4A	24A	10A			62	1	01		U2	55	L		
11.49	2.65		END BRIDGE D			166TH AVE E				2	2	10A	24A	8A	40S	DE	4A	24A	10A			48	1	01		U2	55	R		
11.60	2.76									2	2	10A	24A	\$\$\$	10A	JE	\$\$\$	24A	10A			48	1	01		U2	55	R		
11.61	2.77		MISC FEATR		L	GORE (R101167)																								
11.62	2.78		MISC FEATR		R	GORE (Q101192)																								
11.67	2.83		OFF RAMP		L	166TH AVE E	ST		Y																					
11.92	3.08		ON RAMP		R	166TH AVE E	ST		Y																					
11.95	3.11									2	2	8A	22A		10A	JE		22A	8A			44	1	01		U2	55	R		
12.02	3.18		MP MARKER		R	12																								
12.22	3.38		INTRSECTN		R	171ST AVE E	CO		Y																					
12.24	3.40		INTRSECTN		R	171ST AVE E WYE CONN	CO		Y																					
12.68	3.84		MISC FEATR		R	SGN ENT BONNEY LAKE																								
12.72	3.88		ENTER CITY			BONNEY LAKE				2	2	8A	22A		10A	JE		22A	8A			44	1	01	0105	U2	45	R	P	
12.74	3.90									2	2	8A	22A		8A	JE		22A	8A			44	1	01	0105	U2	45	R	P	
13.00	4.16		MP MARKER		R	13																								
13.02	4.18									2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$		8A	55A	8A			55	1	01	0105	U2	45	R	P
13.08	4.24		INTRSECTN		L	MYERS RD E WYE CONN	CT		Y																					
13.11	4.27		INTRSECTN		L	MYERS RD E	CT		Y																					

INTERSECTION DETAIL

SRMP		B		ARM		-----TURN LANES-----				-----ACCELERATION LANES-----				
						L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
						LGT	WD	LGT	WD	LGT	WD	LGT	WD	
12.24	3.40													
13.11	4.27					.05	12						.04	12
													.03	11

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		SPC USE TOT LNS RDY WID WID		MTCE A SE NBR FC		CITY ST FC		LEGAL SPEED D IB		T P R K T	
13.13	4.29	INTRSECTN	L	MYERS RD E WYE CONN	CT	Y	2	2							8A	55A	8A	55	1	01	0105	U2	45	R	P	
13.31	4.47														\$C	60A	8A	60	1	01	0105	U2	45	R	P	
13.37	4.53	INTRSECTN	R	181ST AVE E	CT	SG	Y	2	2						4A	56A	8A	56	1	01	0105	U2	45	R	P	
		INTRSECTN	L	SUMNER BUCKLEY HWY	CT	SG	Y																			
13.43	4.59	BEG SU LN	C	TWO WAY TURN				2	2	12A					8A	44A	8A	12	56	1	01	0105	U2	45	R	P
13.46	4.62							2	2						8A	44A	4A	12	56	1	01	0105	U2	45	R	P
13.54	4.70	END SU LN	C	TWO WAY TURN				2	2	12A					8A	56A	4A	\$\$\$	56	1	01	0105	U2	45	R	P
13.57	4.73	INTRSECTN	L	184TH AVE E WYE CONN	CT	Y																				
13.60	4.76	INTRSECTN	B	184TH AVE E	CT	SG	Y	2	2						5A	56A	8A	56	1	01	0105	U2	45	R	P	
13.62	4.78	INTRSECTN	R	184TH AVE E WYE CONN	CT	Y																				
13.65	4.81							2	2	8A	24A	10A	UP	\$\$\$	22A	8A	46	1	01	0105	U2	45	R	P		
13.67	4.83							2	2	8A	24A	14A	JE		22A	8A	46	1	01	0105	U2	45	R	P		
13.89	5.05	BEG BRIDGE I		ANGELINE RD	ST			2	2	\$W	32P	14P	JE		30P	\$W	62	1	01	0105	U2	45	R	B		
		BEG BRIDGE D		BRDG NUM 410/042S																						
		BEG BRIDGE D		ANGELINE RD	ST																					
		BEG BRIDGE D		BRDG NUM 410/042N																						
13.91	5.07	END BRIDGE I		ANGELINE RD				2	2	8A	24A	14A	JE		22A	8A	46	1	01	0105	U2	45	R	B		
		END BRIDGE D		ANGELINE RD																						
14.00	5.16	MP MARKER	R	14																						
14.02	5.18							2	2	8A	22A	10A	JE		22A	8A	44	1	01	0105	U2	45	R	B		
14.13	5.29							2	2	8A	22A	12A	JE		22A	8A	44	1	01	0105	U2	45	R	B		
14.18	5.34							2	2	8A	22A	12A	UP		22A	8A	44	1	01	0105	U2	45	R	B		
14.19	5.35	INTRSECTN	R	192ND AVE E WYE CONN	CT	Y																				
14.20	5.36	INTRSECTN	R	192ND AVE E	CT	SG	Y	2	3	8A	22A	12A	UP		34A	8A	56	1	01	0105	U2	45	R	B		
14.29	5.45	ENT/EXIT	R	LAKE TAPPS SHOPPING MALL	PV	Y																				
14.40	5.56	INTRSECTN	B	195TH AVE E	PV	SG	Y																			
14.51	5.67	ENT/EXIT	R	LAKE TAPPS SHOPPING MALL	PV	Y																				
14.57	5.73							2	2	8A	22A	12A	UP		22A	8A	44	1	01	0105	U2	45	R	B		
14.64	5.80	INTRSECTN	L	198TH AVE E	CT	SG	Y																			
		INTRSECTN	R	S PRAIRIE RD E	CT	SG	Y																			
14.72	5.88							2	2	8A	22A	11A	JE		22A	8A	44	1	01	0105	U2	45	R	B		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
13.13	4.29									
13.37	4.53		.10	11						
13.60	4.76		.04	12	.05	12	.03	12	.04	12
14.19	5.35				.05	12				
14.20	5.36				.04	12				
14.40	5.56		.03	12			.03	12		
14.64	5.80		.03	12	.07	12	.03	12	.06	12

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---											
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T			
21.99	13.15		MP MARKER BEG BRIDGE B	R		22 WHITE RIVER BRDG NUM 410/101	ST		1	1						C	28A		C		28	4	01	0130	R2	40	R	P
22.02	13.18		LEAVE CITY END CTLSEC LEAVE CO			BUCKLEY CONTROL SECTION 2708 PIERCE			1	1						C	28A		C		28	4	01	\$\$\$\$	R2	40	R	\$

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID									
24.68	15.84		INTRSECTN	B		BLAKE ST	CT	Y	1	1				8A	24A	8A		24	4	01	0410	U2	40	R	B	*
24.71	15.87													8A	45A	\$\$\$		45	4	01	0410	U2	40	R	B	*
24.73	15.89													\$\$\$	65A	C		65	4	01	0410	U2	40	R	B	*
24.78	15.94													C	55A	C		55	4	01	0410	U2	40	R	B	*
24.80	15.96													C	55A	C		55	4	01	0410	U2	40	R	B	*
24.82	15.98		ENT/EXIT	R		SHOPPING CENTER	PV	SG	Y	1	2			C	80A	C		80	4	01	0410	U2	40	L	P	*
			INTRSECTN	L		SR 164	ST	SG	Y																	
24.86	16.02		ENT/EXIT	R		SHOPPING CENTER	PV		Y																	
24.89	16.05		ENT/EXIT	R		SHOPPING CENTER	PV		Y	1	1			C	80A	C		80	4	01	0410	U2	40	L	P	*
24.92	16.08		INTRSECTN	B		WATSON ST	CT		Y	1	1			8A	30A	C		30	4	01	0410	U2	40	L	B	*
24.98	16.14		BEG SU LN	C		TWO WAY TURN								8A	30A	C	13	43	4	01	0410	U2	40	L	B	*
25.00	16.16		MP MARKER	R		25																				
25.01	16.17													8A	23A	8A	13	36	4	01	0410	U2	40	L	B	*
25.12	16.28		END SU LN	C		TWO WAY TURN								8A	44A	\$\$\$	\$\$\$	44	4	01	0410	U2	40	L	B	*
25.17	16.33													8A	24A	8A		24	4	01	0410	U2	40	L	B	*
25.36	16.52													\$\$\$	44A	8A		44	4	01	0410	U2	40	L	B	*
25.38	16.54													C	44A	10A		44	4	01	0410	U2	40	L	B	*
25.40	16.56		INTRSECTN	L		PVT RD	PV		N	1	1			10A	22A	10A		22	4	01	0410	U2	40	L	B	*
25.45	16.61													\$\$\$	44A	10A		44	4	01	0410	U2	40	L	B	*
25.54	16.70		INTRSECTN	L		GAMBLIN ST	CT		N																	
25.58	16.74													6A	52A	\$\$\$		52	4	01	0410	U2	40	L	B	*
25.64	16.80		END ST	I		ROOSEVELT AVE								\$\$\$	66A	C		66	4	01	0410	U2	40	L	B	*
			INTRSECTN	L		FARMAN ST N	CT		SG	Y																
			INTRSECTN	R		284TH AVE SE	CT		SG	Y																
25.71	16.87		LEAVE CITY			ENUMCLAW								5A	22A	5A	13	35	4	01	\$\$\$	U2	50	L	\$	
			BEG SU LN	C		TWO WAY TURN																				
25.82	16.98		INTRSECTN	L		288TH AVE SE								5A	22A	5A	13	35	4	01		U2	50	R		
25.83	16.99		ENT/EXIT	R		ENUMCLAW GOLF COURSE	PV		Y																	
25.84	17.00		END SU LN	C		TWO WAY TURN								5A	22A	5A	\$\$\$	22	4	01		U2	50	R		
26.00	17.16		MP MARKER	R		26																				
26.14	17.30													5A	22A	5A		22	4	01		R2	50	R		
26.32	17.48													5A	22A	5A		22	4	01		R2	55	R		
27.12	18.28		MP MARKER	R		27																				
27.16	18.32		INTRSECTN	L		CO RD	CO		N																	
27.35	18.51													10A	23A	9A		23	4	01		R2	55	R		

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
24.82	15.98				.03	13	.05	14								
24.92	16.08		.03	12	.03	12	.03	13								
25.64	16.80		.03	12	.05	12	.02	12	.07	12						

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---							
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
42.76	33.87		ENTER CO BEG CTLSEC			PIERCE CONTROL SECTION 2720		1	1															
42.77	33.88		END BRIDGE B MISC FEATR	L		GREENWATER RIVER SGN ENT KING COUNTY		1	1															
42.98	34.09		INTRSECTN	R		583RD AVE E	CO		N															
42.99	34.10		MP MARKER	R		43																		
43.30	34.41		MISC FEATR	L		SGN ENT GREENWATER		1	1															
43.60	34.71							1	1															
43.97	35.08		MP MARKER	R		44																		
44.53	35.64							1	1															
44.85	35.96		INTRSECTN	B		FS RD #70	FS		N															
45.01	36.12		MP MARKER	R		45																		
45.98	37.09		MP MARKER	R		46																		
46.42	37.53		INTRSECTN	R		FS RD #74	FS		N															
46.94	38.05		INTRSECTN	R		CRYSTAL VILLAGE LN	CO		N															
46.99	38.10		MP MARKER	R		47																		
47.17	38.28		INTRSECTN	L		CRYSTAL VILLAGE LN E	CO		N															
47.41	38.52		INTRSECTN	R		CHINOOK LN E	CO		N															
47.56	38.67							1	1															
47.67	38.78		ENT/EXIT	R		VIEWPOINT	ST	N	1	1														
47.69	38.80		ENT/EXIT MISC FEATR	R		VIEWPOINT SGN MT BAKER-SNOQUALMIE	ST		N															
48.00	39.11		MP MARKER	R		48																		
48.19	39.30							1	1															
48.33	39.44							1	1															
48.59	39.70		INTRSECTN	L		FS RD #72	FS		N															
49.00	40.11		MP MARKER	R		49																		
49.07	40.18		ENT/EXIT	R		VIEWPOINT	ST		N															
49.32	40.43		INTRSECTN	R		FS RD #73	FS		N															
49.82	40.93							1	1															
49.93	41.04							1	1															
49.99	41.10		MP MARKER	R		50																		
50.33	41.44		INTRSECTN ENT/EXIT	L R		FS RD #7150 THE DALLES CAMPGROUND	FS FS	N N	1 1	1 1														
50.61	41.72							1	1															
51.00	42.11		MP MARKER	R		51																		
51.06	42.17		INTRSECTN	L		FS RD #7150	FS		N															

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
49.07	40.18			.05	.04	.12				.03	.12

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE																						
:				-XROAD-		SHD RDY SHD			SHD RDY SHD			LNS																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
																WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
51.08	42.19									1	1							4A	24B	4A			24	4	01		R2		50	R				
51.43	42.54		MISC FEATR	R		SKOOKUM FALLS VIEWPOINT																												
52.00	43.11		MP MARKER	R		52																												
52.77	43.88		INTRSECTN	L		FS RD #7155			FS		N																							
53.00	44.11		MP MARKER	R		53																												
54.00	45.11		MP MARKER	R		54																												
54.32	45.43		INTRSECTN	R		FS RD #7160			FS		N																							
55.00	46.11		MP MARKER	R		55																												
55.36	46.47		INTRSECTN	L		FS RD #7170			FS		N																							
56.00	47.11		MP MARKER	R		56																												
56.07	47.18		INTRSECTN	L		CORRAL PASS RD-FS #7174			FS		N																							
56.12	47.23		BEG BRIDGE	B		SILVER CREEK			ST		1	1																						
						BRDG NUM 410/066																												
56.14	47.25		END BRIDGE	B		SILVER CREEK					1	1																						
56.34	47.45		INTRSECTN	L		FS RD #7175			FS		N																							
56.52	47.63		ENT/EXIT	R		SILVER SPRINGS CMPGRND			FS		N																							
56.76	47.87		INTRSECTN	L		FS RD #7175			FS		N																							
56.84	47.95		INTRSECTN	R		SILVER CRK GUARD STATION			FS		N																							
56.89	48.00		INTRSECTN	R		SILVER CRK GUARD STATION			FS		N																							
57.00	48.11		MP MARKER	R		57																												
57.20	48.31		BEG SU LN	R		CHAIN UP		14A			1	1																						
57.29	48.40		BEG SU LN	L		CHAIN UP		14A			1	1																						
57.43	48.54		INTRSECTN	L		FS RD			FS		N																							
57.45	48.56		END SU LN	R		CHAIN UP		14A			1	1																						
			END SU LN	L		CHAIN UP		14A																										
57.49	48.60		INTRSECTN	L		CRYSTAL MOUNTAIN BLVD			CO		Y																							
57.59	48.70		MISC FEATR	B		GATE (CLOSED IN WINTER)					1	1																						
57.98	49.09		MP MARKER	R		58																												
58.74	49.85										1	1																						
58.83	49.94										1	1																						
58.86	49.97										1	1																						
58.88	49.99										1	1																						
59.98	51.09		MP MARKER	R		60																												
61.00	52.11		MP MARKER	R		61																												
61.72	52.83		MISC FEATR	R		CRYSTAL CRK MAINTENANCE																												
62.13	53.24		INTRSECTN	R		NATIONAL PARK RD WY CONN			PK		N																							
62.16	53.27		INTRSECTN	R		NATIONAL PARK RD			PK		N																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
57.49	48.60			.04	12						

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
				D	LR	DESCRIPTION	-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
				:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T
89.37		80.44																						
89.97		81.04	MP MARKER	R		90									3B	22B	3B				R3			55 M
90.96		82.03	MP MARKER	R		91																		
91.47		82.54	INTRSECTN	R		OLD RIVER RD	CO	N																
91.83		82.90							1	1					5B	23B	5B							23 2 03 R3 55 M
91.94		83.01	MP MARKER	R		92																		
92.04		83.11	BEG BRIDGE	B		LITTLE NACHES RIVER	ST		1	1				\$\$\$	32P	\$\$\$								32 2 03 R3 55 M
						BRDG NUM 410/220																		
92.07		83.14	END BRIDGE	B		LITTLE NACHES RIVER			1	1				5B	23B	5B								23 2 03 R3 55 R
92.13		83.20	INTRSECTN	L		NACHES PASS RD	CO	N																
92.20		83.27							1	1				3B	22B	3B								22 2 03 R3 55 R
92.76		83.83	BEG BRIDGE	B		MILK CREEK	ST		1	1				\$\$\$	30B	\$\$\$								30 2 03 R3 55 R
						BRDG NUM 410/225																		
92.77		83.84	END BRIDGE	B		MILK CREEK			1	1				3B	22B	3B								22 2 03 R3 55 R
92.80		83.87	INTRSECTN	L		MILK CREEK RD	PV	N																
93.00		84.07	MP MARKER	R		93																		
93.03		84.10	BEG SU LN	L		SLOW VEHICLE		11B	1	1				3B	22B	3B	11							33 2 03 R3 55 R
93.36		84.43	ENT/EXIT	R		SAWMILL FLAT	FS	N																
93.54		84.61	END SU LN	L		SLOW VEHICLE		11B	1	1				3B	22B	3B	\$\$\$							22 2 03 R3 55 R
93.63		84.70							1	1				8B	22B	8B								22 2 03 R3 55 R
93.99		85.06	MP MARKER	R		94																		
94.89		85.96	INTRSECTN	L		PINE CREEK RD	FS	N																
95.00		86.07	MP MARKER	R		95																		
95.39		86.46							1	1				8B	22A	8B								22 2 03 R3 55 R
95.42		86.49							1	1				8B	22B	8B								22 2 03 R3 55 R
95.43		86.50	INTRSECTN	R		OLD RIVER RD	CO	N																
95.62		86.69	MISC FEATR	R		SGN ENT CLIFFDELL																		
95.64		86.71							1	1				8B	22B	8B								22 2 03 R3 35 R
95.67		86.74	INTRSECTN	L		FS RD	FS	N																
95.98		87.05	MP MARKER	R		96																		
96.22		87.29	ENT/EXIT	R		BUSINESS	PV	N																
96.39		87.46	INTRSECTN	L		SPRING CREEK RD	FS	N																
96.44		87.51	MISC FEATR	L		SGN ENT CLIFFDELL		1	1					8B	22B	8B								22 2 03 R3 55 R
96.98		88.05	MP MARKER	R		97																		
97.97		89.04	MP MARKER	R		98																		
98.19		89.26	INTRSECTN	R		OLD RIVER RD	CO	N																
98.97		90.04	INTRSECTN	L		GOLD CREEK RD	FS	N																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
96.22	87.29			.03	9				

SR 410 MAINLINE

STATE ROUTE - SRSH

COUNTY YAKIMA

DOT DISTRICT 5

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																			
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	TOT																			
:				-XROAD-		LNS	SHD	RDY	SHD	RDY	SHD	LNS	RDY	SHD	USE	TOT																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	A	SE	CITY	ST	LEGAL	T	P	S				
98.98		90.05	MP MARKER	R		99												8B	22B	8B			22	2	03		R3		55	R					
99.30		90.37	ENT/EXIT	R		DOT MAINT-FS CAMPGROUND	ST			N																									
100.00		91.07	MP MARKER	R		100																													
100.03		91.10	MISC FEATR	L		SGN WEN NAT FOREST BNDRY																													
100.47		91.54								1	1							3B	22B	3B			22	2	03		R3		55	R					
100.99		92.06	MP MARKER	R		101																													
101.98		93.05	MP MARKER	R		102																													
102.30		93.37	INTRSECTN	L		ROCK CREEK RD	FS			N																									
102.98		94.05	MP MARKER	R		103																													
103.21		94.28	INTRSECTN	L		BALD MOUNTAIN RD	FS			N																									
103.73		94.80	BEG SU LN	R		AUXILIARY	11B			1	1							3B	22B	3B	11		33	2	03		R3		55	R					
103.78		94.85	BEG SU LN	L		SLOW VEHICLE	12B			1	1							1B	22B	3B	23		45	2	03		R3		55	R					
103.95		95.02	MP MARKER	R		104																													
103.99		95.06	END SU LN	L		SLOW VEHICLE	12B			1	1							3B	22B	3B	11		33	2	03		R3		55	R					
104.21		95.28	END SU LN	R		AUXILIARY	11B			1	1							3B	22B	3B	\$\$\$		22	2	03		R3		55	R					
104.50		95.57								1	1							2B	24B	2B			24	2	03		R3		55	R					
104.57		95.64	INTRSECTN	R		NILE RD	CO			N																									
104.96		96.03	MP MARKER	R		105																													
106.00		97.07	MP MARKER	R		106																													
106.99		98.06	MP MARKER	R		107																													
107.98		99.05	MP MARKER	R		108																													
108.42		99.49								1	1							2A	24A	2A			24	2	03		R3		55	R					
108.45		99.52	INTRSECTN	R		NILE RD	CO			N	1	1						3A	22A	3A			22	2	03		R3		55	R					
109.00		100.07	MP MARKER	R		109																													
109.99		101.06	MP MARKER	R		110																													
111.02		102.09	MP MARKER	R		111																													
111.99		103.06	MP MARKER	R		112																													
112.99		104.06	MP MARKER	R		113																													
113.98		105.05	MP MARKER	R		114																													
114.38		105.45								1	1							3B	22B	3B			22	2	03		R3		55	R					
114.40		105.47	INTRSECTN	L		MUD LAKE RD	CO			N																									
115.03		106.10	MP MARKER	R		115																													
115.07		106.14								1	1							2B	22B	4B			22	2	03		R3		55	R					
115.14		106.21	BEG SU LN	R		AUXILIARY	11B			1	1							2B	22B	4B	11		33	2	03		R3		55	R					
115.69		106.76	END SU LN	R		AUXILIARY	11B			1	1							2B	22B	4B	\$\$\$		22	2	03		R3		55	R					
115.87		106.94								1	1							3B	22B	3B			22	2	03		R3		55	R					
115.92		106.99	BEG BRIDGE	B		NACHES SELAH CANAL	ST			1	1							\$\$C	24B	\$\$C			24	2	03		R3		55	R					
						BRDG NUM 410/255																													
115.93		107.00	END BRIDGE	B		NACHES SELAH CANAL				1	1							3B	22B	3B			22	2	03		R3		55	R					
116.00		107.07	MP MARKER	R		116																													
116.12		107.19	ENT/EXIT	L		DOT MAINTENANCE SHOP	ST			N																									
116.26		107.33	TRAF RCDR	B		S818 7																													
116.27		107.34								1	1							4A	24A	4A			24	2	03		R3		55	R					

SR 411 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---																	
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC																					
:LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE		CITY	ST	LEGAL		T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
2.03	2.03		ENTER CITY			LONGVIEW				1	1									C	40A	C		40	1	02	0695	U3	35	L	B	*	
2.04	2.04									1	1									C	40A	C		40	1	02	0695	U3	45	L	B	*	
2.05	2.05		END ST	I		FIRST AVE NW				1	1									C	40A	C		40	1	02	0695	U3	45	L	B	\$	
			MISC FEATR	L		SGN ENT KELSO																											
2.13	2.13									1	1									6A	23A	8A		23	1	02	0695	U3	45	L	B		
2.14	2.14									1	1									6A	23A	8A		23	1	02	0695	U3	45	L	P		
2.51	2.51		LEAVE CITY			LONGVIEW				1	1									6A	23A	8A		23	1	02	0695	U3	45	L	\$		
2.63	2.63		MISC FEATR	L		SGN ENT LONGVIEW																											
2.93	2.93									1	1									6A	35A	8A		35	1	02		U3	45	L			
2.95	2.95		MP MARKER	R	3																												
2.97	2.97		INTRSECTN	L		NEVADA DR	CO	Y																									
3.07	3.07		INTRSECTN	L		ALPHA DR	CO	Y	1	1										8A	32A	8A		32	1	02		U3	45	L			
3.11	3.11									1	1									4A	24A	4A		24	1	02		U3	45	L			
3.15	3.15		INTRSECTN	L		BEACON HILL DR	CO	Y		1	1									4A	22A	6A		22	1	02		U3	45	L			
3.24	3.24																																
3.35	3.35		UXING	B		WEYERHAEUSER RR	ST																										
			BRDG NUM 411/003																														
			RR XING	B		NUM 840549A STRUCTURE																											
3.66	3.66									1	1									7A	24A	7A		24	1	02		U3	45	L			
3.76	3.76		ENT/EXIT	R		RIVERSIDE COUNTY PARK	CO	N																									
3.99	3.99		MP MARKER	R	4																												
4.10	4.10									1	1									5A	23A	5A		23	1	02		U3	45	L			
4.27	4.27									1	1									5A	23A	5A		23	1	02		U3	35	L			
4.58	4.58		INTRSECTN	L		SPARKS DR	CO	Y	1	1										6A	22A	4A		22	1	02		U3	35	L			
4.71	4.71		INTRSECTN	L		LEXINGTON AVE	CO	N																									
4.77	4.77		INTRSECTN	R		COWLITZ DR	CO	N																									
4.96	4.96		INTRSECTN	L		RAINBOW WAY	CO	N																									
4.99	4.99		MP MARKER	R	5																												
5.02	5.02		INTRSECTN	B		VILLA RD	CO	N																									
5.07	5.07		INTRSECTN	L		JOHN ST	CO	N																									
5.13	5.13		INTRSECTN	L		LOUISE ST	CO	N																									
5.17	5.17									1	1									7A	22A	7A		22	1	02		U3	35	L			
5.33	5.33									1	1									6A	23A	6A		23	1	02		U3	35	L			

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.97	2.97			.03	11						
3.07	3.07			.04	12						
3.15	3.15			.02	12						
4.58	4.58			.05	12						
4.96	4.96			.03	12						

SR 432 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---													
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S									
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S									
7.62	7.62		END ST END CTLSEC BEG PH GP UXING	I		3RD AVE CONTROL SECTION 0831 BEGIN PHYSICAL GAP SR 432 WB																									
				B		BRDG NUM 432/008N																									
7.64	7.63		ENTER CITY EQUATION BEG CTLSEC BEG BRIDGE I BEG BRIDGE D	I		LONGVIEW 007.63 =007.64 CONTROL SECTION 0831 SR 432-3RD AVE BRDG NUM 432/008S SR 432-3RD AVE BRDG NUM 432/008N END PHYSICAL GAP		2	2		W	33P		16P	WA		39P		W		72	1	02	0695	U1		55	L	P		
				I		SR 432-3RD AVE BRDG NUM 432/008S																									
				D		SR 432-3RD AVE BRDG NUM 432/008N																									
						END PH GP																									
7.70	7.69		END BRIDGE I END BRIDGE D	I		SR 432-3RD AVE SR 432-3RD AVE		2	2	10A	24A			14A	JE		24A	10A			48	1	02	0695	U1		55	L	P		
				D		SR 432-3RD AVE																									
7.75	7.74		ON RAMP	R		SR 432-3RD AVE																									
7.87	7.86		MISC FEATR	L		GORE (R100800)																									
7.90	7.89		MISC FEATR	R		GORE (P100747)																									
8.00	7.99		OFF RAMP	L		SR 411-3RD AVE																									
8.04	8.03		MP MARKER	R		8																									
8.17	8.16		ON RAMP	R		SR 432-3RD AVE																									
8.45	8.44		MISC FEATR	L		SGN ENT LONGVIEW																									
8.46	8.45		LEAVE CITY			LONGVIEW		2	2	10A	24A			14A	JE		24A	10A			48	1	02	\$\$\$\$	U1		55	L	\$		
8.51	8.50							2	2	10A	24A			14A	UP		24A	10A			48	1	02		U1		55	L			
8.54	8.53		RR XING	B		NUM 101842C GRADE																									
8.63	8.62		INTRSECTN	L		TENNANT WAY CONNECTION		2	2	10A	24A			14A	GR		24A	10A			48	1	02		U1		55	L			
8.65	8.64							2	2	10A	24A			14A	GR		24A	10A			48	1	02		U1		55	L			
9.05	9.04		MP MARKER	B		9																									
9.09	9.08		ON RAMP	L		DIKE RD																									
9.23	9.22		OFF RAMP	R		DIKE RD																									
9.34	9.33		MISC FEATR	R		GORE (P100923)																									
9.35	9.34		MISC FEATR	L		GORE (S100909)																									
9.43	9.42		MISC FEATR	R		GORE (Q500966)																									
9.54	9.53		MISC FEATR	L		GORE (R100966)																									
9.58	9.57		BEG BRIDGE I RR XING	I	B	COWLITZ RIVER BRDG NUM 432/010S NUM 92455H STRUCTURE		2	2	\$\$C	38P		C	140	\$\$		W	28P	\$\$W		66	1	02		U1		55	L			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	L	R	L	R	L	R	L	R
		NEAR	NEAR	FAR	FAR	LEFT	LNTR	LNTR	RIGHT
		WD	WD	WD	WD	WD	WD	WD	WD
8.63	8.62	.03		14					

SR 500 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																					
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC			MTCE		CITY		ST		LEGAL		T P S														
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			LNS RDY			A SE		NBR FC		D IB		R K T																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	RDY	SHD	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
3.20			3.20																																		
3.39			3.39 MISC FEATR	L		GORE (R100352)																															
3.40			3.40 MISC FEATR	R		GORE (Q100358)																															
3.52			3.52 OFF RAMP	L		NE ANDRESEN RD																															
3.58			3.58 ON RAMP	R		NE ANDRESEN RD																															
3.76			3.76																																		
3.88			3.88 INTRSECTN	B		NE THURSTON WAY WYE CONN	CT																														
3.89			3.89 INTRSECTN	B		NE THURSTON WAY	CT																														
						INTRSECTN	C																														
3.90			3.90 INTRSECTN	B		NE THURSTON WAY WYE CONN	CT																														
4.00			4.00 MP MARKER	B		4																															
4.03			4.03																																		
4.27			4.27 ON RAMP	L		SR 205 SB																															
4.39			4.39 OFF RAMP	R		SR 205 SB																															
4.44			4.44 UXING	B		NE FOURTH PLAIN BLVD																															
						BRDG NUM 500/005																															
4.48			4.48 MISC FEATR	L		GORE (SR 205 R103118)																															
4.51			4.51 MISC FEATR	R		GORE (SR 205 S103061)																															
4.67			4.67 MISC FEATR	L		GORE (SR 205 S503098)																															
4.68			4.68 BEG SU LN	L		AUXILIARY																															
						OFF RAMP	L																														
4.70			4.70 MISC FEATR	R		GORE (SR 205 R503083)																															
4.73			4.73 CHG SU LN	L		AUXILIARY																															
						BEG SU LN	R																														
						ON RAMP	R																														
						BEG BRIDGE	B																														
						BRDG NUM 500/006																															
4.80			4.80 END BRIDGE	B		SR 205																															
						CHG SU LN	L																														
						END SU LN	R																														
						OFF RAMP	R																														
4.84			4.84 END SU LN	L		AUXILIARY																															
						ON RAMP	L																														
4.85			4.85 MISC FEATR	L		GORE (SR 205 P503097)																															
4.86			4.86 MISC FEATR	R		GORE (SR 205 Q503083)																															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--			
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.88			3.88			.08	12				.16	12
3.89			3.89			.05	24					
3.90			3.90								.14	12

SR 500 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----											
				D	LR	DESCRIPTION	OW	TC	L	NBR	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
				:LEFT/RIGHT INDICATOR		-XROAD-		DECREAS/DIV		INCRS/UNDI		SPC																	
				:		XROAD-		LFT		RHT		LFT		RHT		LNS		RDY		WID		A		SE		FC			
				:		OW		W/S		W/S		W/S		W/S		WID		WID		A		SE		FC		IB			
5.01	5.01		MP MARKER	B	5			3	2	10A	36A	18A	JE	24A	10A			60	1	01	1350	U1	55	L	P				
			MISC FEATR	L	GORE (SR 205 Q103117)																								
5.05	5.05		BEG SU LN	L	AUXILIARY	12A		3	2	10A	36A	18A	JE	24A	10A	12		72	1	01	1350	U1	55	L	P				
			OFF RAMP	L	SR 205 NB		ST	Y																					
			MISC FEATR	R	GORE (SR 205 P103061)																								
5.16	5.16		BEG SU LN	R	AUXILIARY	14A		3	2	10A	36A	18A	JE	24A	8A	12		72	1	01	1350	U1	55	L	P				
5.21	5.21		ON RAMP	R	SR 205 NB		ST	Y	3	3	10A	36A	18A	UP	36A	8A	26		98	1	01	1350	U1	55	L	P			
5.40	5.40		END SU LN	L	AUXILIARY	12A		3	3	10A	36A	18A	UP	36A	8A	\$\$\$		72	1	01	1350	U1	55	L	P				
			END SU LN	R	AUXILIARY	14A																							
			INTRSECTN	R	NE 112TH AVE WYE CONN		CT	Y																					
			INTRSECTN	L	NE GHER RD WYE CONN		CT	Y																					
5.42	5.42		INTRSECTN	R	NE 112TH AVE		CT	SG	Y																				
			INTRSECTN	L	NE GHER RD		CT	SG	Y																				
			INTRSECTN	C	MEDIAN XROAD		ST	SG	Y																				
5.43	5.43		INTRSECTN	L	NE GHER RD WYE CONN		CT	Y	3	3	10A	36A	18A	UP	36A	10A		72	1	01	1350	U1	55	L	P				
			INTRSECTN	R	NE 112TH AVE WYE CONN		CT	Y																					
5.64	5.64							3	3	10A	36A	18A	JE	36A	8A			72	1	01	1350	U1	55	L	P				
5.79	5.79							3	3	8A	36A	18A	JE	36A	8A			72	1	01	1350	U1	55	L	P				
5.92	5.92							3	3	8A	36A	13A	UP	36A	8A			72	1	01	1350	U1	55	L	P				
5.94	5.94		INTRSECTN	L	NE FOURTH PL BV WYE CONN		CT	Y	2	2	8A	24A	13A	UP	24A	8A		48	1	01	1350	U1	55	L	P				
			INTRSECTN	R	SR 500 WYE CONN		ST	Y																					
5.96	5.96		BEG ST	I	NE 4TH PLAIN BLVD			2	2	\$\$\$	\$\$\$	\$\$\$	\$\$\$	C	86A	\$\$\$C		86	1	01	1350	U1	40	L	P	*			
			INTRSECTN	L	SR 503		ST	SG	Y																				
			INTRSECTN	L	NE FOURTH PLAIN BLVD		CT	SG	Y																				
5.97	5.97		BEG SU LN	R	AUXILIARY	14A		2	2					C	72A	C	14	86	1	01	1350	U1	40	L	P	*			
			INTRSECTN	R	SR 500 WYE CONN		ST	Y																					
			INTRSECTN	L	SR 503 WYE CONN		ST	Y																					
6.14	6.14		END SU LN	R	AUXILIARY	14A		2	2					C	72A	C	\$\$\$	72	1	01	1350	U1	40	L	P	*			
			INTRSECTN	R	NE 121ST AVE WYE CONN		CT	Y																					
6.15	6.15		INTRSECTN	B	NE 121ST AVE		CT	SG	Y																				
6.19	6.19		LEAVE CITY		VANCOUVER			2	2					C	66A	C		66	1	01	\$\$\$U1		40	L	\$	*			
6.21	6.21		BEG SU LN	C	TWO WAY TURN	13A		2	2					C	53A	C	13	66	1	01		U1	40	L	\$	*			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.42	5.42		.18	24			.07	24						
5.43	5.43						.10	12				.18	12	
5.96	5.96		.03	12			.08	24						
5.97	5.97						.05	14						
6.15	6.15		.04	12			.03	13						

SR 502 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
:DIRECTION TO INVENTORY						-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
:LEFT/RIGHT INDICATOR						-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T	
:						OW	TC	L	D	I	W/S	W/S	W/S	W/S	WID	WID	WID	WID	WID	WID	WID	WID	WID	
0.00B	0.00		BEG ROUTE			MAIN ROUTE SR 5 TO SR 503/BATTLEGD		2	1			6A	33A	6A		33	1	01		U1		40	R	
			BEG EQ			BEGIN BACK																		
			BEG CTLSEC			CONTROL SECTION 0635																		
			UXING	B		SR 5 SB	ST																	
						BRDG NUM 005/0028W																		
0.00	0.02		EQUATION			000.02B=000.00		2	1			8A	33A	2A		33	1	01		U1		50	R	*
			BEG ST	I		NE 179TH ST																		
			UXING	B		SR 5 NB	ST																	
						BRDG NUM 005/028E																		
0.04	0.06		OFF RAMP	L		SR 5	ST	Y																
0.06	0.08		END ST	I		NE 179TH ST		2	2			8A	48A	8A		48	1	01		U1		50	R	*
			BEG ST	I		NE 10TH AVE																		
			ON RAMP	R		SR 5	ST	SG	Y															
			INTRSECTN	R		NE 179TH ST	CO	SG	Y															
0.09	0.11							1	2			8A	36A	8A		36	1	01		U1		50	R	*
0.15	0.17							1	1			8A	24A	8A		24	1	01		U1		50	R	*
0.24	0.26							1	1			4A	24A	4A		24	1	01		U1		50	R	*
0.30	0.32		INTRSECTN	L		NE 184TH ST	CO	N																
0.56	0.58		INTRSECTN	L		NE 189TH ST	CO	N																
0.76	0.78							1	1			7A	24A	8A		24	1	01		U1		50	R	*
0.81	0.83		INTRSECTN	B		NE 194TH ST	CO	Y																
0.92	0.94							1	1			10A	24A	10A		24	1	01		U1		50	R	*
1.00	1.02		MP MARKER	R		1																		
1.05	1.07		INTRSECTN	B		NE 199TH ST	CO	Y																
1.20	1.22							1	1			8A	23A	3A		23	1	01		U1		50	R	*
1.55	1.57		INTRSECTN	B		NE 209TH ST	CO	N																
1.71	1.73		MISC FEATR	R		SGN ENT DULUTH																		
1.98	2.00							1	1			\$\$\$	40A	\$\$\$		40	1	01		U1		50	L	*
2.02	2.04		MP MARKER	R		2																		
2.04	2.06							1	1			C	40A	C		40	1	01		R1		50	L	*
2.05	2.07		END ST	I		NE 10TH AVE		1	1			4A	24A	4A		24	1	01		R1		50	L	*
			BEG ST	I		NE 219TH ST																		
			INTRSECTN	L		NE 10TH AVE	CO	AF	Y															
2.16	2.18		MISC FEATR	L		SGN ENT DULUTH																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.04	0.06		.02	11						
1.05	1.07		.03	15		.04	15			
2.05	2.07					.02	12			

SR 502 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----										
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
							-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
2.23	2.25								1	1		4A	24A		4A		24	1	01		R1		50	L		*	
2.30	2.32		INTRSECTN	R	NE	15TH AVE	CO	N	1	1		4A	24A		4A		24	1	01		R1		50	R		*	
2.66	2.68		INTRSECTN	R	NE	22ND AVE	CO	N																			
2.98	3.00		MP MARKER	R		3																					
3.05	3.07		INTRSECTN	B	NE	29TH AVE	CO	N																			
3.43	3.45		INTRSECTN	L	NE	37TH AVE	CO	N																			
3.67	3.69		INTRSECTN	R	NE	42ND AVE	CO	N																			
4.02	4.04		MP MARKER	R		4																					
4.04	4.06		INTRSECTN	B	NE	50TH AVE	CO	N																			
4.78	4.80		INTRSECTN	B	NE	67TH AVE	CO	N	1	1		4A	24A		4A		24	1	01		R1		35	R		*	
4.92	4.94								1	1		8A	24A		8A		24	1	01		R1		35	R		*	
5.00	5.02		MP MARKER	R		5																					
5.03	5.05		INTRSECTN	B	NE	72ND AVE	CO	SG	Y	1	1	8A	24A	12A			24	1	01		R1		35	R		*	
5.14	5.16											8A	24A	8A			24	1	01		R1		35	R		*	
5.28	5.30											8A	24A	8A			24	1	01		R1		50	R		*	
6.00	6.02		MP MARKER	R		6																					
6.04	6.06		INTRSECTN	L	NE	92ND AVE	CO	Y																			
6.53	6.55		ENTER CITY			BATTLEGROUND			1	1		8A	24A	8A			24	1	01	0060	R1		50	R	B	*	
6.85	6.87		MISC FEATR	R	SGN	ENT BATTLEGROUND			1	1		8A	24A	8A			24	1	01	0060	R1		50	L	B	*	
6.99	7.01		MP MARKER	R		7																					
7.00	7.02								1	1		8A	24A	8A			24	1	01	0060	R1		40	L	B	*	
7.04	7.06		INTRSECTN	L	NW	20TH AVE	CT	SG	Y																		
			INTRSECTN	R	NE	20TH AVE	CT	SG	Y																		
7.29	7.31		INTRSECTN	L	NW	15TH AVE	CT	Y																			
7.40	7.42		INTRSECTN	L	NW	13TH AVE	CT	N																			
7.44	7.46		END ST	I	NE	219TH ST																					
			BEG ST	I	MAIN	ST																					
			INTRSECTN	R	SW	12TH AVE	CT	Y																			
7.46	7.48								2	1		8A	36A	8A			36	1	01	0060	R1		40	L	B	*	
7.54	7.56		INTRSECTN	B	SR	503 WYE CONN	ST	Y	1	2		8A	36A	8A			36	1	01	0060	R1		40	L	B	*	
7.56	7.58		END ST	I	MAIN	ST																					
			INTRSECTN	B	SR	503	ST	SG	Y																		
			END CTLSEC			CONTROL SECTION 0635																					
			END ROUTE																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
5.03	5.05		.04	10		.04	10			
7.04	7.06		.04	12		.04	12			
7.29	7.31		.04	12						
7.56	7.58		.04	12						

SR 503 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----											
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	USE	RDT	MTCE	CITY	ST	LEGAL	T	P	S									
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	LFT	RHT	RHT	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T				
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S			
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
4.61		4.61	MISC FEATR	R		BUS TURNOUT		2	2	6A	24A			6A	UP	24A	6A			48	1	01		R1	55	L	*		
4.62		4.62	MISC FEATR	B		5																							
5.00		5.00	MP MARKER	B		5																							
5.04		5.04	BEG BRIDGE	B		SALMON CREEK	ST	2	2	\$\$\$	32P			6P	UP	32P	\$\$\$			64	1	01		R1	55	L	*		
						BRDG NUM 503/006																							
5.12		5.12	END BRIDGE	B		SALMON CREEK		2	2	6A	24A			6A	UP	24A	6A			48	1	01		R1	55	L	*		
5.83		5.83	MISC FEATR	L		BUS TURNOUT																							
6.08		5.86	END ST	I		NE 117TH AVE																							
			EQUATION			005.86 =006.08																							
			BEG ST	I		NE 122ND AVE																							
			INTRSECTN	C		MEDIAN XROAD	ST							SG															
			INTRSECTN	B		NE 179TH ST	CO							SG															
6.10		5.88	INTRSECTN	R		NE 179TH ST WYE CONN	CO							Y															
6.13		5.91	MISC FEATR	R		BUS TURNOUT																							
6.20		5.98						2	2	6A	24A			6A	UP	24A	22A			48	1	01		R1	55	L	*		
6.21		5.99	MP MARKER	B		6																							
6.32		6.10						2	2	6A	24A			6A	UP	24A	6A			48	1	01		R1	55	L	*		
6.51		6.29	MISC FEATR	L		BUS TURNOUT																							
6.56		6.34	MISC FEATR	R		BUS TURNOUT																							
6.59		6.37	INTRSECTN	L		NE 189TH ST	CO							SG															
			INTRSECTN	C		MEDIAN XROAD	ST							SG															
6.60		6.38	INTRSECTN	L		NE 189TH ST WYE CONN	CO							Y															
6.74		6.52	INTRSECTN	L		NE 192ND ST	CO							N															
6.76		6.54						2	2	22A	24A			6A	UP	24A	6A			48	1	01		R1	55	L	*		
6.86		6.64						2	2	6A	24A			6A	UP	24A	6A			48	1	01		R1	55	L	*		
7.04		6.82	MISC FEATR	R		SGN ENT BATTLE GROUND																							
7.08		6.86	INTRSECTN	R		NE 199TH ST WYE CONN	CO							Y															
7.09		6.87	INTRSECTN	B		NE 199TH ST	CO			SG	Y	2	2	\$\$\$	30A					60	1	01		R1	55	L	*		
			INTRSECTN	C		MEDIAN XROAD	ST			SG	Y																		
7.10		6.88	ENTER CITY			BATTLEGROUND		2	2	C	30A			6A	UP	30A	C			60	1	01	0060	R1	55	L	P	*	
7.11		6.89	INTRSECTN	R		NE 199TH ST WYE CONN	CT			Y																			
			MISC FEATR	R		SGN ENT BATTLEGROUND																							
7.21		6.99	MP MARKER	B		7																							

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.08		5.86	.03	13			.03	13						
6.59		6.37	.04	13										
6.60		6.38							.07	12				
7.08		6.86					.07	12						
7.09		6.87	.04	13			.04	13						

SR 503 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	MTCE		CITY	ST	LEGAL		T	P	S												
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RDY	SHD	W/S	RDY	SHD	W/S	USE	TOT	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T				
7.24			7.02							2	2	C	30A		6A	UP		30A		C		60	1	01	0060	R1		55	L	P	*						
7.96			7.74							2	1	C	30A		6A	UP		30A		C		60	1	01	0060	R1		55	L	P	*						
7.98			7.76							2	1	\$	\$\$\$		\$\$\$	\$\$		C	73A		C		73	1	01	0060	R1		55	L	P	*					
8.07			7.85			INTRSECTN			L	ST	Y	1	1					C	73A		C		73	1	01	0060	R1		55	L	P	*					
						INTRSECTN			R	CT	Y																										
8.09			7.87			INTRSECTN			L	ST	SG	Y	1	1				8A	48A		8A		48	1	01	0060	R2		55	L	B	*					
						INTRSECTN			R	CT	SG	Y																									
8.11			7.89			INTRSECTN			R	CT	Y																										
						INTRSECTN			L	ST	Y																										
8.22			8.00			MP MARKER			B																												
8.27			8.05																																		
8.85			8.63			INTRSECTN			R	CT	Y							8A	22A		8A		22	1	01	0060	R2		55	L	B	*					
9.00			8.78			MP MARKER			R																												
9.30			9.08			MISC FEATR			L																												
9.34			9.12			INTRSECTN			R	CT	Y																										
9.35			9.13			END ST			I																												
						BEG ST			I																												
						INTRSECTN			B	CT	SG	Y																									
9.36			9.14			LEAVE CITY												8A	22A		8A		22	1	01	\$\$\$	R2		55	L	\$	*					
10.00			9.78			MP MARKER			R																												
10.07			9.85			INTRSECTN			R	CO	N																										
10.11			9.89			BEG BRIDGE			B	ST								\$	C	28P	\$	C		28	1	01		R2		55	L	*					
10.16			9.94			END BRIDGE			B									8A	22A		8A		22	1	01		R2		55	L	*						
10.26			10.04			INTRSECTN			L	PV	N																										
10.29			10.07			ENT/EXIT			R	CO	Y																										
10.63			10.41			INTRSECTN			L	CO	Y																										
						INTRSECTN			R	CO	Y																										
11.00			10.78			MP MARKER			R																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.07		7.85			.11	12				
8.09		7.87	.05	13		.05	13			
8.11		7.89							.09	12
8.85		8.63			.07	12		.04	12	
9.34		9.12			.07	12				
9.35		9.13	.03	12		.04	12			
10.26		10.04	.03	12						
10.29		10.07			.04	12		.03	12	
10.63		10.41	.05	12		.03	12			

SR 503 MAINLINE

STATE ROUTE - SRSH

COUNTY CLARK

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	WID											
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S										
11.59	11.37																									
11.61	11.39		INTRSECTN	R	NE	132ND AVE	CO	N						8A	22A	8A			22	1	01		R2	55	L	*
12.00	11.78		MP MARKER	R		12																				
12.27	12.05		INTRSECTN	R	NE	MCBRIDE RD	CO	N																		
			INTRSECTN	L	NE	299TH ST	CO	N																		
12.99	12.77		INTRSECTN	R	NE	MCBRIDE RD	CO	Y																		
			INTRSECTN	L	NE	142ND AVE	CO	Y																		
13.00	12.78		MP MARKER	R		13																				
13.47	13.25		INTRSECTN	L	NE	319TH ST	CO	N																		
13.72	13.50		INTRSECTN	R	NE	ROCK CREEK RD	CO	Y																		
			INTRSECTN	L		PVT RD	PV	Y																		
13.81	13.59								1	1				8A	22A	8A			22	1	01		R2	35	L	*
13.82	13.60								1	1				1B	22B	1B			22	1	01		R2	35	L	*
14.00	13.78		MP MARKER	R		14																				
14.35	14.13		INTRSECTN	R	NE	GABRIEL RD	CO	N																		
15.00	14.78		MP MARKER	R		15																				
15.78	15.56		INTRSECTN	L	NE	365TH ST	CO	N																		
15.98	15.76		END ST	I	NE	LEWISVILLE HWY			1	1				1B	21B	1B			21	1	01		R2	35	L	\$
			INTRSECTN	L	NE	FARGHER LAKE HWY	CO	N																		
16.00	15.78		MP MARKER	R		16																				
16.11	15.89		INTRSECTN	L	NE	156TH AVE	CO	Y																		
16.65	16.43								1	1				1B	21B	1B			21	1	01		R2	50	L	
16.70	16.48		INTRSECTN	L	NE	165TH AVE	CO	N																		
17.00	16.78		MP MARKER	R		17																				
17.84	17.62		INTRSECTN	L		HOOPER WOLLAM RD	CO	N																		
18.01	17.79		MP MARKER	R		18																				
18.70	18.48		INTRSECTN	R	NE	KELLY RD	CO	N																		
19.01	18.79		MP MARKER	R		19																				
19.24	19.02		INTRSECTN	R		WORTHINGTON RD	CO	N																		
19.77	19.55		INTRSECTN	L	NE	389TH ST	CO	N																		
19.98	19.76		INTRSECTN	L		OATFIELD RD	CO	N																		
20.01	19.79		MP MARKER	R		20																				
20.18	19.96								1	1				1B	21B	1B			21	1	01		R2	25	L	
20.24	20.02		MISC FEATR	R	SGN	ENT AMBOY																				
20.29	20.07								1	1				2A	22A	2A			22	1	01		R2	25	R	
20.39	20.17								1	1				8A	22A	8A			22	1	01		R2	25	R	
20.44	20.22		BEG ST	I	NE	399TH ST			1	1				8A	22A	8A			22	1	01		R2	25	R	*

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
13.72		13.50		.05	12			.02	12	.03	12	.04	12		

SR 503 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																									
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCRS/UNDI				SPC																											
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT		MTCE		CITY		LEGAL		T P S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	MEDIAN-	WD/S	BR	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T	
50.55	50.28		INTRSECTN	R		NEVALA RD	CO	N	1	1										8A	24A	8A				24	1	01			R2			55	R						
50.77	50.50		INTRSECTN	R		BUTTE HILL RD	CO	N	1	1										7A	24A	7A				24	1	01			R2			50	R						
50.92	50.65								1	1										4A	24A	4A				24	1	01			R2			50	R						
51.00	50.73		MP MARKER	R		51																																			
			INTRSECTN	L		ROSS RD	CO			N																															
51.16	50.89		BEG BRIDGE	B		ROSS CREEK	ST		1	1										\$\$\$	41A	\$\$\$				41	1	01			R2			50	R						
			BRDG NUM			503/116																																			
51.17	50.90		END BRIDGE	B		ROSS CREEK			1	1										4A	24A	4A				24	1	01			R2			50	R						
52.00	51.73		MP MARKER	R		52			1	1										4A	24A	4A				24	1	01			R2			50	L						
52.16	51.89								1	1										4A	24A	4A				24	1	01			R2			35	L						
52.19	51.92								1	1										2A	23A	2A				23	1	01			R2			35	L						
52.23	51.96		INTRSECTN	L		MCCRACKEN RD	CO			N																															
52.27	52.00		MISC FEATR	R		SGN ENT WOODLAND																																			
52.42	52.15		INTRSECTN	R		SALMON ST	CO			Y																															
52.49	52.22		BEG ST	I		LEWIS RIVER DR			1	1										4A	23A	5A				23	1	01			R2			35	L					*	
			INTRSECTN	R		SPRUCE AVE	CO			Y																															
52.57	52.30		INTRSECTN	R		DEHNING DR	CO			Y																															
52.64	52.37		INTRSECTN	L		MACKENZIE RD	CO			N																															
52.72	52.45		INTRSECTN	R		EVERGREEN LN	CO			Y																															
52.78	52.51		ENTER CITY			WOODLAND			1	1										3A	23A	6A				23	1	01	1470	R2			35	L						*	
52.89	52.62		INTRSECTN	R		FIR AVE	CT			Y																															
52.95	52.68		INTRSECTN	R		VALLEY WAY	CT			Y																															
53.00	52.73		INTRSECTN	R		GUN CLUB RD	CT			Y																															
53.01	52.74		MP MARKER	R		53			1	1										4A	23A	4A				23	1	01	1470	R2			35	L						*	
53.12	52.85								1	1										6A	22A	6A				22	1	01	1470	R2			35	L						*	
53.19	52.92		INTRSECTN	R		INSEL RD	CT			Y																															
53.43	53.16		INTRSECTN	R		CITY ST	CT			Y																															
53.53	53.26		INTRSECTN	R		E SCOTT AVE	CT			Y																															
53.73	53.46		INTRSECTN	R		N GOERIG ST	CT			Y	1	1								5A	23A	7A				23	1	01	1470	R2			35	L						*	
53.81	53.54		INTRSECTN	R		CHERRY BLOSSOM LN	CT			Y																															
53.92	53.65		INTRSECTN	R		N GOERIG ST WYE CONN	CT			Y	1	1								8A	22A	8A				22	1	01	1470	R2			35	L						*	
53.95	53.68		INTRSECTN	R		N GOERIG ST	CT			Y																															
54.00	53.73		MP MARKER	R		54			1	1										8A	22A	8A				22	1	01	1470	R2			30	L						*	
54.02	53.75		BEG SU LN	C		TWO WAY TURN		12A	1	1										8A	30A	\$\$\$	12			42	1	01	1470	R2			30	L						*	
54.15	53.88								1	1										8A	38A	C	12			50	1	01	1470	R2			30	L						*	
54.18	53.91								1	1										\$\$\$	52A	C	12			64	1	01	1470	R2			30	L						*	
54.21	53.94								2	1										C	52A	C	12			64	1	01	1470	R2			30	L						*	
54.24	53.97		END SU LN	C		TWO WAY TURN		12A	2	1										C	56A	8A	\$\$\$			56	1	01	1470	R2			30	L						*	
			INTRSECTN	B		MILLARD ST	CT			Y																															

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT	WD	LGT	WD	LGT	WD	LGT	WD
54.24	53.97				.01	12				

SR 503 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY
				:	:		-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
				:	:		OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
54.25		53.98																							
54.29		54.02																							
54.31		54.04	INTRSECTN	L		S LEWIS RIVER HWY	CT SG Y	2	2																
54.33		54.06	ON RAMP	L		SR 5	ST SG Y	2	2																
			INTRSECTN	R		ATLANTIC ST	CT SG Y																		
54.37		54.10	UXING	B		SR 5 NB	ST																		
						BRDG NUM 005/102E																			
54.38		54.11	END ST	I		LEWIS RIVER DR																			
			UXING	B		SR 5 SB	ST																		
						BRDG NUM 005/102W																			
			END CTLSEC			CONTROL SECTION 0830																			
			END ROUTE																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
54.31		54.04	.03	11						
54.33		54.06			.03	12				

SR 504 MAINLINE

STATE ROUTE - SR5H

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----							
							:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC	TOTAL		MTCE	CITY	ST	LEGAL	T	P	S				
							: :LEFT/RIGHT INDICATOR		-UXING-	NBR	LFT	RHT	LFT	RHT		USE	RDY								WID	WID	A	SE
							: :	: :	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R
0.00	0.00	BEG ROUTE	MAIN ROUTE				1	1					W	56P	W			56	1	02	0170	R3			35	R	P	
			ENTER CITY			SR 5 TO MT ST HELENS																						
			BEG CTLSEC			CASTLE ROCK																						
			BEG BRIDGE B			CONTROL SECTION 0832																						
						SR 5																						
						BRDG NUM 504/001																						
0.06	0.06	END BRIDGE B	SR 5			SR 5							8A	27A	8A			27	1	02	0170	R3			35	R	P	
0.10	0.10	OFF RAMP	L			SR 5																						
		ON RAMP	R			SR 5																						
0.15	0.15	INTRSECTN	L			OLD PACIFIC HWY							\$\$C	56A	\$\$C			56	1	02	0170	R3			35	R	P	
		INTRSECTN	R			DOUGHERTY DR NE																						
0.19	0.19	BEG SU LN	C			TWO WAY TURN	12A						C	44A	C	12		56	1	02	0170	R3			35	R	P	
0.24	0.24	INTRSECTN	L			BOYD AVE NE																						
0.34	0.34	END SU LN	C			TWO WAY TURN	12A						C	56A	C	\$\$\$		56	1	02	0170	R3			35	R	P	
0.40	0.40	BEG SU LN	R			CLIMBING	12A						8A	22A	4A	12		34	1	02	0170	R3			35	R	P	
0.47	0.47	INTRSECTN	R			SALMON CREEK LN																						
0.51	0.51	LEAVE CITY				CASTLE ROCK							8A	22A	4A	12		34	1	02	\$\$\$R	R3			50	R	\$	
		MISC FEATR	L			SGN ENT CASTLE ROCK																						
0.61	0.61												8A	22A	10A	12		34	1	02				R3		50	R	
0.78	0.78												8A	22A	4A	12		34	1	02				R3		50	R	
1.00	1.00	MP MARKER	R			1																						
1.30	1.30	INTRSECTN	L			LONE MAPLE DR		CO		N																		
1.37	1.37	INTRSECTN	L			STUDEBAKER RD		CO		N																		
1.71	1.71	INTRSECTN	L			KROLL RD		CO		N																		
2.00	2.00	MP MARKER	R			2																						
		INTRSECTN	L			TOWER RD		CO		N																		
2.17	2.17																											
2.19	2.19	END SU LN	R			CLIMBING	12A						4A	23A	4A	12		35	1	02				R3		50	R	
2.21	2.21												4A	23A	4A	\$\$\$		23	1	02				R3		50	R	
2.21	2.21												4A	23A	14A			23	1	02				R3		50	R	
2.31	2.31												4A	24A	4A			24	1	02				R3		50	R	
2.70	2.70	INTRSECTN	R			SI TOWN RD		CO		N																		
2.95	2.95	INTRSECTN	L			REYNOLDS RD		CO		N																		
3.00	3.00	MP MARKER	R			3																						
3.40	3.40	BEG SU LN	R			CLIMBING	12A						4A	24A	4A	12		36	1	02				R3		50	R	
3.46	3.46												4A	40A	4A	12		52	1	02				R3		50	R	
3.59	3.59	INTRSECTN	R			S SILVER LAKE RD		CO		Y																		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L	R	L	R	LEFT	L	R	RIGHT
			NEAR	NEAR	FAR	FAR	--	LNTR	LNTR	--
0.10	0.10		.04	13						
0.15	0.15		.02	13		.02	13			
3.59	3.59					.03	13			

SR 504 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	D	LR	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
			:LEFT	:RIGHT				INDICATOR	-BRIDGE-	DECREAS/DIV	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
								-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
								OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
3.66	3.66															4A	40A	4A	12	52	1	02		R3	50	R
3.78	3.78															4A	24A	4A	12	36	1	02		R3	50	R
3.80	3.80	END SU LN	R		CLIMBING			12A								4A	24A	4A	\$\$\$	24	1	02		R3	50	R
3.88	3.88															4A	36A	4A		36	1	02		R3	50	R
4.00	4.00	BEG SU LN	L		CLIMBING			12A								4A	24A	4A	12	36	1	02		R3	50	R
		MP MARKER	R		4																					
4.10	4.10	INTRSECTN	R		CARNINE RD			CO	N																	
		INTRSECTN	L		SCHAFFRAN RD			CO	N																	
4.32	4.32	END SU LN	L		CLIMBING			12A								4A	24A	4A	\$\$\$	24	1	02		R3	50	R
4.59	4.59	INTRSECTN	L		ESTES RD			CO	N																	
5.00	5.00	MP MARKER	R		5																					
5.02	5.02															20A	24A	6A		24	1	02		R3	50	R
5.12	5.12															4A	24A	6A		24	1	02		R3	50	R
5.22	5.19	EQUATION			005.19 =005.22 ``											4A	24A	4A		24	1	02		R3	50	R
5.28	5.25	EXIT TO	R		SEAQUEST STATE PARK			ST	N																	
5.60	5.57	ENT/EXIT	B		SEAQUEST STATE PARK			ST	Y																	
5.70	5.67															8A	24A	8A		24	1	02		R3	50	R
5.92	5.89	INTRSECTN	L		PAINE RD			CO	N																	
6.02	5.99	MP MARKER	R		6											8A	24A	10A		24	1	02		R3	50	R
6.21	6.18															8A	24A	8A		24	1	02		R3	50	R
6.26	6.23	INTRSECTN	R		SILVER COVE DR			CO	N																	
6.35	6.32	INTRSECTN	R		LAKEVIEW DR			CO	N																	
6.53	6.50	INTRSECTN	L		OWENS RD			CO	N																	
6.66	6.63															4A	24A	4A		24	1	02		R3	50	R
6.76	6.73	INTRSECTN	R		EL COSTA-LOTTA PL			PV	N																	
7.01	6.98	MP MARKER	R		7																					
7.87	7.84	INTRSECTN	R		KERR RD			CO	N																	
8.01	7.98	MP MARKER	R		8																					
8.46	8.43	INTRSECTN	L		GEORGE TAYLOR RD			CO	Y																	
9.01	8.98	MP MARKER	R		9																					
9.09	9.06	INTRSECTN	R		HALL RD			CO	N																	
9.42	9.39															4A	24A	10A		24	1	02		R3	50	R
9.59	9.56	INTRSECTN	L		MARTIN RD			CO	N																	
9.62	9.59															4A	24A	4A		24	1	02		R3	50	R
9.75	9.72															4A	24A	10A		24	1	02		R3	50	R
9.91	9.88															4A	24A	10A		24	1	02		R3	35	R
9.97	9.94	INTRSECTN	R		HANSEN RD			CO	N																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
5.28	5.25		.03	12					
5.60	5.57	.04	14		.04	14			

SR 504 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

			-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS-----					
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S			
			:LEFT/RIGHT INDICATOR		-UXING-		LFT RHT		LFT RHT		USE		RDY		A SE		FC		D IB		R K T			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
21.09	21.04																							
21.21	21.16	BEG	BRIDGE B			TOUTLE RIVER	ST																	
						BRDG NUM 504/015.5																		
21.43	21.38	END	BRIDGE B			TOUTLE RIVER																		
21.83	21.78	BEG	SU LN	R		CLIMBING		12A																
22.02	21.97	MP	MARKER	R		22																		
22.17	22.12	INTRSECTN		L		PVT RD (601)			PV		N													
22.55	22.50	BEG	SU LN	L		SLOW VEHICLE		12A																
22.61	22.56	END	SU LN	L		SLOW VEHICLE		12A																
22.63	22.58	END	SU LN	R		CLIMBING		12A																
23.02	22.97	MP	MARKER	R		23																		
23.03	22.98	INTRSECTN		R		PVT RD			PV		N													
23.67	23.62	BEG	SU LN	R		SLOW VEHICLE		12A																
23.79	23.74	INTRSECTN		L		PVT RD (2500)			PV		N													
23.82	23.77	END	SU LN	R		SLOW VEHICLE		12A																
24.02	23.97	MP	MARKER	R		24																		
24.09	24.04	INTRSECTN		R		ECO PARK RD			PV		N													
24.30	24.25	BEG	BRIDGE B			E FORK PULLEN CREEK	ST																	
						BRDG NUM 504/018																		
24.39	24.34	END	BRIDGE B			E FORK PULLEN CREEK																		
24.56	24.51	INTRSECTN		L		PVT RD (2502)			PV		N													
25.02	24.97	MP	MARKER	R		25																		
25.24	25.19	BEG	SU LN	R		SLOW VEHICLE		12A																
25.35	25.30	END	SU LN	R		SLOW VEHICLE		12A																
26.02	25.97	MP	MARKER	R		26																		
26.28	26.23	BEG	SU LN	L		SLOW VEHICLE		12A																
26.30	26.25	BEG	SU LN	R		SLOW VEHICLE		12A																
26.45	26.40	END	SU LN	L		SLOW VEHICLE		12A																
		END	SU LN	R		SLOW VEHICLE		12A																
26.67	26.62	EXIT	TO	R		HOFFSTADT VIEWPOINT			FS		N													
26.71	26.66	ENT/EXIT		R		HOFFSTADT VIEWPOINT			FS		N													
26.73	26.68	ENT	FROM	R		HOFFSTADT VIEWPOINT			FS		N													
27.02	26.97	MP	MARKER	R		27																		
27.45	27.40	BEG	BRIDGE B			HOFFSTADT BLUFFS	ST																	
						BRDG NUM 504/023																		
27.53	27.48	END	BRIDGE B			HOFFSTADT BLUFFS																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
26.71	26.66				.03	12			.07	12	
26.73	26.68									.07	12

SR 504 MAINLINE

STATE ROUTE - SRSH

COUNTY COWLITZ

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			
				:	:	:																			

SR 507 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
5.44		5.40	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR			THURSTON CONTROL SECTION 3430 SGN ENT THURSTON COUNTY SGN ENT LEWIS COUNTY				1	1				1A	22A	1A				22	1	02		R3			50	L					
5.88		5.84								1	1				1A	22A	4A				22	1	02		R3			50	L					
5.98		5.94								1	1				4A	22A	4A				22	1	02		R3			50	L					
6.00		5.96	MP MARKER	R		6																												
6.10		6.06	BEG BRIDGE	B		SKOOKUMCHUCK RIVER BRDG NUM 507/102	ST			1	1				\$\$\$	32A	\$\$\$				32	1	02		R3			50	L					
6.13		6.09	END BRIDGE	B		SKOOKUMCHUCK RIVER				1	1				4A	22A	4A				22	1	02		R3			50	L					
6.18		6.14	INTRSECTN	L		TROY ST E	CO		N																									
6.32		6.28								1	1				3A	22A	3A				22	1	02		R3			50	L					
6.64		6.60	INTRSECTN	L		FLUMERFELT RD SE	CO		N																									
			INTRSECTN	L		O'CONNOR RD	CO		N																									
6.86		6.82	INTRSECTN	R		CONNOR RD	CO		N																									
6.99		6.95	MP MARKER	R		7																												
7.45		7.41								1	1				1A	22A	1A				22	1	02		R3			50	L					
8.08		8.04	MP MARKER	R		8																												
8.25		8.21								1	1				3A	22A	3A				22	1	02		R3			50	L					
8.78		8.74								1	1				4A	22A	4A				22	1	02		R3			50	L					
8.99		8.95	MP MARKER	R		9																												
9.48		9.44	ENTER CITY			BUCODA				1	1				4A	22A	4A				22	1	02	0135	R3		35	L	P					
9.50		9.46	MISC FEATR	R		SGN ENT BUCODA																												
9.76		9.72	BEG ST	I		S FRONT ST				1	1				4A	22A	4A				22	1	02	0135	R3		35	L	P	*				
			INTRSECTN	L		W NINTH ST	CT		Y																									
9.88		9.84	INTRSECTN	L		W SEVENTH ST	CT		Y																									
9.96		9.92	END ST	I		S FRONT ST																												
			BEG ST	I		N SUMNER ST																												
			INTRSECTN	R		W SIXTH ST	CT		Y																									
9.99		9.95	MP MARKER	R		10																												
10.16		10.12	END ST	I		N SUMNER ST				1	1				4A	22A	4A				22	1	02	0135	R3		35	L	P	\$				
10.26		10.22	MISC FEATR	L		SGN ENT BUCODA																												
10.27		10.23	LEAVE CITY			BUCODA				1	1				4A	22A	4A				22	1	02	\$\$\$\$	R3		55	L	\$					
10.45		10.41								1	1				6A	20A	6A				20	1	02		R3		55	L						
10.99		10.95	MP MARKER	R		11																												
11.10		11.06								1	1				6A	22A	6A				22	1	02		R3		55	L						
11.41		11.37	INTRSECTN	B		184TH AVE SE	CO		Y																									
11.88		11.84	INTRSECTN	L		180TH AVE SE	CO		N																									
12.00		11.96	MP MARKER	R		12																												
12.40		12.36	INTRSECTN	L		174TH AVE SE	CO		N																									
12.47		12.43								1	1				3A	20A	3A				20	1	02		R3		55	L						
12.61		12.57								1	1				3A	20A	3A				20	1	02		R3		45	L						
12.78		12.74								1	1				1A	20A	2A				20	1	02		R3		45	L						

SR 507 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	D	LR	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
				:LEFT/RIGHT INDICATOR	:				-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S									
									-XROAD-	LNS	LFT	RHT	MEDIAN-	LFT	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T		
28.97	28.93	BEG SU LN	C	TWO WAY TURN	12A									C	22A	4A	16	38	1	02	1495	R2		35	L	B	*		
28.98	28.94	ENT FROM	L	BUSINESS					PV	Y																			
28.99	28.95	EXIT TO	L	BUSINESS					PV	Y																			
29.00	28.96	END SU LN	C	TWO WAY TURN	12A									C	34A	4A	4	38	1	02	1495	R2		35	L	B	*		
29.01	28.97	MP MARKER	R	29																									
29.05	29.01	INTRSECTN	L	NE PLAZA DR					CT	N	1	1		C	34A	4A	4	38	1	02	1495	R2		35	L	\$	*		
29.07	29.03	END SU LN	L	BICYCLE	04A									C	38A	4A	\$\$\$	38	1	02	1495	R2		35	L	*	*		
29.09	29.05													4A	22A	4A		22	1	02	1495	R2		35	L	*	*		
29.23	29.19	LEAVE CITY		YELM										4A	22A	4A		22	1	02	\$\$\$	R2		35	L	*	*		
29.24	29.20	END ST	I	S FIRST ST										4A	22A	4A		22	1	02		R2		35	L	\$	\$		
		INTRSECTN	L	CREEK ST					CO	SG	Y																		
		INTRSECTN	R	BALD HILLS RD					CO	SG	Y																		
29.41	29.37	BEG BRIDGE	B	YELM CREEK					ST		1	1		\$\$\$	W	36A	\$\$\$	W					36	1	02		R2	50	L
				BRDG NUM 507/124																									
29.42	29.38	END BRIDGE	B	YELM CREEK							1	1		4A	22A	4A		22	1	02			R2		50	L			
29.59	29.55	INTRSECTN	L	GROVE RD					CO		Y																		
29.79	29.75										1	1		6A	24A	6A		24	1	02			R2		50	L			
29.90	29.86	MISC FEATR	L	SGN ENT YELM																									
29.97	29.93	INTRSECTN	L	OLD MCKENNA RD					CO		N																		
30.00	29.96	MP MARKER	R	30																									
30.05	30.01	RR XING	B	NUM 396724P STRUCTURE							1	1		\$\$\$	W	36P	\$\$\$	W					36	1	02		R2	50	L
		BEG BRIDGE	B	CHEHALIS WESTERN RR					ST																				
				BRDG NUM 507/126																									
30.08	30.04	END BRIDGE	B	CHEHALIS WESTERN RR							1	1		6A	24A	6A		24	1	02			R2		50	L			
30.21	30.17										1	1		4A	22A	4A		22	1	02			R2		50	L			
30.44	30.40										1	1		4A	22A	4A		22	1	02			R2		35	L			
30.50	30.46	INTRSECTN	R	VAIL RD SE					CO		Y																		
30.51	30.47	BEG BRIDGE	B	CENTRALIA POWER CANAL					ST																				
				BRDG NUM 507/126.5																									
30.52	30.48	END BRIDGE	B	CENTRALIA POWER CANAL																									
30.65	30.61	MISC FEATR	R	SGN ENT MCKENNA							1	1		\$\$\$	W	36P	\$\$\$	C					36	1	02		R2	35	L
		BEG BRIDGE	B	NISQUALLY RIVER					ST																				
				BRDG NUM 507/128																									
30.67	30.63	END CTLSEC		CONTROL SECTION 3432																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
28.99	28.95					.02	12				
29.05	29.01		.03	12		.02	12			.03	12
29.24	29.20		.03	12	.02	12	.03	12	.01	12	
30.50	30.46					.03	12				

SR 507 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																			
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S													
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T		
35.09	35.05		ENTER CITY			ROY				1	1										4A	22A	4A				22	1	02			R2		50	L	
35.19	35.15		INTRSECTN	R		288TH ST S	CT		Y												5A	22A	5A				22	1	02	1125	R2		35	L	B	
35.20	35.16		MISC FEATR	R		SGN ENT ROY																														
35.60	35.56		BEG ST	I		MCNAUGHT				1	1										5A	22A	5A				22	1	02	1125	R2		30	L	B	*
			INTRSECTN	B		4TH ST E	CT		Y																											
35.64	35.60		INTRSECTN	R		3RD ST E	CT		Y												8A	23A	14A				23	1	02	1125	R2		30	L	B	*
35.66	35.62		INTRSECTN	R		3RD ST E	CT		Y												8A	38A	\$\$C				38	1	02	1125	R2		30	L	B	*
35.67	35.63		INTRSECTN	R		2ND ST E	CT		Y																											
35.72	35.68		INTRSECTN	R		1ST ST E	CT		Y																											
35.78	35.74		INTRSECTN	R		1ST ST E	CT		Y																											
35.83	35.79		END ST	I		MCNAUGHT				1	1										2A	28A	C				28	1	02	1125	R2		30	L	P	*
			BEG ST	I		WATER ST																														
			INTRSECTN	L		WATER ST	CT		Y																											
35.88	35.84		INTRSECTN	R		PETERSON ST	CT		Y																											
35.94	35.90		INTRSECTN	R		280TH ST S	CT		Y	1	1										4A	22A	4A				22	1	02	1125	R2		30	L	P	*
			INTRSECTN	B		LYLE ST	CT		Y																											
35.97	35.93		END ST	I		WATER ST				1	1										4A	22A	4A				22	1	02	1125	R2		45	L	P	*
35.98	35.94		END ST	I		WATER ST				1	1										4A	22A	4A				22	1	02	1125	R2		45	L	P	\$
36.00	35.96		MP MARKER	R		36																														
36.22	36.18		LEAVE CITY			ROY				1	1										4A	22A	4A				22	1	02	\$\$\$\$	R2		45	L	\$	
			MISC FEATR	L		SGN ENT ROY																														
36.50	36.45		EQUATION			036.49 =036.50				1	1										3A	23A	3A	12	35	1	02			R2		45	L			
			BEG SU LN	R		AUXILIARY																														
36.54	36.49		BEG SU LN	L		AUXILIARY				13A											3A	23A	3A	25	48	1	02			R2		45	L			
			RR XING	B		NUM 396708F GRADE																														
36.55	36.50		END SU LN	R		AUXILIARY				12A											3A	23A	3A	13	36	1	02			R2		45	L			
36.59	36.54		END SU LN	L		AUXILIARY				13A											3A	23A	3A	\$\$\$	23	1	02			R2		45	L			
36.72	36.67		MP MARKER	R		37															3A	23A	3A				23	1	02		R2		55	L		
37.00	36.95		MP MARKER	R		38																														
38.00	37.95		MP MARKER	R		38																														
38.49	38.44		BEG BRIDGE	B		MUCK CREEK OVERFLOW	ST																													
						BRDG NUM 507/207																														
38.50	38.45		END BRIDGE	B		MUCK CREEK OVERFLOW																														
38.95	38.90		BEG BRIDGE	B		MUCK CREEK	ST																													
						BRDG NUM 507/208																														
38.96	38.91		END BRIDGE	B		MUCK CREEK																														
39.01	38.96		MP MARKER	R		39																														
39.04	38.99		ENT/EXIT	B		FT LEWIS ACCESS RD	MY		N	1	1										5A	22A	5A				22	1	02		R2		55	L		
39.59	39.54		INTRSECTN	B		EAST GATE RD	MY		Y																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	LEFT--	L--CNTR	R--CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
39.59	39.54		.05	12			.03	12			.02	12

SR 508 MAINLINE

STATE ROUTE - SRSH

COUNTY LEWIS

DOT DISTRICT 4

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
							1	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							1	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	W/S	W/S	W/S	WID	WID	WID	WID	WID		
18.33	18.33		END BRIDGE	B		MILL CREEK						2A	24A	2A						24	2	02		R3	55	L
18.43	18.43		INTRSECTN	L		PANISCO RD	CO	N																		
			INTRSECTN	R		JUSTUS RD	CO	N																		
19.00	19.00		MP MARKER	R		19																				
19.02	19.02		MISC FEATR	L		SGN ENT CINEBAR																				
19.47	19.47		BEG BRIDGE	B		CINEBAR CREEK	ST		1	1				\$\$C	26A	\$\$C				26	2	02		R3	55	L
						BRDG NUM 508/018																				
19.48	19.48		END BRIDGE	B		CINEBAR CREEK			1	1				2A	24A	2A				24	2	02		R3	55	L
19.94	19.94		INTRSECTN	R		STUDHALDER RD	CO	N																		
20.02	20.02		MP MARKER	R		20																				
20.92	20.92								1	1				2A	24A	2A				24	2	02		R3	50	L
20.98	20.98		MP MARKER	R		21																				
21.33	21.33								1	1				4A	24A	4A				24	2	02		R3	50	R
21.40	21.40		BEG BRIDGE	B		BEAR CANYON	ST		1	1				\$\$W	32P	\$\$W				32	2	02		R3	50	R
						BRDG NUM 508/020																				
21.45	21.45		END BRIDGE	B		BEAR CANYON			1	1				5A	24A	5A				24	2	02		R3	50	R
21.55	21.55								1	1				2A	22A	2A				22	2	02		R3	50	R
21.96	21.96		INTRSECTN	R		BEAR CANYON RD	CO	N																		
21.97	21.97		MP MARKER	R		22																				
22.35	22.35								1	1				7A	23A	7A				23	2	02		R3	50	R
22.61	22.61								1	1				2A	22A	2A				22	2	02		R3	50	R
22.65	22.65		BEG BRIDGE	B		ALDER CREEK	ST		1	1				\$\$C	19B	\$\$C				19	2	02		R3	50	R
						BRDG NUM 508/023																				
22.67	22.67		END BRIDGE	B		ALDER CREEK			1	1				2A	22A	2A				22	2	02		R3	50	R
22.96	22.96		MP MARKER	R		23																				
23.56	23.56		INTRSECTN	L		BUTTS RD	CO	N																		
23.96	23.96		INTRSECTN	R		DAY RD	CO	N																		
23.99	23.99		MP MARKER	R		24																				
24.08	24.08		BEG BRIDGE	B		CREEK	ST		1	1				\$\$C	19A	\$\$C				19	2	02		R3	50	R
						BRDG NUM 508/025																				
24.09	24.09		END BRIDGE	B		CREEK			1	1				2A	22A	2A				22	2	02		R3	50	R
24.36	24.36		BEG BRIDGE	B		CREEK	ST		1	1				\$\$C	19A	\$\$C				19	2	02		R3	50	R
						BRDG NUM 508/026																				
24.37	24.37		END BRIDGE	B		CREEK			1	1				2A	22A	2A				22	2	02		R3	50	R
24.85	24.85								1	1				3A	22A	3A				22	2	02		R3	50	R
24.94	24.94		MP MARKER	R		25																				
25.04	25.04		BEG BRIDGE	B		TILTON RIVER	ST		1	1				\$\$W	28P	\$\$W				28	2	02		R3	50	R
						BRDG NUM 508/028																				
25.11	25.11		END BRIDGE	B		TILTON RIVER			1	1				3A	22A	3A				22	2	02		R3	50	L
25.60	25.60		INTRSECTN	R		DODGE RD	CO	N																		
26.00	26.00		MP MARKER	R		26																				
26.24	26.24								1	1				4A	21A	4A				21	2	02		R3	50	L
26.59	26.59								1	1				3A	21A	3A				21	2	02		R3	50	L

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:DIRECTION TO INVENTORY	-BRIDGE	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	W/S	W/S			
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC			
						:	OW TC L	L																	
0.00	0.00		BEG ROUTE			MAIN ROUTE		2	2					W	99P	W		99	1	01	1280	U1	25	L	P
			ENTER CITY			TACOMA																			
			BEG CTLSEC			CONTROL SECTION 2724																			
			RR XING	B		NUM 000000 STRUCTURE																			
			BEG BRIDGE	B		SR 705-BN RR	ST																		
						BRDG NUM 509/F4																			
0.01	0.01		OFF RAMP	R		SR 705 SB	ST	SG	Y																
			ON RAMP	L		SR 705 SB	ST	SG	Y																
0.02	0.02		ON RAMP	R		SR 705 NB	ST	SG	Y																
			OFF RAMP	L		SR 705 NB	ST	SG	Y																
0.05	0.05		ON RAMP	R		SR 705 NB	ST		Y																
			OFF RAMP	L		SR 705 NB	ST		Y																
0.06	0.06		END BRIDGE	B		SR 705-BN RR		2	2					W	99P	W		99	1	01	1280	U1	60	L	P *
			BEG ST	I		S 21ST ST																			
			BEG BRIDGE	B		THEA FOSS WATERWAY	ST																		
						BRDG NUM 509/F7																			
0.12	0.12							2	2	W	32P	22P	UP	\$	32P	W		64	1	01	1280	U1	60	L	P *
0.20	0.20							2	2	W	32P	10P	JE		32P	W		64	1	01	1280	U1	60	L	P *
0.25	0.25		END BRIDGE	B		THEA FOSS WATERWAY		2	2	8A	24A	10A	JE		24A	8A		48	1	01	1280	U1	60	L	P *
			END ST	I		S 21ST ST																			
			BEG ST	I		E 21ST ST																			
0.51	0.51		ON RAMP	L		PORTLAND AVE	ST		Y																
0.71	0.71		OFF RAMP	R		PORTLAND AVE	ST		Y																
0.79	0.79		RR XING	B		NUM 000000 STRUCTURE		2	2	\$\$W	32P	10P	JE		32P	\$\$W		64	1	01	1280	U1	60	L	P *
			BEG BRIDGE	B		PORTLAND AVE*PUYALLUP RV	ST																		
						BRDG NUM 509/F11																			
0.80	0.80		MISC FEATR	L		GORE (S100051)																			
0.84	0.84		MISC FEATR	R		GORE (P100071)																			
1.02	1.02		MP MARKER	B		1																			
1.47	1.47		END BRIDGE	B		PORTLAND AVE*PUYALLUP RV		2	2	8A	24A	10A	JE		24A	8A		48	1	01	1280	U1	60	L	P *
			END ST	I		E 21ST ST																			
			BEG ST	I		EAST WEST RD																			
1.64	1.64		BEG BRIDGE	B		MILWAUKEE WAY	ST	2	2	\$\$W	32P	10P	JE		32P	\$\$W		64	1	01	1280	U1	60	L	P *
						BRDG NUM 509/F13																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.01	0.01										
0.02	0.02		.05	12							
0.05	0.05					.06	12				

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																						
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
1.66	1.66		END BRIDGE	B		MILWAUKEE WAY																													
1.77	1.77																																		
1.82	1.82		BEG SU LN	R		BICYCLE																													
1.91	1.91		MISC FEATR	R		GORE (Q100207)																													
2.01	2.01		MP MARKER	B		2																													
2.04	2.04		MISC FEATR	L		GORE (R100219)																													
2.07	2.07		ON RAMP	R		MILWAUKEE WAY																													
2.19	2.19		BEG SU LN	L		BICYCLE																													
			OFF RAMP	L		MILWAUKEE WAY																													
2.27	2.27		CHG SU LN	R		BICYCLE																													
2.33	2.33		INTRSECTN	L		PT OF TACOMA RD WYE																													
			INTRSECTN	R		PT OF TACOMA RD WYE																													
2.35	2.35		INTRSECTN	B		PORT OF TACOMA RD																													
			INTRSECTN	C		MEDIAN XROAD																													
2.37	2.37		CHG SU LN	R		BICYCLE																													
			INTRSECTN	R		PT OF TACOMA RD WYE																													
2.40	2.40																																		
2.41	2.41		BEG SU LN	C		TWO WAY TURN																													
2.59	2.59		RR XING	D		NUM 000000 GRADE																													
2.66	2.66		END SU LN	C		TWO WAY TURN																													
			RR XING	I		NUM 000000 GRADE																													
2.94	2.94		INTRSECTN	B		ALEXANDER AVE																													
			INTRSECTN	C		MEDIAN XROAD																													
2.96	2.96		CHG SU LN	R		BICYCLE																													
			BEG BRIDGE	I		WAPATO CREEK																													
						BRDG NUM 509/F17																													
2.97	2.97		END BRIDGE	I		WAPATO CREEK																													
			CHG SU LN	R		BICYCLE																													
3.20B	3.20		BEG EQ			BEGIN BACK																													
3.76B	3.76																																		
3.88B	3.88		END ST	I		EAST WEST RD																													
			END SU LN	L		BICYCLE																													
			END SU LN	R		BICYCLE																													
			BEG ST	I		MARINE VIEW DR																													

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.33	2.33				.06	12						
2.35	2.35		.05	12			.05	12				
2.94	2.94		.05	12			.03	12				

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----												
					:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI		SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S				
					-XROAD- OW TC L	NBR LNS D I	LFT SHD W/S	RHT RDY W/S	SHD W/S	MEDIAN- WD/S BR	LFT SHD W/S	RHT RDY W/S	USE LNS WID	RDY RDY WID	A	SE	NBR	FC	D	IB	R	K	T				
3.88B	3.88	INTRSECTN	B	TAYLOR WAY		CT	SG	Y	2	2				C	70A	C		70	1	01	1280	U1	40	L	P	*	
3.99B	3.99								2	2				C	48A	C		48	1	01	1280	U1	40	L	P	*	
4.02B	4.02	MP MARKER	R	4																							
4.05B	4.05	BEG BRIDGE	B	HYLEBOS CREEK BRDG NUM 509/F20		ST			2	2				C	48P	C		48	1	01	1280	U1	40	L	P	*	
4.07B	4.07	END BRIDGE	B	HYLEBOS CREEK					2	2				C	60A	C		60	1	01	1280	U1	40	L	P	*	
4.18B	4.18	BEG SU LN	C	TWO WAY TURN	12A				2	2				C	48A	C	12	60	1	01	1280	U1	40	L	P	*	
4.61B	4.61	RR XING	B	NUM 000000 GRADE																							
4.92B	4.92	MP MARKER	R	5																							
5.12B	5.12	RR XING	B	NUM 000000 GRADE																							
5.13B	5.13	END SU LN	C	TWO WAY TURN	12A				2	2				C	60A	C	\$\$\$	60	1	01	1280	U1	40	L	P	*	
5.20B	5.20								2	2				C	48A	C		48	1	01	1280	U1	40	L	P	*	
5.64B	5.64								2	1				C	48A	C		48	1	01	1280	U1	40	L	P	*	
5.69B	5.69	INTRSECTN	R	NORPOINT WAY WYE CONN		CT		Y																			
5.70B	5.70	INTRSECTN	R	NORPOINT WAY		CT	SG	Y	1	1				C	44A	C		44	1	01	1280	U1	40	L	P	*	
5.72B	5.72	INTRSECTN	R	NORPOINT WAY WYE CONN		CT		Y																			
5.76B	5.76	BEG SU LN	C	TWO WAY TURN	12A				1	1				C	32A	C	12	44	1	01	1280	U1	40	L	P	*	
5.90B	5.90	MP MARKER	R	6																							
6.20B	6.20	END SU LN	C	TWO WAY TURN	12A				1	1				C	44A	C	\$\$\$	44	1	01	1280	U1	40	L	P	*	
		INTRSECTN	R	MCMURRAY RD		CT		Y																			
6.23B	6.23	BEG SU LN	C	TWO WAY TURN	12A				1	1				C	32A	C	12	44	1	01	1280	U1	40	L	P	*	
6.34B	6.34	END SU LN	C	TWO WAY TURN	12A				1	1				C	44A	C	\$\$\$	44	1	01	1280	U1	40	L	P	*	
6.38B	6.38	INTRSECTN	L	OLD SR 509 WYE CONN		CT		Y																			
3.20	6.39	EQUATION		006.39B=003.20					1	1				C	44A	C		44	1	01	1280	U2	40	35	R	P	*
		END CTLSEC		CONTROL SECTION 2724																							
		BEG CTLSEC		CONTROL SECTION 2764																							
		INTRSECTN	L	OLD SR 509		CT	SG	Y																			
3.22	6.41	INTRSECTN	L	OLD SR 509 WYE CONN		CT		Y																			
3.24	6.43								1	1				4A	23A	4A		23	1	01	1280	U2	40	35	R	R	*
5.45	8.64								1	1				4A	27A	\$\$C		27	1	01	1280	U2	40	35	R	R	*
5.60	8.79	ENT/EXIT	R	HERON RIDGE		PV		Y																			
5.65	8.84								1	1				4A	23A	4A		23	1	01	1280	U2	40	35	R	R	*

INTERSECTION DETAIL

SRMP	B ARM	-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR LGT WD	R NEAR LGT WD	L FAR LGT WD	R FAR LGT WD	LEFT-- LGT WD	L-CNTR LGT WD	R-CNTR LGT WD	RIGHT- LGT WD
3.88B	3.88	.07	12	.03	12				
5.69B	5.69		.05	18					
5.70B	5.70			.04	12				
6.20B	6.20			.02	12				
3.20	6.39	.03	12						
5.60	8.79			.02	11				

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----			-----CLASSIFICATIONS---														
		: :LEFT/RIGHT INDICATOR		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC											
		:		-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT										
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-XROAD-	LNS	SHD RDY SHD	MEDIAN-	SHD RDY SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
					OW TC L	D I	W/S W/S W/S	WD/S BR	W/S W/S W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T			
5.70	8.89	LEAVE DIST END CTLSEC		3 CONTROL SECTION 2764			1 1			4A	23A	4A	23	1	01	1280	U2	40	35	R R *	

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																						
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCREAS/UNDI			SPC																										
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																										
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
7.85	11.04		ENTER CO ENTER CITY BEG CTLSEC BEG BRIDGE B			KING FEDERAL WAY CONTROL SECTION 1730 F B HOIT BRDG NUM 509/101									1	1				W	28P			C			28	4	02	0443	U2	40	35	R	P	*	
7.95	11.14		END BRIDGE B			F B HOIT									1	1				3A	20A			3A			20	4	02	0443	U2	40	35	R	P	*	
7.96	11.15		MISC FEATR	R		SGN ENT FEDERAL WAY																															
8.02	11.21		MP MARKER	R		8																															
8.23	11.42		ENT/EXIT	B		DASH POINT STATE PARK																															
8.43	11.62		END ST BEG ST	I I		EAST SIDE DR NE SW DASH PT RD																															
8.56	11.75		INTRSECTN	B		55TH AVE SW																															
8.57	11.76		INTRSECTN	L		SW 315TH ST																															
8.67	11.86		INTRSECTN	B		53RD AVE SW																															
8.67	11.86		INTRSECTN	L		52ND AVE SW																															
8.79	11.98		INTRSECTN	B		51ST AVE SW																															
8.82	12.01		INTRSECTN	L		50TH PL SW																															
8.89	12.08		INTRSECTN	L		50TH AVE SW																															
8.95	12.14		INTRSECTN	R		48TH PL SW																															
9.01	12.20		MP MARKER	L		9																															
9.08	12.27		INTRSECTN	L		48TH AVE SW																															
9.18	12.37		INTRSECTN	R		47TH AVE SW																															
9.18	12.37		INTRSECTN	L		44TH AVE SW																															
9.38	12.57																																				
9.47	12.66																																				
9.67	12.86		INTRSECTN	L		39TH AVE SW																															
9.70	12.89																																				
9.73	12.92		INTRSECTN	R		SW 309TH ST																															
9.86	13.05																																				
9.93	13.12		BEG BRIDGE B			YOUNGLOVE CREEK BRDG NUM 509/103																															
9.98	13.17		END BRIDGE B			YOUNGLOVE CREEK																															
10.00	13.19		MP MARKER	R		10																															
10.16	13.35																																				
10.26	13.45		INTRSECTN	L		30TH AVE SW																															
10.74	13.93																																				
10.98	14.17		INTRSECTN	R		26TH PL SW																															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.73	12.92					.03	12			.01	12

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR			
10.99	14.18																										
11.01	14.20	MP	MARKER	R		11						6A	22A	4A				22	4	02	0443	U2	40	35	R	P	*
11.21	14.40	INTRSECTN		L		22ND AVE SW	CT		N																		
11.24	14.43	INTRSECTN		R		21ST AVE SW WYE CONN	CT	SS	Y																		
11.25	14.44	BEG SU LN		C		TWO WAY TURN				12A																	
		INTRSECTN		R		21ST AVE SW	CT	SS	Y																		
11.31	14.50	ENT/EXIT		R		LAKOTA PARK	CT		N																		
11.33	14.52	END SU LN		C		TWO WAY TURN				12A																	
11.39	14.58																										
11.42	14.61																										
11.45	14.64	INTRSECTN		L		SW 312TH ST WYE CONN	CT	SS	N																		
11.46	14.65																										
11.49	14.68	INTRSECTN		B		SW 312TH ST	CT	SG	Y																		
11.50	14.69	INTRSECTN		R		SW 312TH ST WYE CONN	CT	YS	Y																		
11.53	14.72	BEG SU LN		C		TWO WAY TURN				10A																	
11.55	14.74																										
11.60	14.79	END SU LN		C		TWO WAY TURN				10A																	
		INTRSECTN		L		16TH AVE SW	CT		Y																		
11.66	14.85	INTRSECTN		R		SW 310TH ST	CT		N	1																	
11.81	15.00	INTRSECTN		R		SW 308TH ST	CT		N																		
11.95	15.14	MISC FEATR		C		PED XING																					
11.99	15.18	MP	MARKER	R		12																					
12.00	15.19	INTRSECTN		L		12TH AVE SW	CT		Y	1																	
		INTRSECTN		R		SW 306TH ST	CT		Y																		
12.16	15.35	INTRSECTN		L		10TH AVE SW	CT		N																		
12.30	15.49	INTRSECTN		B		8TH AVE SW	CT		Y																		
12.40	15.59	INTRSECTN		L		6TH AVE SW	CT		N																		
12.46	15.65	INTRSECTN		L		5TH AVE SW	CT		Y																		
		INTRSECTN		R		SW 302ND ST	CT		Y																		
12.53	15.72	INTRSECTN		L		4TH AVE SW	CT		N																		
12.60	15.79	INTRSECTN		R		3RD PL SW	CT		N																		
12.66	15.85	INTRSECTN		B		2ND PL SW	CT		N																		
12.72	15.91	INTRSECTN		L		2ND AVE SW	CT		N																		
12.76	15.95	INTRSECTN		L		SW 301ST ST	CT		N																		
12.84	16.03	INTRSECTN		R		1ST AVE S	CT		N																		
12.87	16.06	BEG BRIDGE	B			1ST AVE S	ST			1																	
						BRDG NUM 509/105																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.49	14.68		.03	12	.06	12	.03	12			

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE	DECREAS/DIV		INCREAS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S					
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
12.89	16.08		END BRIDGE	B		1ST AVE S					5A	22A	5A					22	4	02	0443	U2	40	40	R P *	
13.03	16.22		INTRSECTN	R		2ND PL S	CT	N																		
13.05	16.24		MP MARKER	R		13																				
13.16	16.35		INTRSECTN	B		4TH AVE S	CT	Y																		
13.49	16.68								1	1																
13.68	16.87		INTRSECTN	R		S 301ST ST	CT	N																		
13.84	17.03		INTRSECTN	L		9TH PL S	CT	Y	1	1																
13.96	17.15		INTRSECTN	L		11TH PL S	CT	SG	Y	1	1															
14.02	17.21		ENT/EXIT	R		SACAJAWEA PARK	CT	N																		
14.10	17.29								1	1																
14.13	17.32								1	1																
14.15	17.34		MP MARKER	R		14																				
14.19	17.38		INTRSECTN	L		REDONDO WAY S WYE CONN	CT	N																		
14.20	17.39		INTRSECTN	L		REDONDO WAY S	CT	N																		
			INTRSECTN	R		16TH AVE S	CT	N																		
14.21	17.40		INTRSECTN	R		16TH AVE S WYE CONN	CT	N																		
14.28	17.47		INTRSECTN	R		SR 99 WYE CONN	ST	YS	N																	
14.29	17.48		LEAVE CITY			FEDERAL WAY																				
			END ST	I		SW DASH PT RD																				
			BEG COINCI			SR 099																				
			END CTLSEC			CONTROL SECTION 1730																				
			INTRSECTN	B		SR 99	ST	SG	Y																	
18.39	21.58		BEG COINCI			SR 516																				
			END COINCI			SR 099																				
19.62B	22.81		BEG EQ			BEGIN BACK																				
19.62	23.37		ENTER CITY			DES MOINES			2	1																
			EQUATION			020.18B=019.62																				
			BEG CTLSEC			CONTROL SECTION 1760																				
			BEG ST	I		MARINE VIEW DR																				
			INTRSECTN	L		OLD SR 509 WYE CONN	CT	SG	Y																	
			INTRSECTN	R		SR 516	ST	SG	Y																	
			END COINCI			SR 516																				
19.64	23.39		BEG SU LN	C		TWO WAY TURN			2	1																
19.66	23.41		END SU LN	C		TWO WAY TURN			2	1																
			INTRSECTN	L		S 227TH ST WYE CONN	CT	Y																		

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.20	17.39		.05	12			.02	12		
14.29	17.48		.08	21						
19.62	23.37				.02	12				

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS---								
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV				INCRS/UNDI				SPC												
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT												
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T	
19.68	23.43		INTRSECTN	B	S	227TH ST	CT	SG	Y	1	1					C 36A	C		36	4	02	0325	U1	40	30	R P *
19.70	23.45		BEG SU LN				12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
19.73	23.48		END SU LN	C		TWO WAY TURN	12A									C 36A	C	\$\$\$	36	4	02	0325	U1	40	30	R P *
19.75	23.50		INTRSECTN	B	S	226TH ST	CT		Y																	
19.79	23.54		BEG SU LN	C		TWO WAY TURN	12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
19.82	23.57		END SU LN	C		TWO WAY TURN	12A									C 36A	C	\$\$\$	36	4	02	0325	U1	40	30	R P *
19.85	23.60		INTRSECTN	B	S	225TH ST	CT		Y																	
19.87	23.62		BEG SU LN	C		TWO WAY TURN	12A									C 36A	C	12	48	4	02	0325	U1	40	30	R P *
19.89	23.64															C 36A	C	12	48	4	02	0325	U1	40	30	R B *
19.91	23.66		END SU LN	C		TWO WAY TURN	12A									C 48A	C	\$\$\$	48	4	02	0325	U1	40	30	R B *
19.94	23.69															C 48A	C		48	4	02	0325	U1	40	30	R P *
19.95	23.70		INTRSECTN	B	S	223RD ST	CT	SG	Y																	
19.98	23.73		BEG SU LN	C		TWO WAY TURN	12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
20.01	23.76		END SU LN	C		TWO WAY TURN	12A									C 36A	C	\$\$\$	36	4	02	0325	U1	40	30	R P *
			MP MARKER	R		20																				
20.04	23.79		INTRSECTN	B	S	222ND ST	CT		Y																	
20.07	23.82		BEG SU LN	C		TWO WAY TURN	12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
20.11	23.86		END SU LN	C		TWO WAY TURN	12A									C 36A	C	\$\$\$	36	4	02	0325	U1	40	30	R P *
20.13	23.88		INTRSECTN	B	S	220TH ST	CT		Y																	
20.16	23.91		BEG SU LN	C		TWO WAY TURN	12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
20.19	23.94		END SU LN	C		TWO WAY TURN	12A									C 36A	C	\$\$\$	36	4	02	0325	U1	40	30	R P *
20.22	23.97		INTRSECTN	B	S	219TH ST	CT		Y																	
20.26	24.01		BEG SU LN	C		TWO WAY TURN	12A									C 24A	C	12	36	4	02	0325	U1	40	30	R P *
20.28	24.03															C 46A	C	12	58	4	02	0325	U1	40	30	R P *
20.31	24.06		END SU LN	C		TWO WAY TURN	12A									C 48A	C	\$\$\$	48	4	02	0325	U1	40	30	R P *
20.32	24.07		INTRSECTN	R	S	218TH ST	CT		Y																	
20.35	24.10		INTRSECTN	L		7TH AVE S	CT	SG	Y																	
			INTRSECTN	R		7TH PL S	CT	SG	Y																	
20.41	24.16		INTRSECTN	R		DES MOINES MEM DR Y CONN	CT		Y																	

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----							
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
19.68	23.43			.02	12			.02	12						
19.75	23.50			.02	12			.02	12						
19.85	23.60			.02	12			.02	12						
19.95	23.70			.02	12			.02	12						
20.04	23.79			.02	12			.02	12						
20.13	23.88			.02	12			.02	12						
20.22	23.97			.02	12			.02	12						
20.32	24.07					.02	12								
20.35	24.10					.03	12	.02	12	.09	14				

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
						:	-XROAD-	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S				
						:	OW	TC	L	WD	S	BR	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S	
20.43		24.18																							
20.45		24.20	LEAVE CITY			DES MOINES																			
			END ST	I		MARINE VIEW DR																			
			BEG ST	I		S 216 PL																			
			INTRSECTN	R		DES MOINES MEMORIAL DR	CO	SG	Y																
20.47		24.22	ENTER CITY			DES MOINES																			
			INTRSECTN	R		DES MOINES WY S WYE CONN	CT		Y																
20.49		24.24	INTRSECTN	L		6TH AVE S	CT		Y																
20.50		24.25	INTRSECTN	R		5TH PL S	CT		Y	1	1														
20.52		24.27								1	1														
20.56		24.31	INTRSECTN	L		5TH AVE S	CT		Y																
			INTRSECTN	R		S 216TH ST	CT		Y																
20.59		24.34	INTRSECTN	L		4TH PL S	CT		N																
20.75		24.50	LEAVE CITY			DES MOINES				1	1														
			END ST	I		S 216 PL																			
			ENTER CITY			NORMANDY PARK																			
			BEG ST	I		1ST PL S																			
			INTRSECTN	L		S 216TH ST	CT		Y																
20.83		24.58	INTRSECTN	L		S 214TH ST	CT		N	1	1														
20.85		24.60	END ST	I		1ST PL S																			
			BEG ST	I		1ST AVE S																			
			INTRSECTN	R		1ST PL S	CT		Y																
20.93		24.68	INTRSECTN	R		S 213TH ST	CT		Y																
21.00		24.75	MP MARKER			21				1	1														
21.02		24.77	INTRSECTN	R		S 212TH ST	CT		Y																
21.07		24.82	INTRSECTN	L		SW 211TH ST	CT		N																
21.11		24.86	INTRSECTN	R		S 210TH ST	CT		N																
21.14		24.89								1	1														
21.19		24.94								1	1														
21.29		25.04	INTRSECTN	L		S 208TH ST	CT		Y																
			INTRSECTN	R		SW 208TH ST	CT		Y																
21.39		25.14	INTRSECTN	R		S 207TH ST	CT		N																
			INTRSECTN	L		SW 207TH ST	CT		N																
21.42		25.17								1	1														
21.44		25.19								1	1														
21.47		25.22	INTRSECTN	R		S 206TH ST	CT		N																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
20.45		24.20									
21.29		25.04	.03	12			.04	12			

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----												
				D	LR		DESCRIPTION	-XING-	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							-XROAD-	LNS	LFT	RHT	SHD	RDY	SHD	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
							OW TC L	D I	W/S	W/S	W/S	W/S	W/S	WID	WID										
21.58	25.33																								
21.63	25.38		INTRSECTN	L	SW	202ND ST	CT	N					8A	22A	8A			22	4	02	0870	U1	40	45	R B *
21.64	25.39		INTRSECTN	R	S	202ND ST	CT	N																	
21.69	25.44																								
21.79	25.54		INTRSECTN	L	SW	200TH ST	CT	SG	Y	1	1		8A	36A	8A			36	4	02	0870	U1	40	45	R B *
21.84	25.59		INTRSECTN	B	S	199TH ST	CT	SG	Y				55C	55A	8A			55	4	02	0870	U1	40	45	R B *
21.87	25.62																								
21.90	25.65																								
21.91	25.66		ENT/EXIT	L		SHOPPING CENTER	PV	N																	
21.96	25.71		INTRSECTN	R	S	197TH ST	CT	Y	1	1			8A	22A	8A			22	4	02	0870	U1	40	45	R B *
22.00	25.75		MP MARKER	R		22																			
22.01	25.76		INTRSECTN	L	SW	197TH ST	CT	Y																	
22.08	25.83		INTRSECTN	L	SW	196TH ST	CT	Y																	
22.17	25.92		INTRSECTN	L	SW	194TH ST	CT	N																	
22.32	26.07																								
22.35	26.10		INTRSECTN	R	S	192ND ST	CT	Y					8A	36A	8A			36	4	02	0870	U1	40	45	R B *
22.54	26.29		INTRSECTN	L		NORMANDY PARK DR SW	CT	Y																	
22.58	26.33																								
22.70	26.45		INTRSECTN	L	SW	186TH ST	CT	Y																	
22.71	26.46		INTRSECTN	R	S	186TH ST	CT	N																	
22.78	26.53		INTRSECTN	L	SW	185TH ST	CT	Y																	
22.97	26.72																								
22.98	26.73		ENT/EXIT	R		SERVICE STATION	PV	N					55C	62A	10A			62	4	02	0870	U1	40	45	R B *
23.07	26.82		INTRSECTN	R	S	NORMANDY RD	CT	SG	Y	1	2		C	60A	10A			60	4	02	0870	U1	40	45	R B *
			INTRSECTN	L	SW	NORMANDY RD	CT	SG	Y																
23.13	26.88		BEG SU LN	C		TWO WAY TURN	12A						C	48A	10A	12		60	4	02	0870	U1	40	45	R B *
23.16	26.91												C	50A	55C	12		62	4	02	0870	U1	40	45	R B *
23.19	26.94		END SU LN	C		TWO WAY TURN	12A						C	62A	C	55C		62	4	02	0870	U1	40	45	R B *
			INTRSECTN	L	SW	178TH ST	CT	N																	
23.20	26.95		INTRSECTN	R	S	177TH PL	CT	N																	
23.24	26.99																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
21.79	25.54		.03	12						
21.84	25.59		.02	12						
21.91	25.66		.01	9					.01	9
22.35	26.10				.03	12		.02	12	
22.54	26.29		.01	12					.01	12
22.98	26.73				.01	12		.01	12	
23.07	26.82		.05	12						

SR 509 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----													
			:LEFT	:RIGHT			-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
							OW TC L	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
23.31	27.06							2	2						8A	46A	8A		46	4	02	0870	U1	40	45	R	B	*			
23.32	27.07	INTRSECTN	L	SW		176TH ST	CT	Y	2	2					8A	46A	8A		46	4	02	0870	U1	40	45	R	P	*			
23.46	27.21	INTRSECTN	R	SR		509 WYE CONN	ST	Y																							
23.47	27.22	LEAVE CITY				NORMANDY PARK			2	2					8A	48A	8A		48	4	02	0139	U1	40	40	R	P	*			
		END ST	I			1ST AVE S																									
		ENTER CITY				BURIEN																									
		BEG ST	I			S 174TH ST																									
23.48	27.23	INTRSECTN	L	1ST		AVE S	CT	SG	Y																						
		INTRSECTN	R	SR		509 WYE CONN	ST	Y																							
		INTRSECTN	L	1ST		AVE S WYE CONN	ST	Y																							
23.60B	27.35	BEG EQ				BEGIN BACK																									
23.61B	27.36	INTRSECTN	L	AMBAUM		BLVD S	CT	Y																							
23.65B	27.40	INTRSECTN	L	AMBAUM		BLVD S WYE CONN	CT	Y	2	2				8A	44A	8A		44	4	02	0139	U1	40	40	R	P	*				
23.73B	27.48								2	2				8A	55A	8A		55	4	02	0139	U1	40	40	R	P	*				
23.78B	27.53	INTRSECTN	R	S		177TH PL	CT	Y																							
		ENT FROM	L	SHOPPING		CENTER	PV	Y																							
23.82B	27.57	INTRSECTN	L	DES MOINES		WY S WYE CONN	CT	Y																							
23.87B	27.62	INTRSECTN	R	S		NORMANDY RD	CT	SG	Y																						
		INTRSECTN	L	DES MOINES		WAY S	CT	SG	Y																						
23.88B	27.63	INTRSECTN	R	S		NORMANDY RD WYE CONN	CT	Y																							
23.96B	27.71								2	2				8A	44A	8A		44	4	02	0139	U1	40	40	R	P	*				
24.15B	27.90								2	2				8A	61A	8A		61	4	02	0139	U1	40	40	R	P	*				
24.21B	27.96	INTRSECTN	L	8TH		AVE S WYE CONN	CT	Y																							
24.23B	27.98	END ST	I	S		174TH ST			2	2				10A	61A	10A		61	4	02	0139	U1	40	40	R	P	*				
		BEG ST	I	DES MOINES		MEMORIAL DR																									
		INTRSECTN	B	8TH		AVE S	CT	SG	Y																						
24.24B	27.99	INTRSECTN	R	8TH		AVE S WYE CONN	CT	Y																							
24.29B	28.04	LEAVE CITY				BURIEN			2	2				10A	61A	10A		61	4	02	1139	U1	40	40	R	P	*				
		ENTER CITY				SEA TAC																									
24.30B	28.05	ON RAMP	L	SR		509 SB	ST	Y																							
24.31B	28.06								2	2				10A	48A	10A		48	4	02	1139	U1	40	40	R	P	*				
24.34B	28.09	LEAVE CITY				SEA TAC			\$	\$				\$\$\$	\$\$\$	\$\$\$		\$\$\$	\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	
		END ST	I	DES MOINES		MEMORIAL DR																									
		END CTLSEC				CONTROL SECTION 1760																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
23.47	27.22				.03 12				
23.78B	27.53	.03 11		.02 11					
23.87B	27.62	.03 10		.03 10					
24.23B	27.98	.03 13		.03 13					

SR 510 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---																			
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC																										
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																									
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	T	P	S						
0.00	0.00		BEG ROUTE			MAIN ROUTE																														
						SR 5 TO SR 507/YELM																														
			ENTER CITY			LACEY																														
			BEG CTLSEC			CONTROL SECTION 3433																														
			BEG BRIDGE B			SR 5																														
						BRDG NUM 510/001																														
0.06	0.06		END BRIDGE B			SR 5																														
0.11	0.11		ON RAMP	R		SR 5																														
			OFF RAMP	L		SR 5																														
0.18	0.18		INTRSECTN	B		QUINAULT WAY NE																														
0.21	0.21		BEG SU LN	C		TWO WAY TURN		12A																												
0.26	0.26		ENT/EXIT	R		SHOPPING CENTER																														
			ENT/EXIT	L		PARK AND RIDE LOT																														
0.32	0.32		END SU LN	C		TWO WAY TURN		12A																												
0.34	0.34																																			
0.37	0.37		ENT/EXIT	R		SHOPPING CENTER																														
			ENT/EXIT	L		DNR																														
0.43	0.43		ENT/EXIT	R		SHOPPING CENTER																														
2.62	0.50		EQUATION			000.50 =002.62																														
			INTRSECTN	B		MARTIN WAY SE																														
2.63	0.51		INTRSECTN	R		MARTIN WAY SE WYE CONN																														
2.65	0.53		BEG SU LN	C		TWO WAY TURN		12A																												
2.66	0.54		ENT/EXIT	R		SHOPPING CENTER																														
2.67	0.55																																			
2.72	0.60		ENT/EXIT	R		SHOPPING CENTER																														
2.73	0.61		MISC FEATR	R		BUS TURNOUT																														
2.76	0.64																																			
2.79	0.67		END SU LN	C		TWO WAY TURN		12A																												
2.83	0.71		LEAVE CITY			LACEY																														
2.84	0.72																																			
2.93	0.81		INTRSECTN	L		SE 3RD AVE																														
			INTRSECTN	R		3RD AVE SE																														
3.00	0.88		MP MARKER	R		3																														
3.31	1.19		INTRSECTN	B		STEILACOOM RD SE																														

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.18	0.18			.06 12	.04 12	.03 12					
0.37	0.37			.02 12		.03 12					
2.62	0.50			.05 12	.03 12	.03 12	.04 12				
2.93	0.81			.03 11		.03 11					

SR 510 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
							OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
3.40		1.28																							
3.57		1.45	INTRSECTN	L		8TH AVE SE	CO	N						2A	22A	2A			22	1	02		U2	35	L
3.69		1.57																							
3.77		1.65	INTRSECTN	L		9TH AVE SE	CO	Y						4A	24A	4A			24	1	02		U2	35	L
4.28		1.70	EQUATION			003.82 =004.28								4A	24A	4A			24	1	02		U2	50	R
			INTRSECTN	R		MARVIN RD	CO	SS	Y																
			INTRSECTN	R		PACIFIC HWY	CO	SS	Y																
4.40		1.82												7A	21A	8A			21	1	02		U2	50	R
4.51		1.93	INTRSECTN	L		SITKA ST SE	CO	N																	
5.00		2.42	MP MARKER	R		5																			
5.01		2.43	INTRSECTN	R		PACIFIC RIDGE DR SE	CO	N																	
5.29		2.71												5A	21A	4A			21	1	02		U2	50	R
5.38		2.80	INTRSECTN	L		ROCKCRESS DR SE	CO	Y						8A	21A	8A			21	1	02		U2	50	R
5.47		2.89												8A	21A	8A			21	1	02		U2	50	R
6.01		3.43	MP MARKER	R		6																			
6.26		3.68												8A	20A	8A			20	1	02		U2	50	R
6.30		3.72	INTRSECTN	L		OLD PACIFIC HWY WYE CONN	CO	Y	1	1				4A	23A	4A			23	1	02		U2	50	R
6.35		3.77	INTRSECTN	L		OLD PACIFIC HWY	CO	Y																	
6.48		3.90	RR XING	B		NUM 85242F STRUCTURE								\$S	C	32A	\$S	C	32	1	02		U2	50	R
			BEG BRIDGE	B		BN RR	ST																		
						BRDG NUM 510/009																			
6.51		3.93	END BRIDGE	B		BN RR								4A	23A	4A			23	1	02		U2	50	R
6.63		4.05	RR XING	B		NUM 85767Y STRUCTURE								\$S	C	32A	\$S	C	32	1	02		U2	50	R
			BEG BRIDGE	B		BN RR	ST																		
						BRDG NUM 510/010																			
6.67		4.09	END BRIDGE	B		BN RR								4A	23A	4A			23	1	02		U2	50	R
6.92		4.34	INTRSECTN	R		MERIDIAN RD SE WYE CONN	CO	Y																	
6.95		4.37	INTRSECTN	R		MERIDIAN RD SE	CO	Y																	
6.96		4.38												4A	23A	4A			23	1	02		R2	50	R
7.18		4.60												5A	23A	5A			23	1	02		R2	50	R
7.22		4.64	INTRSECTN	B		35TH LN SE	PV	N																	
7.64		5.06	INTRSECTN	R		MULLEN RD SE	CO	N																	
7.84		5.26	INTRSECTN	R		THORNTON RD SE	CO	N																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.77		1.65	.02	12												
4.28		1.70	.03	12		.03	12		.02	12						
5.38		2.80	.02	11												
6.35		3.77	.03	11												
7.22		4.64			.02	12			.08	12						

SR 510 MAINLINE

STATE ROUTE - SRSH

COUNTY THURSTON

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		ST		LEGAL		T P S
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T		
7.88		5.30																									
8.01		5.43	MP MARKER	R		8									5A	23A	5A				23	1	02		R2	50	R
8.64		6.06													5A	22A	6A				22	1	02		R2	50	R
8.75		6.17													5A	22A	6A				22	1	02		R2	55	R
9.01		6.43	MP MARKER	R		9																					
9.09		6.51	INTRSECTN	L		RESERVATION RD SE	CO		N																		
9.16		6.58								1	1				4A	22A	4A				22	1	02		R2	55	R
9.27		6.69	INTRSECTN	R		YELM HWY SE	CO		Y																		
9.44		6.86								1	1				4A	22A	4A				22	1	02		R2	55	L
9.70		7.12	INTRSECTN	R		FT LEWIS MILITARY RD	MY		N																		
10.00		7.42	MP MARKER	R		10																					
10.06		7.48	INTRSECTN	L		MUCK CREEK DR SE	RS		Y																		
10.16		7.58	INTRSECTN	L		NISQUALLY DR SE	RS		Y																		
10.21		7.63	INTRSECTN	L		SHE-NAH-NUM DR SE	RS		N																		
10.28		7.70	ENT/EXIT	R		BUSINESS	PV		N																		
10.40		7.82	INTRSECTN	L		MUK-SUT-WEI DR SE	RS		N																		
10.74		8.16	INTRSECTN	L		CHURCH KALAMA RD	CO		N																		
11.00		8.42	MP MARKER	R		11																					
11.79		9.21	INTRSECTN	B		FORT LEWIS MILITARY RD	MY		N																		
12.00		9.42	MP MARKER	R		12																					
12.75		10.17								1	1				4A	22A	4A				22	1	02		R2	35	L
12.90		10.32	ENT/EXIT	R		SOUTHWORTH ELEM SCHOOL	CO		N																		
13.00		10.42	MP MARKER	R		13																					
13.12		10.54	INTRSECTN	L		CO RD	CO		Y																		
13.29		10.71	INTRSECTN	R		ANDERSON LN	CO		Y																		
13.50		10.92	INTRSECTN	L		MUD RUN RD	CO		N																		
13.65		11.06	EQUATION			013.64 =013.65 ``																					
13.92		11.33	INTRSECTN	R		89TH AVE SE	CO		N																		
14.40		11.81	INTRSECTN	L		BURNETT RD	CO		N																		
14.41		11.82	ENTER CITY			YELM				1	1				4A	22A	4A				22	1	02	1495	R2	35	L P
14.43		11.84	MISC FEATR	R		SGN ENT YELM																					
14.49		11.90	INTRSECTN	R		93RD AVE SE	CT		Y	1	1				4A	24A	6A				24	1	02	1495	R2	35	L P
14.54		11.95	INTRSECTN	L		SUNRISE VISTA RD SE	CT		Y																		
14.61		12.02	EXIT TO	R		YELM HIGH SCHOOL	CT		Y																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	
9.27		6.69			.03	12				.05	11
12.90		10.32								.05	11
14.61		12.02								.04	10

SR 512 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
							OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
0.00	0.00		BEG ROUTE			MAIN ROUTE				3	3	C	38P	4P	JE	38P	C				76	1	01	0665	U1		60	L	P						
			ENTER CITY			LAKESWOOD																													
			BEG CTLSEC			CONTROL SECTION 2735																													
			BEG BRIDGE	B		SR 5																													
						BRDG NUM 512/001																													
0.04	0.04		END BRIDGE	B		SR 5				3	3	10A	36A	4A	JE	36A	10A				72	1	01	0665	U1		60	L	P						
			ON RAMP	L		SR 5																													
			OFF RAMP	R		SR 5																													
0.06	0.06		MISC FEATR	R		GORE (SR 5 Q512746)																													
0.09	0.09		MISC FEATR	L		GORE (SR 5 P512754)																													
0.17	0.17		MISC FEATR	L		GORE (SR 5 Q112774)																													
			MISC FEATR	R		GORE (SR 5 P112730)																													
0.27	0.27		BEG SU LN	L		AUXILIARY	12A			3	3	10A	36A	4A	JE	36A	10A	12	84	1	01	0665	U1		60	L	P								
			OFF RAMP	L		SR 5	12A																												
0.32	0.32		BEG SU LN	R		AUXILIARY	12A			3	3	10A	36A	4A	JE	36A	10A	24	96	1	01	0665	U1		60	L	P								
			ON RAMP	R		SR 5	12A																												
0.37	0.37									3	3	10A	36A	16A	JE	36A	10A	24	96	1	01	0665	U1		60	L	P								
0.61	0.61		LEAVE CITY			LAKESWOOD				3	3	10A	36A	16A	JE	36A	10A	24	96	1	01	0665	U1		60	L	P								
0.62	0.62		UXING	B		E STEELE ST SB				3	3	10A	36A	16A	JE	36A	10A	24	96	1	01	0665	U1		60	L	P								
						BRDG NUM 512/003W																													
0.63	0.63		END SU LN	L		AUXILIARY	12A			3	3	10A	36A	16A	JE	36A	10A	12	84	1	01		U1		60	L									
			UXING	B		E STEELE ST NB																													
						BRDG NUM 512/003E																													
			ON RAMP	L		STEELE ST																													
0.64	0.64		END SU LN	R		AUXILIARY	12A			3	3	10A	36A	16A	JE	36A	10A	\$\$\$	72	1	01		U1		60	L									
			OFF RAMP	R		STEELE ST																													
0.66	0.66		MISC FEATR	L		GORE (S500063)																													
0.68	0.68		MISC FEATR	R		GORE (P500064)																													
0.78	0.78		MISC FEATR	L		GORE (R100087)																													
0.81	0.81		MISC FEATR	R		GORE (Q100100)																													
0.87	0.87		OFF RAMP	L		STEELE ST																													
1.00	1.00		MP MARKER	B		1																													
			ON RAMP	R		STEELE ST																													
1.22	1.22		UXING	B		AINSWORTH AVE																													
						BRDG NUM 512/005																													
1.53	1.53		TRAF RCDR	B		D3 0																													
1.63	1.63		OFF RAMP	R		SR 7				3	2	10A	36A	16A	JE	24A	10A		60	1	01		U1		60	L									
1.75	1.75		ON RAMP	L		SR 7																													
1.99	1.99		MP MARKER	B		2																													
2.00	2.00		BEG BRIDGE	B		PARK AVE				3	2	\$\$\$	72P	16P	JE	63P	\$\$\$		135	1	01		U1		60	L									
						BRDG NUM 512/006																													
2.01	2.01		END BRIDGE	B		PARK AVE				3	2	10A	36A	16A	JE	24A	10A		60	1	01		U1		60	L									

SR 515 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----							
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		MTCE		CITY		LEGAL		T P S							
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT							
: :				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		A SE							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	NBR	FC	ST	SPEED	T	P	S	
0.00	0.00		BEG ROUTE			MAIN ROUTE																			
						SR 516 TO SR 900/RENTON																			
			ENTER CITY			KENT																			
			BEG CTLSEC			CONTROL SECTION 1741																			
			BEG ST	I		104TH AVE SE																			
			INTRSECTN	B		SR 516																			
0.05	0.05		BEG SU LN			TWO WAY TURN	12A																		
0.16	0.16		INTRSECTN	L		SE 253RD PL																			
0.21	0.21																								
0.25	0.25																								
0.38	0.38																								
0.45	0.45		END SU LN	C		TWO WAY TURN	12A																		
0.48	0.48		MISC FEATR	L		BUS TURNOUT																			
0.50	0.50		INTRSECTN	B		SE 248TH ST																			
0.52	0.52		MISC FEATR	R		BUS TURNOUT																			
0.55	0.55		BEG SU LN	C		TWO WAY TURN	12A																		
0.70	0.70		END SU LN	C		TWO WAY TURN	12A																		
0.73	0.73		MISC FEATR	B		BUS TURNOUT																			
0.75	0.75		INTRSECTN	B		SE 244TH ST																			
0.80	0.80		BEG SU LN	C		TWO WAY TURN	12A																		
0.87	0.87																								
0.95	0.95		END SU LN	C		TWO WAY TURN	12A																		
0.96	0.96		MP MARKER	R		1																			
1.00	1.00		INTRSECTN	B		SE 240TH ST																			
1.04	1.04		BEG SU LN	C		TWO WAY TURN	12A																		
1.10	1.10		INTRSECTN	L		SE 239TH ST																			
1.22	1.22		INTRSECTN	R		SE 236TH PL																			
1.24	1.24																								
1.27	1.27		LEAVE CITY			KENT																			
			INTRSECTN	R		SE 235TH ST																			
1.29	1.29		MISC FEATR	R		BUS TURNOUT																			
1.50	1.50		MISC FEATR	L		BUS TURNOUT																			
1.52	1.52		INTRSECTN	R		SE 232ND ST																			
1.53	1.53		MISC FEATR	R		BUS TURNOUT																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00	0.00				.03	23				
0.50	0.50		.03	12	.03	12				
0.75	0.75		.03	12	.03	12				
1.00	1.00		.03	12	.03	12				

SR 515 MAINLINE STATE ROUTE - SRSH COUNTY KING DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----													
				:LEFT/RIGHT INDICATOR	:				-BRIDGE	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
									-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
									OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T								
1.57		1.57																																
1.59		1.59	INTRSECTN	L	SE			230TH PL	CO	Y												U2	45	R	*									
1.70		1.70	MISC FEATR	L	BUS			TURNOUT																										
1.72		1.72	INTRSECTN	B	SE			228TH ST	CO	Y																								
1.77		1.77	MISC FEATR	R	BUS			TURNOUT																										
1.81		1.81	INTRSECTN	R	SE			226TH ST	CO	Y																								
1.93		1.93	MISC FEATR	L	BUS			TURNOUT																										
2.02		2.02	INTRSECTN	L	SE			224TH ST	CO	Y																								
2.09		2.09	INTRSECTN	R	SE			224TH ST	CO	Y																								
2.14		2.14	CHG SU LN	C	TWO WAY TURN				12P		2	2											U2	45	R	*								
			BEG BRIDGE	B	GARRISON CREEK				ST																									
2.17		2.17	END BRIDGE	B	GARRISON CREEK						2	2											U2	45	R	*								
			CHG SU LN	C	TWO WAY TURN				12A																									
2.20		2.20	INTRSECTN	R	SE			222ND PL	CO	Y																								
2.22		2.22	MISC FEATR	L	BUS			TURNOUT																										
2.33		2.30	END ST	I	104TH AVE SE																													
			EQUATION		002.30 =002.33																													
			BEG ST	I	BENSON DR S																													
			MISC FEATR	L	BUS			TURNOUT																										
2.35		2.32	INTRSECTN	R	SE			220TH PL	CO	N																								
2.37		2.34	MISC FEATR	R	BUS			TURNOUT																										
2.57		2.54	MISC FEATR	L	BUS			TURNOUT																										
2.59		2.56	INTRSECTN	B	SE			217TH ST	CO	N																								
2.61		2.58	MISC FEATR	R	BUS			TURNOUT																										
2.84		2.81	INTRSECTN	R	SE			212TH ST	CO	Y																								
2.85		2.82	MISC FEATR	B	BUS			TURNOUT																										
2.87		2.84	INTRSECTN	L	SE			212TH ST	CO	N																								
2.95		2.92	INTRSECTN	L	SE			211TH ST	CO	N																								
2.99		2.96	MP MARKER	R	3																													
3.02		2.99	END SU LN	C	TWO WAY TURN				12A		2	2											U2	45	R	*								
3.05		3.02	MISC FEATR	L	BUS			TURNOUT																										
3.12		3.09	INTRSECTN	B	SE			208TH ST	CO	SG Y																								
3.17		3.14	MISC FEATR	R	BUS			TURNOUT																										
3.21		3.18	BEG SU LN	C	TWO WAY TURN				12A		2	2											U2	45	R	*								
3.22		3.19	ENT/EXIT	R	SHOPPING CENTER				PV	Y																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.59		2.56	.03	12	.03	12				
3.12		3.09	.06	24	.04	12	.06	12	.06	12

SR 515 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	-UXING-		LFT		RHT	USE	TOT	MTCE		CITY	ST
:DIRECTION TO INVENTORY							NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S				
: :LEFT/RIGHT INDICATOR							LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
: :							OW	TC	L	WD	S	BR	WD	S	BR	WD	S	BR	WD	S	BR	WD	S	
6.93	6.90		END ST	I		BRDG NUM 405/016																		
6.97	6.94		BEG ST	I		BENSON DR S																		
			INTRSECTN	L		TALBOTT RD																		
6.98	6.95		BEG SU LN	C		S RENTON VILLAGE PL	CT	Y																
7.12	7.09		END SU LN	C		TWO WAY TURN	13A																	
7.20	7.17		INTRSECTN	L		S GRADY WAY WYE CONN	CT	Y																
7.21	7.18		END ST	I		TALBOTT RD																		
			BEG ST	I		S GRADY WAY																		
			INTRSECTN	L		S GRADY WAY	CT	SG	Y															
			INTRSECTN	L		TALBOTT RD	CT	SG	Y															
7.29	7.26		BEG SU LN	C		TWO WAY TURN	12A																	
7.32	7.29		END SU LN	C		TWO WAY TURN	12A																	
			INTRSECTN	R		PVT RD	PV	Y																
7.33	7.30		INTRSECTN	L		WILLIAMS AVE S	CT	Y																
7.34	7.31		INTRSECTN	L		WILLIAMS AVE S WYE CONN	CT	Y																
7.35	7.32		BEG SU LN	C		TWO WAY TURN	12A																	
7.40	7.37		END SU LN	C		TWO WAY TURN	12A																	
7.41	7.38		INTRSECTN	L		WELLS AVE S	CT	Y																
7.42	7.39		ENT/EXIT	R		BUSINESS	PV	Y																
7.43B	7.40		BEG EQ			BEGIN BACK																		
			BEG SU LN	C		TWO WAY TURN	12A																	
7.48B	7.45		END SU LN	C		TWO WAY TURN	12A																	
7.49B	7.46		INTRSECTN	R		BENSON RD WYE CONN	CT	Y																
7.43	7.47		END ST	I		S GRADY WAY																		
			EQUATION			007.50B=007.43																		
			BEG ST	I		MAIN AVE S																		
			INTRSECTN	R		BENSON RD	CT	SG	Y															
7.48	7.52		INTRSECTN	L		S 5TH ST	CT	Y																
7.59	7.63		INTRSECTN	L		S 4TH ST	CT	SG	Y															
7.68	7.72		INTRSECTN	L		SR 515 DEC WYE CONN	ST	SG	Y															

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.97	6.94		.03	13										
7.20	7.17												.03	12
7.21	7.18		.07	25			.04	24						
7.32	7.29						.01	12						
7.41	7.38		.02	12										
7.42	7.39						.01	12						
7.43	7.47						.03	12						

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----					
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC											
:LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT			
:				-XROAD-		LNS		SHD		RDY		SHD		RDY		LNS		RDY			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	W	S	W	S	W	S	W	S	W	S	W	S
0.00	0.00		BEG ROUTE			MAIN ROUTE															
						SR 509 TO SR 169															
			ENTER CITY			DES MOINES															
			BEG CTLSEC			CONTROL SECTION 1763															
			BEG ST	I		KENT DES MOINES RD															
			INTRSECTN	L		SR 509															
0.01	0.01		INTRSECTN	R		OLD SR 509															
0.07	0.07		BEG SU LN	C		TWO WAY TURN		11A													
0.15	0.15		INTRSECTN	L		10TH AVE S															
0.16	0.16		INTRSECTN	R		10TH AVE S															
0.17	0.17		INTRSECTN	B		S 230TH ST															
0.18	0.18		INTRSECTN	R		10TH AVE S WYE CONN															
0.20	0.20		END SU LN	C		TWO WAY TURN		11A													
0.59	0.59		INTRSECTN	L		16TH AVE S															
0.67	0.67																				
0.71	0.71		INTRSECTN	R		16TH PL S WYE CONN															
0.74	0.74		INTRSECTN	R		16TH PL S															
0.75	0.75		INTRSECTN	R		16TH PL S WYE CONN															
0.83	0.83		INTRSECTN	L		18TH AVE S															
0.84	0.84		BEG SU LN	C		TWO WAY TURN		12A													
0.93	0.93		END SU LN	C		TWO WAY TURN		12A													
0.94	0.94		INTRSECTN	R		20TH AVE S															
1.00	1.00		BEG SU LN	C		TWO WAY TURN		12A													
			MP MARKER	R		1															
1.07	1.07		INTRSECTN	R		S 234TH ST															
1.10	1.10		END SU LN	C		TWO WAY TURN		12A													
1.25	1.25		INTRSECTN	L		21ST AVE S															
1.29	1.29		INTRSECTN	L		22ND PL S															
1.35	1.35																				
1.39	1.39																				
1.47	1.47		MISC FEATR	B		PED XING															
1.48	1.48		INTRSECTN	L		24TH AVE S															
			INTRSECTN	R		25TH AVE S															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.01	0.01					.03	11				
0.74	0.74					.03	11				
0.83	0.83		.03	11				.03	13		
0.94	0.94					.03	12				
1.48	1.48		.03	11		.03	11				

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE													
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T		
1.49	1.49		LEAVE CITY			DES MOINES		1	1			5A	34A	5A		34	4	02	0325	U1	35	R	P	*		
1.56	1.56		ENTER CITY			KENT		1	1			5A	34A	5A		34	4	02	0615	U1	35	R	P	*		
1.57	1.57		INTRSECTN	L		27TH AVE S	CT	Y	1	1		8A	22A	6A		22	4	02	0615	U1	35	R	P	*		
1.72	1.72								1	1		8A	40A	\$\$C		40	4	02	0615	U1	35	R	P	*		
1.74	1.74		INTRSECTN	L		SR 99 WYE CONN	ST	Y																		
			ENT/EXIT	R		BUSINESS	PV	Y																		
1.75	1.75								1	2		\$\$C	62A	C		62	4	02	0615	U1	35	R	P	*		
1.79	1.79		INTRSECTN	B		SR 99	ST SG	Y	1	2		10A	76A	10A		76	4	02	0615	U1	35	R	P	*		
1.83	1.83		INTRSECTN	R		SR 99 WYE CONN	ST	Y																		
1.86	1.86								2	2		10A	76A	10A		76	4	02	0615	U1	35	R	P	*		
1.88	1.88		INTRSECTN	L		30TH AVE S WYE CONN	CT	Y																		
1.89	1.89		INTRSECTN	B		30TH AVE S	CT	Y																		
1.90	1.90		INTRSECTN	R		30TH AVE S WYE CONN	CT	Y																		
1.91	1.91								2	2		\$\$C	76A	\$\$C		76	4	02	0615	U1	35	R	P	*		
1.93	1.93		INTRSECTN	L		ON RAMP WYE CONN	ST																			
1.94	1.94		ON RAMP	L		SR 5	ST SG	Y																		
			OFF RAMP	R		SR 5	ST SG	Y																		
1.96	1.96		FLYER STOP	R		LOT NUMBER																				
						SEATTLE METRO																				
			EXIT TO	R		METRO LOAD AREA	ST	Y																		
2.00	2.00		MP MARKER	B		2																				
			ENT FROM	R		METRO LOAD AREA	ST	Y																		
2.01	2.01		UXING	B		SR 5 SB	ST																			
						BRDG NUM 005/511W																				
2.03	2.03		EQUATION			002.02 =002.03			2	2	C	25A	14A	CU	\$	24A	10A	49	4	02	0615	U1	35	R	P	*
2.04	2.04		MISC FEATR	B		SR 5 CENTERLINE																				
			UXING	B		SR 5 NB	ST																			
						BRDG NUM 005/511E																				
			OFF RAMP	R		NB SR 5	ST	Y																		
2.07	2.07		ON RAMP	L		NB SR 5	ST	Y																		
2.08	2.08		MISC FEATR	L		GORE (SR 5 P514921)																				
2.11	2.11		OFF RAMP	L		NB SR 5	ST	Y																		
			MISC FEATR	R		GORE (SR 5 Q514933)																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.74	1.74									
1.79	1.79		.04	12	.04	13	.07	24	.03	15
1.89	1.89		.03	15			.02	13		
1.94	1.94						.04	12		

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----														
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
:DIRECTION TO INVENTORY						-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	USE	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
:LEFT/RIGHT INDICATOR						OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	SE	NBR	FC	D	IB	R	K	T				
2.14	2.13		ENT FROM	L		METRO LOAD AREA	ST	Y	2	2	C	25A		14A	CU		24A	10A			49	4	02	0615	U1		35	R	P	*	
2.17	2.16		FLYER STOP	L		LOT NUMBER 00		Y																							
2.19	2.18		ENT FROM	R		METRO ONLY	ST	SG	Y	2	2	\$ \$\$\$		\$\$\$	\$\$\$	C	76A	\$\$C			76	4	02	0615	U1		35	R	P	*	
			EXIT TO	L		METRO ONLY	ST	SG	Y																						
2.20	2.19		ON RAMP	R		NB SR 5	ST	SG	Y																						
2.24	2.23		INTRSECTN	B		MILITARY RD WYE CONN	CT	Y																							
2.25	2.24		INTRSECTN	B		MILITARY RD	CT	SG	Y	2	2			10A	64A	15A					64	4	02	0615	U1		55	R	P	*	
2.31	2.30									2	2	10A	24A		\$\$\$	24A	15A					48	4	02	0615	U1		55	R	P	*
2.34	2.33		LEAVE CITY			KENT				2	2	10A	24A		14A	JE						48	4	02	\$\$\$	U1		55	R	\$	*
2.37	2.36									2	2	10A	24A		16A	JE						48	4	02		U1		55	R		*
2.52	2.51		ENTER CITY			KENT				2	2	10A	24A		16A	JE						48	4	02	0615	U1		55	R	P	*
2.61	2.60		MISC FEATR	R		SGN ENT KENT																									
2.82	2.81									2	2	10A	24A		16A	JE						48	4	02	0615	U1		55	R	P	*
3.01	3.00		MP MARKER	B		3																									
3.44	3.43									2	2	10A	24A		16A	UP						48	4	02	0615	U1		55	R	P	*
3.56	3.55		INTRSECTN	R		REITH RD WYE CONN	CT	Y																							
3.57	3.56		INTRSECTN	L		MEEKER ST WYE CONN	CT	Y																							
3.58	3.57		INTRSECTN	R		REITH RD	CT	SG	Y																						
			INTRSECTN	L		MEEKER ST	CT	SG	Y																						
3.59	3.58		INTRSECTN	L		MEEKER ST WYE CONN	CT	Y																							
			INTRSECTN	R		REITH RD WYE CONN	CT	Y																							
3.70	3.69									2	2	10A	24A		16A	JE						48	4	02	0615	U1		55	R	P	*
3.77	3.76		LEAVE CITY			KENT				2	2	10A	24A		16A	JE						48	4	02	\$\$\$	U1		55	R	\$	*
3.88	3.87		BEG BRIDGE	B		MULLEN SLOUGH	ST			2	2	\$\$W	41P		16P	JE					82	4	02		U1		55	R		*	
			BRDG NUM			516/007																									
3.93	3.92		END BRIDGE	B		MULLEN SLOUGH				2	2	10A	24A		16A	JE						48	4	02		U1		55	R		*
4.01	4.00		MP MARKER	B		4																									
4.30	4.29		BEG BRIDGE	B		GREEN RIVER	ST			2	2	\$\$W	29P		16P	JE					58	4	02		U1		55	R		*	
			BRDG NUM			516/008																									
4.35	4.34		ENTER CITY			KENT				2	2	W	29P		16P	JE					58	4	02	0615	U1		55	R	P	*	
4.37	4.36		END BRIDGE	B		GREEN RIVER				2	2	10A	24A		16A	JE					48	4	02	0615	U1		55	R	P	*	
4.52B	4.51		BEG EQ			BEGIN BACK																									

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.25	2.24		.03	12			.08	12								
3.56	3.55						.07	12								
3.57	3.56										.15	12				
3.58	3.57		.11	16			.06	16								
3.59	3.58												.11	12		

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P
							-XROAD-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	MTCE	CITY	ST	SPEED	T	P	S			
							OW TC L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
5.23	5.50								2	2					C 44A	C	44	4	02	0615	U1	30	L	B	*	
5.25	5.52		INTRSECTN	R		BRIDGES AVE S	CT	Y	2	2					C 58A	C	58	4	02	0615	U1	30	L	B	*	
5.30	5.57		END ST	I		WILLIS ST			2	2					C 50A	C	50	4	02	0615	U1	30	L	P	*	
			BEG ST	I		CENTRAL AVE																				
			INTRSECTN	R		S CENTRAL AVE	CT	SG	Y																	
5.35	5.62		INTRSECTN	L		E SAAR ST	CT	Y																		
5.42	5.69								2	2					C 58A	C	58	4	02	0615	U1	30	L	P	*	
5.44	5.71		INTRSECTN	B		E TITUS ST	CT	Y																		
5.45	5.72		BEG SU LN	C		TWO WAY TURN	12A		2	2					C 46A	C	12	58	4	02	0615	U1	30	L	P	*
5.48	5.75		END SU LN	C		TWO WAY TURN	12A		2	2					C 58A	C	\$\$\$	58	4	02	0615	U1	30	L	P	*
5.52	5.79		INTRSECTN	B		E GOWE ST	CT	SG	Y	2	2				C 50A	C	50	4	02	0615	U1	30	L	P	*	
5.56	5.83		INTRSECTN	B		MEEKER ST	CT	SG	Y																	
5.68	5.95		END ST	I		CENTRAL AVE			2	2					C 58A	C	58	4	02	0615	U1	30	R	P	*	
			BEG ST	I		SMITH ST																				
			INTRSECTN	L		SMITH ST	CT	SG	Y																	
			INTRSECTN	L		N CENTRAL AVE	CT	SG	Y																	
5.74	6.01		INTRSECTN	B		N STATE AVE																				
5.77	6.04		BEG SU LN	C		TWO WAY TURN	12A		2	2					C 46A	C	12	58	4	02	0615	U1	30	R	P	*
5.82	6.09		INTRSECTN	R		N KENNEBECK AVE	CT	Y																		
5.87	6.14		END SU LN	C		TWO WAY TURN	12A		2	2					C 55A	C	\$\$\$	55	4	02	0615	U1	30	R	P	*
5.88	6.15		INTRSECTN	L		CLARK AVE N	CT	Y																		
5.93	6.20		INTRSECTN	R		TITUS ST	CT	SG	Y	2	2				C 64A	C	64	4	02	0615	U1	30	R	P	*	
			INTRSECTN	L		JASON AVE	CT	SG	Y																	
5.95	6.22		INTRSECTN	R		TITUS ST WYE CONN	CT	Y																		
5.99	6.26		MP MARKER	R		6																				
6.04	6.31		END ST	I		SMITH ST			2	2					C 64A	C	64	4	02	0615	U1	40	R	P	*	
			BEG ST	I		CANYON DR																				
			INTRSECTN	L		HAZEL AVE	CT	Y																		
6.07	6.34		INTRSECTN	L		CANYON DR	CT	Y																		
6.08	6.35								2	2	C 22A		4A	JE	\$ 30A	C	52	4	02	0615	U1	40	R	P	*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.30	5.57				.05	12				
5.52	5.79		.02	12	.03	12	.02	12		
5.56	5.83		.02	10			.03	10		
5.68	5.95		.04	10			.03	12		
5.74	6.01		.02	12			.03	12		
5.93	6.20		.03	12			.04	12		
6.04	6.31		.02	12						
6.07	6.34		.03	12						

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----												
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/A	W/S	WID	RDY	A	SE	NBR	FC	D	IB	R	K	T
6.16	6.43		INTRSECTN	L		CT	Y	2	2	C 22A	4A JE	30A	C		52	4	02	0615	U1	40	R	P	*		
6.22	6.49							2	2	C 22A	4A JE	22A	8A		44	4	02	0615	U1	40	R	P	*		
6.26	6.53							2	2	\$ \$\$\$	\$\$\$\$ \$\$	C 56A	8A		56	4	02	0615	U1	40	R	P	*		
6.30	6.57		INTRSECTN	L		CT	Y																		
6.35	6.62							2	2			C 44A	8A		44	4	02	0615	U1	40	R	P	*		
6.45	6.72							2	2			C 55A	6A		55	4	02	0615	U1	40	R	P	*		
6.54	6.81		INTRSECTN	L		CT	Y																		
6.57	6.84		INTRSECTN	L		CT	Y																		
6.60	6.87							2	2			C 44A	6A		44	4	02	0615	U1	40	R	P	*		
6.72	6.99							2	2			C 50A	\$\$C		50	4	02	0615	U1	40	R	P	*		
6.74	7.01							2	2			C 56A	C		56	4	02	0615	U1	40	R	P	*		
6.77	7.04		INTRSECTN	L		CT	Y																		
6.89	7.16		INTRSECTN	R		CT	Y																		
6.91	7.18		END ST	I				2	2			C 44A	6A		44	4	02	0615	U1	40	R	P	*		
			BEG ST	I																					
			INTRSECTN	R		CT	Y																		
6.99	7.26		MP MARKER	R																					
7.04	7.31							2	2			C 44A	4A		44	4	02	0615	U1	40	R	P	*		
7.06	7.33		BEG SU LN	C				2	2	12A		C 44A	4A	12	56	4	02	0615	U1	40	R	P	*		
7.10	7.37		END SU LN	C				2	2	12A		C 56A	4A \$\$\$		56	4	02	0615	U1	40	R	P	*		
7.13	7.40							2	2			C 56A	4A		56	4	02	0615	U1	35	R	P	*		
7.15	7.42		INTRSECTN	R		CT	SG Y	2	2			C 60A	\$\$C		60	4	02	0615	U1	35	R	P	*		
			ENT/EXIT	L		CT	SG Y																		
7.20	7.47		BEG SU LN	C				2	2	12A		C 48A	C 12		60	4	02	0615	U1	35	R	P	*		
7.29	7.56		END SU LN	C				2	2	12A		C 60A	C \$\$\$		60	4	02	0615	U1	35	R	P	*		
7.34	7.61		INTRSECTN	R		CT	SG Y	2	2			C 60A	C		60	4	01	0615	U1	35	R	P	*		
			INTRSECTN	L		ST	SG Y																		
7.40	7.67		END ST	I																					
			BEG ST	I																					
			INTRSECTN	L		CT	SG Y																		
7.42	7.69		ENT/EXIT	R		PV	Y																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGW	WD	LGW	WD	LGW	WD	LGW	WD
6.30	6.57	.02	12						
6.54	6.81	.02	11						
6.77	7.04	.02	12					.04	12
6.91	7.18			.03	12				
7.15	7.42	.02	12			.03	12		
7.34	7.61	.03	12			.03	12		
7.40	7.67	.03	14						

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
			D	LR		DESCRIPTION	OW	TC	L	NBR	LFT	RHT	MEDIAN-	SHD	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
7.43	7.70	INTRSECTN	L		SE 256TH ST WYE CONN	CT	Y	2	2						C	59A	C		59	4	01	0615	U1	35	R	P	*
		ENT/EXIT	R		SHOPPING CENTER	PV	Y																				
7.46	7.73	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	35	R	P	*
7.62	7.89	END SU LN	C		TWO WAY TURN			12A							C	59A	C	\$\$\$	59	4	01	0615	U1	35	R	P	*
		INTRSECTN	R		108TH AVE SE					CT	SG	Y															
7.67	7.94	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	35	R	P	*
7.78	8.05	END SU LN	C		TWO WAY TURN			12A							C	59A	C	\$\$\$	59	4	01	0615	U1	35	R	P	*
7.82	8.09	INTRSECTN	R		111TH AVE SE					CT	SG	Y															
		ENT/EXIT	L		WASHINGTON PARK APTS					PV	SG	Y															
7.86	8.13														C	59A	C		59	4	01	0615	U1	45	R	P	*
7.87	8.14	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	45	R	P	*
8.02	8.29	MP MARKER	R		8																						
8.05	8.32	INTRSECTN	R		114TH AVE SE					CT	Y																
8.12	8.39	END SU LN	C		TWO WAY TURN			12A							C	59A	C	\$\$\$	59	4	01	0615	U1	45	R	P	*
8.16	8.43	MISC FEATR	L		BUS TURNOUT																						
8.18	8.45	INTRSECTN	B		116TH AVE SE					CT	SG	Y															
8.21	8.48	MISC FEATR	R		BUS TURNOUT						SG	Y															
8.24	8.51	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	45	R	P	*
8.46	8.73	END SU LN	C		TWO WAY TURN			12A							C	59A	C	\$\$\$	59	4	01	0615	U1	45	R	P	*
8.48	8.75	INTRSECTN	L		SE 263RD ST					CT	Y																
8.50	8.77	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	45	R	P	*
8.69	8.96	END SU LN	C		TWO WAY TURN			12A							C	71A	C	\$\$\$	71	4	01	0615	U1	45	R	P	*
8.73	9.00	INTRSECTN	L		124TH AVE SE WYE CONN					CT	Y																
8.75	9.02	INTRSECTN	B		124TH AVE SE					CT	SG	Y	2	2	C	59A	C		59	4	01	0615	U1	45	R	P	*
8.77	9.04	MISC FEATR	R		BUS TURNOUT						SG	Y															
8.80	9.07	BEG SU LN	C		TWO WAY TURN			12A							C	47A	C	12	59	4	01	0615	U1	45	R	P	*
		MISC FEATR	L		BUS TURNOUT																						
8.94	9.21	INTRSECTN	L		127TH AVE SE					CT	N																
9.00	9.27	MISC FEATR	L		BUS TURNOUT																						
9.02	9.29	MISC FEATR	R		BUS TURNOUT																						
9.15	9.42	INTRSECTN	R		128TH PL SE					CT	N																
9.22	9.49	ENT/EXIT	L		SHOPPING CENTER					PV	Y																

INTERSECTION DETAIL

SRMP	B ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
7.43	7.70			.03	12								
7.62	7.89			.02	12								
7.82	8.09	.03	12	.03	12								
8.18	8.45	.03	12	.03	12								
8.48	8.75	.01	12					.01	12				
8.75	9.02	.03	12	.03	12	.03	12						

SR 516 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----									
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC														
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	LNS	RDY	SHD	USE	TOT										
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	LNS	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	A	SE	NBR	FC	D	IB	R	K	T		
11.58	11.85		INTRSECTN	L		167TH PL SE	CT	Y	2	2				C	68A	C		68	4	01	0291	U2	35	R	P	*
11.59	11.86								2	2				C	64A	C		64	4	01	0291	U2	35	R	P	*
11.65	11.92		INTRSECTN	B		168TH PL SE	CT	SG	Y																	
11.68	11.95		MISC FEATR	R		BUS TURNOUT		SG	Y																	
11.71	11.98		INTRSECTN	L		169TH PL SE	CT		Y																	
11.72	11.99		BEG SU LN	C		TWO WAY TURN	12A		2	2				C	52A	C	12	64	4	01	0291	U2	35	R	P	*
11.87	12.14		INTRSECTN	B		172ND AVE SE	CT		Y																	
11.96	12.23		MISC FEATR B	B		BUS TURNOUT																				
11.98	12.25		MP MARKER	R		12																				
11.99	12.26		ENT/EXIT	R		SHOPPING CENTER	PV		N																	
12.02	12.29		INTRSECTN	L		PVT RD	PV		N																	
12.04	12.31		END SU LN	C		TWO WAY TURN	12A		2	2				C	64A	C	\$\$\$	64	4	01	0291	U2	35	R	P	*
12.08	12.35		INTRSECTN	R		SE WAX RD WYE CONN	CT		Y																	
12.10	12.37		INTRSECTN	B		SE WAX RD	CT	SG	Y																	
12.12	12.39		INTRSECTN	L		SE WAX RD WYE CONN	CT		Y	2	2			C	64A	C		64	4	01	0291	U2	50	R	P	*
12.16	12.43		BEG SU LN	C		TWO WAY TURN	12A		2	1				C	52A	C	12	64	4	01	0291	U2	50	R	P	*
12.18	12.45								2	1				C	44A	8A	12	56	4	01	0291	U2	50	R	P	*
12.21	12.48		ENT/EXIT	L		MEDICAL PARK	PV		N																	
12.23	12.50		END SU LN	C		TWO WAY TURN	12A		1	1				8A	50A	8A	\$\$\$	50	4	01	0291	U2	50	R	P	*
12.31	12.58								1	1				4A	22A	4A		22	4	01	0291	U2	50	R	P	*
12.32	12.59		LEAVE CITY			COVINGTON			1	1				4A	22A	4A		22	4	01	\$\$\$\$	U2	50	R	\$	*
12.60	12.87								1	1				8A	22A	4A		22	4	01		U2	50	R		*
12.74	13.01		BEG SU LN	C		TWO WAY TURN	12A		1	1				5A	22A	4A	12	34	4	01		U2	50	R		*
			ENT/EXIT	L		SCHOOL	CO		Y																	
12.85	13.12		END SU LN	C		TWO WAY TURN	12A		1	1				8A	34A	7A	\$\$\$	34	4	01		U2	50	R		*
			INTRSECTN	R		188TH AVE SE	PV		N																	
12.92	13.19		INTRSECTN	L		189TH AVE SE	CO		Y	1	1			8A	46A	7A		46	4	01		U2	50	R		*
12.94	13.21		BEG SU LN	C		TWO WAY TURN	12A		1	1				8A	22A	7A	12	34	4	01		U2	50	R		*
12.99	13.26		MP MARKER	R		13																				
13.06	13.33		END SU LN	C		TWO WAY TURN	12A		1	1				8A	34A	7A	\$\$\$	34	4	01		U2	50	R		*
13.11	13.38		INTRSECTN	L		192ND AVE SE	CO		Y	1	1			2A	46A	7A		46	4	01		U2	50	R		*
13.13	13.40		BEG SU LN	C		TWO WAY TURN	12A		1	1				2A	34A	7A	12	46	4	01		U2	50	R		*
13.15	13.42								1	1				5A	22A	7A	12	34	4	01		U2	50	R		*

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.65	11.92			.04	12	.08	12	.06	12		
12.10	12.37			.04	12			.04	13		
12.74	13.01			.03	12						
12.92	13.19			.04	13			.02	12		
13.11	13.38			.03	12			.02	12		

SR 518 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----										
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT												
: :				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		LEGAL		T P S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	D	IB	R	K	T		
0.00	0.00		BEG ROUTE			MAIN ROUTE																								
						SR 509 TO SR 5/TUKWILA																								
			ENTER CITY			BURIEN																								
			BEG CTLSEC			CONTROL SECTION 1742																								
			OFF RAMP	R		SR 509	ST		Y																					
			BEG BRIDGE	B		SR 509	ST																							
						BRDG NUM 518/008																								
0.05	0.05		END BRIDGE	B		SR 509				2	2	10A	24A		10A	CU		\$	24A	10A										
0.10	0.10		ON RAMP	R		SR 509	ST		Y																					
0.12	0.12		OFF RAMP			SR 509				2	2	10A	24A		16A	GR			24A	10A										
0.20	0.20		OFF RAMP	L		SR 509	ST		Y																					
0.23	0.23		OFF RAMP			SR 509				2	2	10A	24A		16A	GR			24A	10A										
0.32	0.32		ON RAMP	R		SR 509	ST		Y																					
0.35	0.35		TRAF RCDR	B		D13 0																								
0.39	0.39		BEG BRIDGE	B		8TH AVE S	ST			2	2	\$\$\$	34P		16P	GR			34P	\$\$\$										
						BRDG NUM 518/009																								
0.42	0.42		END BRIDGE	B		8TH AVE S				2	2	10A	24A		16A	GR			24A	10A										
0.60	0.60		LEAVE CITY			BURIEN				2	2	\$\$\$	34A		16A	GR			34A	\$\$\$										
			ENTER CITY			SEA TAC																								
			BEG BRIDGE	B		DES MOINES WAY S	ST																							
						BRDG NUM 518/010																								
0.64	0.64		END BRIDGE	B		DES MOINES WAY S				2	2	10A	24A		16A	GR			24A	10A										
0.74	0.74		MISC FEATR	R		GORE (Q100083)																								
			MISC FEATR	L		GORE (R100083)																								
0.83	0.83		BEG SU LN	L		AUXILIARY	12A			2	3	10A	24A		16A	GR			36A	10A	12									
			ON RAMP	R		DES MOINES WAY S	ST		Y																					
			OFF RAMP	L		DES MOINES WAY S	ST		Y																					
0.91	0.91		MP MARKER	B		1				2	3	10A	24A	6A	16S	GR		6A	36A	10A	12									
0.99	0.99		MP MARKER	B		1																								
1.03	1.03		MP MARKER	B		1				2	3	10A	24A	8A	75S	GR		8A	36A	10A	12									
1.13	1.13		MP MARKER	B		1				2	3	10A	24A	8A	125S	GR		8A	36A	10A	12									
1.32	1.32		CHG SU LN	L		AUXILIARY	24A			2	3	10A	24A	8A	125S	GR		8A	36A	10A	24									
1.33	1.33		CHG SU LN	L		AUXILIARY	24A			2	3	10A	24A	8A	75S	GR		8A	36A	10A	24									
1.36	1.36		CHG SU LN	L		AUXILIARY	24A			2	3	10A	24A	8A	75S	GR		8A	36A	10A	24									
1.37	1.37		OFF RAMP	R		S 154TH ST	ST		Y																					
1.39	1.39		END SU LN	L		AUXILIARY	24A			2	3	10A	24A		16A	GR			36A	10A	\$\$\$									
			ON RAMP	L		S 154TH ST	ST		Y																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----						
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-					
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.10	0.10												.04	12

SR 519 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----								
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	LFT		RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
-UXING-		NBR	LFT	RHT	LFT	RHT		LNS	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR							
-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
OW TC L		D	I	W/S	W/S	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR
0.00	0.00		BEG ROUTE			MAIN ROUTE																			
						SR 90 TO FERRY TERMINAL																			
			ENTER CITY			SEATTLE																			
			BEG CTLSEC			CONTROL SECTION 1769																			
			BEG ST	I		4TH AVE S																			
			INTRSECTN	R		SR 90 E BND																			
0.01	0.01		INTRSECTN	R		SR 90 W BND																			
0.08	0.08																								
0.14	0.14		END ST	I		4TH AVE S																			
			BEG ST	I		ROYAL BROUGHAM WAY																			
			UXING	B		SR 90 W BND																			
						BRDG NUM 090/009N																			
			INTRSECTN	L		ROYAL BROUGHAM WAY																			
			INTRSECTN	L		4TH AVE S																			
0.15	0.15		UXING	B		SR 90 E BND																			
						BRDG NUM 090/009S																			
0.19	0.19		INTRSECTN	L		3RD AVE S																			
0.20	0.20		RR XING	B		NUM 101339W GRADE																			
0.21	0.21		RR XING	B		NUM 101339W GRADE																			
0.23	0.23		BEG SU LN	C		TWO WAY TURN	12A																		
0.27	0.27		ENT/EXIT	R		KINGDOME PARKING AREA		PV																	
0.32	0.32		END SU LN	C		TWO WAY TURN	12A																		
0.34	0.34		INTRSECTN	B		OCCIDENTAL AVE S																			
0.38	0.38		INTRSECTN	B		1ST AVE S																			
0.41	0.41																								
0.42	0.42		BEG SU LN	C		TWO WAY TURN	12A																		
0.44	0.44		END SU LN	C		TWO WAY TURN	12A																		
			RR XING	B		NUM 809800B GRADE																			
0.47	0.47		UXING	B		SR 99 VIADUCT																			
						BRDG NUM 099/540SB																			
			INTRSECTN	R		CITY ST (TO FERRIES)																			
0.48	0.48		INTRSECTN	L		ALASKAN WAY S WYE CONN																			
			INTRSECTN	R		SR 519 WYE CONN																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			NEAR	NEAR	FAR	FAR	LGT	WD	LGT	WD	LGT
-----		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00										
0.14	0.14		.05	12						.08	24
0.34	0.34		.01	12						.05	24
0.38	0.38		.02	12						.01	12
0.47	0.47				.03	13				.03	13

SR 520 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S								
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
1.31	1.31		MISC FEATR	L		BRDG NUM 520/006W-S		2	2	C	24P			4P	JE	26P	C			50	5	02	1140	U1	50	L	P					
1.36	1.36		MISC FEATR	L		GORE (R100143)																										
1.43	1.43		OFF RAMP	L		SR 513	ST	Y																								
1.48	1.48		MISC FEATR	L		GORE (R100156)																										
1.54	1.54		MISC FEATR	R		GORE (Q100163)																										
1.56	1.56		END BRIDGE	B		UNION BAY		2	2	10A	24P			4P	JE	24P	6A			48	5	02	1140	U1	50	L	P					
			OFF RAMP	L		LAKE WASH BLVD	ST	Y																								
1.63	1.63		END CTLSEC			CONTROL SECTION 1787		2	2	\$\$C	24A			4A	JE	24A	\$\$C			48	5	02	1140	U1	50	L	P					
			BEG CTLSEC			CONTROL SECTION 1756																										
			ON RAMP	R		LAKE WASH BLVD	ST	Y																								
			BEG BRIDGE	B		LAKE WASHINGTON	ST																									
						BRDG NUM 520/008																										
3.07	3.07		LEAVE CITY			SEATTLE		2	2	C	24A			4A	JE	24A	C			48	5	02	0760	U1	50	L	P					
			ENTER CITY			MEDINA																										
3.98	3.98		TRAF RCDR	B		R029 3		2	2	10A	24A			4A	JE	24A	10A			48	5	01	0760	U1	50	R	P					
			END BRIDGE	B		LAKE WASHINGTON																										
			END CTLSEC			CONTROL SECTION 1756																										
			BEG CTLSEC			CONTROL SECTION 1757																										
			MP MARKER	R		4																										
4.00	4.00		TRAF RCDR	B		D10 0																										
4.08	4.08		UXING	B		76TH AVE NE	ST	2	2	6A	24A			4A	JE	24A	9A			48	5	01	0760	U1	50	R	P					
			OFF RAMP	R		FLYER STOP	ST	Y																								
4.09	4.09		ON RAMP	L		FLYER STOP	ST	Y																								
4.12	4.12		FLYER STOP	L		LOT NUMBER 00																										
						SEATTLE METRO																										
4.17	4.17							2	2	6A	24A			4A	JE	24A	9A			48	5	01	0760	U1	55	R	P					
4.18	4.18		BEG SU LN	L		HIGH OCCUPANCY VEHICL12A		2	2	6A	24A			4A	JE	24A	9A	12		60	5	01	0760	U1	55	R	P					
4.19	4.19		FLYER STOP	R		LOT NUMBER 00																										
						SEATTLE METRO																										
4.23	4.23		ON RAMP	R		FLYER STOP	ST	Y																								
4.24	4.24		OFF RAMP	L		FLYER STOP	ST	Y																								
4.28	4.28		UXING	B		PED XING	ST	2	2	\$\$\$	24A			4A	JE	24A	9A	12		60	5	01	0760	U1	55	R	P					
						BRDG NUM 520/010																										
4.34	4.34		LEAVE CITY			MEDINA		2	2		24A			4A	JE	24A	9A	12		60	5	01	0570	U1	55	R	P					
			ENTER CITY			HUNTS POINT																										
4.35	4.35		OFF RAMP	R		84TH AVE NE	ST	Y																								
4.43	4.43		MISC FEATR	R		GORE (P100435)																										
4.59	4.59		UXING	B		84TH AVE NE	ST																									
						BRDG NUM 520/011																										
4.62	4.62		ON RAMP	L		84TH AVE NE	ST	Y																								
4.66	4.66		MISC FEATR	L		GORE (S500446)																										
4.84	4.84		LEAVE CITY			HUNTS POINT		2	2		24A			4A	JE	24A	9A	12		60	5	01	1490	U1	55	R	P					

SR 520 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----						
							-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	USE	TOT	MTCE	CITY	ST	LEGAL
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S	
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	LNS	RDY	A SE	NBR	FC	D	IB	R	K	T
4.84	4.84		ENTER CITY			YARROW POINT		2	2	24A	4A	JE	24A	9A	12	60	5	01	1490	U1	55	R	P	
5.00	5.00		MP MARKER	R		5																		
5.02	5.02		ON RAMP	L		FLYER STOP					ST	Y												
5.11	5.11		FLYER STOP	L		LOT NUMBER 00						Y												
						SEATTLE METRO						Y												
5.13	5.13		OFF RAMP	R		FLYER STOP					ST	Y												
5.16	5.16		OFF RAMP	L		FLYER STOP		2	2	8A 24A	4A	JE	24A	10A	12	60	5	01	1490	U1	55	R	P	
5.17	5.17		LEAVE CITY			YARROW POINT		2	2	8A 24A	4A	JE	24A	10A	12	60	5	01	0225	U1	55	R	P	
			ENTER CITY			CLYDE HILL																		
			UXING	B		92ND AVE NE					ST													
						BRDG NUM 520/012																		
5.18	5.18							2	2	\$\$\$ 24A	4A	JE	24A	24A	12	60	5	01	0225	U1	55	R	P	
5.22	5.22		FLYER STOP	R		LOT NUMBER 00						Y												
						SEATTLE METRO						Y												
5.25	5.25		MISC FEATR	R		GORE (Q100539)																		
5.26	5.26							2	2	8A 24A	4A	JE	24A	10A	12	60	5	01	0225	U1	55	R	P	
5.27	5.27		MISC FEATR	L		GORE (R100532)																		
5.32	5.32		OFF RAMP	L		92ND AVE NE					ST	Y												
5.39	5.39		ON RAMP	R		92ND AVE NE-FLYER STOP					ST	Y												
5.60	5.60		LEAVE CITY			CLYDE HILL		2	2	8A 24A	4A	JE	24A	10A	12	60	5	01	0075	U1	55	R	P	
			ENTER CITY			BELLEVUE																		
5.78	5.78		OFF RAMP	R		104TH AVE NE					ST	Y												
5.81	5.81		ON RAMP	L		LAKE WA BLVD NE					ST	Y												
5.85	5.85		MISC FEATR	R		GORE (P100578)																		
5.87	5.87		MISC FEATR	L		GORE (S100581)		2	2	8A 24A	4A	JE	24A	10B	12	60	5	01	0075	U1	55	L	P	
5.97	5.97		UXING	B		104TH AVE NE					ST													
						BRDG NUM 520/014																		
			ON RAMP	L		LAKE WA BLVD NE					ST	Y												
5.99	5.99		OFF RAMP	R		LK WA BLVD (OLD SR 908)					ST	Y												
6.00	6.00		MP MARKER	R		6																		
			MISC FEATR	L		GORE (S500597)																		
6.07	6.07		MISC FEATR	R		GORE (P500599)																		
6.12	6.12		ON RAMP	L		108TH AVE NE					ST	Y												
6.15	6.15		MISC FEATR	L		GORE (S100612)																		
6.25	6.25		MISC FEATR	R		GORE (Q500631)																		
6.27	6.27		BEG BRIDGE	B		108TH AVE NE		2	2	\$\$C 26A	12A	JE	42A	\$\$C	12	80	5	01	0075	U1	55	L	P	
						BRDG NUM 520/016																		
6.31	6.31		END BRIDGE	B		108TH AVE NE		2	2	C 26A	16A	JE	24A	10A	12	62	5	01	0075	U1	55	L	P	
			BEG SU LN	R		AUXILIARY					12A													
			ON RAMP	R		108TH AVE NE					ST	Y												
6.42	6.42		MISC FEATR	L		GORE (R100647)																		
6.46	6.46							2	2	C 26A	30A	JE	24A	10A	24	74	5	01	0075	U1	55	L	P	
6.47	6.47		BEG SU LN	L		AUXILIARY		2	2	3A 24A	30A	JE	24A	10A	24	72	5	01	0075	U1	55	L	P	

SR 520 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----										
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	-XROAD-		LNS		USE	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
							OW	TC	L	NBR	LFT	RHT	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
6.47	6.47		END SU LN OFF RAMP	L		HIGH OCCUPANCY VEHICL12A 108TH AVE NE				2	2	3A	24A		30A	JE		24A	10A	24	72	5	01	0075	U1	55	L	P	
6.50	6.50						ST		Y																				
6.69	6.69		END SU LN ON RAMP OFF RAMP	R		AUXILIARY 12A SR 405 SR 405 SB				2	2	3A	24A	4A	30S	DE		4A	24A	10A	24	72	5	01	0075	U1	55	L	P
6.71	6.71		MISC FEATR	L		GORE (SR 405 R101516)																							
6.76	6.76		MISC FEATR	R		GORE (SR 405 S101448)																							
6.83	6.83		UXING	B		N-W RAMP BRDG NUM 405/046N-W																							
6.86	6.86		MISC FEATR	L		GORE (SR 405 S501488)																							
6.91	6.91		UXING	B		S-E RAMP BRDG NUM 405/047S-E																							
6.92	6.92		MISC FEATR	R		GORE (SR 405 R501516)				2	2	10A	24A	4A	32S	DE		4A	24A	10A		48	5	01	0075	U1	55	L	P
6.93	6.93		UXING	B		SR 405 SB BRDG NUM 405/046W																							
6.95	6.94		OFF RAMP EQUATION UXING	L		SR 405 SB 006.94 =006.95																							
6.97	6.96		UXING	B		SR 405 NB BRDG NUM 405/046E																							
7.01	7.00		MP MARKER	R		7																							
7.02	7.01		MISC FEATR	L		GORE (SR 405 Q101559)																							
7.03	7.02		BEG BRIDGE I			116TH AVE NE BRDG NUM 520/021S				2	2	\$\$\$	68P	\$\$\$	320	\$\$	\$\$\$	42A	\$\$\$		110	5	01	0075	U1	55	L	P	
			ON RAMP BEG BRIDGE D	R		SR 405 SB 116TH AVE NE																							
7.06	7.05		END BRIDGE I END BRIDGE D BEG SU LN OFF RAMP MISC FEATR	I D L L R		BRDG NUM 520/021N 116TH AVE NE AUXILIARY SR 405 NB GORE (SR 405 P101440)				2	2	10A	24A	5A	32S	DE		5A	24A	10A		48	5	01	0075	U1	55	L	P
7.09	7.08		BEG BRIDGE I			BRDG NUM 520/022S BN RR				2	2	\$\$\$	38P	\$\$\$	320	\$\$	\$\$\$	36A	\$\$\$	12	86	5	01	0075	U1	55	L	P	
			RR XING RR XING BEG BRIDGE D	B B D		NUM 91769B STRUCTURE NUM 91770V STRUCTURE BN RR																							
7.13	7.12		END BRIDGE I			BRDG NUM 520/022N BN RR				2	2	10A	24A	6A	32S	DE		6A	24A	10A	12	60	5	01	0075	U1	55	L	P

SR 520 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				:DIRECTION TO INVENTORY	-BRIDGE-	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----									
				: :LEFT/RIGHT INDICATOR	-UXING-	NBR	DECREAS/DIV			INCREAS/UNDI			SPC													
				:	-XROAD-	LNS	LFT	RHT	LFT	RDY	RHT	USE	TOT													
SRMP	B	ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	SHD	MTCE	CITY	ST	LEGAL	T	P	S		
											WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T		
7.13	7.12		END BRIDGE	D	BN RR			2	2	10A	24A	6A	32S	DE	6A	24A	10A	12	60	5	01	0075	U1	55	L	P
7.21	7.20		BEG SU LN	R	AUXILIARY			2	2	10A	24A	6A	32S	DE	6A	24A	10A	24	72	5	01	0075	U1	55	L	P
			ON RAMP	R	SR 405 NB		ST	Y																		
7.23	7.22		CHG SU LN	L	AUXILIARY			2	2	\$\$\$	48P	\$\$\$	32S	DE	6A	24A	10A	24	96	5	01	0075	U1	55	L	P
			BEG BRIDGE	D	NORTHUP WAY		ST																			
					BRDG NUM 520/025N																					
7.25	7.24		CHG SU LN	R	AUXILIARY			2	2	C	48P	C	320	\$\$	\$\$\$	38P	\$\$W	24	110	5	01	0075	U1	55	L	P
			BEG BRIDGE	I	NORTHUP WAY		ST																			
					BRDG NUM 520/025S																					
7.29	7.28		END BRIDGE	D	NORTHUP WAY			2	2	10A	24A	6A	32S	DE	C	38P	W	24	86	5	01	0075	U1	55	L	P
			END SU LN	L	AUXILIARY																					
			ON RAMP	L	124TH AVE NE		ST	Y																		
7.32	7.31		END BRIDGE	I	NORTHUP WAY			2	2	10A	24A	10A	32S	DE	10A	24A	10A	12	60	5	01	0075	U1	55	L	P
			CHG SU LN	R	AUXILIARY																					
7.35	7.34		END SU LN	R	AUXILIARY			2	2	10A	24A	10A	32S	DE	10A	24A	10A	\$\$\$	48	5	01	0075	U1	55	L	P
			OFF RAMP	R	124TH AVE NE		ST	Y																		
7.41	7.40		MISC FEATR	R	GORE (P100735)																					
			MISC FEATR	L	GORE (S100729)																					
7.49	7.48		BEG BRIDGE	D	124TH AVE NE		ST	2	2	\$\$\$	38P	\$\$\$	134S	DE	10A	24A	10A		62	5	01	0075	U1	55	L	P
					BRDG NUM 520/027N																					
7.53	7.52		BEG BRIDGE	I	124TH AVE NE		ST	2	2	C	38P	C	1340	\$\$	\$\$\$	38P	\$\$\$		76	5	01	0075	U1	55	L	P
					BRDG NUM 520/027S																					
7.54	7.53		END BRIDGE	D	124TH AVE NE			2	2	10A	24A	10A	134S	DE	C	38P	C		62	5	01	0075	U1	55	L	P
7.57	7.56		END BRIDGE	I	124TH AVE NE			2	2	10A	24A	10A	134S	DE	10A	24A	10A		48	5	01	0075	U1	55	L	P
7.63	7.62							2	2	10A	24A	10A	157S	DE	10A	24A	10A		48	5	01	0075	U1	55	L	P
7.87	7.86		MED XING	C	OFFICIAL																					
7.93	7.92		BEG BRIDGE	I	130TH AVE NE		ST	2	2	\$\$\$	38A	\$\$\$	380	\$\$	\$\$\$	38A	\$\$\$		76	5	01	0075	U1	55	L	P
					BRDG NUM 520/030S																					
			BEG BRIDGE	D	130TH AVE NE		ST																			
					BRDG NUM 520/030N																					
7.97	7.96		END BRIDGE	I	130TH AVE NE			2	2	10A	24A	10A	46S	DE	10A	24A	10A		48	5	01	0075	U1	55	L	P
			END BRIDGE	D	130TH AVE NE																					
7.99	7.98		MP MARKER	R	8																					
8.55	8.54		BEG BRIDGE	I	140TH AVE NE		ST	2	2	\$\$W	38P	\$\$W	320	\$\$	\$\$W	38P	\$\$W		76	5	01	0075	U1	55	L	P
					BRDG NUM 520/032S																					
			BEG BRIDGE	D	140TH AVE NE		ST																			
					BRDG NUM 520/032N																					
8.59	8.58		END BRIDGE	I	140TH AVE NE			2	2	10A	24A	10A	32S	DE	13A	24A	14A		48	5	01	0075	U1	55	L	P
			END BRIDGE	D	140TH AVE NE																					
8.73	8.72							2	2	10A	24A	10A	32A	JE	\$\$\$	24A	10A		48	5	01	0075	U1	55	L	P
8.79	8.78							2	2	10A	24A	\$\$\$	6A	JE		24A	10A		48	5	01	0075	U1	55	L	P
8.83	8.82		OFF RAMP	R	148TH AVE NE		ST	Y																		
8.84	8.83		BEG BRIDGE	B	NE 24TH ST		ST	2	2	\$\$W	30P		6P	JE		30P	\$\$W		60	5	01	0075	U1	55	L	P

SR 522 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
						:DIRECTION TO INVENTORY		NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	SHD	RDY	SHD	LNS	RDY	WID	WID												
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S														
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 5/SEATTLE TO SR 2		1	8A	14A	C					14	5	02	1140	U1		35	R	P						
			ENTER CITY			SEATTLE																								
			BEG CTLSEC			CONTROL SECTION 1709																								
			MISC FEATR	D		S1 RAMP AHEAD																								
0.08	0.08		BEG ST	I		LAKE CITY WAY NE		1	1	8A	14A	C	1000		C	14A	8A				28	5	02	1140	U1	35	R	P	*	
			UXING	I		NE 70TH ST																								
			MISC FEATR	I		BRDG NUM 005/580																								
			END P1 RAMP																											
0.10	0.10		UXING	I		SR 5 NB RAMP																								
			BRDG NUM			005/580N-N																								
0.12	0.12		BEG BRIDGE	D		SR 5		1	1	\$\$\$	24P	W	1000		C	14A	8A				38	5	02	1140	U1	35	R	P	*	
			BRDG NUM			522/014W-S																								
0.19	0.19		END BRIDGE	D		SR 5		1	1	3A	14A	C	1000		C	14A	8A				28	5	02	1140	U1	35	R	P	*	
0.21	0.21		OFF RAMP	R		NE 73RD ST																								
0.23	0.23		ON RAMP	L		75TH ST NE																								
0.24	0.24		MISC FEATR	L		GORE (S100023)																								
			MISC FEATR	R		GORE (P100021)																								
0.25	0.25							1	1	3A	14A	C	6A	GR		C	24A	8A				38	5	02	1140	U1	35	R	P	*
0.29	0.29		ON RAMP	RC		REVERSIBLE LANE		Y	1	2	3A	14A	C	400	GR	C	26A	3A			40	5	02	1140	U1	35	R	P	*	
0.32	0.32		OFF RAMP	LC		REVERSIBLE LANE		Y	2	2	\$\$\$	26A	C	8A	GR	C	26A	\$\$C			52	5	02	1140	U1	35	R	P	*	
0.34	0.34		BEG TUNNEL	B		ROOSEVELT WAY		2	2	C	31P	\$	4P	JE		\$	31P	C			62	5	02	1140	U1	35	R	P	*	
			TNNL NUM			522/015																								
0.41	0.41		END TUNNEL	B		ROOSEVELT WAY																								
0.52	0.52		INTRSECTN	L		LAKE CITY WAY NE		CT	Y																					
0.54	0.54																													
0.56	0.56		INTRSECTN	L		NE 78TH ST		CT	Y	2	2	\$	\$\$\$	\$	\$\$\$	\$\$\$	C	40A	C		40	5	02	1140	U1	35	R	P	*	
			INTRSECTN	R		12TH AVE NE		CT	Y																					
0.58	0.58		INTRSECTN	L		12TH AVE NE		CT	Y																					
0.69	0.69		INTRSECTN	R		14TH AVE NE		CT	Y																					
0.70	0.70		INTRSECTN	B		NE 80TH ST		CT	SG	Y																				
0.77	0.77		INTRSECTN	B		15TH AVE NE		CT	SG	Y																				
0.85	0.85		INTRSECTN	B		16TH AVE NE		CT	Y																					
0.88	0.88		INTRSECTN	B		NE 82ND ST		CT	Y																					
0.92	0.92		INTRSECTN	B		17TH AVE NE		CT	Y																					
0.99	0.99		INTRSECTN	R		18TH AVE NE		CT	Y																					
1.05	1.05		INTRSECTN	L		NE 85TH ST		CT	Y																					
1.06	1.06		INTRSECTN	R		19TH AVE NE		CT	Y	2	2				8A	52A	C				52	5	02	1140	U1	35	R	L	*	
			INTRSECTN	R		NE 85TH ST		CT	Y																					
1.13	1.13		INTRSECTN	L		NE 86TH ST		CT	SG	Y	2	2			8A	52A	C				52	5	02	1140	U1	35	R	P	*	
			INTRSECTN	B		20TH AVE NE		CT	SG	Y																				

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----				
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.13	1.13		.01	12		.02	12				

SR 522 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC															
:LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT														
:				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
6.55	6.55																										
6.61	6.61		INTRSECTN	B		61ST AVE NE	CT	SG	Y	2	2				40A	8A	12	52	5	02	0609	U1	45	R	P	*	
6.65	6.65		BEG SU LN	C		TWO WAY TURN	12A			2	2				52A	10A	12	64	5	02	0609	U1	45	R	P	*	
6.72	6.72		INTRSECTN	L		62ND AVE NE	CT		Y						40A	10A	24	64	5	02	0609	U1	45	R	P	*	
6.82	6.82		INTRSECTN	L		63RD AVE NE	CT		Y																		
6.87	6.87									2	2																
6.99	6.99		INTRSECTN	R		65TH AVE NE	CT		Y						40A	8A	24	64	5	02	0609	U1	45	R	P	*	
7.00	7.00		MP MARKER	R		7																					
7.03	7.03		INTRSECTN	L		65TH AVE NE	CT		Y																		
7.10	7.10									2	2																
7.11	7.11		INTRSECTN	L		67TH AVE NE	CT		Y																		
7.16	7.16		END SU LN	C		TWO WAY TURN	12A			2	2				52A		12	64	5	02	0609	U1	45	R	P	*	
7.21	7.21		INTRSECTN	B		68TH AVE NE	CT	SG	Y	2	2				52A	10A	12	64	5	02	0609	U1	45	R	P	*	
7.25	7.25		BEG SU LN	C		TWO WAY TURN	12A			2	2				40A	10A	24	64	5	02	0609	U1	45	R	P	*	
7.42	7.42		END SU LN	C		TWO WAY TURN	12A			2	2				52A	10A	12	64	5	02	0609	U1	45	R	P	*	
7.49	7.49		END SU LN	L		TRANSIT	12A			2	2				10A	52A	10A	\$\$\$	52	5	02	0609	U1	45	R	P	*
			INTRSECTN	B		73RD AVE NE	CT	SG	Y																		
7.53	7.53		BEG SU LN	C		TWO WAY TURN	12A			2	2				10A	44A	10A	12	56	5	02	0609	U1	45	R	P	*
7.59	7.59		FLYER STOP	L		LOT NUMBER 00 SEATTLE METRO																					
7.60	7.60		ENT/EXIT	L		PARK & RIDE	ST		Y																		
7.89	7.89		END SU LN	C		TWO WAY TURN	12A			2	2				10A	56A	10A	\$\$\$	56	5	02	0609	U1	45	R	P	*
7.96	7.96		BEG BRIDGE	B		SWAMP CREEK BRDG NUM 522/020	ST			2	2				\$\$C	79A	\$\$C		79	5	02	0609	U1	45	R	P	*
7.98	7.98		END BRIDGE	B		SWAMP CREEK				2	2				10A	56A	10A		56	5	02	0609	U1	45	R	P	*
7.99	7.99		INTRSECTN	L		80TH AVE NE	CT	SG	Y	2	2				4A	56P	4A		56	5	02	0609	U1	45	R	P	*
8.00	8.00		BEG SU LN	C		TWO WAY TURN	12P			2	2				4A	44P	4A	12	56	5	02	0609	U1	45	R	P	*
8.01	8.01		MP MARKER	R		8																					
8.14	8.14		END SU LN	C		TWO WAY TURN	12P			2	2				4A	56P	4A	\$\$\$	56	5	02	0609	U1	45	R	P	*
8.15	8.15		INTRSECTN	L		83RD PL NE	CT		Y	2	2				7A	40P	7A		40	5	02	0609	U1	45	R	P	*
8.23	8.23		LEAVE CITY			KENMORE				2	2				7A	40P	7A		40	5	02	\$\$\$U1		45	R	\$	*
8.51	8.51									2	2				7A	40A	7A		40	5	02		U1		45	R	*
8.62	8.62		ENTER CITY INTRSECTN	L		BOTHELL 91ST AVE NE	CT		Y	2	2				7A	40A	7A		40	5	02	0110	U1	45	R	*	

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	
6.61	6.61			.07	12		.03	12				
7.21	7.21			.03	12	.11	10	.04	12			
7.49	7.49			.03	12		.02	12	.02	10		
7.99	7.99			.07	12							
8.62	8.62			.02	12					.03	12	

SR 523 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	DIRECTION TO INVENTORY		WIDTH AND SURFACE INFORMATION										CLASSIFICATIONS									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE		A	SE	NBR	FC	D	IB	R	K	T		
				:	:	:	-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	SHD										
				:	:	:	OW TC L	D I	W/S	W/S	W/S	MEDIAN-	W/S	W/S	W/S	WID	WID								
0.92	0.92																								
0.97	0.97		END BRIDGE	B		BRDG NUM 523/005							C	60P	C		60	5	02	1140	U1		35	R P *	
0.98	0.98		FLYER STOP	R		SR 5							C	84A	C		84	5	02	1140	U1		35	R P *	
			FLYER STOP	L		LOT NUMBER 14																			
			FLYER STOP	L		LOT NUMBER 52																			
						SEATTLE METRO																			
1.00	1.00		INTRSECTN	R		5TH AVE NE (OLD SR 513)	CT	SG	Y	2	2			C	46A	C		46	5	02	1140	U1		35	R P *
			INTRSECTN	L		5TH AVE NE	CT	SG	Y																
1.06	1.06		INTRSECTN	L		6TH AVE NE	CT		Y																
1.13	1.13		INTRSECTN	L		8TH AVE NE	CT		Y																
1.26	1.26		INTRSECTN	L		10TH AVE NE	CT		Y																
1.31	1.31		INTRSECTN	L		11TH AVE NE	CT		Y																
1.38	1.38		INTRSECTN	B		12TH AVE NE	CT		Y																
1.39	1.39									2	2			C	54A	C		54	5	02	1140	U1		35	R P *
1.50	1.50		INTRSECTN	B		15TH AVE NE	CT	SG	Y																
1.55	1.55		BEG SU LN	C		TWO WAY TURN				11A				C	42A	C	11	53	5	02	1140	U1		35	R P *
1.61	1.61		END SU LN	C		TWO WAY TURN				11A				C	44A	C	\$\$\$	44	5	02	1140	U1		35	R P *
1.63	1.63		INTRSECTN	B		17TH AVE NE	CT		Y																
1.69	1.69		INTRSECTN	R		19TH AVE NE	CT		Y																
1.76	1.76		INTRSECTN	B		20TH AVE NE	CT	SG	Y																
1.82	1.82		INTRSECTN	B		22ND AVE NE	CT		Y																
1.87	1.87		INTRSECTN	R		23RD AVE NE	CT		Y																
1.93	1.93		INTRSECTN	R		24TH AVE NE	CT		Y																
2.01	2.01		INTRSECTN	B		25TH AVE NE	CT	SG	Y																
2.07	2.07		INTRSECTN	B		26TH AVE NE	CT		Y																
2.14	2.14		INTRSECTN	B		27TH AVE NE	CT		Y																
2.20	2.20		INTRSECTN	L		28TH AVE NE	CT		Y																
2.26	2.26		INTRSECTN	B		30TH AVE NE	CT	SG	Y																
2.33	2.33		INTRSECTN	L		31ST AVE NE	CT		Y																
2.39	2.39		INTRSECTN	B		32ND AVE NE	CT		Y																
2.40	2.40									2	1														
2.45	2.45		END ST	I		NE 145TH ST								C	56A	C		56	5	02	1140	U1		35	R P *
			INTRSECTN	B		SR 522-BOTHL WY-LK	CT	WY	ST	SG	Y														
			END CTLSEC			CONTROL SECTION 1775																			
			END ROUTE																						

INTERSECTION DETAIL

SRMP	B	ARM	TURN LANES				ACCELERATION LANES							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.00	1.00		.03	12										
1.50	1.50		.04	11		.04	11							
2.45	2.45		.05	11		.05	11							

SR 524 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----									
					-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	LFT		RHT		USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
				:DIRECTION TO INVENTORY	-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S			
				:LEFT/RIGHT INDICATOR	OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.00B	0.00	BEG ROUTE		MAIN ROUTE																						
				SR 104/EDMONDS TO SR 522																						
		ENTER CITY		EDMONDS																						
		BEG EQ		BEGIN BACK																						
		BEG CTLSEC		CONTROL SECTION 3149																						
		BEG ST	I	MAIN ST																						
		INTRSECTN	R	SR 104																						
		INTRSECTN	L	SUNSET AVE																						
0.01B	0.01	ENT/EXIT	R	FERRY TERMINAL PARKING																						
0.03B	0.03																									
0.06B	0.06	INTRSECTN	B	2ND AVE																						
0.00	0.12	END ST	I	MAIN ST																						
		EQUATION		000.12B=000.00																						
		BEG ST	I	3RD AVE																						
		INTRSECTN	R	SR 524 SP3RDAVE (SPUR)																						
		INTRSECTN	R	MAIN ST																						
0.08	0.20	INTRSECTN	B	BELL ST																						
0.16	0.28	INTRSECTN	B	EDMONDS ST																						
0.19	0.31	INTRSECTN	R	DALEY ST																						
0.29	0.41	INTRSECTN	R	4TH AVE N																						
0.41	0.53	INTRSECTN	R	SATER LN																						
0.45	0.57	INTRSECTN	R	GILTNER LN																						
0.51	0.63	END ST	I	3RD AVE																						
		BEG ST	I	CASPERS ST																						
		INTRSECTN	L	CASPERS ST																						
0.61	0.73	INTRSECTN	B	7TH AVE N																						
0.64	0.76	BEG SU LN	C	TWO WAY TURN																						
0.79	0.91	END SU LN	C	TWO WAY TURN																						
0.82	0.94	INTRSECTN	R	9TH AVE N WYE CONN																						
0.84	0.96	END ST	I	CASPERS ST																						
		BEG ST	I	9TH AVE																						
		INTRSECTN	B	9TH AVE N																						
0.90	1.02	INTRSECTN	R	BROOKMERE ST																						
0.91	1.03	BEG SU LN	C	TWO WAY TURN																						
0.96	1.08	INTRSECTN	R	HINDLEY LN																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00B	0.00			.02	11				
0.61	0.73			.02	12				
0.84	0.96			.02	12				

SR 524 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		DESCRIPTION	-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS----																						
				D	LR			OW	TC	L	NBR	LFT	RHT	MEDIAN-	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
				:	:			LNS	SHD	RDY	SHD	WD/S	BR	W/S	W/S	W/S	LNS	RDY	SHD	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.97	1.09		INTRSECTN	L		HINDLEY LN	CT	Y	1									C	24A		C	12		36	3	01	0365	U1		30	R	P	*			
1.00	1.12		MP MARKER	R		1																														
1.03	1.15		INTRSECTN	R		PUGET WAY	CT		Y																											
1.04	1.16		END SU LN	C		TWO WAY TURN						12A						C	36A		C	\$\$\$		36	3	01	0365	U1		30	R	P	*			
1.05	1.17		INTRSECTN	L		PUGET WAY	CT		Y																											
1.08	1.20		END ST	I		9TH AVE																														
			BEG ST	I		PUGET DR																														
			INTRSECTN	L		9TH AVE N	CT		Y																											
1.11	1.23		INTRSECTN	L		9TH AVE N WYE CONN	CT		Y																											
1.21	1.33		INTRSECTN	L		OLYMPIC VIEW DR	CT		SG	Y																										
1.22	1.34		INTRSECTN	L		OLYMPIC VIEW DR WYE CONN	CT		SG	Y																										
1.23	1.35		BEG SU LN	C		TWO WAY TURN						12A						C	24A		C	12		36	3	01	0365	U1		30	R	P	*			
1.29	1.41		END SU LN	C		TWO WAY TURN						12A						C	36A		C	\$\$\$		36	3	01	0365	U1		30	R	P	*			
1.32	1.44		INTRSECTN	B		OLYMPIC AVE	CT		Y																											
1.34	1.46																	C	24A		5A			24	3	01	0365	U1		30	R	P	*			
1.38	1.50		INTRSECTN	R		11TH PL N	CT		Y																											
1.45	1.57		INTRSECTN	R		12TH AVE N	CT		Y																											
1.46	1.58		INTRSECTN	L		94TH PL W	CT		N																											
1.83	1.95		END ST	I		PUGET DR												C	24A		5A			24	3	01	0365	U1		35	R	P	*			
			BEG ST	I		196TH ST																														
			INTRSECTN	R		88TH AVE W WYE CONN	CT		Y																											
1.84	1.96		INTRSECTN	B		88TH AVE W	CT		Y																											
1.85	1.97		INTRSECTN	L		88TH AVE W WYE CONN	CT		Y																											
1.87	1.99		BEG SU LN	C		TWO WAY TURN						16A						C	28A		\$\$C	16		44	3	01	0365	U1		35	R	P	*			
1.96	2.08		INTRSECTN	L		86TH AVE W	CT		Y																											
2.00	2.12		MP MARKER	R		2																														
2.09	2.21		INTRSECTN	B		84TH AVE W	CT		Y																											
2.15	2.27		CHG SU LN	C		TWO WAY TURN						11A						C	33A		C	11		44	3	01	0365	U1		35	R	P	*			
2.18	2.30																	C	33A		C	11		44	3	01	0365	U1		35	R	P	*			
2.19	2.31		INTRSECTN	L		82ND PL	CT		Y																											
2.20	2.32		INTRSECTN	R		82ND PL W	CT		Y																											
2.25	2.37		INTRSECTN	R		81ST PL W	CT		Y																											
2.30	2.42		END SU LN	C		TWO WAY TURN						11A						C	33A		C	\$\$\$		33	3	01	0365	U1		35	R	P	*			
2.34	2.46		INTRSECTN	B		80TH AVE W	CT		SG	Y																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.08	1.20		.01	12					.01	12
1.21	1.33		.03	12						
1.32	1.44		.01	12		.01	12			
1.84	1.96		.01	12		.01	12			
2.34	2.46		.03	11		.03	11			

SR 524 MAINLINE STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		D	LR	DESCRIPTION	-BRIDGE- -UXING- -XROAD- OW TC L	NBR	---WIDTH AND SURFACE INFORMATION---			-----CLASSIFICATIONS----										
				:LEFT/RIGHT INDICATOR							DECREAS/DIV	INCRS/UNDI		L		CITY		LEGAL						
				L	R						LNS	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	MTCE	NBR	FC	D	IB
2.38	2.50	BEG SU LN	C	TWO WAY TURN	11A					2	1			C 33A	C 11	44	3	01	0365	U1	35	R	P	*
2.54	2.66	END SU LN	C	TWO WAY TURN	11A					2	2			C 44A	C \$\$\$	44	3	01	0365	U1	35	R	P	*
2.55	2.67	LEAVE CITY ENTER CITY		EDMONDS LYNNWOOD						2	2			C 44A	C	44	3	01	0715	U1	35	R	P	*
2.61	2.73	INTRSECTN	B	76TH AVE W					CT		SG	Y												
2.70	2.82	INTRSECTN	L	74TH AVE W					CT			Y												
2.76	2.88	INTRSECTN	L	73RD AVE W					CT			Y												
2.84	2.96	INTRSECTN	R	HEINZ PL					CT			Y												
2.99	3.11	MP MARKER	R	3																				
3.02	3.14	INTRSECTN	R	69TH PL W					CT			Y												
3.11	3.23	INTRSECTN	B	68TH AVE W					CT	SG	Y	2	2	C 60A	C	60	3	01	0715	U1	35	R	P	*
3.17	3.29	BEG SU LN	C	TWO WAY TURN	12A							2	2	C 48A	C 12	60	3	01	0715	U1	35	R	P	*
3.21	3.33	INTRSECTN	L	66TH AVE W					CT			Y												
3.32	3.44	END SU LN	C	TWO WAY TURN	12A							2	2	C 60A	C \$\$\$	60	3	01	0715	U1	35	R	P	*
3.36	3.48	INTRSECTN	B	64TH AVE W					CT	SG	Y													
3.44	3.56	BEG SU LN	C	TWO WAY TURN	11A							2	2	C 49A	C 11	60	3	01	0715	U1	35	R	P	*
3.45	3.57	INTRSECTN	R	62ND PL W					CT			Y												
3.52	3.64	END SU LN	C	TWO WAY TURN	11A							2	2	C 60A	C \$\$\$	60	3	01	0715	U1	35	R	P	*
3.56	3.68	INTRSECTN	B	SR 99 WYE CONN					ST			Y												
3.57	3.69	INTRSECTN	B	SR 99					ST	SG	Y													
3.58	3.70	INTRSECTN	L	SR 99 WYE CONN					ST			Y												
3.71	3.83	INTRSECTN	L	58TH PL W					CT			Y												
3.76	3.88	INTRSECTN	L	58TH AVE					CT	SG	Y													
			R	SCRIBER LAKE RD					CT	SG	Y													
3.87	3.99	INTRSECTN	L	56TH AVE W					CT		Y	2	2	\$ 60A	C	60	3	01	0715	U1	35	R	P	*
3.99	4.11	MP MARKER	R	4																				
4.04	4.16											2	2	C 60A	C	60	3	01	0715	U1	35	R	P	*
4.13	4.25	INTRSECTN	L	52ND AVE W					CT		Y													
4.17	4.29	BEG SU LN	C	TWO WAY TURN	11A							2	2	C 49A	C 11	60	3	01	0715	U1	35	R	P	*
4.25	4.37	INTRSECTN	R	50TH AVE W					CT			Y												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.61	2.73		.03	12	.05	12				
3.11	3.23		.03	12	.03	12				
3.36	3.48		.03	12	.04	12				
3.57	3.69		.05	10	.05	10				
3.71	3.83		.02	10						
3.76	3.88		.03	10	.04	10				
3.87	3.99		.03	10					.02	10
4.13	4.25		.04	10					.02	10

SR 524 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT			LFT RHT			USE																			
:				-XROAD-		SHD RDY SHD			SHD RDY SHD			LNS																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	MEDIAN-	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S			
																						A	SE	NBR	FC	D	IB	R	K	T	
4.30		4.42																													
4.34		4.46	END SU LN	C		TWO WAY TURN				11A																					
4.38		4.50	INTRSECTN	B		48TH AVE W	CT	SG	Y																						
4.48		4.60	ENT/EXIT	L		SHOPPING CENTER	PV		Y																						
4.54		4.66	INTRSECTN	R		SHOPPING CENTER	PV		Y																						
4.64		4.76	INTRSECTN	R		SR 524SPCEDRWY (SPUR)	ST	SG	Y																						
			INTRSECTN	L		44TH AVE W	CT	SG	Y																						
4.70		4.82	BEG SU LN	C		TWO WAY TURN				11A																					
4.88		5.00	INTRSECTN	B		40TH AVE W	CT	SG	Y																						
5.00		5.12	END SU LN	C		TWO WAY TURN				11A																					
5.04		5.16	MP MARKER	R		5																									
5.07		5.19	OFF RAMP	R		SR 5 SB	ST	SG	Y																						
			INTRSECTN	L		37TH AVE W	CT	SG	Y																						
5.14		5.26	INTRSECTN	L		ON RAMP WYE CONN	ST		Y																						
5.15		5.27	ON RAMP	L		SR 5	ST	SG	Y																						
5.20		5.32	BEG BRIDGE	B		SR 5	ST																								
						BRDG NUM 524/010																									
5.29		5.41	END BRIDGE	B		SR 5																									
			END ST	I		196TH ST																									
			BEG ST	I		FILBERT RD																									
5.30		5.42	INTRSECTN	R		POPLAR WAY WYE CONN	CT		Y																						
5.32		5.44	INTRSECTN	R		POPLAR WAY	CT	SG	Y																						
5.36		5.48																													
5.37		5.49	OFF RAMP	L		SR 5 NB	ST		Y																						
5.41		5.53	BEG SU LN	C		TWO WAY TURN				12A																					
5.46		5.58	INTRSECTN	B		30TH PL W	CT	SG	Y																						
5.57		5.69	END SU LN	C		TWO WAY TURN				12A																					
5.63		5.75	INTRSECTN	B		ALDERWOOD MALL PARKWAY	CT	SG	Y																						
5.64		5.76	BEG SU LN	C		TWO WAY TURN				12A																					
5.69		5.81																													
5.82		5.94	END SU LN	C		TWO WAY TURN				12A																					

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LG	WD	LG	WD	LG	WD	LG	WD
4.38		4.50	.03	12			.03	12		
4.48		4.60	.07	12						
4.64		4.76	.07	11			.05	11		
5.07		5.19	.03	11			.05	11		
5.30		5.42			.04	12				
5.37		5.49							.04	12
5.46		5.58					.03	12		
5.63		5.75	.04	12	.04	12				

SR 524 MAINLINE STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---														
:LEFT/RIGHT INDICATOR				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC						LEGAL											
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-UXING-	NBR	LFT	RHT	W/S	RDY	SHD	W/S	MEDIAN-	W/S	RDY	SHD	W/S	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S		
					XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
5.87	5.99	INTRSECTN	B	24TH AVE W	CT	SG	Y	2	2						C	62A	C		62	3	01	0715	U2	35	R	P	*	
5.88	6.00	LEAVE CITY		LYNNWOOD				2	2						C	62A	C		62	3	01	\$\$\$\$	U2	35	R	\$	*	
5.92	6.04							1	1						8A	22A	8G		22	3	01		U2	35	R		*	
6.06	6.18	INTRSECTN	L	21ST AVE W	PV		N																					
6.07	6.19	INTRSECTN	L	CYPRESS WAY	CO	N	1	1						4G	22A	4G			22	3	01		U2	35	R		*	
6.14	6.26	INTRSECTN	R	W CYPRESS WAY	CO		Y																					
6.21	6.33	INTRSECTN	L	18TH AVE W	PV		N																					
6.25	6.37	INTRSECTN	R	CYPRESS WAY	CO		N																					
6.31	6.43	INTRSECTN	R	196TH PL SW	CO		N																					
6.68	6.80	BEG BRIDGE	B	SWAMP CREEK	ST			1	1					\$\$C	24A	\$\$C			24	3	01		U2	35	R		*	
				BRDG NUM 524/015																								
6.69	6.81	END BRIDGE	B	SWAMP CREEK				1	1					4G	22A	4G			22	3	01		U2	35	R		*	
6.71	6.83	INTRSECTN	L	MAGNOLIA RD	CO		Y	1	1					8G	22A	8G			22	3	01		U2	35	R		*	
		INTRSECTN	R	LOCUST WAY	CO		Y																					
6.74	6.86	UXING	B	SR 405 SB	ST																							
				BRDG NUM 405/110W																								
6.76	6.88	UXING	B	SR 405 NB	ST																							
				BRDG NUM 405/110E																								
6.79	6.91	INTRSECTN	L	LARCH WAY	CO	N	1	1						4G	22A	8G			22	3	01		U2	35	R		*	
7.07	7.19	INTRSECTN	L	10TH PL W	CO		N																					
7.38	7.50	ENT/EXIT	L	FLORAL HILLS CEMETERY	PV		N																					
7.43	7.55							1	1					\$\$C	55A	6A			55	3	01		U2	35	R		*	
7.50	7.62	INTRSECTN	R	DAMSON RD WYE CONN	CO		Y																					
		INTRSECTN	L	NORTH RD WYE CONN	CO		Y																					
7.51	7.63	INTRSECTN	L	NORTH RD	CO	SG	Y	1	1						C	64A	\$\$C			64	3	01		U2	35	R		*
		INTRSECTN	R	DAMSON RD	CO	SG	Y																					
7.56	7.68	BEG SU LN	C	TWO WAY TURN		14A		1	1						C	40A	C	14	54	3	01		U2	35	R		*	
7.61	7.73	INTRSECTN	L	W WINESAP RD	CO		Y	1	1					10A	32A	C	14	46	3	01		U2	35	R			*	
7.70	7.82	END SU LN	C	TWO WAY TURN		14A		1	1					10A	44A	C	\$\$\$	44	3	01		U2	35	R			*	
7.72	7.84	INTRSECTN	R	192ND ST SW	CO		N																					
7.73	7.85							1	1					5G	22A	5G			22	3	01		U2	35	R		*	
7.80	7.92	INTRSECTN	R	BARTLETT RD	CO		N																					
7.83	7.95	INTRSECTN	R	BARTLETT RD WYE CONN	CO		N																					
7.84	7.96	INTRSECTN	L	FILBERT DR	CO		N																					
8.12	8.24	INTRSECTN	R	199TH ST SE	PV		N																					

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM			LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.87	5.99			.03	12	.05	12				
7.50	7.62					.03	12				
7.51	7.63			.05	12			.03	12	.05	11

SR 524 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
							:DIRECTION TO INVENTORY		-BRIDGE-		DECREAS/DIV		INCRS/UNDI			SPC	LEGAL		T	P	S									
							:LEFT	:RIGHT	INDICATOR	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT	MTCE				CITY	ST	SPEED	R	K	T			
OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T				
8.15	8.27		INTRSECTN	R		199TH PL SE	CO	N	1	1			5G	22A	5G			22	3	01		U2		35	R	P	*			
8.52	8.64		INTRSECTN	L		NELLIS RD	CO	N																						
			INTRSECTN	R		RICHMOND RD	CO	N																						
8.75	8.87		ENTER CITY			BOTHELL			1	1			5G	22A	5G			22	3	01	0110	U2		35	R	P	*			
8.76	8.88		END ST	I		FILBERT RD																								
			BEG ST	I		208TH ST SE*FILBERT RD																								
			INTRSECTN	R		ROYAL ANN RD	CT		N																					
8.90	9.02		INTRSECTN	L		FILBERT DR	CT	SG	N																					
			INTRSECTN	R		9TH AVE SE	CT	SG	N																					
9.09	9.21		INTRSECTN	L		12TH AVE SE	CT		N																					
9.16	9.28		INTRSECTN	L		13TH DR SE	CT		Y																					
9.22	9.34		INTRSECTN	L		14TH DR SE	CT		Y	1	1		10A	22A	5G			22	3	01	0110	U2		35	R	P	*			
9.28	9.40		BEG BRIDGE	B		NORTH CREEK	ST		1	1			\$\$C	23A	\$\$C			23	3	01	0110	U2		35	R	P	*			
						BRDG NUM 524/020																								
9.29	9.41		END BRIDGE	B		NORTH CREEK			1	1			10A	22A	5G			22	3	01	0110	U2		35	R	P	*			
9.33	9.45		INTRSECTN	L		CITY ST	CT		Y	1	1		10A	22A	10A			22	3	01	0110	U2		35	R	P	*			
9.40	9.52									1	1		\$\$C	54A	10A			54	3	01	0110	U2		35	R	P	*			
9.46	9.58									1	1		C	66A	\$\$C			66	3	01	0110	U2		35	R	P	*			
9.48	9.60		INTRSECTN	B		SR 527 WYE CONN	ST		Y																					
9.50	9.62		END ST	I		208TH ST SE*FILBERT RD																								
			BEG ST	I		MALTBY RD																								
			INTRSECTN	B		SR 527*BOTHELL-EVRET HWY	ST	SG	Y																					
9.52	9.64		INTRSECTN	B		SR 527 WYE CONN	ST		Y																					
9.55	9.67		BEG SU LN	C		TWO WAY TURN				14A			C	30A	8G	14		44	3	01	0110	U2		35	R	P	*			
9.64	9.76		END SU LN	C		TWO WAY TURN				14A			5G	22A	5G	\$\$\$		22	3	01	0110	U2		35	R	P	*			
9.82	9.94		INTRSECTN	R		23RD AVE	CT		N																					
10.09	10.21									1	1		4G	22A	6A			22	3	01	0110	U2		35	R	P	*			
10.20	10.32		INTRSECTN	R		29TH AVE SE	CT		N																					
10.29	10.41									1	1		4G	22A	4G			22	3	01	0110	U2		35	R	P	*			
10.39	10.51		INTRSECTN	R		31ST DR SE	PV		Y																					
10.67	10.79		LEAVE CITY			BOTHELL				1	1		4G	22A	4G			22	3	01	\$\$\$\$	U2		35	R	\$	*			
10.74	10.86		ENT/EXIT	R		BPA SUBSTATION	PV		N																					
10.86	10.98		INTRSECTN	L		YORK RD	CO		N																					
10.93	11.05		INTRSECTN	R		39TH AVE SE	CO		N																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
9.48	9.60			.03	12					
9.50	9.62		.07	12		.04	12			
9.52	9.64					.02	12			
9.82	9.94					.02	12		.04	12

SR 524 SPUR STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1
CEDRWY

												-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS---									
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV						INCRS/UNDI						SPC																	
:LEFT/RIGHT INDICATOR				-UXING-			NBR		LFT		RHT		LFT		RHT		USE		TOT																	
:				-XROAD-			LNS		SHD		RDY		SHD		LNS		RDY		MTCE			CITY		ST		LEGAL		T P S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
															WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
4.64	0.00		BEG ROUTE			CEDRWY				2	2										C	62A	C	62	3	01	0715	U1	35	R	P	*				
			ENTER CITY			SR 524 TO SR 5 UX NB																														
			BEG CTLSEC			LYNNWOOD																														
			BEG ST	I		44TH AVE																														
			INTRSECTN	B		SR 524				ST	SG	Y																								
4.75	0.11		INTRSECTN	L		198TH ST SW				CT		Y																								
			ENT/EXIT	R		SHOPPING CENTER				PV		Y																								
4.80	0.16		BEG SU LN	C		TWO WAY TURN			10A			2	2								C	52A	C	10	62	3	01	0715	U1	35	R	P	*			
4.86	0.22		END SU LN	C		TWO WAY TURN			10A			2	2									C	62A	C	\$\$\$	62	3	01	0715	U1	35	R	P	*		
4.89	0.25		INTRSECTN	B		200TH ST SW				CT	SG	Y	3	2								C	74A	C	74	3	01	0715	U1	35	R	P	*			
4.94	0.30		BEG SU LN	R		HIGH OCCUPANCY VEHICL14A						3	2									C	74A	C	14	88	3	01	0715	U1	35	R	P	*		
4.98	0.34		END SU LN	R		HIGH OCCUPANCY VEHICL14A						3	2									C	74A	C	\$\$\$	74	3	01	0715	U1	35	R	P	*		
			OFF RAMP	R		SR 5				ST		Y																								
5.02	0.38		MISC FEATR	R		GORE (SR 5 S118037)						3	1									C	62A	C	62	3	01	0715	U1	35	R	P	*			
5.07	0.43		INTRSECTN	R		OFF RAMP WYE CONN				ST		Y																								
5.11	0.47		UXING	B		SR 5 SB				ST																										
						BRDG NUM 005/609W																														
5.14	0.50		END ST	I		44TH AVE																														
			UXING	B		SR 5 NB				ST																										
						BRDG NUM 005/609E																														
			END CTLSEC			CONTROL SECTION 3153																														
			END SECTN			CEDRWY																														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
4.64	0.00				.05	10				
4.75	0.11		.03	10	.04	10				
4.89	0.25		.03	11	.13	11	.01	11		
5.07	0.43				.03	11				

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS---															
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT																				
: :				-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	T	P	S		
2.72	2.72		END CTLSEC			CONTROL SECTION 3127																										
			INTRSECTN	B		SR 99																										
2.77B	2.77		BEG EQ			BEGIN BACK																										
2.77	3.01		EQUATION			003.01B=002.77																										
			BEG CTLSEC			CONTROL SECTION 3131																										
			BEG ST	I		MUKILTEO SPEEDWAY																										
			INTRSECTN	B		SR 99																										
			END COINCI			SR 099																										
2.86	3.10		INTRSECTN	B		LINCOLN WAY																										
2.91	3.15		BEG SU LN																													
2.93	3.17		MISC FEATR	R		TWO WAY TURN																										
2.95	3.19		ENT/EXIT	R		COMMUNITY TRANSIT STOP																										
3.00	3.24		END SU LN	C		SHOPPING CENTER																										
3.04	3.28		MP MARKER	R		3																										
3.23	3.47		INTRSECTN	L		LAKE RD																										
3.24	3.48		INTRSECTN	L		132ND ST SW																										
3.25	3.49		INTRSECTN	L		132ND ST SW WYE CONN																										
3.31	3.55		INTRSECTN	R		RUSSELL WAY																										
3.39	3.63		BEG SU LN	C		TWO WAY TURN																										
3.43	3.67		ENT/EXIT	L		SHOPPING CENTER																										
3.45	3.69		MISC FEATR	L		COMMUNITY TRANSIT STOP																										
3.49	3.73		ENT/EXIT	L		SHOPPING CENTER																										
3.50	3.74		END SU LN	C		TWO WAY TURN																										
3.55	3.79		ENTER CITY			MUKILTEO																										
			INTRSECTN	L		BEVERLY PARK RD WYE CONN																										
3.56	3.80		INTRSECTN	B		BEVERLY PARK-EDMONDS RD																										
3.57	3.81		INTRSECTN	R		BEVERLY PARK RD WYE CONN																										
3.59	3.83																															
3.69	3.93		INTRSECTN	L		EVERGREEN DR																										
3.76	4.00																															
3.81	4.05																															
3.88	4.12		INTRSECTN	R		122ND PL SW																										
3.89	4.13																															
3.99	4.23		BEG SU LN	C		TWO WAY TURN																										
			INTRSECTN	R		121ST ST SW																										

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
2.72	2.72					.04	12				.07	12
2.86	3.10			.03	12		.03	12				
3.56	3.80			.03	16	.01	13	.03	13		.03	14

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----					
							BRIDGE	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S	CON	Y			
						:DIRECTION TO INVENTORY	-BRIDGE	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	LNS	RDY	SHD	W/S	W/S	W/S
						:	-XROAD-	D	I	W/S	W/S	W/S	MEDIAN-	W/S	BR	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
						:	OW	TC	L				WD/S	BR									
4.00			MP MARKER	R		4																	
4.05			END SU LN	C		TWO WAY TURN																	
4.06			MISC FEATR	L		COMMUNITY TRANSIT STOP																	
4.11			INTRSECTN	B		HARBOUR PT BLVD SW																	
4.14			BEG SU LN	C		TWO WAY TURN																	
4.15			MISC FEATR	R		COMMUNITY TRANSIT STOP																	
4.20			ENT/EXIT	L		SHOPPING CENTER																	
4.29			ENT/EXIT	L		SHOPPING CENTER																	
4.35			ENT/EXIT	L		SHOPPING CENTER																	
4.42																							
4.60			INTRSECTN	L		RUSSELL RD																	
4.72			END SU LN	C		TWO WAY TURN																	
4.83			INTRSECTN	L		CHENAULT BEACH RD																	
4.84			BEG SU LN	C		TWO WAY TURN																	
4.92			5.16																				
5.02			MP MARKER	R		5																	
5.05			INTRSECTN	L		106TH ST SW																	
5.17			END SU LN	C		TWO WAY TURN																	
5.25			INTRSECTN	L		HARBOUR PT BLVD SW																	
5.36			5.60																				
5.37			5.61																				
5.59			INTRSECTN	R		PAINE FIELD BLVD WYE CON																	
5.60			INTRSECTN	R		PAINE FIELD BLVD																	
5.62			INTRSECTN	R		PAINE FIELD BLVD WYE CON																	
5.68			5.92																				
5.90			6.14																				
5.99			INTRSECTN	B		92ND ST SW																	
6.01			INTRSECTN	L		92ND ST SW WYE CONN																	
6.26			INTRSECTN	B		88TH ST SW																	
6.41			BEG SU LN	C		TWO WAY TURN																	
6.45			6.69																				
6.46			END SU LN	C		TWO WAY TURN																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.11			4.35		.03	12			.03	11			.04	22
4.83			5.07		.07	13								
5.25			5.49		.03	13							.02	12
5.59			5.83				.09	12						
5.99			6.23		.02	12			.04	13				
6.01			6.25						.06	13				
6.26			6.50				.04	12						

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
				:	:		-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
6.50	6.74																												
6.51	6.75		INTRSECTN	R		SR 526	ST	SG	Y																				
			INTRSECTN	L		84TH ST SW	CT	SG	Y																				
6.56	6.80		BEG SU LN	C		TWO WAY TURN	10A																						
6.66	6.90		INTRSECTN	B		81ST PL SW	CT		Y																				
6.72	6.96		INTRSECTN	L		CITY ST	CT		Y																				
6.76	7.00		INTRSECTN	R		80TH ST SW	CT		N																				
6.77	7.01		MISC FEATR	B		PED XING			PC	N																			
6.79	7.03																												
6.96	7.20		END SU LN	C		TWO WAY TURN	10A																						
6.99	7.23		MP MARKER	R		7																							
7.01	7.25		INTRSECTN	R		76TH ST SW	CT		Y	1	1																		
7.07	7.31		ENT/EXIT	R		SCHOOL	PV		Y																				
7.09	7.33		INTRSECTN	R		WASHINGTON AVE	CT		N																				
7.21	7.45		BEG SU LN	R		HOLDING	11A			1	1																		
7.39	7.63		INTRSECTN	R		CLOVER LN	CT		Y																				
7.52	7.76		INTRSECTN	R		HORIZON HTS RD	CT		Y																				
			INTRSECTN	L		19TH DR	CT		Y																				
7.67	7.91		INTRSECTN	R		15TH PL	CT		N																				
7.83	8.07		INTRSECTN	R		GOATTRAIL RD	CT		Y																				
7.99	8.23		MP MARKER	R		8																							
8.01	8.25		INTRSECTN	L		8TH ST	CT		Y																				
8.02	8.26		INTRSECTN	L		CHURCH ST	CT		Y																				
8.06	8.30									1	1																		
8.10	8.34		INTRSECTN	L		6TH ST	CT		Y	2	1																		
8.16	8.40		INTRSECTN	R		WASHINGTON AVE	CT		Y	2	1																		
8.18	8.42		INTRSECTN	R		5TH ST	CT		Y																				
8.19	8.43		INTRSECTN	R		5TH ST WYE CONN	CT		Y																				
8.24	8.48		INTRSECTN	R		4TH ST	CT		Y																				
8.29	8.53		INTRSECTN	B		3RD ST	CT		Y	2	1																		
8.35	8.59		INTRSECTN	R		2ND ST	CT		Y																				
8.36	8.60		RR XING	B		NUM 85449M STRUCTURE				2	1																		
			BEG BRIDGE	B		BN RR	ST																						
8.41	8.65		END BRIDGE	B		BRDG NUM 525/010				2	1																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.51	6.75		.03	11	.09	13				
7.01	7.25								.03	10
8.18	8.42								.02	13

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B ARM	FEATURE	D LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---									
					:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	-----		LEGAL		T	P	S					
					-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
					OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T	
8.41	8.65	END SU LN	R	HOLDING																				
				11A																				
8.42	8.66	INTRSECTN	R	FERRY TOLL BOOTH-HOLDING	ST	N																		
8.46	8.70	INTRSECTN	L	FRONT ST WYE CONN	CT	Y																		
8.47	8.71	TRAF RCDR	B	FY08 0																				
		LEAVE CITY		MUKILTEO																				
		END ST	I	MUKILTEO SPEEDWAY																				
		BEG FER ZN		BEGIN FERRY ZONE																				
		END CTLSEC		CONTROL SECTION 3131																				
		INTRSECTN	B	FRONT ST	CT	Y																		
		FERRY TERM	B	MUKILTEO FERRY LANDING																				
				OWNER WSF																				
		LEAVE CO		SNOHOMISH																				

INTERSECTION DETAIL

SRMP	B ARM	-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
8.42	8.66			.02	11				

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RDY	SHD	RDY	SHD	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	NBR	FC	D	IB	R	K	T			
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
8.48		8.72	ENTER CO BEG CTLSEC FERRY TERM TOLL BOOTH			ISLAND CONTROL SECTION 1530 CLINTON FERRY LANDING FERRY TOLL BOOTH OWNER WSF																							
			END FER ZN			END FERRY ZONE																							
8.50		8.74	INTRSECTN	L		COLUMBIA BEACH DR	CO																						
			ENT/EXIT	R		BUSINESS	PV																						
8.51		8.75	INTRSECTN	L		CONRAD ST	CO																						
8.68		8.92																											
8.73		8.97	BEG SU LN	C		TWO WAY TURN	11A																						
8.77		9.01	END SU LN	C		TWO WAY TURN	11A																						
8.79		9.03	INTRSECTN	L		HUMPHREY RD	CO																						
8.80		9.04	BEG SU LN	C		TWO WAY TURN	11A																						
			INTRSECTN	R		WILSON PL	CO																						
8.81		9.05	INTRSECTN	L		DEERLAKE ST WYE CONN	CO																						
8.85		9.09	INTRSECTN	L		DEERLAKE ST	CO																						
8.88		9.12	INTRSECTN	R		CENTRAL AVE	CO																						
8.95		9.19																											
8.96		9.20	INTRSECTN	R		HARDING AVE	CO																						
			INTRSECTN	L		DEER LAKE RD	CO																						
9.00		9.24	MP MARKER	R		9																							
9.06		9.30	END SU LN	C		TWO WAY TURN	11A																						
			INTRSECTN	R		BOB GALBREATH RD	CO																						
9.09		9.33																											
9.10		9.34	EXIT TO	R		BUSINESS	PV																						
9.11		9.35	ENT FROM	R		BUSINESS	PV																						
9.22		9.46																											
9.27		9.51	MISC FEATR	L		BUS TURNOUT																							
9.32		9.56	INTRSECTN	R		OLD STATE HWY	CO																						
9.37		9.61																											
9.54		9.78	INTRSECTN	R		OLD STATE HWY	CO																						
9.57		9.81																											
9.98		10.22	MP MARKER	R		10																							
9.99		10.23	INTRSECTN	L		CEDAR VISTA DR	CO																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.50		8.74			.05	11					
8.96		9.20			.03	11					
9.06		9.30			.06	11					

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----															
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR		-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC	MTCE		CITY	ST	LEGAL	T	P	S											
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T		
10.05			10.29							2	1									4A	33A	4A		33	2	01		R1		50	R	
10.22			10.46							1	1									4A	22A	4A		22	2	01		R1		50	R	
10.27			10.51							1	1									7A	22A	7A		22	2	01		R1		55	R	
10.32			10.56	INTRSECTN	B	CAMPBELL RD			CO		Y																					
10.88			11.12																	8A	43A	8A		43	2	01		R1		55	R	
10.90			11.14	BEG SU LN	C	TWO WAY TURN			11A											8A	32A	8A	11	43	2	01		R1		55	R	
10.95			11.19	INTRSECTN	R	SURFACE RD WYE CONN			CO		Y																					
10.96			11.20	INTRSECTN	R	SURFACE RD			CO		Y																					
10.97			11.21	MP MARKER	R	11																										
11.01			11.25	BEG SU LN	R	AUXILIARY			12A											7A	22A	7A	23	45	2	01		R1		55	R	
				ENT/EXIT	R	SHOPPING CENTER			PV		Y																					
11.05			11.29	END SU LN	C	TWO WAY TURN			11A											7A	33A	7A	12	45	2	01		R1		55	R	
11.07			11.31	END SU LN	R	AUXILIARY			12A											7A	33A	7A	\$\$\$	33	2	01		R1		55	R	
11.10			11.34	INTRSECTN	L	CULTUS BAY RD			CO		SG	Y																				
				INTRSECTN	R	LANGLEY RD			CO		SG	Y																				
11.15			11.39	BEG SU LN	C	TWO WAY TURN			11A											7A	22A	7A	11	33	2	01		R1		55	R	
11.18			11.42	END SU LN	C	TWO WAY TURN			11A											7A	22A	7A	\$\$\$	22	2	01		R1		55	R	
11.58			11.82	INTRSECTN	L	MIDVALE RD			CO		N																					
11.63			11.87																	8A	24A	8A		24	2	01		R1		55	R	
11.98			12.22	MP MARKER	R	12																										
12.25			12.49	INTRSECTN	B	MAXWELTON RD			CO		SG	Y																				
12.72			12.96	INTRSECTN	B	COLES RD			CO		Y																					
12.97			13.21	MP MARKER	R	13																										
13.20			13.44	INTRSECTN	L	CRAW RD			CO		N																					
13.55			13.79	INTRSECTN	L	PIONEER PARK PL			PV		N																					
13.61			13.85	BEG SU LN	R	AUXILIARY			15A											8A	24A	\$\$\$	15	39	2	01		R1		55	R	
13.96			14.20	END SU LN	R	AUXILIARY			15A											8A	24A	8A	\$\$\$	24	2	01		R1		55	R	
14.00			14.24	MP MARKER	R	14																										
14.27			14.51	INTRSECTN	L	KRAMER RD			CO		Y																					
				INTRSECTN	R	CO RD			CO		Y																					
14.34			14.58	INTRSECTN	L	HOWARD RD			CO		Y																					
14.43			14.67	INTRSECTN	R	PVT RD			PV		N																					
				ENT/EXIT	L	SHOPPING CENTER			PV		N																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.95		11.19			.07	13				
11.01		11.25			.01	12				
11.10		11.34	.03	12	.03	12	.03	12		
12.25		12.49	.04	12	.02	12	.06	12	.02	12
14.43		14.67	.02	12			.01	12		

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---						
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T
							-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	SHD	WID	WID						
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S							
14.52	14.76	INTRSECTN	R	CO RD	CO	N	1	1															
14.55	14.79	INTRSECTN	R	CO RD	CO	N																	
14.68	14.92	INTRSECTN	B	BAYVIEW RD	CO	Y																	
14.84	15.08	INTRSECTN	B	PVT RD	PV	N																	
14.95	15.19	INTRSECTN	R	MARSHVIEW AVE	CO	Y																	
14.99	15.23	MP MARKER	R	15																			
15.33	15.57	INTRSECTN	R	THOMPSON RD	CO	Y																	
		INTRSECTN	L	MILLS DR	CO	Y																	
15.91	16.15	INTRSECTN	L	USELESS BAY RD	CO	Y																	
16.00	16.24	MP MARKER	R	16																			
16.04	16.28	INTRSECTN	R	NEWMAN RD	CO	N																	
16.93	17.17	INTRSECTN	B	DOUBLE BLUFF RD	CO	Y																	
17.00	17.24	MP MARKER	R	17																			
17.26	17.50	INTRSECTN	R	SCOTT RD	CO	N																	
17.29	17.53	BEG SU LN	L	AUXILIARY	15A																		
17.66	17.90	END SU LN	L	AUXILIARY	15A																		
17.76	18.00	INTRSECTN	R	HARBOR AVE	CO	Y																	
17.91	18.15																						
18.00	18.24	MP MARKER	R	18																			
18.08	18.32	INTRSECTN	L	FISH RD	CO	Y																	
		INTRSECTN	R	MAIN ST	CO	Y																	
18.11	18.35																						
18.24	18.48	INTRSECTN	R	FREELAND AVE	CO	Y																	
18.38	18.62	INTRSECTN	B	WOODARD AVE	CO	N	1	1															
18.62	18.86	INTRSECTN	B	CAMERON RD	CO	Y	1	1															
18.92	19.16	INTRSECTN	L	BUSH POINT RD	CO	Y	1	1															
		INTRSECTN	R	HONEYMOON BAY RD	CO	Y																	
18.99	19.23	MP MARKER	R	19																			
19.30	19.54																						
19.97	20.21	MP MARKER	R	20																			
20.65	20.89	INTRSECTN	L	MUTINY BAY RD	CO	N																	
20.98	21.22	MP MARKER	R	21																			
21.95	22.19																						
21.98	22.22	MP MARKER	R	22																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
14.95	15.19				.03	12			.02	12				
17.76	18.00				.03	12								
18.08	18.32		.03	11			.03	11						
18.92	19.16		.03	12	.02	12	.03	12	.02	12				
20.65	20.89						.03	12						

SR 525 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----											
				D	LR		DESCRIPTION	OW	TC	L	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
							D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
22.48	22.72		INTRSECTN	B		CO	N	1	1						1A	22A	1A			22	2	01		R1	50	R		
22.73	22.97		INTRSECTN	L		PV																						
22.99	23.23		MP MARKER	R																								
23.23	23.47							1	1						6A	24A	6A			24	2	01		R1	50	R		
23.33	23.57		INTRSECTN	R		CO	Y																					
23.51	23.75		INTRSECTN	R		CO	N																					
23.65	23.89		INTRSECTN	L		CO	N																					
23.71	23.95		INTRSECTN	R		PV	N																					
24.00	24.24		MP MARKER	R																								
24.12	24.36		INTRSECTN	R		CO	N																					
24.29	24.53		INTRSECTN	L		CO	N																					
24.45	24.69		INTRSECTN	R		CO	N																					
24.68	24.92		INTRSECTN	R		CO	N																					
24.78	25.02		INTRSECTN	R		CO	N																					
24.98	25.22		BEG SU LN	C		13A		1	1					6A	24A	6A	13	37	2	01			R1	50	R			
25.00	25.24		MP MARKER	R																								
25.01	25.25		MISC FEATR	R																								
25.09	25.33		INTRSECTN	L		CO	Y																					
25.24	25.48		ENT/EXIT	L		CO	Y																					
25.36	25.60		INTRSECTN	R		CO	N																					
25.41	25.65		END SU LN	C		13A		1	1					6A	24A	6A	\$\$\$	24	2	01			R1	50	R			
			MISC FEATR	L																								
25.64	25.88		INTRSECTN	R		CO	N																					
25.83	26.07		INTRSECTN	L		CO	N	1	1					8A	24A	8A			24	2	01			R1	50	R		
26.00	26.24		MP MARKER	R																								
26.15	26.39		INTRSECTN	R		ST	N																					
26.30	26.54		INTRSECTN	R		ST	N																					
26.41	26.64		EQUATION																									
26.47	26.70							1	1					1A	22A	1A			22	2	01			R1	50	R		
26.82	27.05		INTRSECTN	R		CO	N																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
23.33	23.57			.02	12					
23.51	23.75			.02	12					
24.29	24.53					.02	12			
24.45	24.69		.02	12						
24.78	25.02			.02	12					
25.09	25.33					.02	12			
25.36	25.60			.02	12					
25.64	25.88			.02	12					

SR 526 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																		
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT																					
: :				-XROAD-	LNS	SHD	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
0.00	0.00		BEG ROUTE			MAIN ROUTE																											
						SR 525 TO SR 5/EVERETT																											
			ENTER CITY			MUKILTEO																											
			BEG CTLSEC			CONTROL SECTION 3143																											
			BEG ST	I		84TH ST SW																											
			INTRSECTN	B		SR 525																											
0.05	0.05																																
0.08	0.08																																
0.16	0.16		INTRSECTN	B		46TH PL W																											
0.23	0.23		INTRSECTN	L		45TH PL W																											
0.32	0.32		INTRSECTN	B		44TH AVE W																											
0.40	0.40		END ST	I		84TH ST SW																											
			INTRSECTN	R		PAINE FIELD BLVD																											
			ENT/EXIT	R		BOEING (GATED)																											
0.52	0.52																																
0.64	0.64		INTRSECTN	L		40TH AVE W																											
0.65	0.65		LEAVE CITY			MUKILTEO																											
0.66	0.66		MISC FEATR	R		SGN ENT EVERETT																											
0.72	0.72																																
0.79	0.79		ENT FROM	L		BOEING																											
0.80	0.80		ENT FROM	L		BOEING																											
			INTRSECTN	C		MEDIAN XROAD																											
0.91	0.91		ENTER CITY			EVERETT																											
0.92	0.92																																
0.97	0.97		EXIT TO	L		BOEING																											
			INTRSECTN	C		MEDIAN XROAD																											
1.00	1.00		MP MARKER	B		1																											
1.02	1.02		EXIT TO	L		BOEING																											
1.07	1.07																																
1.18	1.18																																
1.23	1.23		OFF RAMP	R		AIRPORT RD																											
1.24	1.24		UXING	B		BOEING ACCESS RD																											
						BRDG NUM 526/008																											

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00					.03	12			.05	12
0.32	0.32					.03	12				
0.40	0.40					.04	12			.05	12
0.64	0.64					.03	12				
0.97	0.97					.05	12				

SR 526 MAINLINE STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-BRIDGE -UXING- -XROAD- OW TC L	-----WIDTH AND SURFACE INFORMATION-----						-----CLASSIFICATIONS-----														
								NBR	DECREAS/DIV	LFT	RHT	MEDIAN- WD/S BR	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
								LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	SHD	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
3.54	3.54		UXING	B		EVERGREEN WAY BRDG NUM 526/018	ST	2	2	10A	24A			10A	GR	24A	10A			48	3	01	0420	U1	55	R	P	
3.62	3.62		MISC FEATR	RC		GORE (SR 5 Q118997)		2	2	10A	24A			10A	JE	24A	10A			48	3	01	0420	U1	55	R	P	
3.64	3.64		MISC FEATR	R		GORE (Q100365)																						
3.65	3.65		BEG SU LN	R		HIGH OCCUPANCY VEHICL12A		2	2	10A	24A			10A	JE	24A	10A	12	60	3	01	0420	U1	55	R	P		
3.73	3.73		BEG SU LN	R		ON RAMP	ST	Y																				
3.73	3.73		BEG SU LN	L		AUXILIARY 12A		2	2	10A	24A			10A	JE	24A	10A	24	72	3	01	0420	U1	55	R	P		
3.74	3.74		CHG SU LN	L		EVERGREEN WAY	ST	Y																				
3.74	3.74		CHG SU LN	L		AUXILIARY 12P		2	2	\$\$\$	52P			10P	JE	52P	\$\$\$	24	128	3	01	0420	U1	55	R	P		
3.74	3.74		CHG SU LN	R		HIGH OCCUPANCY VEHICL12P																						
3.78	3.78		BEG BRIDGE	B		CASINO RD BRDG NUM 526/020	ST																					
3.78	3.78		END BRIDGE	B		CASINO RD		2	2	10A	24A			10A	JE	24A	10A	24	72	3	01	0420	U1	55	R	P		
3.78	3.78		CHG SU LN	L		AUXILIARY 12A																						
3.78	3.78		CHG SU LN	R		HIGH OCCUPANCY VEHICL12A																						
4.01	4.01		MP MARKER	B		4																						
4.05	4.05		END SU LN	L		AUXILIARY 12A		2	2	10A	24A			10A	JE	24A	10A	12	60	3	01	0420	U1	55	R	P		
4.05	4.05		ON RAMP	L		SR 5 SB	ST	Y																				
4.13	4.13		END SU LN	R		HIGH OCCUPANCY VEHICL12A		2	2	10A	24A			10A	JE	24A	10A	\$\$\$	48	3	01	0420	U1	55	R	P		
4.13	4.13		OFF RAMP	R		SR 5 SB	ST	Y																				
4.16	4.16		MISC FEATR	L		GORE (SR 5 R118965)																						
4.20	4.20		ON RAMP	L		SR 5 NB	ST	Y	1	2	10A	15A		10A	JE	24A	10A		39	3	01	0420	U1	55	R	P		
4.29	4.29		BEG SU LN	R		HIGH OCCUPANCY VEHICL12A		1	2	10A	15A			10A	JE	24A	10A	12	51	3	01	0420	U1	55	R	P		
4.30	4.30		MISC FEATR	R		GORE (SR 5 S118904)																						
4.30	4.30		MISC FEATR	L		GORE (SR 5 P118853)																						
4.32	4.32							1	2	10A	24A			10A	CU	36A	4A	12	72	3	01	0420	U1	35	R	P		
4.41	4.41							2	2	10A	24A			10A	CU	36A	4A	12	72	3	01	0420	U1	35	R	P		
4.43	4.43		INTRSECTN	L		S BROADWAY AVE WYE CONN	CT	Y																				
4.45	4.45		INTRSECTN	B		S BROADWAY AVE	CT	SG	Y	2	2	10A	24A	12A	UP	24A	10A	12	60	3	01	0420	U1	35	R	P		
4.47	4.47		INTRSECTN	L		S BROADWAY AVE WYE CONN	CT	Y																				
4.48	4.48		INTRSECTN	R		S BROADWAY AVE WYE CONN	CT	Y																				
4.52	4.52		END SU LN	R		HIGH OCCUPANCY VEHICL12A		2	2	10A	24A			12A	UP	24A	10A	\$\$\$	48	3	01	0420	U1	35	R	P		
4.52	4.52		MISC FEATR I			RTE ENDS/SR 5 OXING WPS																						
4.52	4.52		END CTLSEC			CONTROL SECTION 3143																						
4.52	4.52		END ROUTE																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.45	4.45		.06	12						
4.47	4.47				.07	12				
							.03	14		

SR 527 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----											
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		L		CITY		LEGAL		T							
						:DIRECTION TO INVENTORY	-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S		
						: :LEFT/RIGHT INDICATOR	OW TC L	D I	W/S	W/S	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE			2	1						C	50A	C		50	5	02	0110	U1	30	R	R	*
			ENTER CITY			BOTHELL																						
			BEG CTLSEC			CONTROL SECTION 1754																						
			BEG ST	I		BOTHELL WAY																						
			INTRSECTN	R		MAIN ST			CT	SG	Y																	
			INTRSECTN	B		SR 522			ST	SG	Y																	
0.07	0.07		INTRSECTN	B		NE 183RD ST			CT	SG	Y	2	1			C	50A	C		50	5	02	0110	U1	30	R	P	*
0.10	0.10		BEG SU LN	C		TWO WAY TURN	13A					1	1			C	36A	C	13	49	5	02	0110	U1	30	R	P	*
0.12	0.12		INTRSECTN	R		NE 185TH ST			CT		Y																	
0.18	0.18		INTRSECTN	R		NE 186TH ST			CT		Y																	
0.26	0.26		INTRSECTN	R		REDER WAY NE			CT	Y	1	1				C	26A	3A	13	39	5	02	0110	U1	30	R	P	*
0.31	0.31		INTRSECTN	B		NE 188TH ST			CT		Y																	
0.39	0.39		END SU LN	C		TWO WAY TURN	13A					1	1			C	39A	3A	\$\$\$	39	5	02	0110	U1	30	R	P	*
0.43	0.43		INTRSECTN	R		NE 190TH ST			CT	SG	Y	1	1			C	43A	\$\$C		43	5	02	0110	U1	30	R	P	*
			INTRSECTN	L		NE 191ST ST			CT	SG	Y																	
0.47	0.47		BEG SU LN	C		TWO WAY TURN	12A					1	1			C	32A	C	12	44	5	02	0110	U1	30	R	P	*
0.52	0.52		END SU LN	C		TWO WAY TURN	12A					1	1			6A	36A	C	\$\$\$	36	5	02	0110	U1	30	R	P	*
0.54	0.54											1	1			6A	36A	4A		36	5	02	0110	U1	30	R	P	*
0.57	0.57											1	1			6A	22A	4A		22	5	02	0110	U1	30	R	P	*
0.62	0.62		BEG SU LN	C		TWO WAY TURN	13A					1	1			4A	30A	\$\$C	13	43	5	02	0110	U1	30	R	P	*
0.68	0.68											1	1			4A	22A	3A	13	35	5	02	0110	U1	30	R	P	*
0.72	0.72		INTRSECTN	R		NE 195TH CIRCLE		PV		Y																		
0.77	0.77		END SU LN	C		TWO WAY TURN	13A					1	1			6A	22A	4A	\$\$\$	22	5	02	0110	U1	30	R	P	*
0.90	0.90											1	1			6A	22A	4A		22	5	02	0110	U1	45	R	P	*
0.99	0.99		MP MARKER	L		1																						
1.00	1.00		MISC FEATR	L		SGN ENT BOTHELL																						
1.02	1.02		END ST	I		BOTHELL WAY																						
			BEG ST	I		BOTHELL HWY																						
1.24	1.24		MISC FEATR	R		SGN ENT SNOHOMISH COUNTY																						
			MISC FEATR	L		SGN ENT KING COUNTY																						
1.30	1.30		END CTLSEC			CONTROL SECTION 1754																						
			LEAVE CO			KING																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.07	0.07	.03	10		.03	11					
0.43	0.43	.03	12		.03	12					

SR 527 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S										
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
																WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
1.30	1.30		ENTER CO BEG CTLSEC			SNOHOMISH CONTROL SECTION 3148				1	1							4A	22A	4A			22	5	02	0110	U1		45	R	P	*	
1.41	1.41		ENT/EXIT	R		PRIVATE PARK			PV	Y																							
1.54	1.54																																
1.58	1.58		INTRSECTN	L		240TH ST SE			CT	SG	Y							6A	22A	8A			22	5	02	0110	U1		45	R	P	*	
1.60	1.60		BEG SU LN	C		TWO WAY TURN		12A										6A	22A	8A	12		34	5	02	0110	U1		45	R	P	*	
1.64	1.64		END SU LN	C		TWO WAY TURN		12A										6A	22A	8A	\$\$\$		22	5	02	0110	U1		45	R	P	*	
1.72	1.72		INTRSECTN	L		238TH ST SE			CT		Y																						
1.93	1.93																	20A	22A	8A			22	5	02	0110	U1		45	R	P	*	
1.98	1.98		INTRSECTN	L		234TH ST SE			CT		Y							4A	22A	8A			22	5	02	0110	U1		45	R	P	*	
2.00	2.00		MP MARKER	R		2																											
2.06	2.06																																
2.10	2.10		BEG SU LN	C		TWO WAY TURN		12A										6A	52A	\$\$\$C			52	5	02	0110	U1		45	R	P	*	
2.22	2.22		BEG SU LN	R		BICYCLE		06A										6A	40A	C	12		52	5	02	0110	U1		45	R	P	*	
2.25	2.25		BEG SU LN	L		BICYCLE		06A										6A	48A	C	18		66	5	02	0110	U1		45	R	P	*	
2.27	2.27		CHG SU LN	C		TWO WAY TURN		20A																									
2.29	2.29																	C	44A	C	32		76	5	02	0110	U1		45	R	P	*	
2.30	2.30		END SU LN	C		TWO WAY TURN		20A										C	64A	C	32		96	5	02	0110	U1		45	R	P	*	
2.37	2.37		ENT/EXIT	R		SHOPPING CENTER			PV	Y								C	80A	C	12		92	5	02	0110	U1		45	R	P	*	
2.39	2.39		INTRSECTN	L		228TH ST SE WYE CONN			CT		Y																						
2.41	2.41		INTRSECTN	B		228TH ST SE			CT	SG	Y							C	88A	C	12		100	5	02	0110	U1		45	R	P	*	
2.45	2.45		ENT/EXIT	R		SHOPPING CENTER			PV	Y																							
2.47	2.47		BEG SU LN	C		TWO WAY TURN		16A																									
2.49	2.49		ENT/EXIT	R		SHOPPING CENTER			PV	Y								C	60A	C	28		88	5	02	0110	U1		45	R	P	*	
2.53	2.53		END SU LN	R		BICYCLE		06A																									
			END SU LN	L		BICYCLE		06A																									
			END SU LN	C		TWO WAY TURN		16A																									
2.58	2.58		INTRSECTN	L		ON RAMP WYE CONN			ST		Y							2A	50A	6A			50	5	02	0110	U1		45	R	P	*	
			OFF RAMP	R		SR 405			ST		Y																						

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.41	1.41									
1.58	1.58		.03	12						
1.98	1.98		.03	12						
2.30	2.30					.05	12			
2.39	2.39		.05	12		.06	24			
2.41	2.41								.03	16
2.58	2.58					.05	12			

SR 527 MAINLINE STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1

:DIRECTION TO INVENTORY				-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																		
: :LEFT/RIGHT INDICATOR				-BRIDGE-	DECREAS/DIV				INCRS/UNDI				SPC																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
2.59			ON RAMP	L		SR 405			Y	2	2						2A	50A	6A			50	5	02	0110	U1		45	R	P	*	
2.60			MISC FEATR	R		GORE (SR 405 S102654)																										
2.61			MISC FEATR	L		GORE (SR 405 S502625)																										
2.63			OFF RAMP	L		SR 405	ST		Y	2	2						\$S	C	62A	\$S	C		62	5	02	0110	U1		45	R	P	*
			BEG BRIDGE	B		SR 405	ST																									
						BRDG NUM 527/104																										
2.69			END BRIDGE	B		SR 405					2	2					6A	50A	6A			50	5	02	0110	U1		45	R	P	*	
2.71			OFF RAMP	R		SR 405	ST			Y																						
2.72			MISC FEATR	R		GORE (SR 405 Q502720)																										
2.73			OFF RAMP	L		SR 405	ST		SG	Y																						
			ON RAMP	R		SR 405	ST		SG	Y																						
2.74			BEG SU LN	R		BICYCLE		05A			2	3					\$S	C	77A	\$S	C	5	82	3	01	0110	U1		45	R	P	*
			INTRSECTN	R		ON RAMP WYE CONN	ST			Y																						
			INTRSECTN	L		OFF RAMP WYE CONN	ST			Y																						
2.78			BEG SU LN	L		BICYCLE		05A			2	3					C	72A		C	10	82	3	01	0110	U1		45	R	P	*	
2.80											3	3					C	72A		C	10	82	3	01	0110	U1		45	R	P	*	
2.92			INTRSECTN	R		CANYON PK BLVD WYE CONN	CT			Y																						
2.93			INTRSECTN	R		CANYON PARK BLVD	CT		SG	Y																						
			INTRSECTN	L		220TH ST SE	CT		SG	Y																						
2.98											2	3					C	78A		C	10	88	3	01	0110	U1		45	R	P	*	
2.99			MP MARKER	R		3																										
3.01											2	3					C	67A		C	10	77	3	01	0110	U1		45	R	P	*	
3.08			INTRSECTN	L		217TH ST (FIRE STATION)	CT		FS	Y																						
3.09			BEG SU LN	C		TWO WAY TURN		12A			2	3					C	67A		C	22	89	3	01	0110	U1		45	R	P	*	
3.16			BEG BRIDGE	B		NORTH CREEK	ST				2	3					C	66P		C	22	88	3	01	0110	U1		45	R	P	*	
						BRDG NUM 527/108																										
3.17			END BRIDGE	B		NORTH CREEK					2	3					C	66A		C	22	88	3	01	0110	U1		45	R	P	*	
3.19											2	3					C	55A		C	22	77	3	01	0110	U1		45	R	P	*	
3.23											2	2					C	56A		C	22	78	3	01	0110	U1		45	R	P	*	
3.28			END SU LN	C		TWO WAY TURN		12A			2	2					C	56A		C	10	66	3	01	0110	U1		45	R	P	*	
3.34			INTRSECTN	R		214TH ST SE WYE CONN	CT			Y																						
3.35			INTRSECTN	B		214TH ST SE	CT		SG	Y	2	2					8A	64A		C	10	74	3	01	0110	U1		45	R	P	*	
3.41			END SU LN	R		BICYCLE		05A			2	2					8A	52A		C	12	64	3	01	0110	U1		45	R	P	*	

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.74			2.74								
2.93			2.93	.04	12		.06	12			
3.08			3.08	.05	11		.08	12			
3.34			3.34			.11	12				
3.35			3.35	.05	12		.04	12			

SR 527 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT	RHT		LFT	RHT	USE	TOT																					
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
5.38		5.38																																	
5.41		5.41	END SU LN	C		TWO WAY TURN																			U1			45	R	*					
5.50		5.50	INTRSECTN	B		180TH ST SE																			U1			45	R	*					
5.52		5.52																																	
5.59		5.59	BEG SU LN	C		TWO WAY TURN																			U1			45	R	*					
5.66		5.66	END SU LN	L		BICYCLE																			U1			45	R	*					
5.69		5.69	INTRSECTN	R		15TH AVE SE																													
5.81		5.81	END SU LN	R		BICYCLE																			U1			45	R	*					
5.89		5.89																																	
5.94		5.94																																	
5.96		5.96	ENTER CITY			MILL CREEK																													
5.98		5.98	MP MARKER	B		6																													
6.02		6.02	INTRSECTN	R		173RD ST SE																													
6.25		6.25	BEG SU LN	R		BICYCLE																													
			INTRSECTN	R		SEATTLE HILL RD																													
6.28		6.28	BEG SU LN	L		BICYCLE																													
6.34		6.34																																	
6.35		6.35	CHG SU LN	L		BICYCLE																													
6.53		6.53	CHG SU LN	L		BICYCLE																													
			END SU LN	C		TWO WAY TURN																													
6.61		6.61	INTRSECTN	R		MILL CREEK RD WYE CONN																													
6.62		6.62	END ST	I		BOTHELL HWY																													
			BEG ST	I		BOTHELL-EVERETT HWY																													
			INTRSECTN	L		164TH ST SE																													
			INTRSECTN	R		MILL CREEK RD																													
6.63		6.63	INTRSECTN	L		164TH ST SE WYE CONN																													
			INTRSECTN	R		MILL CREEK RD WYE CONN																													
6.71		6.71	END SU LN	R		BICYCLE																													
			END SU LN	L		BICYCLE																													
			ENT/EXIT	L		SHOPPING CENTER																													
6.76		6.76																																	
6.79		6.79	INTRSECTN	L		161ST ST SE WYE CONN																													
6.80		6.80	ENT/EXIT	R		TOWN SQUARE DEVELOPMENT																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.50		5.50		.05	12	.06	12	.06	24		
6.61		6.61				.03	12				
6.62		6.62		.06	24			.04	12		
6.63		6.63								.04	12
6.71		6.71		.03	12						

SR 527 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT																	
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
6.80	6.80		INTRSECTN	L		161ST ST SE	CT	Y	1	1							8A	35A	9A		35	3	01	0778	U1		40	R	P	*	
7.00	7.00		INTRSECTN	B		MILL CREEK BLVD	CT	SG	Y	1	1						8A	35A	8A		35	3	01	0778	U1		40	R	P	*	
7.02	7.02		MP MARKER	R		7																									
7.04	7.04		BEG SU LN	C		TWO WAY TURN						12A		1	1		8A	22A	8A	12	34	3	01	0778	U1		40	R	P	*	
7.14	7.14		END SU LN	C		TWO WAY TURN						12A		1	1		8A	22A	8A	\$\$\$	22	3	01	0778	U1		40	R	P	*	
7.17	7.17													1	1		6A	22A	6A		22	3	01	0778	U1		40	R	P	*	
7.21	7.21													1	1		6A	22A	6A		22	3	01	0778	U1		45	R	P	*	
7.87	7.87													1	1		6A	44A	\$\$\$C		44	3	01	0778	U1		45	R	P	*	
7.90	7.90		INTRSECTN	R		144TH ST SE	CT		Y																						
7.93	7.93													1	1		6A	22A	6A		22	3	01	0778	U1		45	R	P	*	
8.04	8.04		MP MARKER	R		8																									
8.11	8.11		INTRSECTN	R		TRILLIUM BLVD WYE CONN	CT		Y																						
8.13	8.13		INTRSECTN	L		HEATHERWOOD DR	CT	SG	Y																						
			INTRSECTN	R		TRILLIUM BLVD	CT	SG	Y																						
8.25	8.25		INTRSECTN	R		138TH ST SE	CT		Y																						
8.37	8.37		INTRSECTN	L		DUMAS RD	CT	SG	Y																						
			INTRSECTN	R		136TH ST SE	CT	SG	Y																						
8.49	8.49													1	1		\$\$\$C	44A	6A		44	3	01	0778	U1		45	R	P	*	
8.53	8.53		BEG SU LN	C		TWO WAY TURN						12A		1	1		C	32A	6A	12	44	3	01	0778	U1		45	R	P	*	
8.58	8.58		END SU LN	C		TWO WAY TURN						12A		1	1		C	44A	6A	\$\$\$	44	3	01	0778	U1		45	R	P	*	
8.65	8.65		INTRSECTN	L		16TH AVE SE	CT		N	1	1						14A	33A	8A		33	3	01	0778	U1		45	R	P	*	
8.66	8.66		BEG SU LN	C		TWO WAY TURN						13A		1	1		14A	22A	8A	13	35	3	01	0778	U1		45	R	P	*	
8.69	8.69													1	1		14A	22A	8A	13	35	3	01	0778	U1		35	R	P	*	
8.73	8.73		END SU LN	C		TWO WAY TURN						13A		1	1		14A	34A	8A	\$\$\$	34	3	01	0778	U1		35	R	P	*	
8.78	8.78													1	1		6A	46A	6A		46	3	01	0778	U1		35	R	P	*	
8.85	8.85		END ST	I		BOTHELL-EVERETT HWY																									
			BEG ST	I		19TH AVE SE																									
			INTRSECTN	B		SR 96-132ND ST SE	ST	SG	Y																						
8.86	8.86		LEAVE CITY			MILL CREEK								1	1		6A	46A	6A		46	3	01	\$\$\$U1		35	R	\$	*		
			INTRSECTN	R		SR 96 WYE CONN	ST		Y																						
8.92	8.92		BEG SU LN	C		TWO WAY TURN						13A		1	1		4A	22A	6A	13	35	3	01		U1		35	R		*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.80	6.80		.04	12	.04	12				
7.90	7.90				.02	12		.02	10	
8.11	8.11				.02	13				
8.13	8.13		.03	13			.03	13		
8.37	8.37		.03	12			.04	12		
8.65	8.65		.04	12						
8.85	8.85		.03	12	.02	10	.04	12	.04	10

SR 527 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---											
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC															
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT															
:				-XROAD-	LNS	SHD	RDY	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
10.46		10.46																									
10.49		10.49	BEG SU LN	C		TWO WAY TURN	11A																				
10.55		10.55	END SU LN	C		TWO WAY TURN	11A																				
10.57		10.57	INTRSECTN	R		108TH ST SE		CT	Y																		
10.58		10.58	BEG SU LN	C		TWO WAY TURN	11A																				
10.66		10.66	INTRSECTN	R		106TH PL SE		CT	Y																		
10.75		10.75	END SU LN	C		TWO WAY TURN	11A																				
10.76		10.76	INTRSECTN	L		105TH ST SE		CT	Y																		
10.78		10.78	BEG SU LN	C		TWO WAY TURN	11A																				
10.83		10.83	INTRSECTN	L		104TH ST SE		CT	Y																		
10.87		10.87	END SU LN	C		TWO WAY TURN	11A																				
10.92		10.92	INTRSECTN	L		102ND ST SE		CT	SG	Y																	
10.94		10.94	BEG SU LN	C		TWO WAY TURN	11A																				
11.00		11.00	MP MARKER	B		11																					
11.04		11.04	END SU LN	C		TWO WAY TURN	11A																				
11.05		11.05	INTRSECTN	L		100TH PL SE		CT	Y																		
11.08		11.08	INTRSECTN	B		100TH ST SE		CT	SG	Y																	
11.13		11.13	BEG SU LN	C		TWO WAY TURN	11A																				
11.28		11.28	END SU LN	C		TWO WAY TURN	11A																				
11.30		11.30	INTRSECTN	R		96TH PL SE		CT	Y																		
11.33		11.33	BEG SU LN	C		TWO WAY TURN	11A																				
11.45		11.45	END SU LN	C		TWO WAY TURN	11A																				
11.46		11.46	INTRSECTN	R		BURLEY DR		CT	Y	2	2																
11.52		11.52	INTRSECTN	L		ON RAMP WYE CONN		ST	Y																		
11.53		11.53	INTRSECTN	R		EL CAPITAN WAY		CT	SG	Y	2	2															
			ON RAMP	L		SR 5		ST	SG	Y																	
11.56		11.56	INTRSECTN	R		EL CAPITAN WAY WYE CONN		CT	Y																		
11.58		11.58																									
11.62		11.62	OFF RAMP	R		SR 5		ST	Y																		
11.71		11.71	MISC FEATR	R		GORE (SR 5 Q118957)																					
11.73		11.73	MISC FEATR	L		GORE (SR 5 Q518957)																					
11.81		11.81	UXING	B		N-W RAMP		ST																			
						BRDG NUM 005/622N-W																					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.92		10.92		.04	11						
11.08		11.08		.03	11						
11.30		11.30				.03	11			.01	11
11.46		11.46				.01	11				
11.53		11.53				.03	11				

SR 528 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----						
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
						:DIRECTION TO INVENTORY	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T	
						:LEFT/RIGHT INDICATOR	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
						:	OW	TC	L	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR	WD/S	BR
0.00	0.00		BEG ROUTE			MAIN ROUTE																	
			BEG CTLSEC			SR 5/MARYSVILLE TO SR 9																	
			BEG ST	I		CONTROL SECTION 3118																	
			UXING	B		4TH ST																	
						SR 5 SB																	
0.02	0.02		UXING	B		BRDG NUM 005/651W																	
						SR 5 NB																	
						BRDG NUM 005/651E																	
0.03	0.03		ENTER CITY			MARYSVILLE																	
0.05	0.05		ON RAMP	R		SR 5																	
			OFF RAMP	L		SR 5																	
0.08	0.08																						
0.11	0.11		INTRSECTN	B		BEACH AVE																	
0.19	0.19		INTRSECTN	B		CEDAR AVE																	
0.21	0.21		RR XING	B		NUM 84640G GRADE																	
0.22	0.22																						
0.28	0.28		INTRSECTN	B		DELTA AVE																	
0.36	0.36		INTRSECTN	L		STATE AVE																	
			INTRSECTN	R		SR 529																	
0.40	0.40		BEG SU LN	C		TWO WAY TURN																	
0.44	0.44		END ST	I		4TH ST																	
			INTRSECTN	B		COLUMBIA AVE																	
0.54	0.54		INTRSECTN	B		ALDER ST																	
0.62	0.62		INTRSECTN	B		QUINN ST																	
0.70	0.70		INTRSECTN	B		UNION ST																	
0.73	0.73		END SU LN	C		TWO WAY TURN																	
0.80	0.80		INTRSECTN	L		47TH AVE NE																	
			INTRSECTN	R		LIBERTY ST																	
0.94	0.94		BEG BRIDGE	B		ALLEN CREEK																	
						BRDG NUM 528/001																	
0.96	0.96		END BRIDGE	B		ALLEN CREEK																	
1.22	1.22		INTRSECTN	R		53RD AVE NE																	

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.05	0.05		.05	12										
0.11	0.11		.03	11		.02	11							
0.19	0.19		.04	11		.03	11							
0.28	0.28		.02	11		.02	11							
0.36	0.36		.03	11										
0.80	0.80		.04	12		.03	12							
1.22	1.22					.03	13		.03	12				

SR 528 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----									
:DIRECTION TO INVENTORY			-BRIDGE-		DECREAS/DIV			INCRS/UNDI			SPC														
: :LEFT/RIGHT INDICATOR			-UXING-		LFT RHT			LFT RHT			USE		TOT					LEGAL							
:			-XROAD-		LNS SHD RDY SHD			LNS SHD RDY SHD			LNS RDY		MTCE					CITY							
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S	W/S	W/S	MEDIAN-	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	ST	SPEED	T	P	S	
										WD/S BR											D	IB	R	K	T
1.26	1.26	BEG SU LN	C	TWO WAY TURN	12A									C 43A	C	12	55	3	01	0745	U2	35	R	R	
1.28	1.28	INTRSECTN	R	54TH DR NE		CT	Y																		
1.31	1.31	INTRSECTN	L	55TH DR NE		CT	Y																		
1.33	1.33																								
1.41	1.41	END SU LN	C	TWO WAY TURN	12A									C 43A	C	12	55	3	01	0745	U2	35	R	P	
1.43	1.43	INTRSECTN	R	CITY ST		CT	Y							C 55A	C	\$\$\$	55	3	01	0745	U2	35	R	P	
1.48	1.48	BEG SU LN	C	TWO WAY TURN	12A									C 43A	C	12	55	3	01	0745	U2	35	R	P	
1.56	1.56	INTRSECTN	L	58TH DR NE		CT	Y																		
1.61	1.61	ENT/EXIT	R	TRAILER COURT		PV	Y																		
1.67	1.67	INTRSECTN	L	60TH DR NE		CT	Y																		
1.97	1.97	INTRSECTN	L	65TH DR NE		CT	Y																		
2.01	2.01	END SU LN	C	TWO WAY TURN	12A									C 55A	C	\$\$\$	55	3	01	0745	U2	35	R	P	
2.07	2.07	INTRSECTN	B	67TH AVE NE		CT	SG	Y																	
2.10	2.10																								
2.14	2.14	INTRSECTN	R	68TH AVE NE		CT	N							1G 21B	5B		21	3	01	0745	U2	35	R	P	
2.23	2.23	INTRSECTN	R	69TH DR NE		CT	Y																		
2.28	2.28													1G 20B	1G		20	3	01	0745	U2	35	R	P	
2.32	2.32	INTRSECTN	B	71ST AVE NE		CT	Y																		
2.41	2.41	INTRSECTN	L	72ND DR NE		CT	N																		
2.46	2.46	INTRSECTN	R	74TH DR NE		CT	N																		
2.47	2.47	INTRSECTN	R	74TH DR NE WYE CONN		CT	N																		
3.02	3.02													8A 24A	8A		24	3	01	0745	U2	35	R	B	
3.07	3.07	INTRSECTN	B	83RD AVE NE		CT	N																		
3.08	3.08	LEAVE CITY		MARYSVILLE										8A 24A	8A		24	3	01	\$\$\$\$	U2	35	R	\$	
3.46	3.46	INTRSECTN	B	SR 9		ST	SS	Y																	
		END CTLSEC		CONTROL SECTION 3118																					
		END ROUTE																							

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
1.43	1.43			.03 12					
2.07	2.07	.03 12	.03 11	.03 12	.02 11				
2.32	2.32	.03 11		.03 11	.02 11				
2.47	2.47								.05 11
3.07	3.07		.03 13		.02 13				
3.46	3.46		.05 12						

SR 529 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----					
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S
							-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE		A	SE	NBR	FC	D	IB	R	K	T
							-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	WID	WID							
							OW TC L	D I	W/S	W/S	W/S	W/S	W/S	WD/S	BR									
0.00	0.00		BEG ROUTE			MAIN ROUTE																		
						SR 5/EVERETT TO SR 528																		
			ENTER CITY			EVERETT																		
			BEG CTLSEC			CONTROL SECTION 3103																		
			BEG ST	I		PACIFIC AVE																		
			UXING	B		SR 5 NB																		
						BRDG NUM 005/635E																		
0.01	0.01		UXING	B		SR 5 SB																		
						BRDG NUM 005/635W																		
0.03	0.03		END ST	I		PACIFIC AVE																		
			BEG ST	I		MAPLE ST																		
			OFF RAMP	L		SR 5																		
			INTRSECTN	L		PACIFIC AVE																		
0.19	0.19		INTRSECTN	B		HEWITT AVE																		
0.24	0.24																							
0.29	0.29		INTRSECTN	L		CALIFORNIA AVE																		
			INTRSECTN	R		SR 2 COEVRETT (COUPLE)																		
0.38	0.38		END ST	I		MAPLE ST																		
			BEG ST	I		EVERETT AVE																		
			INTRSECTN	R		MAPLE ST																		
			INTRSECTN	R		SR 529 SPEVERET (SPUR)																		
0.44	0.44		INTRSECTN	B		PINE ST																		
0.51	0.51		INTRSECTN	B		CEDAR ST																		
0.57	0.57		INTRSECTN	B		FULTON ST																		
0.60	0.60		INTRSECTN	B		BAKER AVE																		
0.67	0.67		INTRSECTN	B		VIRGINIA AVE																		
0.74	0.74		INTRSECTN	B		RAINIER AVE																		
0.80	0.80		INTRSECTN	B		MCDUGALL AVE																		
0.87	0.87		INTRSECTN	B		BROADWAY AVE-OLD SR 529																		
0.90	0.90		BEG SU LN	C		TWO WAY TURN																		
0.94	0.94		INTRSECTN	B		LOMBARD AVE																		
0.99	0.99		END SU LN	C		TWO WAY TURN																		
1.00	1.00		INTRSECTN	B		OAKES AVE																		

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.03	0.03		.02	14						
0.19	0.19		.03	12		.03	12			
0.38	0.38		.03	12						
0.80	0.80					.03	11			
0.87	0.87		.03	12						
1.00	1.00		.01	12		.02	12			

SR 529 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----								
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI		SPC	L		R		USE	TOT	MTCE		CITY	ST	LEGAL
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S				
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D	IB	R	K	T
1.02	1.02	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	25	R	P	*		
1.05	1.05	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	25	R	P	*		
1.07	1.07	INTRSECTN	B	ROCKEFELLER AVE		CT SG Y																			
1.09	1.09	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	25	R	P	*		
1.11	1.11	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	25	R	P	*		
1.13	1.13	INTRSECTN	B	WETMORE AVE		CT SG Y																			
1.15	1.15	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	25	R	P	*		
1.18	1.18	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	25	R	P	*		
1.20	1.20	INTRSECTN	B	COLBY AVE		CT SG Y																			
1.22	1.22	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	25	R	P	*		
1.25	1.25	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	25	R	P	*		
1.26	1.26	INTRSECTN	B	HOYT AVE		CT SG Y																			
1.28	1.28	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	25	R	P	*		
1.31	1.31	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	25	R	P	*		
1.33	1.33	INTRSECTN	B	RUCKER AVE		CT SG Y	2 2					C 60A	C		60	3	01	0420	U1	30	R	P	*		
1.35	1.35	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	30	R	P	*		
1.40	1.40	END SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	\$\$\$	48	3	01	0420	U1	30	R	P	*		
		INTRSECTN	B	GRAND AVE		CT SG Y																			
1.42	1.42					2 2						C 60A	C		60	3	01	0420	U1	30	R	P	*		
1.46	1.46	END ST	I	EVERETT AVE		2 2						C 75A	C		75	3	01	0420	U1	30	R	P	*		
		BEG ST	I	W MARINE VIEW DR																					
		INTRSECTN	L	W MARINE VIEW DR		CT SG Y																			
1.55	1.55	INTRSECTN	R	26TH ST		CT Y	2 2					C 60A	C		60	3	01	0420	U1	30	R	P	*		
1.58	1.58	BEG SU LN	C	TWO WAY TURN	12A	2 2						C 48A	C	12	60	3	01	0420	U1	30	R	P	*		
1.61	1.61	END SU LN	C	TWO WAY TURN	12A	2 2						C 60A	C	\$\$\$	60	3	01	0420	U1	30	R	P	*		
1.64	1.64	UXING	B	PED XING		ST																			
				BRDG NUM 529/004P																					
1.65	1.65	INTRSECTN	R	25TH ST		CT SG Y	2 2					W 48A	C		48	3	01	0420	U1	35	R	P	*		
		INTRSECTN	L	LOWER NORTON ST		CT SG Y																			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.07	1.07		.02	12	.02	12				
1.13	1.13		.02	12						
1.20	1.20		.02	12	.02	12				
1.26	1.26		.02	12						
1.33	1.33		.02	12	.02	12				
1.40	1.40				.02	12				
1.46	1.46		.04	12	.06	25				
1.55	1.55				.03	12				
1.65	1.65		.03	12						

SR 529 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----													
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		SPEED		R K T									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S			
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
3.93B	3.93		RR XING BEG BRIDGE	B	D	BRDG NUM 529/007E NUM 084622J STRUCTURE NORTH ACCESS RD-BN RR BRDG NUM 529/007W				2	2	W	26P	W	190		W	32P	W	58	3	01	0420	U1	35	R	P	*	
4.08B	4.08		END BRIDGE	I		NORTH ACCESS RD-BN RR			2	2	W	26P	W	17G	GR	2A	22A	9A	48	3	01	0420	U1	35	R	P	*		
4.09B	4.09		END BRIDGE	D		NORTH ACCESS RD-BN RR			2	2	C	26A	\$	17A	GR	2A	22A	9A	48	3	01	0420	U1	35	R	P	*		
4.10B	4.10								2	2	C	26A		13A	UP	2A	23A	10A	49	3	01	0420	U1	35	R	P	*		
4.17B	4.17		BEG SU LN INTRSECTN	R		BICYCLE ALVERSON BLVD	06A		2	2	C	26A		13A	UP	2A	23A	\$\$\$	6	55	3	01	0420	U1	35	R	P	*	
4.22B	4.22		BEG SU LN	L		BICYCLE	06A		1	2	\$	25A		10A	UP	2A	23A	12	60	3	01	0420	U1	35	R	P	*		
4.24B	4.24								1	1		20A		4A	UP	2A	23A	12	55	3	01	0420	U1	35	R	P	*		
4.33B	4.33								1	1		13A		14A	UP	2A	18A	12	43	3	01	0420	U1	35	R	P	*		
4.42B	4.42								1	1		\$\$\$		\$\$\$	\$	\$\$\$	30A	12	42	3	01	0420	U1	35	R	P	*		
4.55B	4.55		INTRSECTN	R		AMERICAN LEGION GOLF CRS	PV	Y																					
4.64B	4.64		INTRSECTN	R		SKYLINE DR	CT	Y																					
4.65B	4.65		INTRSECTN	L		WEYERHAUSER PULP MILL	PV	Y																					
4.67B	4.67		INTRSECTN	R		SKYLINE DR WYE CONN	CT	Y																					
4.70B	4.70		INTRSECTN	L		WEYERHAUSER PULP MILL	PV	Y																					
4.80B	4.80		END ST BEG ST	I	I	W MARINE VIEW DR E MARINE VIEW DR																							
4.82B	4.82		INTRSECTN END SU LN ON/OFF RMP	R	R	OFF RAMP WYE CONN BICYCLE N BROADWAY (OLD SR-529)	ST	Y	1	1						48A	C	6	54	3	01	0420	U1	35	R	P	*		
4.84B	4.84		INTRSECTN	R		ON RAMP WYE CONN	ST	Y																					
4.89B	4.89		END SU LN	L		BICYCLE	06A		1	1	C	15A		15A	CU	15A	C	\$\$\$	30	3	01	0420	U1	35	R	P	*		
4.91B	4.91		UXING	B		SR 529 SB BRDG NUM 529/008W	ST																						
4.92B	4.92		LEAVE CITY END ST END CTLSEC BEG PH GP UXING	I	B	EVERETT E MARINE VIEW DR CONTROL SECTION 3103 BEGIN PHYSICAL GAP SR 529 NB	ST		\$	\$	\$	\$\$\$		\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$\$\$	\$	\$	\$	\$	
3.74	4.93		ENTER CITY			BRDG NUM 529/008E EVERETT			2	2	C	44P	C	60	WA	C	44P	C	88	3	01	0420	U1	55	R	P	*		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.17B	4.17				.01	12				
4.55B	4.55				.02	10				
4.80B	4.80			.05	10					
4.82B	4.82				.06	10	.02	10		

SR 529 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
							-BRIDGE	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	USE	TOT	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S								
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID	A SE	NBR	FC	D IB	R	K	T								
3.74	4.93		EQUATION BEG CTLSEC BEG ST BEG BRIDGE			004.93B=003.74 CONTROL SECTION 3103 E MARINE VIEW DR SR 529 BRDG NUM 529/008E						2	2	C	44P	C	60	WA	C	44P	C	88	3	01	0420	U1	55	R	P	*		
			ON RAMP BEG BRIDGE		R	WALNUT ST SR 529 BRDG NUM 529/008W																										
3.75	4.94		END BRIDGE END BRIDGE END ST		I	SR 529 SR 529 E MARINE VIEW DR						2	2	4A	24A	4A	19S	DE	4B	34P	C	58	3	01	0420	U1	55	R	P	\$		
3.80	4.99		OFF RAMP		L	WALNUT ST																										
3.82	5.01		BEG BRIDGE		I	SNOHOMISH RIVER BRDG NUM 529/010E						2	2	4A	24A	4A	19S	\$\$	\$\$	24P	C	48	3	01	0420	U1	55	R	P			
3.85	5.04		RR XING RR XING BEG BRIDGE		D	NUM 85003F STRUCTURE NUM 85003F STRUCTURE SNOHOMISH RIVER BRDG NUM 529/010W						2	2	\$\$	28P	\$\$	190			C	24P	C	52	3	01	0420	U1	55	R	P		
4.33	5.52		END BRIDGE END BRIDGE		I	SNOHOMISH RIVER SNOHOMISH RIVER						2	2	10A	24A	8A	20S	DE	8A	24A	10A	48	3	01	0420	U1	55	L	P			
4.55	5.74		MED XING		C	OFFICIAL																										
4.57	5.76		INTRSECTN		R	ROSS AVE WYE CONN																										
4.59	5.78		INTRSECTN		R	ROSS AVE																										
4.64	5.83		INTRSECTN		L	ROSS AVE																										
4.97	6.16		MP MARKER		R	5																										
5.02	6.21		INTRSECTN		L	36TH PL NE																										
5.12	6.31		BEG BRIDGE		I	UNION SLOUGH BRDG NUM 529/015E						2	2	10A	24A	8A	250S	DE	\$\$	28P	\$\$	52	3	01	0420	U1	55	L	P			
5.13	6.32		BEG BRIDGE		D	UNION SLOUGH BRDG NUM 529/015W						2	2	\$\$	24P	\$\$	2550	\$\$		C	28P	C	52	3	01	0420	U1	55	L	P		
5.24	6.43		END BRIDGE END BRIDGE		I	UNION SLOUGH UNION SLOUGH						2	2	10A	24A	8A	260S	DE	8A	24A	10A	48	3	01	0420	U1	55	L	P			
5.33	6.52		INTRSECTN		L	CITY ST																										
5.34	6.53		INTRSECTN		L	CITY ST WYE CONN																										
5.35	6.54		INTRSECTN		R	CITY ST WYE CONN																										
5.37	6.56		INTRSECTN		R	CITY ST																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.57	5.76				.03	12				

SR 529 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----														
							:DIRECTION TO INVENTORY :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S								
							-UXING-	NBR	LFT	RHT	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
							OW TC L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
5.42	6.61	BEG	BRIDGE	D		STEAMBOAT SLOUGH BRDG NUM 529/020W	ST	2	2	\$C	24A	\$C	260S	DE	8A	24A	10A		48	3	01	0420	U1		55	L	P				
5.44	6.63	BEG	BRIDGE	I		STEAMBOAT SLOUGH BRDG NUM 529/020E	ST	2	2	C	24A	C	2600	\$S	\$C	28A	\$C		52	3	01	0420	U1		55	L	P				
5.52	6.71	LEAVE	CITY			EVERETT		2	2	C	24A	C	2600		C	28A	C		52	3	01	\$\$\$\$	U1		55	L	\$				
5.59	6.78	END	BRIDGE	D		STEAMBOAT SLOUGH		2	2	10A	24A	8A	260S	DE	C	28A	C		52	3	01		U1		55	L					
5.61	6.80	END	BRIDGE	I		STEAMBOAT SLOUGH		2	2	10A	24A	8A	260S	DE	8A	24A	10A		48	3	01		U1		55	L					
5.62	6.81	MISC	FEATR	L		SGN ENT EVERETT																									
5.69	6.88							2	2	10A	24A	8A	260S	DE	8A	24A	10A		48	3	01		U1		45	L					
5.78	6.97							2	2	10A	22A	5A	2600	\$S	8A	24A	10A		46	3	01		U1		45	L					
5.79	6.98	ON RAMP		LC	SR	5 SB	ST	Y	1	1	10A	22A	5A	2600	\$S	14A	10A		36	3	01		U1		45	L					
		OFF RAMP		RC	SR	5 NB	ST	Y																							
5.83	7.02	UXING		I	SR	5 SB	ST																								
						BRDG NUM 005/649W																									
5.85	7.04	UXING		I	SR	5 NB	ST		1	1	10A	14A	4A	5000		4A	14A	10A		28	3	01		U1		45	L				
						BRDG NUM 005/649E																									
5.86	7.05	MISC	FEATR	LC	SR	5 SB																									
5.90	7.09	MP	MARKER	R		GORE (SR 5 R119856)																									
						6																									
6.09	7.28	UXING		D	RC	GORE (SR 5 Q119852)	ST																								
						SR 5 SB																									
6.10	7.29	UXING		D	RC	BRDG NUM 005/650W	ST																								
						SR 5 NB																									
						BRDG NUM 005/650E																									
						INTRSECTN	ST	Y																							
						ENT/EXIT	PV	Y																							
6.14	7.33								1	1	10A	14A	4A	125S		4A	14A	10A		28	3	01		U1		45	L				
6.17	7.36								1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$		4A	24A	4A		24	3	01		U1		45	L				
6.21	7.40	BEG	BRIDGE	B		EBEY SLOUGH BRDG NUM 529/025	ST		1	1					\$C	24P	\$C		24	3	01		U1		25	L					
6.34	7.53	ENTER	CITY			MARYSVILLE			1	1					C	24P	C		24	3	01	0745	U1		25	L	P				
6.35	7.54	END	BRIDGE	B		EBEY SLOUGH			1	1					4A	24A	6A		24	3	01	0745	U1		25	L	P				
6.36	7.55	MISC	FEATR	R		SGN ENT MARYSVILLE																									
6.40	7.59	RR	XING	B		NUM 84638F GRADE			1	2					\$S	40A	\$C		40	3	01	0745	U1		25	L	B				
						RR XING (VACATED)																									
6.50	7.69	BEG	ST	I		STATE AVE			2	2					C	52A	C		52	3	01	0745	U1		25	L	B	*			
						INTRSECTN	CT	Y																							
6.57	7.76	INTRSECTN		B		1ST ST	CT	Y																							
						2ND ST	CT	Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----						
SRMP	B	ARM	L	R	L	R	L	R	R	R	RIGHT-	
			NEAR	NEAR	FAR	FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-		
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.10		7.29			.02	12						

SR 529 SPUR
EVERET

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																		-----CLASSIFICATIONS---													
:DIRECTION TO INVENTORY				-BRIDGE						INCREAS/UNDI						SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S								
															WD/S	BR	W/S	W/S	W/S	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T					
0.38	0.00		BEG ROUTE			EVERET																													
						SR 529 TO SR 5NB UXING																													
			ENTER CITY			EVERETT																													
			BEG CTLSEC			CONTROL SECTION 3151																													
			BEG ST	I		EVERETT AVE																													
			INTRSECTN	L		MAPLE ST																													
			INTRSECTN	R		SR 529																													
0.44	0.06		INTRSECTN	B		WALNUT ST																													
0.48	0.10																																		
0.51	0.13		ON RAMP	L		SR 5																													
			INTRSECTN	C		MEDIAN X-ROAD																													
0.52	0.14		BEG BRIDGE	B		S-E RAMP																													
						BRDG NUM 529/001SP																													
0.53	0.15		END BRIDGE	B		S-E RAMP																													
0.57	0.19		UXING	B		SR 5 SB																													
						BRDG NUM 005/640W																													
0.58	0.20		END ST	I		EVERETT AVE																													
			UXING	B		SR 5 NB																													
						BRDG NUM 005/640E																													
			END CTLSEC			CONTROL SECTION 3151																													
			END SECTN			EVERET																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
	0.44	0.06		.02							

SR 530 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---																	
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT		LFT RHT		USE		TOT		MTCE		CITY		ST		LEGAL													
: :				-XROAD-		LNS		SHD RDY SHD		LNS		RDY		A SE		NBR		FC		SPEED													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S					
16.95	0.00		BEG ROUTE			MAIN ROUTE																											
						SR 5 TO SR 20																											
			BEG CTLSEC			CONTROL SECTION 3139																											
			BEG BRIDGE B			SR 5																											
						BRDG NUM 530/115																											
17.00	0.05		END BRIDGE B			SR 5																											
17.01	0.06		MP MARKER	R		17																											
17.04	0.09		OFF RAMP	L		SR 5																											
			ON RAMP	R		SR 5																											
17.05	0.10		INTRSECTN	L		OFF RAMP WYE CONN																											
17.10	0.15		BEG SU LN	C		TWO WAY TURN	12A																										
17.22	0.27		END SU LN	C		TWO WAY TURN	12A																										
17.30	0.35		INTRSECTN	R		OLD SR 99																											
17.32	0.37		INTRSECTN	R		OLD SR 99 WYE CONN																											
17.38	0.43																																
17.39	0.44		INTRSECTN	L		27TH AVE NE																											
17.47	0.52		INTRSECTN	R		OLD SR 99 WYE CONN																											
18.00	1.05		MP MARKER	R		18																											
19.00	2.05		MP MARKER	R		19																											
19.39	2.44		INTRSECTN	B		59TH AVE NE																											
19.69	2.74		INTRSECTN	R		211TH PL NE WYE CONN																											
19.71	2.76		INTRSECTN	R		211TH PL NE																											
19.95	3.00		MP MARKER	R		20																											
20.59	3.64		INTRSECTN	L		DIKE RD																											
20.72	3.77																																
20.77	3.82		ENTER CITY			ARLINGTON																											
20.79	3.84		LEAVE CITY			ARLINGTON																											
			BEG COINCI			SR 009																											
			END CTLSEC			CONTROL SECTION 3139																											
			INTRSECTN	B		SR 9																											
20.90	3.95		BEG CTLSEC			CONTROL SECTION 3144																											
			BEG ST	I		E BURKE ST																											
			INTRSECTN	B		SR 9																											
			END COINCI			SR 009																											
20.91	3.96		ENTER CITY			ARLINGTON																											
			INTRSECTN	R		SR 9 WYE CONN																											

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
17.04	0.09			.05	12						
20.79	3.84			.06	12	.02	12				

SR 530 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----											
							-BRIDGE-		DECREAS/DIV			INCREAS/UNDI			SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
:DIRECTION TO INVENTORY						-XROAD-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T					
:LEFT/RIGHT INDICATOR						OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID									
20.98		4.03																											
20.99		4.04	INTRSECTN	B		WEST AVE (OLD SR 9)	CT	Y							8A	24A	8A			24	2	02	0045	R2	25	R	P	*	
21.01		4.06	INTRSECTN	B		RAILROAD AVE	CT	Y	1	1					\$\$\$	40A	\$\$\$			40	2	02	0045	R2	25	R	P	*	
21.30		4.15	EQUATION			021.10 =021.30			1	1					C	48A	C			48	2	02	0045	R2	25	R	B	*	
			INTRSECTN	R		BROADWAY AVE(OLD SR 530)	CT	SS	Y																				
			INTRSECTN	L		BROADWAY AVE	CT	SS	Y																				
21.33		4.18	BEG SU LN	C		TWO WAY TURN	10A		1	1					C	38A	C	10		48	2	02	0045	R2	25	R	B	*	
21.37		4.22	INTRSECTN	B		N NEWBERRY ST	CT	Y																					
21.47		4.32	INTRSECTN	R		N MANHATTAN ST	CT	Y																					
21.52		4.37	END SU LN	C		TWO WAY TURN	10A		1	1					8A	40A	C	\$\$\$		40	2	02	0045	R2	25	R	P	*	
21.55		4.40	END ST	I		E BURKE ST			1	1					2A	20A	2A			20	2	02	0045	R2	25	R	P	\$	
21.56		4.41	LEAVE CITY			ARLINGTON			1	1					2A	20A	2A			20	2	02	\$\$\$\$	R2	40	R	\$		
21.57		4.42	BEG BRIDGE	B		STILLAGUAMISH RIVER	ST		1	1					\$\$\$	20P	\$\$\$			20	2	02		R2	40	R			
						BRDG NUM 530/120																							
21.64		4.49	END BRIDGE	B		STILLAGUAMISH RIVER			1	1					2A	20A	2A			20	2	02		R2	40	R			
21.91		4.76							1	1					6A	22A	6A			22	2	02		R2	40	R			
21.96		4.81							1	1					6A	22A	6A			22	2	02		R2	55	R			
21.98		4.83	MP MARKER	R		22																							
22.14		4.99	INTRSECTN	R		234TH ST	CO	Y																					
23.00		5.85	MP MARKER	R		23																							
23.27		6.12	INTRSECTN	R		249TH ST NE	CO	N																					
23.93		6.78	INTRSECTN	R		103RD AVE NE	CO	N																					
23.99		6.84	MP MARKER	R		24																							
24.54		7.39	INTRSECTN	R		ARNOT RD	CO	N																					
24.84		7.69	INTRSECTN	L		115TH AVE NE	CO	N																					
24.99		7.84	MP MARKER	R		25																							
25.11		7.96	INTRSECTN	R		119TH AVE NE	CO	N																					
25.52		8.37	INTRSECTN	R		JIM CREEK RD	CO	N																					
25.86		8.71	INTRSECTN	L		127TH AVE NE	CO	N																					
25.99		8.84	MP MARKER	R		26																							
26.77		9.62	INTRSECTN	L		139TH AVE NE	CO	N																					
27.00		9.85	MP MARKER	R		27																							
27.98		10.83	MP MARKER	R		28																							
28.21		11.06	INTRSECTN	L		OLD ALIGNMENT	CO	N																					
28.30		11.15	RR XING	B		NUM 92116D GRADE																							
			MISC FEATR	B		RR XING (VACATED)																							
28.33		11.18	INTRSECTN	L		OLD ALIGNMENT	CO	N																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L	R	L	R	L	R	L	R
			NEAR	NEAR	FAR	FAR	LEFT	LEFT	LEFT	LEFT
			LG	WD	LG	WD	LG	WD	LG	WD
21.30		4.15	.03	12	.03	12				

SR 530 MAINLINE STATE ROUTE - SRSH COUNTY SNOHOMISH DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	---WIDTH AND SURFACE INFORMATION---										-----CLASSIFICATIONS----												
							-BRIDGE-		DECREAS/DIV		INCREAS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T	P	S				
:DIRECTION TO INVENTORY						-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	RDY	SHD	RDY	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S					
:LEFT/RIGHT INDICATOR						OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
45.13			INTRSECTN	L		411TH AVE NE	CO	N	1	1				6A	24A	6A			24	2	02	R2			55	R			
45.16			BEG BRIDGE	B		ASHTON CREEK	ST			1	1			\$\$C	36A	\$\$C			36	2	02	R2			55	R			
						BRDG NUM 530/137																							
45.18			END BRIDGE	B		ASHTON CREEK				1	1			6A	24A	6A			24	2	02	R2			55	R			
45.22			INTRSECTN	L		412TH AVE NE	CO	N																					
45.37			BEG BRIDGE	B		SQUIRE CREEK	ST			1	1			\$\$W	36P	\$\$W			36	2	02	R2			55	R			
						BRDG NUM 530/138																							
45.39			END BRIDGE	B		SQUIRE CREEK				1	1			6A	24A	6A			24	2	02	R2			55	R			
45.44			INTRSECTN	L		SQUIRE CREEK PARK RD	CO	N																					
45.81			INTRSECTN	L		CO RD	CO	N	1	1				6A	22A	6A			22	2	02	R2			55	R			
45.99			MP MARKER	R		46																							
47.00			MP MARKER	R		47																							
48.00			MP MARKER	R		48																							
48.29			ENTER CITY			DARRINGTON				1	1			6A	22A	6A			22	2	02	0305	R2		55	R	P		
48.30			MISC FEATR	R		SGN ENT DARRINGTON																							
48.40										1	1			6A	22A	6A			22	2	02	0305	R2		45	R	P		
48.65										1	1			6A	22A	6A			22	2	02	0305	R2		30	R	P		
48.73										1	1			6A	20A	6A			20	2	02	0305	R2		30	R	B		
48.74			INTRSECTN	R		SEEMAN ST WYE CONN	CT	Y																					
48.76			BEG ST	I		SEEMAN ST				1	1			\$\$C	44A	\$\$C			44	2	02	0305	R2		30	R	B	*	
			INTRSECTN	R		SEEMAN ST	CT	Y																					
48.79			BEG SU LN	C		TWO WAY TURN	11A			1	1			C	32A	C	11	43	2	02	0305	R2		30	R	B	*		
48.82			INTRSECTN	B		MADISON ST	CT	Y																					
48.88			INTRSECTN	B		COMMERCIAL AVE	CT	Y																					
48.94			INTRSECTN	B		SAUK AVE	CT	Y																					
49.00			MP MARKER	R		49																							
49.01			INTRSECTN	R		GIVENS AVE	CT	Y	1	1				C	32A	C	11	43	2	02	0305	R2		30	R	P	*		
49.02			END SU LN	C		TWO WAY TURN	11A			1	1			C	32A	C	\$\$\$	32	2	02	0305	R2		30	R	P	*		
			INTRSECTN	B		RAILROAD AVE	CT	Y																					
49.03			RR XING	B		NUM 92164T GRADE				1	1			10A	24A	10A			24	2	02	0305	R2		30	R	B	*	
			MISC FEATR	B		RR XING (VACATED)																							
49.07			END ST	I		SEEMAN ST				1	1			4G	22A	4G			22	2	02	0305	R2		30	L	P	*	
			BEG ST	I		N EMMENS ST																							
			INTRSECTN	R		SEEMAN ST	CT	SS	Y																				
			INTRSECTN	R		MOUNTAIN LOOP RD	CT	SS	Y																				
49.20			INTRSECTN	R		RANDAL ST	CT	Y																					
49.33			INTRSECTN	L		PRICE ST	CT	Y																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
48.76		31.57				.02	11			

SR 531 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----											
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S		MEDIAN- WD/S BR		INCRS/UNDI LFT RHT SHD RDY SHD W/S W/S W/S		SPC USE TOT LNS RDY WID WID		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB		T P R K		S T	
0.00	0.00		BEG ROUTE			MAIN ROUTE			1	1					2G	21A	2G			21	3	01		R3		35	R	*
			BEG CTLSEC			WENBERG STATE PK TO SR 9																						
			BEG ST	I		LAKE GOODWIN RD																						
			ENT/EXIT	L		WENBERG STATE PARK	ST	Y																				
0.09	0.09		INTRSECTN	L		ROSE RD	CO	N																				
			INTRSECTN	R		156TH ST NW	CO	N																				
0.24	0.24		INTRSECTN	R		158TH PL NW	CO	N																				
0.30	0.30		INTRSECTN	R		159TH PL NW	CO	N																				
0.43	0.43		INTRSECTN	L		HUBLY RD	CO	N																				
0.75	0.75		INTRSECTN	L		167TH ST NW	CO	N																				
0.91	0.91		INTRSECTN	R		169TH ST NW	PV	N																				
0.95	0.95		INTRSECTN	L		37TH AVE NW	PV	N																				
1.00	1.00		MP MARKER	L		1																						
1.09	1.09		INTRSECTN	R		171ST PL NW	PV	N																				
1.35	1.35		INTRSECTN	L		SCHUHS LN	CO	Y																				
1.41	1.41		INTRSECTN	L		175TH PL NW	CO	Y																				
1.44	1.44		END ST	I		LAKE GOODWIN RD			1	1					2G	22A	2G			22	3	01		R3		35	L	*
			BEG ST	I		LAKEWOOD RD																						
			INTRSECTN	L		LAKEWOOD RD	CO	SS	Y																			
1.56	1.56		INTRSECTN	L		40TH AVE NW	CO	N																				
1.75	1.75		INTRSECTN	L		37TH AVE NW	PV	N																				
1.87	1.87		INTRSECTN	L		35TH AVE NW	PV	N																				
1.95	1.95		INTRSECTN	L		34TH AVE NW	CO	N																				
2.02	2.02		MP MARKER	L		2																						
2.10	2.10		INTRSECTN	R		FREESTAD RD	CO	N																				
2.14	2.14		INTRSECTN	L		31ST DR NW	PV	N																				
2.22	2.22		INTRSECTN	L		30TH AVE NW	PV	N																				
2.33	2.33		INTRSECTN	L		28TH AVE NW	PV	Y																				
2.47	2.47		INTRSECTN	R		26TH AVE NW	CO	N																				
2.55	2.55		INTRSECTN	L		25TH DR NW	CO	N																				
2.70	2.70								1	1					10G	22A	10G			22	3	01		R3		35	L	*
2.77	2.77								1	1					2G	22A	2G			22	3	01		R3		35	L	*
3.02	3.02		MP MARKER	L		3																						
			INTRSECTN	R		MCRAE RD NW	CO	N																				
3.13	3.13		INTRSECTN	R		16TH DR NW	PV	N																				
3.43	3.43		INTRSECTN	L		12TH AVE NW	CO	N																				
3.50	3.50		INTRSECTN	R		11TH AVE NW	CO	Y																				
3.62	3.62		INTRSECTN	R		176TH PL NW	CO	N																				
4.01	4.01		MP MARKER	L		4																						
4.03	4.03		INTRSECTN	R		172ND ST NW WYE CONN	CO	N																				
4.05	4.05		INTRSECTN	R		172ND ST NW	CO	N																				
4.07	4.07		END ST	I		LAKEWOOD RD			1	1					2A	22A	2A			22	3	01		R3		35	L	*

SR 531 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----								
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		LEGAL		T P S				
: :LEFT/RIGHT INDICATOR				-UXING-		LFT RHT		LFT RHT		LNS RDY		LNS RDY		A SE		NBR FC		D IB		R K T				
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	NBR LNS	SHD W/S	RDY W/S	SHD W/S	MEDIAN- WD/S BR	SHD W/S	RDY W/S	SHD W/S	USE WID	TOT WID	MTCE A SE	CITY NBR	ST FC	LEGAL D IB	T R	P K	S T		
6.44	6.44	INTRSECTN	L	OFF RAMP WYE CONN	ST	Y	1	1					C 68A	C	68	2	02	0045	R3	35	L	P	*	
6.45	6.45	BEG SU LN	L	BICYCLE	06A			1	1				C 56A	C	12	68	2	02	0045	R3	35	L	P	*
		BEG SU LN	R	BICYCLE	06A																			
6.46	6.46							1	2				C 44A	C	12	56	2	02	0045	R3	35	L	P	*
6.50	6.50	BEG SU LN	C	TWO WAY TURN	12A			2	2				C 56A	C	24	80	2	02	0045	R3	35	L	P	*
		INTRSECTN	L	SMOKEY PT DR		PV		N																
6.54	6.54							3	2				C 56A	C	24	80	2	02	0045	R3	35	L	P	*
6.57	6.57	END SU LN	C	TWO WAY TURN	12A			3	2				C 68A	C	12	80	2	02	0045	R3	35	L	P	*
6.63	6.63	INTRSECTN	B	SMOKEY POINT BLVD		CT	SG	Y																
6.69	6.69	BEG SU LN	C	TWO WAY TURN	12A			2	2				C 44A	C	24	68	2	02	0045	R3	35	L	P	*
6.81	6.81	ENT/EXIT	R	SHOPPING CENTER		PV		N																
6.87	6.87	ENT/EXIT	R	SHOPPING CENTER		PV		N																
6.89	6.89							2	2				C 44A	C	24	68	2	02	0045	R3	50	L	P	*
6.90	6.90							2	1				C 44A	C	24	68	2	02	0045	R3	50	L	P	*
6.98	6.98							1	1				C 44A	C	24	68	2	02	0045	R3	50	L	P	*
7.00	7.00	END SU LN	L	BICYCLE	06A			1	1				8A 24A	8A	12	36	2	02	0045	R3	50	L	P	*
		END SU LN	R	BICYCLE	06A																			
7.07	7.07	END SU LN	C	TWO WAY TURN	12A			1	1				8A 24A	8A	\$\$\$	24	2	02	0045	R3	50	L	P	*
7.12	7.12	INTRSECTN	L	43RD AVE NE		CT		N																
7.13	7.13	LEAVE CITY		ARLINGTON				1	1				8A 24A	8A		24	2	02	\$\$\$\$	R3	50	L	\$	*
7.19	7.19							1	1				6A 22A	6A		22	2	02		R3	50	L		*
7.62	7.62	INTRSECTN	B	51ST AVE NE		CO	SG	Y																
7.99	7.99	MP MARKER	L	8																				
8.12	8.12	INTRSECTN	L	59TH AVE NE		CO	SG	Y	1	1			2G 22A	2G		22	2	02		R3	50	L		*
8.13	8.13	ENTER CITY		ARLINGTON				1	1				2G 22A	2G		22	2	02	0045	R3	50	L	P	*
8.45	8.45							1	1				8A 22A	8A		22	2	02	0045	R3	50	L	P	*
8.53	8.53							1	1				\$\$C 40A	\$\$C		40	2	02	0045	R3	50	L	P	*
8.57	8.57	RR XING	B	NUM 092084A GRADE																				
8.59	8.59	INTRSECTN	B	67TH AVE NE-ARMAR RD		CO	SG	Y	1	1			C 40A	C		40	2	02	0045	R3	50	R	P	*
8.60	8.60	LEAVE CITY		ARLINGTON				1	1				C 40A	C		40	2	02	\$\$\$\$	R3	35	R	\$	*
8.63	8.63							1	1				8A 22A	8A		22	2	02		R3	35	R		*

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR LGT	R NEAR LGT	L FAR LGT	R FAR LGT	LEFT-- LGT	L-CNTR LGT	R-CNTR LGT	RIGHT- LGT
6.44	6.44				.06	12			
6.50	6.50	.04	12		.04	12			
6.63	6.63	.04	12	.05	14	.04	12	.06	12
7.12	7.12	.03	12						
7.62	7.62	.05	12		.03	12			
8.12	8.12	.06	12						
8.59	8.59	.05	12	.02	12	.03	12		

SR 532 MAINLINE

STATE ROUTE - SRSH

COUNTY ISLAND

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV				INCRS/UNDI				SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LFT		RHT		USE		TOT																		
: :				-XROAD-		LNS		SHD		RDY		SHD		LNS		RDY		MTCE		CITY		ST		LEGAL		T P S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
0.00	0.00		BEG ROUTE			MAIN ROUTE											1	1																		
			BEG CTLSEC			CAMANO ISLAND TO SR 5																														
			INTRSECTN	L		E CAMANO DR				CO																										
			INTRSECTN	R		SUNRISE BLVD				CO																										
0.02	0.02		INTRSECTN	L		E CAMANO DR WYE CONN				CO																										
0.18	0.18																																			
0.30	0.30		INTRSECTN	L		N CAMANO DR				CO																										
0.42	0.42		INTRSECTN	L		N CAMANO DR WYE CONN				CO																										
0.48	0.48																																			
0.57	0.57		INTRSECTN	L		HANSTAD RD				CO																										
0.82	0.82		INTRSECTN	L		HEICHEL RD				CO																										
1.01	1.01		MP MARKER	R		1																														
1.10	1.10		INTRSECTN	R		FOX TROT WAY				CO																										
			ENT/EXIT	L		BUSINESS				PV																										
1.34	1.34		INTRSECTN	L		REKDAL RD				CO																										
			INTRSECTN	R		JUNIPER BEACH RD				CO																										
1.85	1.85		INTRSECTN	L		GOOD RD				CO																										
1.98	1.98		MP MARKER	R		2																														
2.38	2.38		INTRSECTN	B		SMITH RD				CO																										
2.44	2.44		BEG SU LN	L		SLOW VEHICLE																														
2.67	2.67		END SU LN	L		SLOW VEHICLE																														
2.88	2.88		MISC FEATR	L		SGN ENT ISLAND COUNTY																														
			MISC FEATR	R		SGN ENT SNOHOMISH COUNTY																														
2.90	2.90		BEG BRIDGE B			DAVIS SLOUGH				ST																										
						BRDG NUM 532/001																														
2.91	2.91		END CTLSEC			CONTROL SECTION 1532																														
			LEAVE CO			ISLAND																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00					.04	12				
0.82	0.82			.03	12						
1.10	1.10			.02	12	.03	12				
1.85	1.85			.03	12	.06	12			.10	12
2.38	2.38			.03	12	.03	12	.14	12		

SR 532 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----												
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							NBR	LFT	RHT	W/S	RDY	SHD	W/S	RDY	SHD	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T	
2.91	2.91		ENTER CO BEG CTLSEC			SNOHOMISH CONTROL SECTION 3141	1	1						C	26A				26	2	02			R3		45		R	
2.92	2.92		END BRIDGE	B		DAVIS SLOUGH	1	1						8A	22A		8A		22	2	02			R3		45		R	
3.00	3.00		MP MARKER	R		3																							
3.29	3.29		INTRSECTN	R		EIDE RD	CO	N																					
3.39	3.39		RR XING BEG BRIDGE	B		NUM 84698P STRUCTURE STILLAGUAMISH RIVER BRDG NUM 532/002	1	1						\$\$C	26P		\$\$C		26	2	02			R3		45		R	
3.48	3.48		END BRIDGE	B		STILLAGUAMISH RIVER	1	1						8A	22A		8A		22	2	02			R3		45		R	
3.63	3.63		INTRSECTN	L		270TH ST NW	CO	N																					
3.80	3.80		ENTER CITY BEG ST	I		STANWOOD 269TH PL NW	1	1						\$\$C	60A		\$\$C		60	2	02	1235	R3		35	R	B	*	
3.83	3.83		MISC FEATR BEG SU LN	R		SGN ENT STANWOOD TWO WAY TURN	14A	1	1					C	46A		C	14	60	2	02	1235	R3		35	R	B	*	
3.86	3.86		INTRSECTN	B		104TH DR NW	CT	Y																					
3.92	3.92		INTRSECTN	L		103RD DR NW	CT																						
3.97	3.97		INTRSECTN	L		102ND DR NW	CT	Y																					
4.03	4.03		INTRSECTN	L		102ND AVE NW	CT	Y																					
4.07	4.07		END SU LN	C		TWO WAY TURN	14A	1	1					C	52A		2A	\$\$\$	52	2	02	1235	R3		35	R	P	*	
4.09	4.09		INTRSECTN	L		CAMANO ST WYE CONN	CT	Y																					
4.10	4.10													C	42A		2A		42	2	02	1235	R3		35	R	P	*	
4.11	4.11		INTRSECTN	L		CAMANO ST	CT	Y																					
4.13	4.13													8A	22A		8A		22	2	02	1235	R3		35	R	P	*	
4.25	4.25		END ST BEG ST	I		269TH PL NW 268TH ST NW	1	1						8A	22A		8A		22	2	02	1235	R3		45	R	P	*	
			INTRSECTN	L		98TH DR NW	CT	Y																					
			INTRSECTN	R		98TH AVE NW-LEQUE RD	CT	Y																					
4.83	4.83													4A	24A		4A		24	2	02	1235	R3		45	R	P	*	
4.90	4.90		INTRSECTN	B		88TH AVE NW	CT	SG	Y																				
4.98	4.98		RR XING BEG BRIDGE	B		NUM 84686V STRUCTURE MARINE DR-FLORENCE ST BRDG NUM 532/006	1	1						\$\$C	26P		\$\$C		26	2	02	1235	R3		45	R	P	*	
5.12	5.12		END BRIDGE	B		MARINE DR-FLORENCE ST	1	1						8A	22A		8A		22	2	02	1235	R3		45	R	P	*	
5.20	5.20		MP MARKER	R		5																							
5.25	5.25		INTRSECTN	B		PIONEER HWY (OLD SR 530)	CT	SG	Y					8A	24A		8A		24	2	02	1235	R3		45	R	P	*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.11	4.11		.02	12					.02	12
4.90	4.90		.06	12	.02	12	.06	12		
5.25	5.25		.04	12	.03	12				

SR 532 MAINLINE

STATE ROUTE - SRSH

COUNTY SNOHOMISH

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS---							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	LFT	RHT	SHD	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD	LNS	RDY	SHD		
						:	-XROAD-	D I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
						:	OW TC L	D I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	
5.26		5.26							1	1			8A	24A	8A	24	2	02	1235	R3	45	R	P	*
5.35		5.35							1	1			8A	22A	8A	22	2	02	1235	R3	45	R	P	*
5.36		5.36							1	1			8A	22A	8A	22	2	02	1235	R3	50	R	P	*
5.90		5.90	END ST	I		268TH ST NW			1	1			8A	22A	8A	22	2	02	1235	R3	50	R	P	\$
			INTRSECTN	B		72ND AVE NW	CT	SG	Y															
5.91		5.91							1	1			8A	22A	8A	22	2	02	1235	R3	55	R	P	
6.00		6.00	MP MARKER	R		6																		
6.16		6.16	MISC FEATR	L		SGN ENT STANWOOD																		
6.20		6.20	LEAVE CITY			STANWOOD			1	1			8A	22A	8A	22	2	02	\$\$\$\$	R3	55	R	\$	
6.45		6.45	INTRSECTN	B		64TH AVE NW	CO		N															
6.99		6.99	MP MARKER	R		7																		
7.10		7.10							1	1			8A	24A	8A	24	2	02		R3	55	R		
7.21		7.21	INTRSECTN	R		52ND AVE NW	CO		N															
7.97		7.97	MP MARKER	R		8																		
8.22		8.22	INTRSECTN	B		36TH AVE NW	CO		N															
8.74		8.74	INTRSECTN	L		28TH AVE NW	CO		N															
			INTRSECTN	R		W SUNDAY LAKE RD	CO		N															
9.00		9.00	MP MARKER	R		9																		
9.30		9.30	INTRSECTN	R		19TH AVE NW	CO		N															
9.79		9.79	INTRSECTN	L		12TH AVE NW	CO		Y															
			INTRSECTN	R		E SUNDAY LAKE RD	CO		Y															
9.90		9.90							1	1			8A	22A	8A	22	2	02		R3	55	R		
9.94		9.94	INTRSECTN	B		OLD 99 NORTH	CO		Y	1	1		8A	22A	8A	22	2	02		R3	40	R		
9.98		9.98	MP MARKER	R		10																		
10.00		10.00	INTRSECTN	R		OFF RAMP WYE CONN	ST		Y															
10.02		10.02	ON RAMP	L		SR 5	ST		Y															
			OFF RAMP	R		SR 5	ST		Y															
10.07		10.07	UXING	B		SR 5 SB	ST																	
						BRDG NUM 005/673W																		
10.09		10.09	UXING	B		SR 5 NB	ST																	
						BRDG NUM 005/673E																		
			END CTLSEC			CONTROL SECTION 3141																		
			END ROUTE																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.90		5.90	.03	12	.03	12				
7.21		7.21		.03	12	.04	12			
8.22		8.22		.01	12	.01	12			
8.74		8.74		.01	12	.01	12			
9.79		9.79		.01	12	.01	12			

SR 536 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----														
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE			CITY	ST	LEGAL	T	P	S											
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	LFT	RDY	SHD	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
						:LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
						:	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
0.00	0.00	BEG ROUTE	MAIN ROUTE			SR 20 TO SR 5/MT VERNON		1	8A	14A	10A						14	2	01	R2			50	L									
		BEG CTLSEC	CONTROL SECTION 2949																														
		INTRSECTN	SR 20	B		ST SG Y																											
0.02	0.02	ON RAMP	SR 520 EB	R		ST	Y	1	1	\$\$\$	\$\$\$	\$\$\$					8A	22A	10A				22	2	01	R2			50	L			
0.03	0.03	BEG BRIDGE	HIGGENS SLOUGH	B		ST		1	1								\$\$C	36A	\$\$C				36	2	01	R2			50	L			
			BRDG NUM 536/012																														
0.04	0.04	END BRIDGE	HIGGENS SLOUGH	B				1	1								6A	21A	6A				21	2	01	R2			50	L			
0.48	0.48	INTRSECTN	YOUNG RD	R		CO			N																								
0.52	0.52	INTRSECTN	BRADSHAW RD	B		CO			N																								
1.00	1.00	MP MARKER	1	R																													
1.50	1.50	INTRSECTN	BEAVER MARSH RD	R		CO			N																								
1.96	1.96	INTRSECTN	BENNETT RD	L		CO			N																								
2.00	2.00	MP MARKER	2	R																													
2.20	2.20							1	1								8A	20A	8A				20	2	01	R2			50	L			
2.44	2.44							1	1								6A	21A	6A				21	2	01	R2			50	L			
2.54	2.54							1	1								4A	22A	4A				22	2	01	R2			50	L			
2.65	2.65	INTRSECTN	AVON ALLEN RD	B		CO SG Y																											
2.74	2.74							1	1								8A	22A	8A				22	2	01	R2			50	L			
2.76	2.76							1	1								6A	21A	6A				21	2	01	R2			50	L			
2.91	2.91	INTRSECTN	THEORDSON LN	R		PV			N																								
3.01	3.01	MP MARKER	3	R																													
3.13	3.13	INTRSECTN	VALLEY VIEW DR	R		CO			N																								
3.50	3.50							1	1								6A	21A	6A				21	2	01	R2			45	L			
3.60	3.60	INTRSECTN	DUNBAR RD	B		CO	Y	1	1								6A	21A	6A				21	2	01	U2			45	L			
3.63	3.63	INTRSECTN	SUNSET LN	R		CO			N																								
3.93	3.93	INTRSECTN	MOORES GARDEN RD	L		CO			N																								
4.00	4.00	MP MARKER	4	R																													
4.10	4.10	MISC FEATR	SGN ENT MOUNT VERNON	R																													
4.13	4.13	ENTER CITY	MOUNT VERNON					1	1								6A	22A	6A				22	2	01	0820	U2		25	L	P		
4.16	4.16							1	1								10A	40A	\$\$C				40	2	01	0820	U2		25	L	P		
4.29	4.29							1	1								\$\$C	42A	C				42	2	01	0820	U2		25	L	P		
4.36	4.36	BEG ST	DIVISION	I				1	1								C	82A	C				82	2	01	0820	U2		25	L	B *		
		INTRSECTN	DIVISION ST	R		CT	Y																										
4.38	4.38	INTRSECTN	DIVISION ST WYE CONN	R		CT	Y																										
4.49	4.49	INTRSECTN	WALL ST	B		CT SG Y																											

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.65	2.65		.03	12	.03	12				
4.49	4.49		.02	12	.02	12	.02	12		

SR 538 MAINLINE

STATE ROUTE - SRSH

COUNTY SKAGIT

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---							
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC		TOT		MTCE		CITY		ST		LEGAL		T P S	
: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT		RHT		LNS		RDY		SHD		W/S		WID		R K T	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	DI	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S
1.55	1.55																						
1.61	1.61																						
1.77	1.77		INTRSECTN	R	N	30TH ST	CT		Y														
1.83	1.83																						
1.99	1.99		INTRSECTN	L	N	33RD PL	CT		Y														
2.02	2.02		MP MARKER	R		2																	
2.07	2.07		INTRSECTN	L	N	35TH ST	CT		Y														
2.28	2.28		INTRSECTN	R		WAUGH RD	CT		Y														
			INTRSECTN	L		MARTIN RD	CT		Y														
2.40	2.40		INTRSECTN	L	N	40TH PL	CT		Y														
2.52	2.52		END SU LN	C		TWO WAY TURN	12A																
2.56	2.56																						
2.60	2.60		INTRSECTN	R		HORTON RD	CT		N														
2.87	2.87		END ST	I		COLLEGE WAY																	
			INTRSECTN	R		MONTE VISTA DR	CT		N														
2.93	2.93																						
2.99	2.99		MP MARKER	R		3																	
3.06	3.06		LEAVE CITY			MOUNT VERNON																	
3.07	3.07		MISC FEATR	L		SGN ENT MT VERNON																	
3.10	3.09		EQUATION			003.09 =003.10																	
3.40	3.39																						
3.62	3.61		INTRSECTN	R	SR	9 WYE CONN	ST		Y														
3.67	3.66		INTRSECTN	B	SR	9	ST		Y														
			END CTLSEC			CONTROL SECTION 2936																	
			END ROUTE																				

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
2.87	2.87					.02	14				
3.61	3.60					.03	12			.03	12

SR 539 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																				
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE	DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S													
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.00	0.00		BEG ROUTE			MAIN ROUTE SR 5/BELLINGHM TO CANADA			3	2	C	36A			13A	CU			27A		C			63	1	02	0080	U1		35	R	P	*				
			ENTER CITY			BELLINGHAM																															
			BEG CTLSEC			CONTROL SECTION 3731																															
			BEG ST	I		MERIDIAN ST																															
			UXING	B		SR 5 SB																															
						BRDG NUM 005/822W																															
0.02	0.02		UXING	B		SR 5 NB																															
						BRDG NUM 005/822E																															
0.03	0.03		UXING	B		N-E RAMP																															
						BRDG NUM 005/822N-E																															
0.05	0.05		ON RAMP	R		SR 5																															
			OFF RAMP	L		SR 5																															
0.06	0.06		INTRSECTN	L		OFF RAMP WYE CONN																															
			INTRSECTN	R		ON RAMP WYE CONN																															
0.11	0.11		INTRSECTN	R		W TELEGRAPH RD																															
			INTRSECTN	L		TELEGRAPH RD																															
0.17	0.17		BEG SU LN	C		TWO WAY TURN																															
			END SU LN	C		TWO WAY TURN																															
0.23	0.23		END SU LN	C		TWO WAY TURN																															
0.30	0.30		INTRSECTN	B		E BELLIS FAIR PKWY																															
0.35	0.35		BEG SU LN	C		TWO WAY TURN																															
0.39	0.39		ENT/EXIT	L		SHOPPING CENTER																															
0.43	0.43		END SU LN	C		TWO WAY TURN																															
0.48	0.48		INTRSECTN	L		W BAKERVIEW RD																															
			INTRSECTN	R		E BAKERVIEW RD																															
0.54	0.54		BEG SU LN	C		TWO WAY TURN																															
0.60	0.60		INTRSECTN	R		PRINCE AVE																															
0.62	0.62		END SU LN	C		TWO WAY TURN																															
0.65	0.65		INTRSECTN	L		WESTERLY RD																															
			ENT/EXIT	R		HOLIDAY INN																															
0.70	0.70		BEG SU LN	C		TWO WAY TURN																															
0.80	0.80		END SU LN	C		TWO WAY TURN																															
0.86	0.86		INTRSECTN	B		KELLOGG RD																															

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	LGT	WD	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
					LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.05	0.05		.02	12								
0.11	0.11		.03	12			.03	12				
0.30	0.30		.04	12			.03	12				
0.48	0.48		.03	12			.03	12				
0.65	0.65		.02	12	.01	12	.03	12				
0.86	0.86		.02	12			.03	12				

SR 539 MAINLINE STATE ROUTE - SRSH COUNTY WHATCOM DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----																																				
:DIRECTION TO INVENTORY				-BRIDGE-		DECREAS/DIV				INCREAS/UNDI				SPC		-----CLASSIFICATIONS---																								
:LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	LNS	RDY	SHD	W/S	W/S	W/S	A	SE	NBR	FC	D	IB	R	K	T							
0.87	0.87																																							
0.91	0.91		EXIT TO	R		SHOPPING CENTER																																		
0.92	0.92		BEG SU LN	C		TWO WAY TURN	12A																																	
			ENT FROM	R		SHOPPING CENTER																																		
0.93	0.93		ENT FROM	L		SHOPPING CENTER																																		
0.95	0.95		EXIT TO	L		SHOPPING CENTER																																		
0.96	0.96																																							
1.00	1.00		MP MARKER	R		1																																		
1.01	1.01		ENT FROM	L		SHOPPING CENTER																																		
1.02	1.02		EXIT TO	L		SHOPPING CENTER																																		
1.15	1.15		END SU LN	C		TWO WAY TURN	12A																																	
1.23	1.23		INTRSECTN	B		STUART RD																																		
1.32	1.32		BEG SU LN	C		TWO WAY TURN	12A																																	
1.33	1.33		EXIT TO	R		WAL-MART																																		
1.34	1.34		ENT FROM	R		WAL-MART																																		
1.49	1.49		INTRSECTN	R		VAN WYCK RD																																		
			INTRSECTN	L		THOMAS ST																																		
1.73	1.73		END SU LN	C		TWO WAY TURN	12A																																	
			INTRSECTN	B		HORTON RD																																		
1.74	1.74		MISC FEATR	L		SGN ENT BELLINGHAM																																		
1.79	1.79																																							
1.99	1.99		INTRSECTN	L		WALDRON RD																																		
2.00	2.00		MP MARKER	R		2																																		
2.23	2.23		INTRSECTN	R		KLINE RD																																		
2.38	2.38																																							
2.40	2.40		LEAVE CITY			BELLINGHAM																																		
2.48	2.48		INTRSECTN	R		KELLY RD																																		
2.97	2.97		MP MARKER	R		3																																		
3.00	3.00		INTRSECTN	L		LARSON RD																																		
3.50	3.50		INTRSECTN	B		SMITH RD																																		
3.99	3.99		MP MARKER	R		4																																		
4.50	4.50		INTRSECTN	B		AXTON RD																																		

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR LGT	R NEAR LGT	L FAR LGT	R FAR LGT	LEFT-- LGT	L-CNTR LGT	R-CNTR LGT	RIGHT-- LGT
0.91	0.91			.01	10					
0.92	0.92									.01 10
1.23	1.23		.04	12		.05	12			
1.33	1.33			.03	16					
1.73	1.73					.03	12			
3.50	3.50		.03	12		.03	12			
4.50	4.50		.03	12		.03	12			

SR 539 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																							
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	TOT																							
: :				-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
9.49		9.49																																	
9.54		9.54	END BRIDGE	B		NOOKSACK RIVER																													
9.56		9.56	INTRSECTN	L		RIVER RD	CO		N																										
9.99		9.99	MP MARKER	R		10																													
10.11		10.11	BEG BRIDGE	B		NOOKSACK RIVER OFLW	ST																												
						BRDG NUM 539/861																													
10.17		10.17	END BRIDGE	B		NOOKSACK RIVER OFLW																													
10.25		10.25	BEG BRIDGE	B		FISHTRAP CREEK	ST																												
						BRDG NUM 539/862																													
10.27		10.27	END BRIDGE	B		FISHTRAP CREEK																													
10.29		10.29																																	
10.39		10.39	INTRSECTN	L		BAY-LYN DR	CO		N																										
10.44		10.44	ENTER CITY			LYNDEN																													
10.53		10.53	INTRSECTN	L		BIRCH BAY-LYNDEN RD	CT	SG	Y																										
			INTRSECTN	R		KOK RD	CT	SG	Y																										
10.58		10.58	BEG SU LN	C		TWO WAY TURN	12A																												
10.63		10.63	EXIT TO	R		SHOPPING CENTER	PV		Y																										
10.65		10.65	ENT FROM	R		SHOPPING CENTER	PV		Y																										
10.68		10.68																																	
10.77		10.77	END SU LN	C		TWO WAY TURN	12A																												
			INTRSECTN	L		TROMP RD	CT		N																										
10.79		10.79	INTRSECTN	R		FRONT ST WYE CONN	CT		Y																										
10.80		10.80	INTRSECTN	R		FRONT ST	CT	SG	N																										
10.85		10.85																																	
10.99		10.99	MP MARKER	R		11																													
11.28		11.28	INTRSECTN	R		E MAIN ST	CT	SG	Y																										
			INTRSECTN	L		W MAIN ST	CT	SG	Y																										
11.36		11.36																																	
11.53		11.53	LEAVE CITY			LYNDEN																													
11.99		11.99	MP MARKER	R		12																													
12.54		12.54	INTRSECTN	R		SR 546	ST	SG	Y																										
			INTRSECTN	L		BADGER RD	CO	SG	Y																										

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.53		10.53	.03	12						
10.63		10.63			.05	13				
10.79		10.79			.01	12				
10.80		10.80					.03	12		
11.28		11.28	.03	12	.03	12	.03	12	.03	12
12.54		12.54	.03	12			.04	12		

SR 542 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS---												
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV		INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	USE	TOT																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S				
							OW	TC	L	D	I	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE																						
						SR 5 TO MT BAKER																						
			ENTER CITY			BELLINGHAM																						
			BEG CTLSEC			CONTROL SECTION 3705																						
			BEG ST	I		SUNSET DR																						
			BEG BRIDGE	B		SR 5																						
						BRDG NUM 542/001																						
0.04	0.04		END BRIDGE	B		SR 5																						
0.06	0.06		ON RAMP	R		SR 5																						
			OFF RAMP	L		SR 5																						
0.10	0.10		INTRSECTN	R		LINCOLN ST																						
0.15	0.15		ENT/EXIT	L		SHOPPING CENTER																						
0.21	0.21		BEG SU LN	C		TWO WAY TURN																						
			INTRSECTN	L		JAMES ST/SHOPPING CENTER																						
0.27	0.27		END SU LN	C		TWO WAY TURN																						
0.29	0.29																											
0.32	0.32		INTRSECTN	B		ORLEANS ST																						
0.35	0.35																											
0.37	0.37																											
0.43	0.43																											
0.51	0.51																											
0.55	0.55		INTRSECTN	R		RACINE ST																						
0.75	0.75		INTRSECTN	R		SOUTHBEND PL																						
0.93	0.93		INTRSECTN	R		WOBURN ST																						
			INTRSECTN	L		HANNEGAN RD																						
0.99	0.99		MP MARKER	R		1																						
1.51	1.51		INTRSECTN	R		IDELL DR																						
1.66	1.66		INTRSECTN	R		VINING ST																						
1.70	1.70		LEAVE CITY			BELLINGHAM																						
			END ST	I		SUNSET DR																						
1.73	1.73		INTRSECTN	R		MCLEOD RD WYE CONN																						
1.74	1.74		INTRSECTN	R		MCLEOD RD																						
1.75	1.75		INTRSECTN	R		MCLEOD RD WYE CONN																						

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.06	0.06			.04	23						
0.10	0.10					.01	12			.01	12
0.21	0.21			.06	12						
0.32	0.32			.02	12			.03	12		
0.93	0.93			.02	12	.02	12	.03	12	.01	12

SR 542 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																	
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S																
						:DIRECTION TO INVENTORY	-XROAD-	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T						
1.78			1.78						1	1								5A	21A	5A		21	1	02		U2			55	R				
1.80			1.80						1	1								5A	21P	5A		21	1	02		U2			55	R				
1.99			1.99 MP MARKER		R	2																												
2.10			2.10 INTRSECTN		L	DEWEY RD	CO	N	1	1								5A	21P	5A		21	1	02		R2			55	R				
2.36			2.36															5A	20A	5A		20	1	02		R2			55	R				
2.46			2.46 INTRSECTN		L	CHANCE RD	CO	N																										
2.51			2.51															6A	20P	6A		20	1	02		R2			55	R				
2.81			2.81 INTRSECTN		R	BRITTON RD	CO	Y																										
2.98			2.98															6A	22A	6A		22	1	02		R2			55	R				
2.99			2.99 MP MARKER		R	3																												
3.80			3.80 INTRSECTN		L	NOON RD	CO	Y																										
3.85			3.85 INTRSECTN		L	VAN WYCK RD WYE CONN	CO	N																										
3.95			3.95 INTRSECTN		L	VAN WYCK RD	CO	N																										
4.00			4.00 MP MARKER		R	4																												
4.80			4.80 INTRSECTN		L	EVERSON GOSHEN RD	CO	Y																										
5.00			5.00 MP MARKER		R	5																												
5.81			5.81 INTRSECTN		L	MISSION RD	CO	Y																										
6.00			6.00 MP MARKER		R	6																												
6.07			6.07 INTRSECTN		R	Y RD	CO	N																										
6.42			6.42 INTRSECTN		R	SQUALICUM LAKE RD	CO	Y																										
7.00			7.00 MP MARKER		R	7																												
7.13			7.13 INTRSECTN		B	SAND RD	CO	Y																										
7.48			7.48 INTRSECTN		B	KELLY RD	CO	Y																										
8.00			8.00 MP MARKER		R	8																												
8.75			8.75 ENT/EXIT		R	WHATCOM CO PARKS DEPT	CO	N																										
8.80			8.80 ENT/EXIT		R	WHATCOM CO PARKS DEPT	CO	N																										
8.87			8.87 INTRSECTN		B	SMITH RD	CO	N																										
8.99			8.99 MP MARKER		R	9																												
9.40			9.40 RR XING		B	NUM 0000000 STRUCTURE			1	1								\$\$C	27A	\$\$C		27	1	02		R2			55	R				
			BEG BRIDGE		B	CMSTPP RR	ST																											
						BRDG NUM 542/009																												
9.43			9.43 END BRIDGE		B	CMSTPP RR			1	1									6A	22A	6A		22	1	02		R2			55	R			
9.55			9.55 INTRSECTN		B	CEDARVILLE RD	CO	N																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.80		3.80	.04	12						
4.80		4.80	.03	12					.01	12
5.81		5.81	.03	12						
6.42		6.42			.03	12				
7.13		7.13	.03	12						

SR 542 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----									
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
							-UXING-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T		
							-XROAD-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	WID	W/S	W/S	W/S	W/S	W/S	
							OW TC L	D I	W/S	W/S	W/S	WD/S BR	W/S	W/S	W/S	WID	WID								
12.00	12.00		MP MARKER	R		12																			
12.48	12.48		INTRSECTN	B		MCCAULEY RD	CO	N																	
12.74	12.74		INTRSECTN	R		PEBLEY RD	CO	N																	
13.00	13.00		MP MARKER	R		13																			
13.26	13.26		INTRSECTN	B		MITCHELL RD	CO	Y																	
13.51	13.51		INTRSECTN	R		FIRST ST	CO	Y																	
13.67	13.67		INTRSECTN	R		WATER ST	CO	Y																	
			INTRSECTN	R		ALDER ST	CO	Y																	
13.74	13.74		ENT/EXIT	R		NOOKSACK RIVER CASINO	PV	Y																	
			ENT/EXIT	L		LIBRARY	PV	Y																	
13.87	13.87		INTRSECTN	R		CO RD	CO	N																	
13.96	13.96		INTRSECTN	R		CO RD	CO	N																	
14.00	14.00		MP MARKER	R		14																			
14.07	14.07		INTRSECTN	L		HOLLINGSWORTH RD	CO	N																	
14.08	14.08		INTRSECTN	L		MARSHALL HILL RD	CO	Y	1	1				6G	22A	6G			22	1	02		R2	55	R
			INTRSECTN	R		DEMING RD	CO	Y																	
14.57	14.57		INTRSECTN	R		SR 9	ST	Y																	
14.58	14.58		INTRSECTN	R		SR 9 WYE CONN	ST	Y																	
15.01	15.01		MP MARKER	R		15																			
15.03	15.03		INTRSECTN	R		TRUCK RD	CO	N																	
15.91	15.91		INTRSECTN	B		MARSHALL HILL RD	CO	N																	
16.01	16.01		MP MARKER	R		16																			
16.14	16.14		INTRSECTN	R		MARSHALL HILL RD	CO	N																	
16.85	16.85		INTRSECTN	R		MOSQUITO LAKE RD	CO	N																	
17.00	17.00		MP MARKER	R		17																			
17.24	17.24		INTRSECTN	R		JAMES RD	CO	N																	
17.26	17.26																								
17.39	17.39		INTRSECTN	R		BELLS CREEK RD	CO	N						10G	22A	10G			22	1	02		R2	55	R
17.40	17.40		INTRSECTN	R		BELLS CREEK RD WYE CONN	CO	N																	
17.65	17.65		BEG BRIDGE	B		BELLS CREEK	ST																		
						BRDG NUM 542/021																			
17.67	17.67		END BRIDGE	B		BELLS CREEK								10G	22A	10G			22	1	02		R2	55	R
17.76	17.76		INTRSECTN	R		CO RD	CO	N																	
17.80	17.80		INTRSECTN	L		CO RD	CO	N																	
17.90	17.90																								
18.00	18.00		MP MARKER	R		18								3G	22A	3G			22	1	02		R2	55	R

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
13.74	13.74				.04	12										
14.57	14.57				.03	12			.02	12						

SR 542 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---								
							-BRIDGE-			DECREAS/DIV			INCRS/UNDI					SPC								
:DIRECTION TO INVENTORY							-UXING-			LFT			RHT			LFT					RHT					
: :LEFT/RIGHT INDICATOR							-XROAD-			SHD			RDY			SHD					LNS					
:							OW			TC			L			WD/S					BR					
							LNS			SHD			RDY			SHD					LNS					
							D			I			W/S			W/S					W/S					
							I			W/S			W/S					W/S								
							L			L			WID					WID								
							T			C			A					S								
							L			E			E					E								
							R			C			N					N								
							E			R			B					B								
							C			I			T					T								
							I			T			R					R								
							T			R			D					D								
							R			I			I					I								
							B			B			B					B								
							E			E			E					E								
							C			C			C					C								
							I			I			I					I								
							T			T			T					T								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							E			E			E					E								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
							I			I			I					I								
							B			B			B					B								
							R			R			R					R								
							C			C			C					C								
18.07	18.07								1	1						3G	22A	3G		22	1	02		R2	55	R
18.30	18.30								1	1						3G	22A	3G		22	1	02		R2	45	R
18.58	18.58	REST AREA		R		STATE SALMON HATCHERY CS 370591 F143 MINOR																				
		ENT/EXIT		R		REST AREA	ST	N																		
18.66	18.66								1	1						3G	22A	3G		22	1	02		R2	55	R
18.98	18.98								1	1						5G	22A	5G		22	1	02		R2	55	R
19.00	19.00	MP MARKER		R		19																				
19.27	19.27								1	1						3A	22A	3A		22	1	02		R2	55	R
20.00	20.00	MP MARKER		R		20																				
20.62	20.62	BEG BRIDGE	B			COAL CREEK BRDG NUM 542/023	ST		1	1					\$\$\$C	28A	\$\$\$C		28	1	02		R2	55	R	
20.63	20.63	END BRIDGE	B			COAL CREEK			1	1					3A	22A	3A		22	1	02		R2	55	R	
20.75	20.75	INTRSECTN	L			MARKEL RD	CO	N																		
20.87	20.87	INTRSECTN	L			CO RD	CO	N																		
21.00	21.00	MP MARKER		R		21																				
21.04	21.04	INTRSECTN	R			HATCHERY RD	CO	N																		
21.36	21.36	INTRSECTN	R			HATCHERY RD	CO	N																		
21.41	21.41								1	1					3B	20B	3B		20	1	02		R2	55	R	
21.93	21.93	BEG BRIDGE	B			KENDALL CREEK BRDG NUM 542/025	ST		1	1					\$\$\$C	24B	\$\$\$C		24	1	02		R2	55	R	
21.95	21.95	END BRIDGE	B			KENDALL CREEK			1	1					3B	20B	3B		20	1	02		R2	55	R	
22.03	22.03	MP MARKER		R		22																				
22.12	22.12	INTRSECTN	R			EASTWOOD RD	CO	N																		
22.63	22.63	BEG BRIDGE	B			HIGH CREEK BRDG NUM 542/026.25	ST		1	1					\$\$\$C	24B	\$\$\$C		24	1	02		R2	55	R	
22.64	22.64	END BRIDGE	B			HIGH CREEK			1	1					3B	20B	3B		20	1	02		R2	55	R	
22.80	22.80	INTRSECTN	L			SR 547 WYE CONN	ST	N																		
22.91	22.91	INTRSECTN	L			SR 547	ST	N	1	1					3B	20B	3B		20	1	02		R3	55	R	
23.00	23.00	MP MARKER		R		23																				
23.10	23.10	INTRSECTN	L			CASEY RD	CO	N	1	1					3A	20A	3A		20	1	02		R3	55	R	
23.92	23.92								1	1					3B	20B	3B		20	1	02		R3	55	R	
23.96	23.93	EQUATION				023.93 =023.96			1	1					1B	20B	1B		20	1	02		R3	55	R	
24.00	23.97	MP MARKER		R		24																				
24.42	24.39								1	1					1B	21B	1B		21	1	02		R3	55	R	
24.73	24.70	INTRSECTN	L			CO RD	CO	N																		
25.00	24.97	MP MARKER		R		25																				
25.61	25.58								1	1					8B	22B	8B		22	1	02		R3	55	R	
25.72	25.69	INTRSECTN	L			FOREST ST	CO	N																		
25.84	25.81	INTRSECTN	B			SILVER LAKE RD	CO	N	1	1					3B	20B	3B		20	1	02		R3	55	R	
26.00	25.97	MP MARKER		R		26																				
26.18	26.15	BEG BRIDGE	B			MAPLE CREEK BRDG NUM 542/028	ST		1	1					\$\$\$C	24A	\$\$\$C		24	1	02		R3	55	R	

SR 544 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

			-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS---												
:DIRECTION TO INVENTORY			-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR			NBR			LFT			RHT			LFT		RHT		USE		TOT												
:			LNS			SHD			RDY			SHD			LNS		RDY		MTCE		CITY		ST		SPEED		T P S			
SRMP	B ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
9.01	8.94	END CTLSEC END ROUTE			CONTROL SECTION 3740				1	1						8A	22A	8A			22	1	02	0865	R3		35	L	L	\$

SR 546 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----						
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV	INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S	
							NBR	LFT	RHT	LFT	RHT	USE	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
							LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	WID	W/S	W/S	W/S	W/S	W/S	W/S
							OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR							
0.00	0.00		BEG ROUTE			MAIN ROUTE																	
						SR 539 TO SR 9																	
			BEG CTLSEC			CONTROL SECTION 3742																	
			INTRSECTN	B		SR 539																	
0.50	0.50		INTRSECTN	B		DOUBLE DITCH RD																	
1.00	1.00		MP MARKER	B		1																	
			INTRSECTN	B		BENSON RD																	
1.50	1.50		INTRSECTN	B		DEPOT RD																	
1.99	1.99		MP MARKER	R		2																	
2.01	2.01		INTRSECTN	B		BENDER RD																	
2.45	2.45		BEG BRIDGE	B		FISHTRAP CREEK																	
						BRDG NUM 546/008																	
2.46	2.46		END BRIDGE	B		FISHTRAP CREEK																	
2.53	2.53		INTRSECTN	R		VINUP RD																	
2.99	2.99		MP MARKER	R		3																	
3.04	3.04		INTRSECTN	B		LINE RD																	
3.53	3.53		INTRSECTN	B		NORTHWOOD RD																	
3.96	3.96		MP MARKER	R		4																	
4.23	4.23		BEG BRIDGE	B		KAMM DITCH																	
						BRDG NUM 546/010.25																	
4.24	4.24		END BRIDGE	B		KAMM DITCH																	
5.00	5.00		MP MARKER	R		5																	
5.66	5.66		BEG BRIDGE	B		SQUAW CREEK																	
						BRDG NUM 546/011.55																	
5.67	5.67		END BRIDGE	B		SQUAW CREEK																	
6.00	6.00		MP MARKER	R		6																	
6.05	6.05		INTRSECTN	B		TRAPLINE RD																	
6.90	6.90		BEG SU LN	R		AUXILIARY																	
6.91	6.91		BEG SU LN	L		AUXILIARY																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00				.03	12				
0.50	0.50			.03	12					
1.00	1.00			.03	12					
1.50	1.50			.03	12					
2.01	2.01			.03	12					
2.53	2.53			.03	12					
3.04	3.04			.03	12					
3.53	3.53			.03	12					
6.05	6.05			.03	12					

SR 547 MAINLINE

STATE ROUTE - SRSH

COUNTY WHATCOM

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----						
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S					
							-XROAD-	NBR	LFT	RHT	LFT	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T
							OW TC L	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID							
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	1		1A	20A	1A		20	1	02		R3		55	R	
			BEG CTLSEC			SR 542 TO SR 9/SUMAS																	
			INTRSECTN	B		SR 542		ST	SS	N													
0.07	0.07		INTRSECTN	L		SR 542 WYE CONN		ST	N	1	4G	20A	4G		20	1	02		R3		55	R	
0.09	0.09		INTRSECTN	L		SR 542 WYE CONN		ST	N														
0.32	0.32		INTRSECTN	L		WHEELER RD		CO	N														
0.63	0.63									1	4G	20B	4G		20	1	02		R3		55	R	
0.84	0.84		INTRSECTN	R		DARDO RD		CO	N														
1.01	1.01		MP MARKER	R		1																	
1.04	1.04		INTRSECTN	R		CHATEAU RD		CO	N														
1.28	1.28		INTRSECTN	R		OREGON TRAIL RD		CO	N														
1.46	1.46		BEG BRIDGE	B		KENDALL CREEK		ST		1	\$S	C	\$S		24	1	02		R3		55	R	
						BRDG NUM 547/001.25																	
1.47	1.47		END BRIDGE	B		KENDALL CREEK				1	4G	22A	4G		22	1	02		R3		55	R	
1.50	1.50		INTRSECTN	L		LARIAT PL		CO	N														
1.53	1.53		INTRSECTN	R		OVERLAND TRAIL RD		CO	N														
1.62	1.62		INTRSECTN	L		MOSEY CT		CO	N														
1.84	1.84		INTRSECTN	B		PVT RD		PV	N														
2.01	2.01		MP MARKER	R		2																	
2.24	2.24									1	4G	20B	4G		20	1	02		R3		55	R	
2.42	2.42		INTRSECTN	R		CIMARRON WAY		CO	N														
2.70	2.70		INTRSECTN	R		SHAMROCK RD		CO	N														
			INTRSECTN	L		PVT RD		PV	N														
3.01	3.01		MP MARKER	R		3																	
3.20	3.20									1	4G	20B	4G		20	1	02		R3		45	R	
3.24	3.24		INTRSECTN	R		LIMESTONE RD WYE CONN		CO	N	1	4G	18A	4G		18	1	02		R3		45	R	
3.26	3.26		INTRSECTN	R		LIMESTONE RD		CO	N														
3.99	3.99		INTRSECTN	B		SOUTHPASS RD		CO	N														
4.00	4.00									1	4G	22A	4G		22	1	02		R3		45	R	
4.01	4.01		MP MARKER	R		4																	
4.99	4.99		INTRSECTN	R		REESE HILL RD WYE CONN		CO	N														
5.00	5.00									1	4G	18B	4G		18	1	02		R3		45	R	
5.01	5.01		INTRSECTN	R		REESE HILL RD		CO	N														
5.02	5.02		MP MARKER	R		5																	
5.16	5.16									1	4G	18A	4G		18	1	02		R3		45	R	
5.42	5.42		INTRSECTN	L		FROST RD		CO	N														

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.84	1.84		.04	11	.05	11				

SR 702 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----							
							-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S			
		:DIRECTION TO INVENTORY		-XROAD-		LNS		SHD RDY SHD		MEDIAN-		SHD RDY SHD		LNS	RDY	A	SE	FC	D	IB	R	K	T	
		: :LEFT/RIGHT INDICATOR		OW TC L		D I		W/S W/S W/S		WD/S BR		W/S W/S W/S		WID	WID									
0.00	0.00		BEG ROUTE			MAIN ROUTE								4A	22A	4A		22	1	02		R2	55	L
			BEG CTLSEC			SR 507/MCKENNA TO SR 7																		
			INTRSECTN	B		SR 507																		
0.12	0.12		BEG SU LN	C		TWO WAY TURN	11A							4A	22A	4A	11	33	1	02		R2	55	L
0.17	0.17		INTRSECTN	L		90TH AVE S		CO		Y														
0.21	0.21		END SU LN	C		TWO WAY TURN	11A							4A	22A	4A	\$\$\$	22	1	02		R2	55	L
0.28	0.28		INTRSECTN											2A	22A	2A		22	1	02		R2	55	L
0.30	0.30		INTRSECTN	R		88TH AVE S		CO		N														
0.58	0.58		INTRSECTN	R		HARTS LAKE RD S		CO		N														
1.02	1.02		MP MARKER	R		1																		
1.21	1.21		INTRSECTN	L		MCKENNA RD S		CO		N														
1.85	1.85		INTRSECTN	L		64TH AVE S		CO		N														
2.00	2.00		MP MARKER	R		2																		
2.19	2.19		INTRSECTN	R		58TH AVE S		CO		N														
2.29	2.29		INTRSECTN	L		56TH AVE S		CO		N														
3.04	3.04		MP MARKER	R		3																		
3.32	3.32		INTRSECTN	L		40TH AVE S		CO		N														
			INTRSECTN	R		ALLEN RD		CO		N														
3.86	3.86		INTRSECTN	R		31ST AVE S		CO		N														
3.91	3.91		INTRSECTN	L		30TH AVE S		CO		N														
4.00	4.00		MP MARKER	R		4																		
5.00	5.00		MP MARKER	R		5																		
5.29	5.29		INTRSECTN	B		8TH AVE S		CO		AF	Y													
5.92	5.92		INTRSECTN	L		2ND AVE E		CO		N														
6.00	6.00		MP MARKER	R		6																		
6.99	6.99		MP MARKER	R		7																		
7.15	7.15		INTRSECTN	B		KINSMAN RD E		CO		N														
8.00	8.00		MP MARKER	B		8																		
8.31	8.31		INTRSECTN	R		JACKSON RD		CO		N														
			INTRSECTN	L		CHRISTENSEN MUCK RD		CO		N														
8.98	8.98		INTRSECTN	R		48TH AVE E		CO		N														
8.99	8.99		MP MARKER	R		9																		
9.32	9.32		INTRSECTN	B		SR 7		ST		RF	Y													
			END CTLSEC			CONTROL SECTION 2730																		
			END ROUTE																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00					.02	11				
0.17	0.17					.02	11				

SR 705 MAINLINE

INTERSTATE - ISSH

COUNTY PIERCE

DOT DISTRICT 3

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----											
							-BRIDGE-	NBR	DECREAS/DIV	LFT	RHT	INCRS/UNDI	SPC	TOT	USE	TOT	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S					
							-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00		0.00	BEG ROUTE			MAIN ROUTE SR 5 TO SCHUSTER PARKWAY		3	1	8A	36A	8A	3000		C	24A	C		60	1	01	1280	U5		60	R	P		
			ENTER CITY BEG CTLSEC UXING		B	TACOMA CONTROL SECTION 2758 SR 5 NB																							
			MISC FEATR		I	BRDG NUM 005/445E END OF SR 7																							
0.02		0.02	UXING		B	SR 5 SB BRDG NUM 005/445W		3	2	8A	36A	8A	3000		W	52A	W		88	1	01	1280	U5		60	R	P		
			ON RAMP		RC	SR 5 N BND																							
			MISC FEATR		RC	GORE (SR 5 P213345)																							
0.03		0.03	UXING		D	S-S RAMP BRDG NUM 705/006W																							
0.06		0.06	BEG BRIDGE		I	N-N RAMP BRDG NUM 705/006N-N		3	2	8A	36A	8A	2500		W	52P	W		88	1	01	1280	U5		60	R	P		
			OFF RAMP		R	E 26TH ST																							
0.10		0.10	ON RAMP		L	S 26TH ST*S 27TH ST		Y	2	2	8A	24A	8A	2500		W	52P	W		76	1	01	1280	U5		60	R	P	
0.13		0.13	MISC FEATR		L	GORE (S100010)			2	2	10A	24A	4A	2000		W	52P	W		76	1	01	1280	U5		60	R	P	
0.15		0.15							2	2	10A	24A	4A	2000		W	38P	W		62	1	01	1280	U5		60	R	P	
0.16		0.16	MISC FEATR		R	GORE (P100006)																							
0.17		0.17	BEG BRIDGE		D	S-N RAMP BRDG NUM 705/006S-N		ST	2	2	\$\$W	43P	\$\$W	2000		W	38P	W		81	1	01	1280	U5		60	R	P	
0.18		0.18	UXING		I	S-N RAMP BRDG NUM 705/006E																							
0.21		0.21	MISC FEATR		LC	GORE (SR 5 S113329)			3	2	W	54P	W	500		W	38P	W		92	1	01	1280	U5		60	R	P	
0.26		0.26	OFF RAMP		LC	SR 5 S BND		ST	Y	3	1	W	54P	W	500		W	38P	W		92	1	01	1280	U5		60	R	P
0.34		0.34	MISC FEATR		RC	GORE (SR 5 R113418)			3	1	W	54P	W	250		W	72P	W		126	1	01	1280	U5		60	R	P	
0.39		0.39	ON RAMP		RC	SR 5 S BND		ST	Y	3	3	W	54P	W	250		W	72P	W		126	1	01	1280	U5		60	R	P
0.48		0.48							3	3	W	54P	W	250		W	52P	W		106	1	01	1280	U5		60	R	P	
0.49		0.49	OFF RAMP		R	SR 509		ST	Y																				
0.50		0.50	ON RAMP		L	SR 509*S 21ST ST		ST	Y	2	3	W	54P	W	250		W	52P	W		106	1	01	1280	U5		60	R	P
0.59		0.59	MISC FEATR		R	GORE (P100049)																							
0.62		0.62	END BRIDGE		D	S-N RAMP																							
0.64		0.64	END BRIDGE		I	N-N RAMP			2	3	W	40P	W	250		W	52P	W		92	1	01	1280	U5		60	R	P	
			MISC FEATR		L	GORE (S100050)																							
0.72		0.72	UXING		B	SR 509 BRDG NUM 509/F4		ST	2	1	W	40P	W	90		\$	34P	W		74	1	01	1280	U5		60	R	P	
			OFF RAMP		RC	PACIFIC AVE*15TH ST		ST	Y																				
0.80		0.80	MISC FEATR		RC	GORE (P100072)			2	1	W	40P	W	590		W	27P	W		67	1	01	1280	U5		60	R	P	
0.84		0.84	MISC FEATR		R	GORE (Q100099)			2	1	W	40P	W	590		W	56P	W		96	1	01	1280	U5		60	R	P	
0.85		0.85	MISC FEATR		L	GORE (R100098)																							
0.86		0.86							2	1	W	58P	W	590		W	56P	W		114	1	01	1280	U5		60	R	P	
0.93		0.93							2	1	W	58P	W	590		W	38P	W		96	1	01	1280	U5		60	R	P	

SR 706 MAINLINE

STATE ROUTE - SRSH

COUNTY PIERCE

DOT DISTRICT 3

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---														
:DIRECTION TO INVENTORY				-BRIDGE	DECREAS/DIV			INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-	NBR	LFT	RHT	LFT	RHT	RHT	USE	TOT																	
:				-XROAD-	LNS	SHD	RDY	SHD	SHD	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	WD	S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
0.00	0.00		BEG ROUTE			MAIN ROUTE																							
						SR 7/ELBE TO MT RAINIER																							
			BEG CTLSEC			CONTROL SECTION 2709																							
			INTRSECTN	R		SR 7																							
0.01	0.01		INTRSECTN	L		182ND AVE CT E																							
0.06	0.06																												
0.24	0.24		BEG SU LN	R		AUXILIARY																							
0.26	0.26		BEG SU LN	L		AUXILIARY																							
0.27	0.27		RR XING	B		NUM 397178W GRADE																							
0.30	0.30		END SU LN	R		AUXILIARY																							
0.33	0.33		END SU LN	L		AUXILIARY																							
0.36	0.36		MISC FEATR	L		SGN ENT ELBE																							
1.00	1.00		MP MARKER	R		1																							
1.99	1.99		MP MARKER	R		2																							
2.35	2.35		INTRSECTN	B		PARK JUNCTION RD																							
2.49	2.49		RR XING	B		NUM 397189J GRADE																							
2.55	2.55		BEG BRIDGE	B		RELIEF CROSSING																							
						BRDG NUM 706/003.25																							
2.56	2.56		END BRIDGE	B		RELIEF CROSSING																							
2.80	2.80		INTRSECTN	R		226TH AVE E																							
3.00	3.00		MP MARKER	R		3																							
3.53	3.53		INTRSECTN	B		238TH AVE E																							
3.54	3.54		INTRSECTN	L		238TH AVE E WYE CONN																							
4.00	4.00		MP MARKER	R		4																							
4.99	4.99		MP MARKER	R		5																							
5.31	5.31		INTRSECTN	R		265TH AVE E																							
5.95	5.95																												
5.99	5.99		MP MARKER	R		6																							
6.12	6.12		INTRSECTN	L		278TH AVE E																							
6.29	6.29		INTRSECTN	L		280TH AVE CT E																							
6.36	6.36		INTRSECTN	R		282ND AVE E																							
6.54	6.54		INTRSECTN	R		CO RD																							
6.56	6.56		INTRSECTN	R		553RD ST																							
6.71	6.71		BEG SU LN	R		SLOW VEHICLE																							
6.83	6.83		END SU LN	R		SLOW VEHICLE																							
6.99	6.99		MP MARKER	R		7																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00									
3.53	3.53		.03	12			.04	11		
							.03	12		

SR 900 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		CO	Y	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----													
				D	LR			DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
								NBR	LFT	RHT	W/S	RDY	SHD	W/S	BR	W/S	RDY	SHD	W/S	WID	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T
7.74	1.81		INTRSECTN	L	S	129TH ST WYE CONN		2	2								6A	58P	6A		58	4	01		U1		50	R	*		
7.76	1.83							2	2								6A	46P	6A		46	4	01		U1		50	R	*		
7.77	1.84		BEG SU LN	C	TWO	WAY TURN	13P	2	2								6A	46P	6A	13	59	4	01		U1		50	R	*		
7.80	1.87		ENT/EXIT	L	MOBILE	HOME PARK	PV	Y																							
7.83	1.90		END SU LN	C	TWO	WAY TURN	13P	2	2								6A	46P	6A	\$\$\$	46	4	01		U1		50	R	*		
7.87	1.94							2	2	8A	20P		C	4A	CU	\$\$\$	20P	8A			40	4	01		U1		50	R	*		
7.98	2.05		INTRSECTN	L	64TH	AVE S	CO	Y																							
8.00	2.07		MP MARKER	R	8																										
8.08	2.15		INTRSECTN	L	S	133RD ST	CO	N																							
8.18	2.25							2	2	8A	20P		\$	8P	UP		20P	8A			40	4	01		U1		50	R	*		
8.27	2.34		INTRSECTN	R	68TH	AVE S	CO SG	N	2	2	\$\$\$	\$\$\$		\$\$\$	\$\$\$	\$\$\$	8A	60P	8A		60	4	01		U1		50	R	*		
8.34	2.41		BEG SU LN	C	TWO	WAY TURN	12P	2	2								8A	48P	8A	12	60	4	01		U1		50	R	*		
8.46	2.53		INTRSECTN	L	S	135TH ST	CO	Y																							
8.49	2.56		END SU LN	C	TWO	WAY TURN	12P	2	2								8A	60P	8A	\$\$\$	60	4	01		U1		50	R	*		
8.53	2.60							2	2								8A	44P	8A		44	4	01		U1		50	R	*		
9.00	3.07		MP MARKER	R	9																										
9.02	3.09		INTRSECTN	L	80TH	AVE S	CO	N																							
9.07	3.14		ENTER CITY		RENTON			2	2								8A	44P	8A		44	4	01	1070	U1		35	R	R	*	
9.08	3.15		INTRSECTN	L	OAKSDALE	AVE	CT	Y	2	2							7A	44P	7A		44	4	01	1070	U1		35	R	R	*	
9.09	3.16		MISC FEATR	R	SGN	ENT RENTON																									
9.23	3.30							2	2								\$\$\$	57P	8A		57	4	01	1070	U1		35	R	R	*	
9.27	3.34		ENT/EXIT	R	CONDOMINIUMS		PV	Y	2	2							C	58P	\$\$\$		58	4	01	1070	U1		35	R	R	*	
9.36	3.43							2	2								C	58P	C		58	4	01	1070	U1		35	R	B	*	
9.37	3.44							2	2								6A	45P	6A		45	4	01	1070	U1		35	R	B	*	
9.39	3.46		INTRSECTN	L	SW	4TH PL	CT	Y																							
9.41	3.48		INTRSECTN	L	EARLINGTON	AVE SW	CT	N																							
9.44	3.51		INTRSECTN	R	SW	4TH PL	CT	Y																							
9.53	3.60		BEG SU LN	R	TRANSIT		17A	2	2								\$\$\$	58P	\$\$\$	17	75	4	01	1070	U1		35	R	B	*	
			INTRSECTN	B	STEVENS	AVE SW	CT SG	Y																							
9.55	3.62		END SU LN	R	TRANSIT		17A	2	2								C	47A	C	\$\$\$	47	4	01	1070	U1		35	R	L	*	
9.58	3.65		BEG SU LN	C	TWO	WAY TURN	12P	2	2								C	47A	C	12	59	4	01	1070	U1		35	R	L	*	
9.61	3.68							2	2								C	47A	C	12	59	4	01	1070	U1		35	R	R	*	
9.71	3.78		BEG SU LN	R	AUXILIARY		12P	2	2								C	44P	C	24	68	4	01	1070	U1		35	R	P	*	
			INTRSECTN	R	MAPLE	AVE SW	CT	Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
8.08	2.15		.02	10						
8.27	2.34			.06	12	.04	12			
9.27	3.34					.02	12			
9.53	3.60		.03	12		.03	12		.02	12

SR 900 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----							
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S						
						:DIRECTION TO INVENTORY	-BRIDGE-	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S				
						:LEFT/RIGHT INDICATOR	-UXING-	LNS	LFT	RHT	SHD RDY SHD	LNS	RDY	RDY	A	SE	NBR	FC	D	IB	R	K	T	
						:	-XROAD-	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID						
10.71	4.78	BEG ST	I			BRONSON WAY S																		
		INTRSECTN	L			SR 900 CO2NDST (COUPLET) ST	Y																	
		MISC FEATR	D			COUPLET - CO2NDST																		
10.72	4.79	BEG BRIDGE	B			CEDAR RIVER																		
						BRDG NUM 900/020																		
10.75	4.82	END BRIDGE	B			CEDAR RIVER																		
10.76	4.83	INTRSECTN	L			PARK ST	CT SG Y																	
		INTRSECTN	L			N 1ST ST	CT SG Y																	
10.77	4.84																							
10.79	4.86																							
10.81	4.88	BEG SU LN	C			TWO WAY TURN		11A																
10.86	4.93	END SU LN	C			TWO WAY TURN		11A																
10.88	4.95	INTRSECTN	L			GARDEN AVE N	CT	Y																
10.89	4.96																							
10.93	5.00	INTRSECTN	L			MEADOW AVE N	CT	Y																
10.99	5.06	INTRSECTN	R			HOUSER WAY	CT SG Y																	
		INTRSECTN	L			FACTORY AVE N	CT SG Y																	
11.00	5.07	RR XING	B			NUM 91715V GRADE																		
11.01	5.08	INTRSECTN	R			OFF RAMP WYE CONN	ST	Y																
11.02	5.09	INTRSECTN	L			SR 900 WYE CONN	ST	Y																
11.03	5.10	END ST	I			BRONSON WAY S																		
		BEG ST	I			SUNSET BLVD N																		
		OFF RAMP	R			SR 405 SB-SR 169	ST SG Y																	
11.06	5.13	INTRSECTN	L			SR 900 WYE CONN	ST	Y																
11.16	5.23																							
11.21	5.28	INTRSECTN	B			N 3RD ST WYE CONN	CT	Y																
11.22	5.29	INTRSECTN	B			N 3RD ST	CT SG Y																	
11.23	5.30	INTRSECTN	B			N 3RD ST WYE CONN	CT	Y																
11.29	5.36	BEG SU LN	C			TWO WAY TURN																		
11.43	5.50	ON RAMP	L			SR 405 SB	ST	Y																

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.71	4.78		.03	11						
10.76	4.83		.02	12					.01	12
10.88	4.95		.01	11					.01	11
10.99	5.06		.02	12						
11.03	5.10				.03	12			.11	22
11.21	5.28				.05	23				
11.22	5.29		.03	22					.04	12
11.23	5.30						.03	12		

SR 900 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
			D	LR		DESCRIPTION	NBR	LFT	RHT	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S							
						LNS	SHD	RDY	SHD	MEDIAN-	LFT	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T		
12.80	7.36	INTRSECTN	B		HARRINGTON AVE NE	CT	SG	Y	2	2				C 59A	C		59	4	01	1070	U1	35	R	P	*	
12.90	7.46	INTRSECTN	B		NE 10TH ST	CT	SG	Y	2	2				C 49A	C		49	4	01	1070	U1	35	R	P	*	
12.98	7.54	BEG SU LN	C		TWO WAY TURN	12A			2	2				C 49A	C	12	61	4	01	1070	U1	35	R	P	*	
13.09	7.65	END SU LN	C		TWO WAY TURN	12A			2	2				C 49A	C	\$\$\$	49	4	01	1070	U1	35	R	P	*	
13.10	7.66	INTRSECTN	B		KIRKLAND AVE NE	CT		Y	2	2				C 60A	C		60	4	01	1070	U1	35	R	P	*	
13.17	7.73	INTRSECTN	B		NE 12TH ST	CT	SG	Y																		
13.18	7.74	INTRSECTN	R		NE 12TH ST WYE CONN	CT		Y																		
13.24	7.80	BEG SU LN	C		TWO WAY TURN	12A			2	2				C 48A	C	12	60	4	01	1070	U1	35	R	P	*	
13.32	7.88	END SU LN	C		TWO WAY TURN	12A			2	2				C 60A	C	\$\$\$	60	4	01	1070	U1	35	R	P	*	
13.33	7.89	ENT/EXIT	L		SHOPPING CTR	PV		Y																		
13.35	7.91	BEG SU LN	C		TWO WAY TURN	12A			2	2				C 48A	C	12	60	4	01	1070	U1	35	R	P	*	
13.39	7.95	INTRSECTN	R		MONROE AVE NE	CT		Y	2	2				C 48A	C	12	60	4	01	1070	U1	40	R	P	*	
13.43	7.99	INTRSECTN	L		NEWPORT AVE NE	CT		Y																		
13.58	8.14	INTRSECTN	R		QUEEN AVE NE	CT		Y																		
13.81	8.37	END SU LN	C		TWO WAY TURN	12A			2	2				C 60A	C	\$\$\$	60	4	01	1070	U1	40	R	P	*	
13.88	8.44	INTRSECTN	L		UNION AVE NE WYE CONN	CT		Y																		
13.90	8.46	INTRSECTN	B		UNION AVE NE	CT	SG	Y																		
13.95	8.51	BEG SU LN	C		TWO WAY TURN	12A			2	2				C 48A	C	12	60	4	01	1070	U1	40	R	P	*	
14.02	8.58	INTRSECTN	R		WHITMAN CT N	CT		Y																		
14.14	8.70	INTRSECTN	L		ANACORTES AVE NE	CT		Y																		
14.15	8.71	INTRSECTN	R		ANACORTES AVE NE	CT		Y																		
14.25	8.81	END SU LN	C		TWO WAY TURN	12A			2	2				C 60A	C	\$\$\$	60	4	01	1070	U1	40	R	P	*	
14.31	8.87	END ST	I		SUNSET BLVD NE				2	1				C 46A	6A		46	4	01	1070	U1	40	R	P	*	
		BEG ST	I		RENTON-ISSAQUAH RD																					
14.39	8.95	INTRSECTN	B		DUVALL AVE NE	CT	SG	Y																		
14.43	8.99	MISC FEATR	L		SGN ENT RENTON																					
14.47	9.03	INTRSECTN	L		FIELD AVE NE	CT		Y						4A	20A	4A		20	4	01	1070	U1	40	R	\$	*
14.56	9.12	INTRSECTN	R		142ND AVE SE	CT		Y																		
14.73	9.29	LEAVE CITY			RENTON				1	1				4A	20A	4A		20	4	01	\$\$\$\$	U1	40	R	*	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.80	7.36	.02	12	.04	12				
12.90	7.46	.04	12	.04	12				
13.10	7.66	.03	12						
13.17	7.73	.04	12	.04	12				
13.33	7.89	.02	12					.02	12
13.90	8.46	.06	12	.03	12				
14.31	8.87	.04	12	.04	12				
14.47	9.03	.04	12						

SR 900 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS---													
				D	LR	DESCRIPTION	-BRIDGE-	DECREAS/DIV	INCREAS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S												
				:	:	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	BR	W/S	W/S	W/S	WID	RDY	A	SE	NBR	FC	D	IB	R	K	T
14.83		9.39							1	1				4A	20A	4A					20	4	01		U1		40	R	*	
14.99		9.55	MP MARKER	R	15																									
15.05		9.61	INTRSECTN	B	148TH AVE SE	CO		N																						
15.15		9.71	INTRSECTN	L	150TH AVE SE	CO		N																						
15.25		9.81	INTRSECTN	L	151ST AVE SE	CO		Y																						
15.79	10.35		INTRSECTN	B	MAPLE ST	CT		SG	Y																					
16.01	10.57		MP MARKER	R	16																									
16.05	10.61		INTRSECTN	L	162ND AVE SE	CO		N																						
16.08	10.64								1	1				10A	22A	10A					22	4	01		U1		40	R	*	
16.12	10.68		INTRSECTN	R	163RD AVE SE	CO		Y																						
16.18	10.74		INTRSECTN	B	164TH AVE SE	CO		SG	Y	1	1			4A	22A	4A					22	4	01		U1		40	R	*	
16.19	10.75		INTRSECTN	R	164TH AVE SE WYE CONN	CO		Y																						
16.30	10.86								1	1				10A	22A	10A					22	4	01		U1		40	R	*	
16.39	10.95								1	1				4A	20A	4A					20	4	01		U1		40	R	*	
16.66	11.22		INTRSECTN	R	171ST PL SE	CO		N																						
16.97	11.53		MP MARKER	R	17																									
17.05	11.61								1	1				7A	22A	4A					22	4	01		U1		40	R	*	
17.19	11.75								1	1				8A	22A	4A					22	4	01		U1		40	R	*	
17.23	11.79								1	1				8A	22A	8A					22	4	01		U1		40	R	*	
17.41	11.97		INTRSECTN	B	SE MAY VALLEY RD	CO		SG	Y	1	1			4A	22A	5A					22	4	01		R2		40	R	*	
17.42	11.98		INTRSECTN	R	SE MAY VALLEY RD WYE CON	CO		Y																						
18.01	12.57		MP MARKER	R	18																									
18.98	13.54		MP MARKER	R	19				1	1				3A	22A	5A					22	4	01		R2		40	R	*	
19.64	14.20		ENTER CITY		ISSAQUAH				1	1				3A	22A	5A					22	4	01	0590	R2		40	R	P	*
19.98	14.54		MP MARKER	R	20																									
20.80	15.36		MISC FEATR	R	SGN ENT ISSAQUAH																									
20.83	15.39								1	1				3A	22A	5A					22	4	01	0590	U1		40	R	P	*
20.99	15.55		MP MARKER	R	21																									
21.00	15.56		BEG BRIDGE	B	TIBBETS CREEK	ST			1	1				\$\$\$	42A	\$\$\$					42	4	01	0590	U1		40	R	P	*
					BRDG NUM 900/029																									
21.01	15.57		END BRIDGE	B	TIBBETS CREEK				1	1				10A	26A	10A					26	4	01	0590	U1		40	R	P	*
21.08	15.64		INTRSECTN	R	NEWPORT WAY WYE CONN	CT		Y																						
21.09	15.65		INTRSECTN	B	NEWPORT WAY	CT		SG	Y																					

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
15.79		10.35	.11	12		.03	12				
16.19		10.75								.05	12
17.41		11.97	.05	12	.08	12	.04	12			
17.42		11.98								.08	12
21.09		15.65	.03	12		.04	12				

SR 900 MAINLINE

STATE ROUTE - SRSH

COUNTY KING

DOT DISTRICT 1

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----														
							-BRIDGE	DECREAS/DIV	INCRS/UNDI	SPC	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S													
						:DIRECTION TO INVENTORY	-UXING-	NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
						: :LEFT/RIGHT INDICATOR	-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S		
						:	OW	TC	L	D	I	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S	W/S			
21.10	15.66		INTRSECTN	B		NEWPORT WAY WYE CONN	CT	Y	1	2					10A	48A	10A			48	4	01	0590	U1		40	R	P	*			
21.11	15.67		END ST	I		RENTON-ISSAQUAH RD									10A	48A	10A			48	4	01	0590	U1		40	R	P	\$			
21.13	15.69														10A	58A	6A			58	4	01	0590	U1		40	R	P				
21.15	15.71		EXIT TO	R		METRO LOADING AREA	ST	Y																								
21.16	15.72		FLYER STOP	R		LOT NUMBER OO		Y																								
						SEATTLE METRO		Y																								
21.19	15.75		ENT FROM	R		METRO LOADING AREA	ST	Y																								
21.22	15.78		INTRSECTN	B		MAPLE ST	CT	SG	Y	2	2				10A	58A	8A			58	4	01	0590	U1		40	R	P				
21.33	15.89		INTRSECTN	B		NW MALL ST	CT	Y																								
21.42	15.98		INTRSECTN	B		GILMAN BLVD	CT	SG	Y	2	2				10A	58A	10A			58	5	01	0590	U1		40	R	P				
21.54	16.10		OFF RAMP	R		SR 90	ST	SG	Y																							
			ON RAMP	L		SR 90	ST	SG	Y																							
21.58	16.14		BEG BRIDGE	B		SR 90	ST			2	2				\$\$C	64A	\$\$C			64	5	01	0590	U1		40	R	P				
						BRDG NUM 900/030																										
21.64	16.20		END BRIDGE	B		SR 90																										
			END CTLSEC			CONTROL SECTION 1713																										
			END ROUTE																													

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----							
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-				
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
21.22	15.78		.03	12			.11	12						
21.33	15.89						.02	12						
21.42	15.98		.03	12			.08	12						
21.54	16.10						.06	12						

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----											
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE- -UXING- -XROAD- OW TC L		DECREAS/DIV NBR LFT RHT LNS SHD RDY SHD D I W/S W/S W/S			INCRS/UNDI LFT RHT USE W/S W/S W/S			SPC TOT RDY WID		MTCE A SE		CITY NBR FC		LEGAL SPEED D IB		T P R K		S T	
5.97	5.97		INTRSECTN	R		HERB ST	CT	Y	1	1				10G	22A	2A			22	1	01	0755	R2	30	R	B	*	
6.03	6.03		INTRSECTN	L		HANCOCK ST	CT	Y																				
6.04	6.04		INTRSECTN	R		GRACE ST	CT	Y	1	1				\$\$C	60A	\$\$C			60	1	01	0755	R2	30	R	B	*	
6.09	6.09		INTRSECTN	B		LAKE ST	CT	Y																				
6.16	6.16		INTRSECTN	R		LADD ST	CT	Y	1	1				10G	40A	C			40	1	01	0755	R2	30	R	B	*	
			INTRSECTN	L		FIRST ST	CT	Y																				
6.22	6.22		INTRSECTN	R		SPENCE ST	CT	Y																				
			INTRSECTN	L		SECOND ST	CT	Y																				
6.27	6.27									1	1				2A	22A	1A			22	1	01	0755	R2	30	R	B	*
6.29	6.29		INTRSECTN	R		BARKER ST	CT	Y																				
6.31	6.31		INTRSECTN	L		THIRD ST	CT	Y																				
6.37	6.37		INTRSECTN	L		FOURTH ST	CT	Y	1	1				1A	22A	2A			22	1	01	0755	R2	30	R	R	*	
6.46	6.46		INTRSECTN	L		JAMES ST	CT	Y	1	1				1A	22A	2A			22	1	01	0755	R2	30	R	P	*	
6.55	6.55		INTRSECTN	R		SR 902 WYE CONN	ST	Y																				
6.56	6.56		END ST	I		LAFEVRE ST				1	1			4A	24A	4A			24	1	01	0755	R2	30	R	P	*	
			BEG ST	I		MEDICAL LAKE RD																						
			INTRSECTN	L		LEFEVRE ST	CT	SS	Y																			
			INTRSECTN	L		BROOKS RD	CT	SS	Y																			
6.58	6.58		INTRSECTN	R		SR 902 WYE CONN	ST	Y																				
6.83	6.83		RR XING	B		NUM 66331W GRADE																						
6.94	6.94		INTRSECTN	R		STANLEY ST	CT	Y																				
6.99	6.99		INTRSECTN	L		GRAHAM RD	CT	Y																				
7.05	7.05		MP MARKER	R		7																						
7.16	7.16									1	1			4A	24A	4A			24	1	01	0755	R2	55	R	P	*	
7.21	7.21		LEAVE CITY			MEDICAL LAKE				1	1			4A	24A	4A			24	1	01	\$\$\$\$	R2	55	R	\$	\$	
			END ST	I		MEDICAL LAKE RD																						
7.22	7.22		INTRSECTN	L		GRAHAM RD	CO	N																				
7.26	7.26		MISC FEATR	L		SGN ENT MEDICAL LAKE																						
7.52	7.52		INTRSECTN	B		KEENE RD	CO	Y																				
7.88	7.88		INTRSECTN	L		BARTHOLOMEW RD	CO	Y																				
8.08	8.08		MP MARKER	R		8																						
9.06	9.06		MP MARKER	R		9																						
9.23	9.23		INTRSECTN	B		WELCOME RD	CO	N																				
10.08	10.08		MP MARKER	R		10																						
10.10	10.10		INTRSECTN	L		HALLET RD	CO	Y																				
10.27	10.27		INTRSECTN	B		CRAIG RD	CO	Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
6.55	6.55			.03	14					
10.27	10.27		.03	12		.04	12			

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----																			
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-		DECREAS/DIV		INCRS/UNDI		SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S											
							OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	LNS	RDY	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1			7A	24A	7A					24	1	03			R3			45	L						
			BEG CTLSEC			SR 970 TO FOREST BDRY																														
			INTRSECTN	B		SR 970				ST	SS	Y																								
0.18	0.18		INTRSECTN	L		SR 903 WYE CONN				ST		Y																								
0.19	0.19		INTRSECTN	R		SR 903 SPCLEELM (SPUR)				ST	SS	Y	1	1		3A	23A	3A			23	1	03			R3			45	L						
0.21	0.21		INTRSECTN	L		SR 903 WYE CONN				ST		Y																								
0.30	0.30												1	1		8A	24A	8A			24	1	03			R3			45	L						
0.50	0.50		INTRSECTN	R		CLE ELUM AIRPORT RD				CO		Y																								
0.66	0.66		MISC FEATR	R		SGN ENT CLE ELUM																														
0.81	0.81		ENTER CITY			CLE ELUM							1	1		8A	24A	8A			24	1	03	0220	R3			30	L	B						
0.84	0.84		INTRSECTN	R		SHORT AVE				CT		Y	1	1		12A	24A	12A			24	1	03	0220	R3			30	L	B						
0.88	0.88		BEG ST	I		FIRST ST E							1	1		12A	24A	12A			24	1	03	0220	R3			30	L	B	*					
0.96	0.96		INTRSECTN	R		FLORAL AVE				CT		Y																								
1.08	1.08		INTRSECTN	B		COLUMBIA AVE				CT		Y																								
1.19	1.19		INTRSECTN	B		YAKIMA AVE				CT		Y																								
1.31	1.31		INTRSECTN	R		TEANAWAY AVE				CT		Y																								
1.44	1.44		INTRSECTN	R		MONTGOMERY AVE				CT		Y	1	1																						
1.46	1.46		BEG SU LN			TWO WAY TURN		16A		C			1	1																						
1.56	1.56		INTRSECTN	B		PEOH AVE				CT		Y																								
1.66	1.66		INTRSECTN	B		BULLITT AVE				CT		Y																								
1.73	1.73		INTRSECTN	B		WRIGHT AVE				CT		Y	1	1		C	60A	C	16		76	1	03	0220	R3			25	L	B	*					
1.80	1.80		INTRSECTN	B		HARRIS AVE				CT		Y																								
1.85	1.85		END SU LN			TWO WAY TURN		16A		C			1	1		C	76A	C	\$\$\$		76	1	03	0220	R3			25	L	B	*					
1.90	1.90		END ST	I		FIRST ST E																														
			BEG ST	I		FIRST ST W																														
			INTRSECTN	B		PENNSYLVANIA AVE				CT		SG	Y																							
1.94	1.94		BEG SU LN			TWO WAY TURN		16A		C			1	1		C	60A	C	16		76	1	03	0220	R3			25	L	B	*					
2.00	2.00		END ST	I		FIRST ST W							1	1		\$	60A	\$	\$\$\$		60	1	03	0220	R3			25	L	B	*					
			END SU LN			TWO WAY TURN		16A		C																										
			BEG ST	I		OAKES AVE																														
			INTRSECTN	L		OAKES AVE				CT		Y																								
			INTRSECTN	L		FIRST ST W				CT		Y																								
2.06	2.06		END ST	I		OAKES AVE							1	1		16A	24A	8A			24	1	03	0220	R3			25	L	B	*					
			BEG ST	I		SECOND ST W																														
			INTRSECTN	R		SECOND ST W				CT		SS	Y																							
			INTRSECTN	R		OAKES AVE				CT		SS	Y																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L	R	L	R	L	R	RIGHT-
			NEAR	NEAR	FAR	FAR	LNTR	LNTR	LNTR
			LG	WD	LG	WD	LG	WD	LG
1.90	1.90		.03	16	.03	16			

SR 903 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----																
							:DIRECTION TO INVENTORY : :LEFT/RIGHT INDICATOR :		-BRIDGE-	DECREAS/DIV			INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL		T	P	S								
							OW	TC	L	NBR	LFT	RDY	SHD	W/S	RHT	SHD	W/S	RHT	SHD	W/S	LNS	RDY	WID	A	SE	NBR	FC	D	IB	R	K	T		
2.13	2.13		INTRSECTN	B		BILLINGS AVE	CT	Y	1	1						8A	24A	8A			24	1	03	0220	R3		25	L	B	*				
2.24	2.24		INTRSECTN	R		STAFFORD ST	CT	Y	1	1						4A	24A	4A			24	1	03	0220	R3		25	L	B	*				
2.26	2.26		RR XING	B		NUM 85137E GRADE																												
			MISC FEATR	B		RR XING (VACATED)																												
2.27	2.27		INTRSECTN	L		CITY ST	CT		N																									
2.28	2.28		BEG BRIDGE	B		ROSLYN CREEK	ST		1	1						\$S	C	23A	\$S	C		23	1	03	0220	R3		25	R	P	*			
						BRDG NUM 903/003																												
2.29	2.29		END BRIDGE	B		ROSLYN CREEK			1	1						2A	24A	2A			24	1	03	0220	R3		25	R	B	*				
2.36	2.36		INTRSECTN	B		REED ST	CT		Y																									
2.53	2.53		INTRSECTN	R		YAKIMA AVE	CT		Y																									
			INTRSECTN	L		ALPHA WAY	CT		Y																									
2.62	2.62		INTRSECTN	B		PINE ST	CT		Y																									
2.68	2.68		END ST	I		SECOND ST W			1	1						8A	24A	8A			24	1	03	0220	R3		25	R	B	\$				
			INTRSECTN	R		MILLER AVE	CT		Y																									
			INTRSECTN	L		RANGER STA RD	CT		Y																									
			INTRSECTN	L		CASCADE AVE	CT		Y																									
2.69	2.69		LEAVE CITY			CLE ELUM			1	1						8A	24A	8A			24	1	03	\$\$\$\$	R3		25	R	\$					
2.79	2.79		MISC FEATR	L		SGN ENT CLE ELUM																												
2.95	2.95								1	1						8A	24A	8A			24	1	03			R3		45	R					
2.99	2.99		MP MARKER	R		3																												
3.52	3.52		ENT/EXIT	R		TRANSFER STATION	CO		N																									
3.57	3.57		ENT FROM	L		GRADE SCHOOL	CO		N																									
3.59	3.59		INTRSECTN	R		CO RD	CO		N																									
3.80	3.80		INTRSECTN	R		SHAFT ST	CO		N																									
3.82	3.82		ENT FROM	L		HIGH SCHOOL	CO		N																									
3.91	3.91		ENT/EXIT	L		HIGH SCHOOL	CO		Y																									
3.99	3.99		MP MARKER	R		4																												
4.02	4.02		INTRSECTN	R		CO RD #5	CO		N	1	1					8A	24A	4A			24	1	03		R3		45	R						
4.16	4.16		INTRSECTN	R		CAREK RD	CO		N																									
4.20	4.20		INTRSECTN	L		BULLFROG RD	CO		N	1	1					8A	24A	8A			24	1	03		R3		45	R						
4.29	4.29		INTRSECTN	R		CO RD #245	CO		N																									
4.42	4.42		INTRSECTN	R		MARTIN RD	CO		N																									
4.50	4.50		INTRSECTN	L		MINE RD-CO RD #9	CO		N	1	1					6A	24A	4A			24	1	03		R3		45	R						
4.55	4.55															6A	24A	4A			24	1	03		R3		35	R						
4.63	4.63		MISC FEATR	R		SGN ENT ROSLYN																												
4.65	4.65		BEG ST	I		S FIRST ST			1	1						6A	24A	6A			24	1	03		R3		35	R	*					
			INTRSECTN	R		SOUTH AVE	CO		N																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.91		3.91	.04	12						

SR 970 MAINLINE

STATE ROUTE - SRSH

COUNTY KITTITAS

DOT DISTRICT 5

SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----										
							-BRIDGE-	DECREAS/DIV	INCRS/UNDI			SPC	TOT	MTCE		CITY	ST	LEGAL	T	P	S						
							-UXING-	NBR	LFT	RHT	LFT	RDY	RHT	USE	RDY	A	SE	NBR	FC	D	IB	R	K	T			
							-XROAD-	LNS	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID											
0.00	0.00		BEG ROUTE			MAIN ROUTE		1	1					C	28A		C			28	1	03		R1	55	L	
			BEG CTLSEC			SR 90 TO SR 97/VIRDEN																					
			BEG BRIDGE B			CONTROL SECTION 1909																					
						SR 90	ST																				
						BRDG NUM 970/001																					
0.04	0.04		END BRIDGE B			SR 90		1	1					8A	22A		8A			22	1	03		R1	55	L	
0.14	0.14		MISC FEATR	R		GORE (SR 90 R108606)																					
			MISC FEATR	L		GORE (SR 90 S108548)																					
0.22	0.22		OFF RAMP	L		SR 90	ST																				
0.24	0.24		ON RAMP	R		SR 90	ST																				
0.29	0.29		RR XING	B		NUM 85228K STRUCTURE		1	1					\$\$C	36P		\$\$C			36	1	03		R1	55	L	
			BEG BRIDGE B			NP RR	ST																				
						BRDG NUM 970/005																					
0.32	0.32		END BRIDGE B			NP RR		1	1					7A	24A		7A			24	1	03		R1	55	L	
0.36	0.36		INTRSECTN	L		SR 903	ST	YS	Y																		
0.48	0.48		OFF RAMP	R		SR 970 EB	ST		Y	1	1			5A	38A		5A			38	1	03		R1	55	L	
0.51	0.51		INTRSECTN	L		SR 903 SPCLEELM (SPUR)	ST	SS	Y	1	1			3A	24A		3A			24	1	03		R1	55	L	
0.58	0.58		MISC FEATR	R		GORE (P100048)																					
0.60	0.60							1	1					4A	42A		8A			42	1	03		R1	55	L	
0.75	0.75							1	1					5A	24A		5A			24	1	03		R1	55	L	
0.76	0.76		ON RAMP	R		SR 970 EB	ST		Y																		
1.01	1.01		MP MARKER	R		1																					
2.01	2.01		MP MARKER	R		2																					
2.57	2.57		INTRSECTN	L		AIRPORT RD	CO		N																		
2.69	2.69		INTRSECTN	R		SR 10	ST		Y																		
2.89	2.89		INTRSECTN	R		LAMBERT RD	CO		N																		
2.99	2.99		MP MARKER	R		3																					
3.07	3.07							1	1					5A	24A		5A			24	1	03		R1	60	L	
3.73	3.73		INTRSECTN	L		W MASTERSON RD	CO		N	1	1			6A	24A		6A			24	1	03		R1	60	L	
			INTRSECTN	R		SEATON RD	CO		N																		
4.01	4.01		MP MARKER	R		4																					
5.01	5.01		MP MARKER	R		5																					
5.85	5.85							1	1					6B	24B		6B			24	1	03		R1	60	L	
6.01	6.01		MP MARKER	R		6																					
6.31	6.31		BEG BRIDGE B			TEANAWAY RIVER	ST	1	1					\$\$W	38P		\$\$W			38	1	03		R1	60	L	
						BRDG NUM 970/010																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT--
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.51	0.51				.05	11				
2.69	2.69			.04	14					

